



Status Report

HONDAJET HA-420

S/N 42000107 N14QB

OWNER: HAEDO AIR, LLC
ADDRESS: 9500 SOUTH DADELAND BLVD.
MIAMI FL 33156
OFFICE:
FAX:

OPERATOR: TURBINE AIRCRAFT
LOGISTICS, LLC
ADDRESS: 1821 FIREBRUSH LANE
OVIEDO FL 32765
OFFICE:
FAX:

OPERATOR: BANYAN AIR SERVICE, INC.
ADDRESS: 5360 NORTHWEST 20TH TERRACE
FORT LAUDERDALE FL 33309
OFFICE: (954) 491-3170
FAX:

ANALYST: JAKE SALINAS
EMAIL: JSALINAS@CAMPSYSTEMS.COM

1-866-581-2267 (OFFICE)
316-462-2442 (FAX)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;PN/SN-UNKNOWN Components:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE

AIRCRAFT SERIAL/REGNO: 42000107/N14QB MODEL: HONDAJET HA-420 MANUFACTURER: HONDA AIRCRAFT COMPANY, INC.

CERTIFICATION DATE: 07-MAY-2018

LAST ACTUALS:
644.4 A/C HRS as of 17-FEB-2023
465 AFL as of 17-FEB-2023

ENGINE NO. 1 SERIAL/PART: 883327/HJ1-17201-120-003 MODEL: HF120-H1A MANUFACTURER: GE HONDA AERO ENGINES

INSTALLED ON: 14-FEB-2018
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
644.4 ENG. HRS as of 17-FEB-2023
465 ENC as of 17-FEB-2023

ENGINE NO. 2 SERIAL/PART: 883326/HJ1-17201-120-004 MODEL: HF120-H1A MANUFACTURER: GE HONDA AERO ENGINES

INSTALLED ON: 14-FEB-2018
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
644.4 ENG. HRS as of 17-FEB-2023
465 ENC as of 17-FEB-2023



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
H420-160129	REVIEW HONDAJET HA-420 ALM REVISION A1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
								PROC. REF: RCF H420
H420-160129-SUPP	REVIEW HONDAJET HA-420 ALM REVISION A1 SUPPLEMENTAL REVISION SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	07-May-18	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS	0		TAC 0				
	AFL	0		TAC 0				
								PROC. REF: RCF H420
H420-160630	REVIEW HONDAJET HA-420 ALM REVISION A2							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
								PROC. REF: RCF H420
H420-160701	REVIEW HONDAJET HA-420 ALM REVISION A3							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
								PROC. REF: RCF H420
H420-160930	REVIEW HONDAJET HA-420 ALM REVISION A4							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
								PROC. REF: RCF H420
H420-170131	REVIEW HONDAJET HA-420 ALM REVISION B1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
								PROC. REF: RCF H420

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
H420-180115	REVIEW HONDAJET HA-420 ALM REV C							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF H420			
H420-180501	REVIEW HONDAJET HA-420 ALM REV C1							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF H420			
H420-181015	REVIEW HONDAJET HA-420 ALM REV D							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF H420			
H420-190228	REVIEW HONDAJET HA-420 AUDIT SUMMARY CHANGE FORM H420-190228							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
					PROC. REF: RCF H420			
H420-190320	REVIEW HONDAJET HA-420 AUDIT SUMMARY CHANGE FORM H420-190320							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
					PROC. REF: RCF H420			
H420-200630	REVIEW HONDA JET ALM REVISION E							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF H420			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-11-07-200-801	NO. 1 ENGINE - TIME LIMITED DISPATCH WITH CONTROL SYSTEM FAULTS							Service	ATA:05
	MOS/MSC	14-Feb-18	A/R	TAC 0				AIRWORTHINESS	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: LMM 05-11-07								
05-11-07-200-801	NO. 2 ENGINE - TIME LIMITED DISPATCH WITH CONTROL SYSTEM FAULTS							Service	ATA:05
	MOS/MSC	14-Feb-18	A/R	TAC 0				AIRWORTHINESS	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: LMM 05-11-07								
05CA0520001	600 HOUR SCHEDULED INSPECTIONS (CHECKS)							Package	ATA:05
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)	Adj 13.2	1200	1260	555.6 (+60)		
	AFL	433							
	PROC. REF: AMM NO REF, ALM 05-20-00, ALM 05-20-00								
05CA0550001	DO THE HARD / OVERWEIGHT LANDING INSPECTION.							Service	ATA:05
	MOS/MSC	07-May-18	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM NO REF, ALM 05-50-00, ALM 05-50-00								
05CA0550002	DO THE OVERSPEED INSPECTION.							Service	ATA:05
	MOS/MSC	07-May-18	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM NO REF, ALM 05-50-00, ALM 05-50-00								
05CA0550003	DO THE DANGEROUS AIR TURBULENCE OR UNAPPROVED MANEUVERS INSPECTION							Service	ATA:05
	MOS/MSC	07-May-18	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM NO REF, ALM 05-50-00, ALM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05CA0550004	DO THE LIGHTNING STRIKE INSPECTION							Service	ATA:05
	MOS/MSC	07-May-18	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM 05-50-00, ALM 05-50-00									
05CA0550005	DO THE FOREIGN OBJECT DAMAGE INSPECTION							Service	ATA:05
	MOS/MSC	07-May-18	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM 05-50-00, ALM 05-50-00									
05CA0550006	DO THE COLD WEATHER INSPECTION							Service	ATA:05
	MOS/MSC	07-May-18	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM 05-50-00, ALM 05-50-00									
05CA0560001	AIRCRAFT STRUCTURE LIFE LIMIT							Service	ATA:05
PN:PN	MOS	07-May-18		TAC 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	6000		6000		5355.6		
	AFL	0	5825		5825		5360		
PROC. REF: GENERIC NO REF									
05CA0560010	AIRCRAFT STRUCTURE LIFE LIMIT							Component	ATA:05
PN:PN	MOS/MSC	07-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
05HA0500102	ZONES 500/600 OF THE FUEL TANK INTERNAL SYSTEM VENT VALVES, VENT DRAINS, FUEL QUANTITY PROBES AND ALL WIRE HARNESSSES - VISUAL INSPECTION							Service	ATA:05
	MOS	07-May-18		TAC 0				AIRWORTHINESS	
	HRS	0	2400		2400		1755.6		
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05HA2031102	DO A VISUAL INSPECTION OF THE INTERNAL WING FUEL TANK SEALANT WITH PARTICULAR ATTENTION TO SEALANT FILLETS OR FASTENER SEAL CAPS IN POTENTIAL LIGHTNING ATTACHMENT ZONES PER GREEN HASHED AREAS ON WINGS SHOWN IN FIGURES 601 AND 602 IN SECTION 05-60-00.							Service	ATA:05
	MOS	07-May-18		TAC 0					
	HRS	0	2400 (+60/-60)		2400	2460	1755.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: ALM INTRO, AMM 20-31-12									
ATA 12 - SERVICING									
12CA1211121	TAKE / TEST A HYDRAULIC FLUID SAMPLE MIL-PRF-87257							Service	ATA:12
	MOS	15-Dec-22							
	HRS	586.8	600 (+10%/-10%)		1186.8	1246.8	542.4 (+60)		
	AFL	433							
PROC. REF: AMM 12-11-12									
12HA1221102	LUBRICATE LEFT MAIN LANDING GEAR. REFER TO SCHEDULED SERVICING SECTION							Service	ATA:12
	MOS	15-Dec-22							
	HRS	586.8	150 (+10%/-10%)		736.8	751.8	92.4 (+15)		
	AFL	433							
PROC. REF: AMM 12-21-12, AMM 12-21-12, AMM 12-21-12									
12HA1221102	LUBRICATE NOSE LANDING GEAR. REFER TO SCHEDULED SERVICING SECTION							Service	ATA:12
	MOS	15-Dec-22							
	HRS	586.8	150 (+10%/-10%)		736.8	751.8	92.4 (+15)		
	AFL	433							
PROC. REF: AMM 12-21-12, AMM 12-21-12, AMM 12-21-12									
12HA1221102	LUBRICATE RIGHT MAIN LANDING GEAR. REFER TO SCHEDULED SERVICING SECTION							Service	ATA:12
	MOS	15-Dec-22							
	HRS	586.8	150 (+10%/-10%)		736.8	751.8	92.4 (+15)		
	AFL	433							
PROC. REF: AMM 12-21-12, AMM 12-21-12, AMM 12-21-12									
ATA 20 - STANDARD PRACTICES - AIRFRAME									
20HA2031102	DO A VISUAL INSPECTION OF THE WING FUEL TANK INTERNAL COMPONENTS.							Service	ATA:20
	MOS	07-May-18		TAC 0					
	HRS	0	2400 (+60/-60)		2400	2460	1755.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: ALM INTRO, AMM 20-31-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21CA2121001		LEFT COCKPIT INSTRUMENT PANEL GASPER						Component	ATA:21
PN:HJ1-12121-225-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:192437-1-4	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
21CA2121002		RIGHT COCKPIT INSTRUMENT PANEL GASPER						Component	ATA:21
PN:HJ1-12121-225-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:192437-1-5	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
21CA2131101		BLEED AIR SYSTEM / VAPOR CYCLE SYSTEM CONTROLLER						Component	ATA:21
PN:HJ1-12155-019	MOS/MSC	28-Jul-20	O/C						
SN:00258	HRS	214.5							
	AFL	146							
PROC. REF: AMM 21-31-10, AMM 21-31-10									
21CA2131113		PRIMARY OUTFLOW LIMITER/ VALVE						Component	ATA:21
PN:HJ1-12130-301-015	MOS	06-May-18		TSN 0				AIRWORTHINESS	
SN:0143A	HRS	10.3	2400	TSN 0	2410.3		1765.9		
	AFL	6		TSN 0					
PROC. REF: AMM 21-31-11, AMM 21-31-11, AMM 21-31-12, AMM 21-31-12									
21CA2131115		SECONDARY OUTFLOW LIMITER/ VALVE						Component	ATA:21
PN:HJ1-12130-310-003	MOS	06-May-18		TSN 0				AIRWORTHINESS	
SN:113	HRS	10.3	2400	TSN 0	2410.3		1765.9		
	AFL	6		TSN 0					
PROC. REF: AMM 21-31-11, AMM 21-31-11, AMM 21-31-12, AMM 21-31-12									
21CA2131117		REPLACE - SECONDARY OUTFLOW VALVE FILTER P/N HJ1-12130-310-XXX (SEE SECTION 05-60-00)						Component	ATA:21
PN:PN	MOS	07-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	2400	TSN 0	2400		1755.6		
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-13, AMM 21-31-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21CA2131141		CABIN PRESSURIZATION DATA UNIT					Component	ATA:21	
PN:HJ1-12130-303-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:128	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-14, AMM 21-31-14									
21CA2151101		COMPRESSOR DRIVE MODULE ASSEMBLY					Component	ATA:21	
PN:HJ1-12151-410-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:210	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-51-10, AMM 21-51-10									
21CA2151121		COCKPIT EVAPORATOR ASSEMBLY					Component	ATA:21	
PN:HJ1-12151-210-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:197	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-51-12, AMM 21-51-12									
21CA2151131		CABIN EVAPORATOR ASSEMBLY					Component	ATA:21	
PN:HJ1-12151-310-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:169	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-51-13, AMM 21-51-13									
21CA2161101		SIDEEDGE ASSY, RHS TEMPERATURE SENSOR					Component	ATA:21	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-61-10, AMM 21-61-10									
21CA2161102		CABINET TEMPERATURE SENSOR					Component	ATA:21	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-61-10, AMM 21-61-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21HA0500102 ^S	DO THE VISUAL INSPECTION OF VCS COMPONENTS.							Service	ATA:21
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
21HA0500104 ^S	DO THE VISUAL INSPECTION OF THE ECS AND VCS DRAINS.							Service	ATA:21
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
21HA0500105 ^S	DO THE VISUAL INSPECTION OF THE HEAT EXCHANGER AND VAPOR CYCLE SYSTEMS.							Service	ATA:21
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
21HA0500106 ^S	DO THE VISUAL INSPECTION OF THE PRIMARY AND SECONDARY OUTFLOW VALVES.							Service	ATA:21
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: ALM INTRO, AMM 21-31-11							PKG:1	
21HA2130101 ^S	DO THE CABIN PRESSURIZATION LEAK TEST.							Service	ATA:21
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 21-30-01							PKG:1	
21HA2130103	DO THE FUNCTIONAL TEST OF THE CABIN PRESSURIZATION AND CONTROL SYSTEM. NOTE: ACCOMPLISH AFTER SYSTEM COMPONENT REMOVAL AND REPLACEMENT TASKS IN SECTION 05-10-00 AND 05-60-00							Service	ATA:21
	MOS	07-May-18		TAC 0					
	HRS	0	2400 (+60/-60)		2400	2460	1755.6 (+60)		
	AFL	0		TAC 0					
	PROC. REF: AMM 21-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21HA2150101 ^S	DO THE OPERATIONAL TEST OF THE VAPOR CYCLE SYSTEM.							Service	ATA:21
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 21-50-01				PKG:1	
21HA2150102 ^S	DO THE LEAK TEST OF THE VCS.							Service	ATA:21
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: CMM 21-00-41, AMM 21-50-02				PKG:1	
ATA 22 - AUTO FLIGHT									
22CA2210000	GSA9000 YAW SERVO							Component	ATA:22
PN:011-02213-10	MOS/MSC	07-May-18	O/C		TSN 0				
SN:2JL006847	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 22-11-12, AMM 22-11-12					
22CA2210002	GSA9000 ROLL SERVO							Component	ATA:22
PN:011-02213-10	MOS/MSC	07-May-18	O/C		TSN 0				
SN:2JL006848	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 22-11-11, AMM 22-11-11					
22CA2210003	GSA9000 PITCH SERVO							Component	ATA:22
PN:011-02213-10	MOS/MSC	07-May-18	O/C		TSN 0				
SN:2JL006851	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 22-11-10, AMM 22-11-10					
22CA2212101	AUTOMATIC FLIGHT CONTROL SYSTEM - GMC715/725 PANEL							Component	ATA:22
PN:011-01430-20	MOS/MSC	07-May-18	O/C		TSN 0				
SN:2ZY005082	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 22-12-10, AMM 22-12-10					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22CA2213101	GTA82 TRIM SYNC ADAPTER							Component	ATA:22
PN:011-00960-20	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1A2001039	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-13-10, AMM 22-13-10, AMM 22-14-10, AMM 22-14-10									
22CA2213102	GTA82 TRIM SYNC ADAPTER							Component	ATA:22
PN:011-00960-20	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1A2001040	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-13-10, AMM 22-13-10, AMM 22-14-10, AMM 22-14-10									
22CA2213103	GTA82 TRIM SYNC ADAPTER							Component	ATA:22
PN:011-00960-20	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1A2001041	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-13-10, AMM 22-13-10, AMM 22-14-10, AMM 22-14-10									
22CA2241101	STICK SHAKER ACTUATOR							Component	ATA:22
PN:0050N1	MOS/MSC	07-May-18	O/C	TSN 0					
SN:8065	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-41-10, AMM 22-41-10									
22HA0500101 ^S	DO THE VISUAL INSPECTION OF THE PILOT AND CO-PILOT YOKE SWITCHES.							Service	ATA:22
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
22HA0500102 ^S	DO THE VISUAL INSPECTION OF THE AFCS CONTROLLER.							Service	ATA:22
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22HA0500103 ^S	DO THE VISUAL INSPECTION OF THE AILERON, RUDDER AND ELEVATOR SERVOS.							Service	ATA:22
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
22HA0500104 ^S	DO THE VISUAL INSPECTION OF THE AILERON, RUDDER AND ELEVATOR TRIM ADAPTORS.							Service	ATA:22
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
22HA0500105 ^S	DO THE OPERATIONAL TEST OF THE YAW SERVO.							Service	ATA:22
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 22-00-01							PKG:1	
ATA 23 - COMMUNICATIONS									
23CA2310001	LEFT NOISE-CANCELLING HAND MICROPHONE							Component	ATA:23
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
23CA2310002	RIGHT NOISE-CANCELLING HAND MICROPHONE							Component	ATA:23
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
23CA2311101	LOWER / #1 VHF/DME ANTENNA							Component	ATA:23
PN:CI 108520-L	MOS/MSC	13-Jan-22	O/C		TSN 0				
SN:673103	HRS	390			TSN 0				
	AFL	292			TSN 0				
	PROC. REF: AMM 23-11-10, AMM 23-11-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23CA2311102	UPPER / #2 VHF/DME ANTENNA							Component	ATA:23
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-10, AMM 23-11-10									
23CA2312101	VHF DATA ANTENNA							Component	ATA:23
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-12, AMM 23-11-12									
23CA2312102	LRU, COM XCVR, GDR 66							Component	ATA:23
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
23CA2322001	DATA UNIT, GDL59							Component	ATA:23
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-16, AMM 23-11-16									
23CA2322101	S-BAND WIFI BLADE ANTENNA							Component	ATA:23
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-21-12, AMM 23-21-12									
23CA2351101	LEFT AUDIO-GMA36 CONTROL PANEL							Component	ATA:23
PN:011-01793-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1HF007837	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-10, AMM 23-51-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23CA2351102	RIGHT AUDIO-GMA36 CONTROL PANEL							Component	ATA:23
PN:011-01793-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1HF007843	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-10, AMM 23-51-10									
23CA2381001	ELT 406AF W/STRAP COMPACT BASE							Component	ATA:23
PN:S1840502-01	MOS/MSC	07-May-18	O/C	TSN 0					
SN:LX1100508342	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
23CA2381002	ELT PROGRAMMING DONGLE							Component	ATA:23
PN:S1820514-08	MOS/MSC	07-May-18	O/C	TSN 0					
SN:LX1100502836	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
23HA0500101 ^S	DO THE VISUAL INSPECTION OF THE COCKPIT COMMUNICATION SYSTEM.							Service	ATA:23
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
23HA0500102	DO THE VISUAL INSPECTION OF THE ANTENNA, ANTENNA MOUNTS AND CABLES.							Service	ATA:23
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO									
23HA0500103 ^U	DO THE VISUAL INSPECTION OF THE ELT LRU INSTALLATION							Service	ATA:23
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)	Adj 13.2	1200	1260	555.6 (+60)		
	AFL	433							
23HA2350101	CREW COMMUNICATION SYSTEM: OXYGEN MICROPHONE AND SWITCHES - OPERATIONAL TEST							Service	ATA:23
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 23-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24CA2421101	LEFT BUS A 60HZ INVERTER							Component	ATA:24
PN:1215-20	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1950	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-21-10, AMM 24-21-10									
24CA2421102	RIGHT BUS B 60HZ INVERTER							Component	ATA:24
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-21-10, AMM 24-21-10									
24CA2430011	NO. 1 MAIN SHIP (LEAD ACID) BATTERY							Component	ATA:24
PN:RG-390ES	MOS/MSC	20-May-22	O/C						
SN:41158823	HRS	464.8							
	AFL	364							
PROC. REF: AMM 24-31-11, AMM 24-31-11									
24CA2430011	NO. 2 MAIN SHIP (LEAD ACID) BATTERY							Component	ATA:24
PN:RG-390ES	MOS/MSC	15-Dec-22	O/C	TSN 0					
SN:41193524	HRS	586.8		TSN 0					
	AFL	433		TSN 0					
PROC. REF: AMM 24-31-11, AMM 24-31-11									
24CA2430013	NO. 1 MAIN SHIP (LEAD ACID) BATTERY MAIN SHIP (LEAD ACID) BATTERY CAPACITY CHECK							Service	ATA:24
PN:RG-390ES	MOS	15-Dec-22	6 (+1m/-1m)	Adj -26d	20-May-23	20-Jun-23	88 d (+31)		
SN:41158823	HRS								
	AFL								
24CA2430013	NO. 2 MAIN SHIP (LEAD ACID) BATTERY MAIN SHIP (LEAD ACID) BATTERY CAPACITY CHECK							Service	ATA:24
PN:RG-390ES	MOS	15-Dec-22	6 (+1m/-1m)		15-Jun-23	15-Jul-23	114 d (+30)		
SN:41193524	HRS								
	AFL								
24CA2430121	OVERHAUL LEFT STARTER GENERATOR							Service	ATA:24
PN:HJ1-12435-101-002	MOS	09-Oct-18						OVERHAUL	
SN:63	HRS	10.3	1200		1210.3		565.9		
	AFL	6							
PROC. REF: CMM 24-30-12, AMM 24-31-13, AMM 24-31-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24CA2430121		OVERHAUL RIGHT STARTER GENERATOR						Service	ATA:24
PN:HJ1-12435-101-002	MOS	07-May-18		TAC 0				OVERHAUL	
SN:232	HRS	0	1200		1200		555.6		
	AFL	0		TAC 0					
PROC. REF: CMM 24-30-12, AMM 24-31-13, AMM 24-31-13									
24CA2430122		LEFT STARTER / GENERATOR BRUSH INSPECTION. - VISUAL INSPECT						Service	ATA:24
PN:HJ1-12435-101-002	MOS	15-Dec-22							
SN:63	HRS	586.8	600 (+10%/-10%)		1186.8	1246.8	542.4 (+60)		
	AFL	433							
PROC. REF: CMM 24-30-12, ALM INTRO									
24CA2430122		RIGHT STARTER / GENERATOR BRUSH INSPECTION. - VISUAL INSPECT						Service	ATA:24
PN:HJ1-12435-101-002	MOS	15-Dec-22							
SN:232	HRS	586.8	600 (+10%/-10%)		1186.8	1246.8	542.4 (+60)		
	AFL	433							
PROC. REF: CMM 24-30-12, ALM INTRO									
24CA2430127		LEFT STARTER GENERATOR						Component	ATA:24
PN:HJ1-12435-101-002	MOS/MSC	13-Oct-18	O/C	TSN 0					
SN:63	HRS	10.3		TSN 0					
	AFL	6		TSN 0					
PROC. REF: AMM 24-31-13, AMM 24-31-13									
24CA2430128		RIGHT STARTER GENERATOR						Component	ATA:24
PN:HJ1-12435-101-002	MOS/MSC	07-May-18	O/C	TSN 0					
SN:232	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-13, AMM 24-31-13									
24CA2431101		LEFT GENERATOR CONTROL UNIT						Component	ATA:24
PN:HJ1-12436-101-015	MOS/MSC	13-Jan-22	O/C	TSR 0					
SN:0303	HRS	390		TSR 0					
	AFL	292		TSR 0					
PROC. REF: AMM 24-31-10, AMM 24-31-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24CA2431102	RIGHT GENERATOR CONTROL UNIT							Component	ATA:24
PN:HJ1-12436-101-015	MOS/MSC	27-Sep-22	O/C						
SN:0350	HRS	527.7							
	AFL	399							
PROC. REF: AMM 24-31-10, AMM 24-31-10									
24CA2431121	LEFT TOROID GROUND FAULT TRANSFORMER							Component	ATA:24
PN:76844-1	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1518	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-12, AMM 24-31-12									
24CA2431122	RIGHT TOROID GROUND FAULT TRANSFORMER							Component	ATA:24
PN:76844-1	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1517	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-12, AMM 24-31-12									
24CA2435001	LEFT STARTER GENERATOR V-BAND COUPLING							Component	ATA:24
PN:HJ1-17180-103-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:219	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-13, AMM 24-31-13									
24CA2435002	RIGHT STARTER GENERATOR V-BAND COUPLING							Component	ATA:24
PN:HJ1-17180-103-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:220	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-13, AMM 24-31-13									
24CA2435003	LEFT STARTER GENERATOR QAD SEAL							Component	ATA:24
PN:HJ1-17180-102-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:240	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-13, AMM 24-31-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24CA2435004		RIGHT STARTER GENERATOR QAD SEAL					Component	ATA:24	
PN:HJ1-17180-102-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:241	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-13, AMM 24-31-13									
24CA2435005		LEFT STARTER GENERATOR QAD ADAPTER					Component	ATA:24	
PN:HJ1-17180-101-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:202	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-13, AMM 24-31-13									
24CA2435006		RIGHT STARTER GENERATOR QAD ADAPTER					Component	ATA:24	
PN:HJ1-17180-101-004	MOS/MSC	07-May-18	O/C	TSN 0					
SN:111	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-13, AMM 24-31-13									
24CA2461101		LEFT POWER DISTRIBUTION UNIT					Component	ATA:24	
PN:HJ1-12460-101-027	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1722300002	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-10, AMM 24-61-10									
24CA2461102		RIGHT POWER DISTRIBUTION UNIT					Component	ATA:24	
PN:HJ1-12460-102-027	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1705800043	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-10, AMM 24-61-10									
24CA2462101		LEFT CIRCUIT BREAKER PANEL					Component	ATA:24	
PN:HJ1-12461-101-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1727900013	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-10, AMM 24-62-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24CA2462102	RIGHT CIRCUIT BREAKER PANEL							Component	ATA:24
PN:HJ1-12461-102-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1724400006	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-10, AMM 24-62-10									
24CA2463101	AFT PRESSURE BULKHEAD ELECTRICAL DISCONNECT FITTING - REPLACE							Component	ATA:24
PN:PN	MOS	EFF		TSN 0					
SN:UNKNOWN	HRS			TSN 0					
	AFL	EFF	10200	TSN 0	10200 *		9735		
PROC. REF: GENERIC NO REF									
24CA2463102	LOWER FUSELAGE ELECTRICAL DISCONNECT FITTING - REPLACE							Component	ATA:24
PN:PN	MOS	EFF		TSN 0					
SN:UNKNOWN	HRS			TSN 0					
	AFL	EFF	3000	TSN 0	3000 *		2535		
PROC. REF: GENERIC NO REF									
24HA0500101 ^S	DO THE VISUAL INSPECTION OF THE COCKPIT SIDE CONSOLES AND CIRCUIT BREAKERS.							Service	ATA:24
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
24HA0500102 ^S	DO THE VISUAL INSPECTION OF THE MAIN BATTERY INSTALLATIONS							Service	ATA:24
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: ALM INTRO									
24HA0500103 ^S	DO THE VISUAL INSPECTION OF THE PDUS, PDU CIRCUIT BREAKERS, AND ELECTRICAL COMPONENTS IN THE FORWARD FAIRING.							Service	ATA:24
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24HA0500105	DO THE VISUAL INSPECTION OF THE POWER INVERTER.							Service	ATA:24
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
	PROC. REF: AMM NO REF, ALM INTRO								
24HA0500106	DO A VISUAL INSPECTION OF THE EXTERNAL POWER RECEPTACLE AREA.							Service	ATA:24
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
	PROC. REF: AMM NO REF, ALM INTRO								
24HA0500107	DO THE VISUAL INSPECTION OF THE ELECTRICAL POWER SYSTEM COMPONENTS, WIRES AND HARNESSSES.							Service	ATA:24
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
	PROC. REF: AMM NO REF, ALM INTRO								
24HA0500108 ^S	DO THE VISUAL INSPECTION OF THE ELECTRICAL POWER SYSTEM COMPONENTS, WIRES AND HARNESSSES.							Service	ATA:24
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO								
	PKG:1								
24HA0500109	DO THE VISUAL INSPECTION OF THE ELECTRICAL POWER SYSTEM COMPONENTS, WIRES AND HARNESSSES.							Service	ATA:24
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
	PROC. REF: AMM NO REF, ALM INTRO								
24HA0500110 ^S	DO THE VISUAL INSPECTION OF THE ELECTRICAL POWER SYSTEM COMPONENTS, WIRES AND HARNESSSES.							Service	ATA:24
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO								
	PKG:1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24HA0500111 ^S	DO A VISUAL INSPECTION OF THE WIRING AND CONNECTIONS FOR THE FADEC.							Service	ATA:24
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
24HA2400101	ELECTRICAL POWER SYSTEM: BUS TIE CONTACT SWITCH - OPERATIONAL TEST							Service	ATA:24
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
	PROC. REF: AMM 24-00-01								
24HA2400101	ELECTRICAL POWER SYSTEM: CABIN POWER SWITCH CONTACT - OPERATIONAL TEST							Service	ATA:24
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
	PROC. REF: AMM 24-00-01								
ATA 25 - EQUIPMENT/FURNISHINGS									
25CA2500001	(ELT) EMERGENCY LOCATOR TRANSMITTER							Component	ATA:25
PN:S1851501-01	MOS/MSC	19-Feb-18	O/C		TSN 0				
SN:LX1100506817	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 25-61-10, AMM 25-61-10								
25CA2511111	LEFT PILOT-CREW SEAT							Component	ATA:25
PN:HJ1-12510-601-011LT	MOS/MSC	07-May-18	O/C		TSN 0				
SN:87993	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: CMM 25-11-74, AMM 25-11-11, AMM 25-11-11								
25CA2511112	RIGHT CO-PILOT CREW SEAT							Component	ATA:25
PN:HJ1-12510-601-012LT	MOS/MSC	07-May-18	O/C		TSN 0				
SN:88604	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: CMM 25-11-74, AMM 25-11-11, AMM 25-11-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25CA2521001		CABIN LIGHTING SWITCH PANEL					Component		ATA:25
PN:HJ1-13320-114-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25CA2521101		SIDE FACING SEAT					Component		ATA:25
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: CMM 25-25-88, AMM 25-21-10, AMM 25-21-10									
25CA2521111		NO. 1 LEFT CABIN SEAT					Component		ATA:25
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-11, AMM 25-21-11									
25CA2521112		NO. 1 RIGHT CABIN SEAT					Component		ATA:25
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-11, AMM 25-21-11									
25CA2521113		NO. 2 LEFT CABIN SEAT					Component		ATA:25
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-11, AMM 25-21-11									
25CA2521114		NO. 2 RIGHT CABIN SEAT					Component		ATA:25
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-11, AMM 25-21-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25CA2525731	PASSENGER SEAT RESTRAINTS P/N 3ARF11XXX							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+10%/-10%)		1186.8	1246.8	542.4 (+60)		
	AFL	433							
PROC. REF: CMM 25-25-73									
25CA2560011	NO. 1 LEFT CABIN LIFE PRESERVER							Component	ATA:25
PN:P01202-101	MOS/MSC	20-May-22	O/C	TSN 0					
SN:UNKNOWN	HRS	464.8		TSN 0					
	AFL	364		TSN 0					
PROC. REF: CMM 25-60-35									
25CA2560012	NO. 1 RIGHT CABIN LIFE PRESERVER							Component	ATA:25
PN:P01202-101	MOS/MSC	20-May-22	O/C	TSN 0					
SN:22011150007	HRS	464.8		TSN 0					
	AFL	364		TSN 0					
PROC. REF: CMM 25-60-35									
25CA2560013	NO. 2 LEFT CABIN LIFE PRESERVER							Component	ATA:25
PN:P01202-101	MOS/MSC	20-May-22	O/C	TSN 0					
SN:22011150014	HRS	464.8		TSN 0					
	AFL	364		TSN 0					
PROC. REF: CMM 25-60-35									
25CA2560014	NO. 2 RIGHT CABIN LIFE PRESERVER							Component	ATA:25
PN:P01202-101	MOS/MSC	20-May-22	O/C	TSN 0					
SN:UNKNOWN	HRS	464.8		TSN 0					
	AFL	364		TSN 0					
PROC. REF: CMM 25-60-35									
25CA2560015	LEFT PILOT LIFE PRESERVER							Component	ATA:25
PN:63600-101	MOS/MSC	20-May-22	O/C	TSN 0					
SN:L219249	HRS	464.8		TSN 0					
	AFL	364		TSN 0					
PROC. REF: CMM 25-60-35									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25CA2560016	RIGHT CO-PILOT LIFE PRESERVER							Component	ATA:25
PN:63600-101	MOS/MSC	20-May-22	O/C	TSN 0					
SN:L343105	HRS	464.8		TSN 0					
	AFL	364		TSN 0					
PROC. REF: CMM 25-60-35									
25CA2560017	EXECUTIVE SIDE FACING LIFE PRESERVER							Component	ATA:25
PN:P01202-101	MOS/MSC	20-May-22	O/C	TSN 0					
SN:22011150016	HRS	464.8		TSN 0					
	AFL	364		TSN 0					
PROC. REF: CMM 25-60-35									
25CA2560021	NO. 1 LEFT PASSENGER LIFE PRESERVER (OPTIONAL EQUIPMENT) P/N P01202-XXX - INSPECTION							Service	ATA:25
PN:P01202-101	MOS	20-May-22	60 (+30d/-30d)		18-Jan-27 (M)	17-Feb-27	1427 d (+30)		
SN:UNKNOWN	HRS	464.8							
	AFL	364							
PROC. REF: CMM 25-60-35									
25CA2560022	NO. 1 RIGHT PASSENGER LIFE PRESERVER (OPTIONAL EQUIPMENT) P/N P01202-XXX - INSPECTION							Service	ATA:25
PN:P01202-101	MOS	20-May-22	60 (+30d/-30d)		18-Jan-27 (M)	17-Feb-27	1427 d (+30)		
SN:22011150007	HRS	464.8							
	AFL	364							
PROC. REF: CMM 25-60-35									
25CA2560023	NO. 2 LEFT PASSENGER LIFE PRESERVER (OPTIONAL EQUIPMENT) P/N P01202-XXX - INSPECTION							Service	ATA:25
PN:P01202-101	MOS	20-May-22	60 (+30d/-30d)		18-Jan-27 (M)	17-Feb-27	1427 d (+30)		
SN:22011150014	HRS	464.8							
	AFL	364							
PROC. REF: CMM 25-60-35									
25CA2560024	NO. 2 RIGHT PASSENGER LIFE PRESERVER (OPTIONAL EQUIPMENT) P/N P01202-XXX - INSPECTION							Service	ATA:25
PN:P01202-101	MOS	20-May-22	60 (+30d/-30d)		18-Jan-27 (M)	17-Feb-27	1427 d (+30)		
SN:UNKNOWN	HRS	464.8							
	AFL	364							
PROC. REF: CMM 25-60-35									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25CA2560025 PILOT LIFE PRESERVER (OPTIONAL EQUIPMENT) P/N P01202-XXX - INSPECTION								
PN:63600-101	MOS	20-May-22	60 (+30d/-30d)		04-Jan-32 (M)	03-Feb-32	3239 d (+30)	Service ATA:25
SN:L219249	HRS	464.8						
	AFL	364						
PROC. REF: CMM 25-60-35								
25CA2560026 CO-PILOT LIFE PRESERVER (OPTIONAL EQUIPMENT) P/N P01202-XXX - INSPECTION								
PN:63600-101	MOS	20-May-22	60 (+30d/-30d)		04-Jan-32 (M)	03-Feb-32	3239 d (+30)	Service ATA:25
SN:L343105	HRS	464.8						
	AFL	364						
PROC. REF: CMM 25-60-35								
25CA2560027 EXECUTIVE SIDE FACING LIFE PRESERVER (OPTIONAL EQUIPMENT) P/N P01202-XXX - INSPECTION								
PN:P01202-101	MOS	20-May-22	60 (+30d/-30d)		18-Jan-27 (M)	17-Feb-27	1427 d (+30)	Service ATA:25
SN:22011150016	HRS	464.8						
	AFL	364						
PROC. REF: CMM 25-60-35								
25CA2560111 LIFE RAFT								
PN:PN	MOS/MSC	07-May-18	N/A	TSN 0				Component ATA:25
SN:UNKNOWN	HRS	0		TSN 0				NOT INSTALLED
	AFL	0		TSN 0				
PROC. REF: CMM 25-60-20								
25CA2560121 LIFE RAFT (OPTIONAL EQUIPMENT) P/N RO425-XXX - INSPECTION								
PN:PN	MOS/MSC	07-May-18	N/A	TAC 0				Service ATA:25
SN:UNKNOWN	HRS	0		TAC 0				NOT INSTALLED
	AFL	0		TAC 0				
PROC. REF: CMM 25-60-20								
25CA2561111 ELT TRANSMITTER ANTENNA								
PN:ELT10-696-1	MOS/MSC	07-May-18	O/C	TSN 0				Component ATA:25
SN:364	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-11, AMM 25-61-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25CA2563062	ELT BATTERY (REPLACE) P/N 0141823							Component	ATA:25
PN:PN-UNKNOWN	MOS	24-May-18	72	TSN 0	01-Mar-24 (M)		374 d	DISCARD	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: CMM 25-63-08									
25HA0500101 ^S	REMOVE ALL CABIN SEATS, CABINETS, PARTITIONS AND FLOORBOARDS. DO THE VISUAL INSPECTION OF THE ATTACHING STRUCTURE AND SURROUNDING AREAS.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: ALM INTRO, AMM 25-21-26, AMM 25-21-27									
25HA0500102 ^S	REMOVE THE CREW SEATS AND FLOORBOARDS IN COCKPIT. DO THE VISUAL INSPECTION OF THE ATTACHING STRUCTURE AND SURROUNDING AREAS.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
25HA0500103 ^S	DO THE VISUAL INSPECTION OF THE FLASHLIGHT, FIRE EXTINGUISHER AND OPTIONAL FIRST AID KIT.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
25HA0500104 ^S	DO THE VISUAL INSPECTION OF THE CREW AND PASSENGER SEATS FOR CONDITION AND OPERATION.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: CMM 25-25-73, ALM INTRO									
25HA0500105 ^S	DO THE VISUAL INSPECTION OF THE CREW AND CABIN OVERHEAD PANELS.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25HA0500106 ^S	DO THE VISUAL INSPECTION OF THE CABINET ASSEMBLIES.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
25HA0500107 ^S	DO THE VISUAL INSPECTION OF THE CREW SEAT TRACKS AND LUGS.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
25HA0500108 ^S	DO THE VISUAL INSPECTION OF THE LAVATORY VANITY.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
25HA0500109 ^S	DO THE VISUAL INSPECTION OF THE LAVATORY CABINETS.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
25HA0500110 ^S	DO THE VISUAL INSPECTION OF THE INTERIOR PLACARDS.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
25HA0500111 ^S	DO A VISUAL INSPECTION OF THE FUSELAGE SUB FLOOR AREA ELECTRICAL HARNESSSES FOR CHAFING AND CONDUIT CONDITION IN WIRE TRAY OPENED LIPPED AREAS. DO THE VISUAL INSPECTION OF THE FUSELAGE MOISTURE DRAIN PATH.							Service	ATA:25
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25HA2560102 EMERGENCY LOCATOR TRANSMITTER FUNCTIONAL TEST. P/N S185X501-XX (KIT S1840510-02) Service ATA:25								
PN:S1851501-01	MOS	13-Jan-23	12 (+30d/-30d)		13-Jan-24	12-Feb-24	326 d (+30)	
SN:LX1100506817	HRS							
	AFL							
PROC. REF: AMM 25-60-01								
25HA2563062 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (ELT) P/N S182X502-XX, S185X501-XX Service ATA:25								
PN:S1851501-01	MOS	13-Jan-23	6		13-Jul-23		142 d	
SN:LX1100506817	HRS							
	AFL							
PROC. REF: CMM 25-63-08, AMM 25-60-01								
ATA 26 - FIRE PROTECTION								
26CA2611101 LEFT ENGINE FIRE DETECTION SENSOR Component ATA:26								
PN:HJ1-12612-102-001	MOS/MSC	07-May-18	O/C	TSN 0				
SN:53265	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-10, AMM 26-11-10								
26CA2611102 RIGHT ENGINE FIRE DETECTION SENSOR Component ATA:26								
PN:HJ1-12612-102-001	MOS/MSC	07-May-18	O/C	TSN 0				
SN:53266	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 26-11-10, AMM 26-11-10								
26CA2621101 LEFT ENGINE FIRE SUPPRESSION BOTTLE Component ATA:26								
PN:HJ1-12620-100-001	MOS/MSC	27-Sep-22	O/C	TSN 0				
SN:0568E	HRS	527.7		TSN 0				
	AFL	399		TSN 0				
PROC. REF: AMM 26-21-10, AMM 26-21-10								
26CA2621101 RIGHT ENGINE FIRE SUPPRESSION BOTTLE Component ATA:26								
PN:HJ1-12620-100-001	MOS/MSC	27-Sep-22	O/C	TSN 0				
SN:0570E	HRS	527.7		TSN 0				
	AFL	399		TSN 0				
PROC. REF: AMM 26-21-10, AMM 26-21-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26CA2621102		LEFT ENGINE FIRE SUPPRESSION BOTTLE - HYDROSTATIC TEST						Service	ATA:26
PN:HJ1-12620-100-001	MOS	01-Sep-22	60 (+30d/-30d)		31-Aug-27 (M)	30-Sep-27	1652 d (+30)		
SN:0568E	HRS								
	AFL								
PROC. REF: AMM 26-21-10, AMM 26-21-10									
26CA2621102		RIGHT ENGINE FIRE SUPPRESSION BOTTLE - HYDROSTATIC TEST						Service	ATA:26
PN:HJ1-12620-100-001	MOS	01-Sep-22	60 (+30d/-30d)		31-Aug-27 (M)	30-Sep-27	1652 d (+30)		
SN:0570E	HRS								
	AFL								
PROC. REF: AMM 26-21-10, AMM 26-21-10									
26CA2621103		LEFT ENGINE FIRE BOTTLE CARTRIDGE - REPLACE						Component	ATA:26
PN:SN-UNKNOWN	MOS	27-Sep-22	144	TSN 0	31-Aug-27 (M)		1652 d	LIFE LIMIT	
SN:UNKNOWN	HRS	527.7		TSN 0					
	AFL	399		TSN 0					
Manufacture Date:: 01-Jun-22 PROC. REF: AMM 26-21-10, AMM 26-21-10									
26CA2621103		RIGHT ENGINE FIRE BOTTLE CARTRIDGE - REPLACE						Component	ATA:26
PN:PN-UNKNOWN	MOS	27-Sep-22	144	TSN 0	31-Aug-27 (M)		1652 d	LIFE LIMIT	
SN:UNKNOWN	HRS	527.7		TSN 0					
	AFL	399		TSN 0					
Manufacture Date:: 01-Jun-22 PROC. REF: AMM 26-21-10, AMM 26-21-10									
26CA2631101		REPLACE HANDHELD FIRE EXTINGUISHER P/N RTA1200						Component	ATA:26
PN:RT A1200	MOS	01-Dec-17	144	TSN 0	01-Dec-29		2475 d	REPLACE	
SN:Y-501641	HRS	0							
	AFL	0							
Manufacture Date:: 01-Dec-17 PROC. REF: GENERIC NO REF									
26HA0500101		FIRE SUPPRESSION NOZZLE - VISUAL INSPECTION						Service	ATA:26
	MOS	27-Sep-22						AIRWORTHINESS	
	HRS	527.7	600		1127.7		483.3		
	AFL	399							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26HA0500102 ^S	DO THE VISUAL INSPECTION OF THE FIRE DETECTOR ELEMENT FOR ROUTING AND CONNECTION. VERIFY THAT THE FIRE DETECTOR IS NOT RUBBING ON OTHER COMPONENTS.							Service	ATA:26
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: ALM INTRO, AMM 26-11-10								PKG:1	
26HA0500103 ^S	DO THE VISUAL INSPECTION OF THE ENGINE NACELLE ELECTRICAL HARNESS ASSEMBLIES.							Service	ATA:26
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO								PKG:1	
26HA0500105 ^S	DO THE VISUAL INSPECTION OF THE FIRE SUPPRESSION BOTTLE. INSPECTION LIMITS ARE AS FOLLOWS: DENTS DEEPER THAN 0.062 INCH. SCRATCHES DEEPER THAN 0.005 INCH OR LONGER THAN 2 INCHES. DENTS AND SCRATCHES EXCEEDING THESE LIMITS ARE CAUSE FOR REPLACEMENT.							Service	ATA:26
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO								PKG:1	
26HA0500106	DO THE DETAILED VISUAL INSPECTION OF THE LEFT FIRE SUPPRESSION DISCHARGE TUBE FOR FOREIGN OBJECTS. REMOVE THE FIRE SUPPRESSION DISCHARGE TUBE TO PERFORM THIS INSPECTION. THIS TASK IS TO BE IN CONJUNCTION WITH THE ENGINE FIRE BOTTLE HYDROSTATIC TEST; INSPECTION TASK CODE 26CA2621102							Service	ATA:26
PN:HJ1-12620-100-001	MOS	27-Sep-22	60 (+30d/-30d)		27-Sep-27	27-Oct-27	1679 d (+30)		
SN:0568E	HRS	527.7							
	AFL	399							
PROC. REF: ALM INTRO, AMM 26-21-10, AMM 26-21-10									
26HA0500106	DO THE DETAILED VISUAL INSPECTION OF THE RIGHT FIRE SUPPRESSION DISCHARGE TUBE FOR FOREIGN OBJECTS. REMOVE THE FIRE SUPPRESSION DISCHARGE TUBE TO PERFORM THIS INSPECTION. THIS TASK IS TO BE IN CONJUNCTION WITH THE ENGINE FIRE BOTTLE HYDROSTATIC TEST; INSPECTION TASK CODE 26CA2621102							Service	ATA:26
	MOS	07-May-18	60		27-Sep-27 (M)		1679 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 26-21-10, AMM 26-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26HA2600101 ^S	DO THE FUNCTIONAL TEST OF THE FIRE DETECTION AND SUPPRESSION SYSTEM.							Service	ATA:26
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 26-00-01							PKG:1	
26HA2600101A	HEAT CHECK OF THE NO. 1 ENGINE FIRE DETECTOR ELEMENT AT ENGINE REMOVAL - FUNCTIONAL PERFORMANCE TEST							Service	ATA:26
	MOS	07-May-18						AIRWORTHINESS	
	HRS	0	2500		2500		1855.6		
	AFL	0							
	PROC. REF: CMM 26-10-60, AMM 26-11-10, AMM 26-11-10								
26HA2600101A	HEAT CHECK OF THE NO. 2 ENGINE FIRE DETECTOR ELEMENT AT ENGINE REMOVAL - FUNCTIONAL PERFORMANCE TEST							Service	ATA:26
	MOS	07-May-18						AIRWORTHINESS	
	HRS	0	2500		2500		1855.6		
	AFL	0							
	PROC. REF: CMM 26-10-60, AMM 26-11-10, AMM 26-11-10								
26HA2600104	FIRE DETECTOR AND FIRE SUPPRESSION BOTTLE INDICATIONS - FUNCTIONAL TEST							Service	ATA:26
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	150		736.8		92.4		
	AFL	433							
	PROC. REF: AMM 26-00-01, AMM 26-00-01								
ATA 27 - FLIGHT CONTROLS									
27CA2711121	LEFT PILOT CREW CONTROL YOKE							Component	ATA:27
PN:HJ1-12701-225-009	MOS/MSC	07-May-18	O/C		TSN 0				
SN:134	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 27-11-12, AMM 27-11-12								
27CA2711122	RIGHT CO-PILOT CONTROL YOKE							Component	ATA:27
PN:HJ1-12701-225-010	MOS/MSC	07-May-18	O/C		TSN 0				
SN:119	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 27-11-12, AMM 27-11-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27CA2712111		LEFT AILERON TRIM ACTUATOR					Component		ATA:27
PN:HJ1-12711-820-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:113	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-12-11, AMM 27-12-11									
27CA2712112		RIGHT AILERON TRIM ACTUATOR					Component		ATA:27
PN:HJ1-12711-820-012	MOS/MSC	07-May-18	O/C	TSN 0					
SN:115	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-12-11, AMM 27-12-11									
27CA2721181		YAW GSM 9100 SERVO					Component		ATA:27
PN:011-02214-10	MOS/MSC	07-May-18	O/C	TSN 0					
SN:2Q7006591	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: CMM 190-00303-85									
27CA2721182		PITCH GSM 9100 SERVO					Component		ATA:27
PN:011-02214-10	MOS/MSC	07-May-18	O/C	TSN 0					
SN:2Q7006569	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: CMM 190-00303-85									
27CA2721183		ROLL GSM 9100 SERVO					Component		ATA:27
PN:011-02214-10	MOS/MSC	07-May-18	O/C	TSN 0					
SN:2Q7006574	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: CMM 190-00303-85									
27CA2721184		YAW SERVO DRIVESHAFT SEAL P/N GSM 9100 - DETAILED INSPECTION					Service		ATA:27
PN:011-02214-10	MOS	07-May-18	240 (+30d/-30d)		07-May-38	06-Jun-38	5554 d (+30)		
SN:2Q7006591	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: CMM 190-00303-85									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27CA2721185		PITCH SERVO DRIVESHAFT SEAL P/N GSM 9100 - DETAILED INSPECTION					Service		ATA:27
PN:011-02214-10	MOS	07-May-18	240 (+30d/-30d)		07-May-38	06-Jun-38	5554 d (+30)		
SN:2Q7006569	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: CMM 190-00303-85									
27CA2721186		ROLL SERVO DRIVESHAFT SEAL P/N GSM 9100 - DETAILED INSPECTION					Service		ATA:27
PN:011-02214-10	MOS	07-May-18	240 (+30d/-30d)		07-May-38	06-Jun-38	5554 d (+30)		
SN:2Q7006574	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: CMM 190-00303-85									
27CA2722112		RUDDER TRIM ACTUATOR					Component		ATA:27
PN:HJ1-12721-520-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:27	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-22-12, AMM 27-22-12									
27CA2731211		CONTROL COLUMN SUB ASSEMBLY					Component		ATA:27
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-21, AMM 27-31-21									
27CA2732111		LEFT ELEVATOR TRIM ACTUATOR					Component		ATA:27
PN:PN	MOS	07-May-18		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	3000	TSN 0	3000		2355.6		
	AFL	0	3000	TSN 0	3000		2535		
PROC. REF: AMM 27-32-11, AMM 27-32-11									
27CA2732112		RIGHT ELEVATOR TRIM ACTUATOR					Component		ATA:27
PN:PN	MOS	07-May-18		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	3000	TSN 0	3000		2355.6		
	AFL	0	3000	TSN 0	3000		2535		
PROC. REF: AMM 27-32-11, AMM 27-32-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27CA2751027	LEFT WING PUSHROD ASSEMBLY - INBD, FLAP CONTROL							Component	ATA:27
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-15									
27CA2751028	RIGHT WING PUSHROD ASSEMBLY - INBD, FLAP CONTROL							Component	ATA:27
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-15									
27CA2751029	LEFT WING PUSHROD ASSEMBLY - OUTBD, FLAP CONTROL							Component	ATA:27
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-16									
27CA2751030	RIGHT WING PUSHROD ASSEMBLY - OUTBD, FLAP CONTROL							Component	ATA:27
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-16									
27CA2751111	LEFT FLAP ACTUATOR							Component	ATA:27
PN:HJ1-12750-810-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:247	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-11, AMM 27-51-11									
27CA2751112	RIGHT FLAP ACTUATOR							Component	ATA:27
PN:HJ1-12750-810-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:248	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-11, AMM 27-51-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27CA2751191	COCKPIT FLAP CONTROL LEVER							Component	ATA:27
PN:HJ1-12750-210-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:121	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-21, AMM 27-51-21									
27CA2760001	LH SPEED BRAKE ASSEMBLY							Component	ATA:27
PN:HJ1-12760-200-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:JT191344	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-61-11, AMM 27-61-11									
27CA2760002	RH SPEED BRAKE ASSEMBLY							Component	ATA:27
PN:HJ1-12760-300-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:JT193339	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-61-11, AMM 27-61-11									
27CA2761111	SPEED BRAKE ACTUATOR (OPTIONAL EQUIPMENT)							Component	ATA:27
PN:HJ1-12761-101-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:AKN00112	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-61-11, AMM 27-61-11									
27HA0500101 ^S	DO THE VISUAL INSPECTION OF THE WIRING, AND FLIGHT CONTROL CABLES.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
27HA0500102 ^S	DO THE VISUAL INSPECTION OF THE CONTROL COLUMNS.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27HA0500103 ^S	DO THE VISUAL INSPECTION OF THE RUDDER PEDALS FOR GENERAL CONDITION.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500104 ^S	DO THE VISUAL INSPECTION OF THE FORWARD AND AFT RUDDER SECTORS.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500105 ^S	DO THE VISUAL INSPECTION OF THE RUDDER TORQUE TUBE (MOUNT, PLATES, RIBS AND FITTINGS), UPPER AND LOWER.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500106 ^S	DO THE VISUAL INSPECTION OF THE RUDDER TRIM ACTUATOR.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500107 ^S	DO THE VISUAL INSPECTION OF THE HORIZONTAL STABILIZER AND ATTACHING STRUCTURE.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500108 ^S	DO THE VISUAL INSPECTION OF THE ELEVATOR, TRIM TAB, ACTUATOR AND WIRING.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27HA0500109 ^S	DO THE VISUAL INSPECTION OF THE ELEVATOR BELLCRANK STOPS, BOLTS AND BEARINGS.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500110 ^S	DO THE VISUAL INSPECTION OF ELEVATOR TORQUE TUBES, BEARINGS AND ACTUATING RODS.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500111 ^S	DO THE VISUAL INSPECTION OF FLIGHT CONTROL CABLES, PULLEYS, SECTORS, BEARINGS, AND PUSHRODS.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500112 ^S	DO THE VISUAL INSPECTION OF THE AILERON TRIM SYSTEM.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500113 ^S	DO THE VISUAL INSPECTION OF THE FLAPS AND FLAP ACTUATORS.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500114 ^S	DO THE VISUAL INSPECTION OF THE REAR SPAR AND ATTACHED WIRE BUNDLES AND ELECTRICAL CONNECTORS.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27HA0500115 ^S	DO THE VISUAL INSPECTION OF THE SPEED BRAKE EQUIPMENT AND ATTACHING HARDWARE. (OPTIONAL EQUIPMENT).							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500116 ^S	DO THE VISUAL INSPECTION OF THE TAILCONE AREA AND SPEED BRAKE PANELS, WITH THE SPEED BRAKE OPENED. (OPTIONAL EQUIPMENT).							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
27HA0500117 ^S	DO THE VISUAL INSPECTION OF THE WING GROUND SPOILERS EQUIPMENT AND ATTACHING HARDWARE.							Service	ATA:27
	MOS/MSC	07-May-18	N/A						
	HRS	0							
	AFL	0							
27HA2710102 ^S	DO THE MEASUREMENT OF THE AILERON CONTROL CABLE TENSIONS AND CONTROL SURFACE TRAVEL.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 27-10-01							PKG:1	
27HA2711102	AILERON TRIM TAB BACKLASH - DETAILED INSPECTION							Service	ATA:27
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	300		886.8		242.4		
	AFL	433							
	PROC. REF: AMM 27-10-01								
27HA2720101 ^S	DO THE MEASUREMENT OF THE RUDDER CONTROL CABLE TENSIONS AND CONTROL SURFACE TRAVEL.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 27-20-01							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27HA2721102	RUDDER TRIM TAB BACKLASH - DETAILED INSPECTION							Service	ATA:27
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	300		886.8		242.4		
	AFL	433							
	PROC. REF: AMM 27-20-01								
27HA2730101 ^S	DO THE MEASUREMENT OF THE ELEVATOR CONTROL CABLE TENSIONS AND CONTROL SURFACE TRAVEL.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 27-30-01								
27HA2731102	ELEVATOR TRIM TAB BACKLASH - DETAILED INSPECTION							Service	ATA:27
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	300		886.8		242.4		
	AFL	433							
	PROC. REF: AMM 27-30-01								
27HA2750102 ^S	DO THE OPERATIONAL TEST OF THE FLAP SYSTEM.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 27-50-02								
27HA2750103	LEFT FLAP BALL SCREW - DETAILED INSPECTION							Service	ATA:27
PN:HJ1-12750-810-009	MOS	15-Dec-22						AIRWORTHINESS	
SN:247	HRS	586.8	600		1186.8		542.4		
	AFL	433							
	PROC. REF: AMM 27-50-01								
27HA2750103	RIGHT FLAP BALL SCREW - DETAILED INSPECTION							Service	ATA:27
PN:HJ1-12750-810-009	MOS	15-Dec-22						AIRWORTHINESS	
SN:248	HRS	586.8	600		1186.8		542.4		
	AFL	433							
	PROC. REF: AMM 27-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27HA2760101 ^S	DO THE OPERATIONAL TEST OF THE SPEED BRAKES.							Service	ATA:27
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM 27-51-11, AMM 27-60-01								PKG:1	
ATA 28 - FUEL									
28CA2800001	LEFT FUEL MOTIVE HOSE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-00-00, AMM 28-00-00									
28CA2800002	RIGHT FUEL MOTIVE HOSE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-00-00, AMM 28-00-00									
28CA2800051	SURGE TANK FLOAT SWITCH							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-12-13, AMM 28-12-13									
28CA2811003	LEFT FLOAT OPERATED VALVE							Component	ATA:28
PN:HJ1-12810-164-003	MOS/MSC	07-May-18	O/C		TSN 0				
SN:229	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-11-19, AMM 28-11-19									
28CA2811003	RIGHT FLOAT OPERATED VALVE							Component	ATA:28
PN:HJ1-12810-164-003	MOS/MSC	07-May-18	O/C		TSN 0				
SN:230	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-11-19, AMM 28-11-19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2811100	AFT FUSELAGE BLADDER TANK							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-10, AMM 28-11-10									
28CA2811101	CENTER BLADDER TANK							Component	ATA:28
PN:HJ1-12810-401-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:17-62611	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-10, AMM 28-11-10									
28CA2811103	LEFT OUTBOARD BLADDER TANK							Component	ATA:28
PN:HJ1-12810-402-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:17-62669	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-10, AMM 28-11-10									
28CA2811104	RIGHT OUTBOARD BLADDER TANK							Component	ATA:28
PN:HJ1-12810-402-004	MOS/MSC	07-May-18	O/C	TSN 0					
SN:17-62718	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-10, AMM 28-11-10									
28CA2811105	LEFT COLLECTOR TANK							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2811106	RIGHT COLLECTOR TANK							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2811131	FUEL FILLER ADAPTER							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-13, AMM 28-11-13									
28CA2811132	FUEL FILLER CAP							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-15, AMM 28-11-15									
28CA2811141	MOTOR OPERATED SHUTOFF VALVE							Component	ATA:28
PN:HJ1-12810-501-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:136	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-14, AMM 28-11-14									
28CA2811160	FUSELAGE 3 INCH BLADDER TANK FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-143-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4066	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2811161	NO. 1 LEFT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4778	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811162	NO. 1 RIGHT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4777	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2811163	NO. 2 LEFT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4784	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811164	NO. 2 RIGHT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4785	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811165	NO. 3 LEFT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4786	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811166	NO. 3 RIGHT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4787	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811167	NO. 4 LEFT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4788	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811168	NO. 4 RIGHT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4779	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2811169	NO. 5 LEFT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4780	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811170	NO. 5 RIGHT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4781	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811171	NO. 6 LEFT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4782	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811172	NO. 6 RIGHT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4783	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811173	NO. 7 LEFT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4803	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811174	NO. 7 RIGHT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:HJ1-12810-144-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4804	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-16, AMM 28-11-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2811175	NO. 8 LEFT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811176	NO. 8 RIGHT WING 2 INCH FLAPPER VALVE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-11-16, AMM 28-11-16									
28CA2811178	RIGHT FLOAT DRAIN VALVE							Component	ATA:28
PN:HJ1-12810-142-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:232	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
28CA2811179	LEFT FLOAT DRAIN VALVE							Component	ATA:28
PN:HJ1-12810-142-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:233	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
28CA2811181	NO.1 CENTER TANK DRAIN VALVE							Component	ATA:28
PN:HJ1-12810-145-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:805	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-11-18, AMM 28-11-18									
28CA2811182	NO.2 CENTER TANK DRAIN VALVE							Component	ATA:28
PN:HJ1-12810-145-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:806	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 28-11-18, AMM 28-11-18									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2811183	NO.3 CENTER TANK DRAIN VALVE							Component	ATA:28
PN:HJ1-12810-145-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:803	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-18, AMM 28-11-18									
28CA2811184	NO. 1 LEFT INBOARD FUEL WING DRAIN VALVE							Component	ATA:28
PN:HJ1-12810-145-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:804	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-18, AMM 28-11-18, AMM 28-11-17, AMM 28-11-17									
28CA2811185	NO. 1 RIGHT INBOARD FUEL WING DRAIN VALVE							Component	ATA:28
PN:HJ1-12810-145-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:815	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-18, AMM 28-11-18, AMM 28-11-17, AMM 28-11-17									
28CA2811187	NO. 2 LEFT INBOARD FUEL WING DRAIN VALVE							Component	ATA:28
PN:HJ1-12810-145-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:816	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-18, AMM 28-11-18, AMM 28-11-17, AMM 28-11-17									
28CA2811187	NO. 2 RIGHT INBOARD FUEL WING DRAIN VALVE							Component	ATA:28
PN:HJ1-12810-145-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:817	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-18, AMM 28-11-18, AMM 28-11-17, AMM 28-11-17									
28CA2811191	LEFT FUEL LEVEL CONTROL FLOAT VALVE							Component	ATA:28
PN:HJ1-12810-372-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:323	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-19, AMM 28-11-19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2811192		RIGHT FUEL LEVEL CONTROL FLOAT VALVE					Component		ATA:28
PN:HJ1-12810-372-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:324	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-19, AMM 28-11-19									
28CA2811193		CENTER FUEL LEVEL CONTROL FLOAT VALVE					Component		ATA:28
PN:HJ1-12810-372-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:325	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-19, AMM 28-11-19									
28CA2812101		POS/NEG PRESSURE RELIEF VALVE					Component		ATA:28
PN:HJ1-12810-231-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:122	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-10, AMM 28-12-10									
28CA2812111		NO. 1 FLAME ARRESTOR					Component		ATA:28
PN:HJ1-12810-241-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:216	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-11, AMM 28-12-11									
28CA2812112		NO. 2 FLAME ARRESTOR					Component		ATA:28
PN:HJ1-12810-241-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:217	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-11, AMM 28-12-11									
28CA2812131		FUEL FLOAT SWITCH					Component		ATA:28
PN:HJ1-12810-236-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT0117J	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-13, AMM 28-12-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2812141	NO. 1 VENT FLOAT VALVE							Component	ATA:28
PN:HJ1-12810-141-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:486	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-14, AMM 28-12-14									
28CA2812142	NO. 2 VENT FLOAT VALVE							Component	ATA:28
PN:HJ1-12810-141-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:487	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-14, AMM 28-12-14									
28CA2812143	NO. 3 VENT FLOAT VALVE							Component	ATA:28
PN:HJ1-12810-141-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:488	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-14, AMM 28-12-14									
28CA2812144	NO. 4 VENT FLOAT VALVE							Component	ATA:28
PN:HJ1-12810-141-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:489	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-14, AMM 28-12-14									
28CA2821000	LATCHING VALVE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2821001	NO. 1 5/8 INCH LATCHING SOLENOID VALVE							Component	ATA:28
PN:HJ1-12820-108-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:415	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2821002	NO. 2 5/8 INCH LATCHING SOLENOID VALVE							Component	ATA:28
PN:HJ1-12820-108-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:416	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2821003	NO. 3 5/8 INCH LATCHING SOLENOID VALVE							Component	ATA:28
PN:HJ1-12820-108-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:295	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2821101	LEFT ELECTRIC BOOST PUMP							Component	ATA:28
PN:HJ1-12820-103-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:231	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-10, AMM 28-21-10									
28CA2821102	RIGHT ELECTRIC BOOST PUMP							Component	ATA:28
PN:HJ1-12820-103-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:232	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-10, AMM 28-21-10									
28CA2821111	LEFT 3/4 INCH STRAINER							Component	ATA:28
PN:HJ1-12820-102-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:207	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-11, AMM 28-21-11									
28CA2821111	RIGHT 3/4 INCH STRAINER							Component	ATA:28
PN:HJ1-12820-102-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:232	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-11, AMM 28-21-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2821121	LEFT MAIN EJECTOR PUMP							Component	ATA:28
PN:HJ1-12820-101-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:219	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2821122	RIGHT MAIN EJECTOR PUMP							Component	ATA:28
PN:HJ1-12820-101-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:218	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2821141	LEFT TEMPERATURE SENSOR							Component	ATA:28
PN:HJ1-12820-126-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1100999	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-14, AMM 28-21-14									
28CA2821141	RIGHT TEMPERATURE SENSOR							Component	ATA:28
PN:HJ1-12820-126-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1101000	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-14, AMM 28-21-14									
28CA2821151	NO. 1 LH 5/8 INCH IN-LINE COLLECTOR TANK CHECK VALVE							Component	ATA:28
PN:HJ1-12820-107-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:782	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-15, AMM 28-21-15									
28CA2821152	NO. 1 RH 5/8 INCH IN-LINE COLLECTOR TANK CHECK VALVE							Component	ATA:28
PN:HJ1-12820-107-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:783	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-15, AMM 28-21-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2821153	NO. 2 LH 5/8 INCH IN-LINE COLLECTOR TANK CHECK VALVE							Component	ATA:28
PN:HJ1-12820-107-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:790	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-15, AMM 28-21-15									
28CA2821154	NO. 2 RH 5/8 INCH IN-LINE COLLECTOR TANK CHECK VALVE							Component	ATA:28
PN:HJ1-12820-107-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:791	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-15, AMM 28-21-15									
28CA2821155	NO. 3 LH 5/8 INCH IN-LINE COLLECTOR TANK CHECK VALVE							Component	ATA:28
PN:HJ1-12820-107-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:792	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-15, AMM 28-21-15									
28CA2821156	NO. 3 RH 5/8 INCH IN-LINE COLLECTOR TANK CHECK VALVE							Component	ATA:28
PN:HJ1-12820-107-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:793	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-15, AMM 28-21-15									
28CA2821157	MAIN EJECTOR PUMP OUTLET 5/8 INCH IN-LINE CHECK VALVE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-15, AMM 28-21-15									
28CA2821158	EPB OUTLET 5/8 INCH IN-LINE CHECK VALVE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-15, AMM 28-21-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2821159	MOTIVE FLOW TUBE 5/8 INCH IN-LINE CHECK VALVE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-15, AMM 28-21-15									
28CA2821171	LEFT FUEL FEED HOSE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-00-00, AMM 28-00-00									
28CA2821172	RIGHT FUEL FEED HOSE							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-00-00, AMM 28-00-00									
28CA2821181	LEFT EJECTOR TRANSFER PUMP							Component	ATA:28
PN:HJ1-12820-205-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:216	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-18, AMM 28-21-18									
28CA2821182	RIGHT EJECTOR TRANSFER PUMP							Component	ATA:28
PN:HJ1-12820-205-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:217	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-18, AMM 28-21-18									
28CA2821191	NO. 1 LEFT EJECTOR SCAVENGE PUMP							Component	ATA:28
PN:HJ1-12820-331-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:634	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-19, AMM 28-21-19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2821192	NO. 1 RIGHT EJECTOR SCAVENGE PUMP							Component	ATA:28
PN:HJ1-12820-331-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:635	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-19, AMM 28-21-19									
28CA2821193	NO. 2 LEFT EJECTOR SCAVENGE PUMP							Component	ATA:28
PN:HJ1-12820-331-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:636	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-19, AMM 28-21-19									
28CA2821194	NO. 2 RIGHT EJECTOR SCAVENGE PUMP							Component	ATA:28
PN:HJ1-12820-331-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:633	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-19, AMM 28-21-19									
28CA2821195	NO. 3 LEFT EJECTOR SCAVENGE PUMP							Component	ATA:28
PN:HJ1-12820-331-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:631	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-19, AMM 28-21-19									
28CA2821196	NO. 3 RIGHT EJECTOR SCAVENGE PUMP							Component	ATA:28
PN:HJ1-12820-331-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:632	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-19, AMM 28-21-19									
28CA2821201	LEFT ELECTRIC BOOST PUMP CONTROLLER							Component	ATA:28
PN:HJ1-12820-104-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:229	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20, AMM 28-21-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2821202	RIGHT ELECTRIC BOOST PUMP CONTROLLER							Component	ATA:28
PN:HJ1-12820-104-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:228	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-20, AMM 28-21-20									
28CA2821221	LEFT PRESSURE TRANSDUCER							Component	ATA:28
PN:HJ1-12820-125-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:217	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-22, AMM 28-21-22									
28CA2821222	RIGHT PRESSURE TRANSDUCER							Component	ATA:28
PN:HJ1-12820-125-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:218	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-22, AMM 28-21-22									
28CA2841101	FUSELAGE FUEL (F1) PROBE							Component	ATA:28
PN:HJ1-12840-131-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT1324J	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-10, AMM 28-41-10									
28CA2841111	FUSELAGE FUEL PROBE HARNESS							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-11, AMM 28-41-11									
28CA2841131	FUEL QTY SIGNAL CONDITIONER							Component	ATA:28
PN:HJ1-12840-101-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1724400005	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-13, AMM 28-41-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2842101	LEFT WING FUEL QUANTITY PROBE HARNESS							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-10, AMM 28-42-10									
28CA2842102	RIGHT WING FUEL QUANTITY PROBE HARNESS							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-10, AMM 28-42-10									
28CA2842111	NO. 1 LEFT WING TANK PROBE							Component	ATA:28
PN:HJ1-12840-105-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT9172G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-11, AMM 28-42-11									
28CA2842112	NO. 1 RIGHT WING TANK PROBE							Component	ATA:28
PN:HJ1-12840-105-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT9173G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-11, AMM 28-42-11									
28CA2842113	NO. 2 LEFT WING TANK PROBE							Component	ATA:28
PN:HJ1-12840-105-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT9174G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-11, AMM 28-42-11									
28CA2842114	NO. 2 RIGHT WING TANK PROBE							Component	ATA:28
PN:HJ1-12840-105-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT3371H	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-11, AMM 28-42-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2842115	NO. 3 LEFT WING TANK PROBE							Component	ATA:28
PN:HJ1-12840-109-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT1805H	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-11, AMM 28-42-11									
28CA2842116	NO. 3 RIGHT WING TANK PROBE							Component	ATA:28
PN:HJ1-12840-109-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DTR5074	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-11, AMM 28-42-11									
28CA2842117	NO. 4 LEFT WING TANK PROBE							Component	ATA:28
PN:HJ1-12840-113-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT8774G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-11, AMM 28-42-11									
28CA2842118	NO. 4 RIGHT WING TANK PROBE							Component	ATA:28
PN:HJ1-12840-113-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT8642G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-11, AMM 28-42-11									
28CA2842119	LEFT WING COLLECTOR TANK COMPENSATOR PROBE							Component	ATA:28
PN:HJ1-12840-103-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT5783H	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2842120	RIGHT WING COLLECTOR TANK COMPENSATOR PROBE							Component	ATA:28
PN:HJ1-12840-103-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT5784H	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2842121	NO. 1 FLUID LEVEL-12.5 INCH OPTICAL SENSOR							Component	ATA:28
PN:HJ1-12840-202-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-12, AMM 28-42-12									
28CA2842122	NO. 2 FLUID LEVEL-12.5 INCH OPTICAL SENSOR							Component	ATA:28
PN:HJ1-12840-202-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:227	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-12, AMM 28-42-12									
28CA2842140	NO. 1 CARRY-THROUGH TANK PROBE							Component	ATA:28
PN:HJ1-12840-105-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT9170G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2842141	NO. 2 CARRY-THROUGH TANK PROBE							Component	ATA:28
PN:HJ1-12840-125-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT3904H	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2842142	NO. 3 CARRY-THROUGH TANK PROBE							Component	ATA:28
PN:HJ1-12840-123-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT1802H	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
28CA2842143	NO. 4 CARRY-THROUGH TANK PROBE							Component	ATA:28
PN:HJ1-12840-105-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:DT9171G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28CA2842151	CENTER WING FUEL PROBE HARNESS							Component	ATA:28
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-42-15, AMM 28-42-15									
28HA0500101	DO AN EXTERNAL VISUAL INSPECTION OF THE FUEL DRAINS.							Service	ATA:28
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO									
28HA0500102 ^S	DO A VISUAL INSPECTION OF THE FUEL PLACARDS.							Service	ATA:28
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
28HA0500103	DO A VISUAL INSPECTION OF THE FUEL LINES IN THE PYLON.							Service	ATA:28
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO									
28HA0500104	DO A VISUAL INSPECTION OF THE ELECTRIC BOOST PUMP CONTROLLER.							Service	ATA:28
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO									
28HA0500105	SURGE TANK FLOAT SWITCH - DETAILED INSPECTION							Service	ATA:28
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 28-00-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28HA0500107 ^S	DO A VISUAL INSPECTION OF THE REFUEL TUBE, REFUEL HOUSING, REFUEL PORT AND BONDING STRAP.							Service	ATA:28
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
28HA0500108 ^S	DO A VISUAL INSPECTION OF THE VENT LINE FROM THE REFUEL HOUSING TO THE FUSELAGE TANK.							Service	ATA:28
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
28HA0500110	LOW LEVEL SENSORS - FUNCTIONAL TEST (PN HJ1-12840-202-001)							Service	ATA:28
	MOS/MSC	07-May-18	N/A	TAC 0					
	HRS	0							
	AFL	0		TAC 0					
	PROC. REF: AMM 28-00-03								
28HA0500111 ^S	FUEL VENT OPTICAL SENSOR (2F9389) - OPERATIONAL TEST							Service	ATA:28
	MOS/MSC	07-May-18	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-00-01							PKG:1	
28HA2800103	DO THE OPERATIONAL TEST OF THE FUEL DISTRIBUTION SYSTEM.							Service	ATA:28
	MOS	07-May-18		TAC 0					
	HRS	0	2400 (+60/-60)		2400	2460	1755.6 (+60)		
	AFL	0		TAC 0					
	PROC. REF: AMM 28-00-01								
28HA2800104	FUEL SYSTEM TEST; VENT VALVES (PN HJ1-12810-141-003), VENT DRAINS (PN HJ1-12842-142-001) - FUNCTIONAL TEST							Service	ATA:28
	MOS	07-May-18		TAC 0				AIRWORTHINESS	
	HRS	0	2400		2400		1755.6		
	AFL	0		TAC 0					
	PROC. REF: AMM 28-00-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28HA2840101	FUEL INDICATING SYSTEM; FUEL QUANTITY SIGNAL CONDITIONER (FQSC) - OPERATIONAL TEST							Service	ATA:28
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 28-40-01									
ATA 29 - HYDRAULIC POWER									
29CA2900001	HYDRAULIC VOLUME COMPENSATOR							Component	ATA:29
PN:HJ1-13243-301-013	MOS/MSC	07-May-18	O/C		TSN 0				
SN:AWB00213	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
29CA2900004	ECOLOGY BOTTLE							Component	ATA:29
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
29CA2911001	NO. 1 MAIN HYDRAULIC PRESSURE SENSOR							Component	ATA:29
PN:HJ1-12932-001-001	MOS/MSC	27-Nov-18	O/C		TSN 0				
SN:KUL00435	HRS	47.2			TSN 0				
	AFL	31			TSN 0				
PROC. REF: AMM 29-31-11, AMM 29-31-11									
29CA2911002	NO. 2 MAIN HYDRAULIC PRESSURE SENSOR							Component	ATA:29
PN:HJ1-12932-001-001	MOS/MSC	07-May-18	O/C		TSN 0				
SN:KUL00565	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 29-31-11, AMM 29-31-11									
29CA2911004	HYDRAULIC RESERVOIR AND FILTER MODULE ASSEMBLY PRESSURE SENSOR							Component	ATA:29
PN:HJ1-12932-001-001	MOS/MSC	07-May-18	O/C		TSN 0				
SN:KUL00593	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 29-31-11, AMM 29-31-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29CA2911005		MAIN HYDRAULIC PRESSURE SENSOR					Component		ATA:29
PN:HJ1-12932-001-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:KUL00584	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-31-11, AMM 29-31-11									
29CA2911006		HYDRAULIC PUMP ASSEMBLY					Component		ATA:29
PN:HJ1-12913-101-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:MX809618A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-12, AMM 29-11-12									
29CA2911025		MAIN HYDRAULIC SYSTEM ACCUMULATOR TANK					Component		ATA:29
PN:HJ1-12911-101-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:ETN00116	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-11, AMM 29-11-11									
29CA2911101		MAIN HYDRAULIC RESERVOIR					Component		ATA:29
PN:HJ1-12916-101-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:AKN00113	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-10, AMM 29-11-10									
29CA2911102		HYDRAULIC RESERVOIR AND FILTER MODULE					Component		ATA:29
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-10, AMM 29-11-10									
29CA2911141		HYDRAULIC SYSTEM UNION RESERVOIR CHECK VALVE					Component		ATA:29
PN:HJ1-12916-102-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:128	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-14, AMM 29-11-14									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29CA2911151	HYDRAULIC SYSTEM T BULKHEAD ON RUN CHECK VALVE							Component	ATA:29
PN:HJ1-12900-202-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:123	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-15, AMM 29-11-15									
29CA2911161	HYDRAULIC SYSTEM T SWIVEL ON RUN CHECK VALVE							Component	ATA:29
PN:HJ1-12900-201-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:120	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-16, AMM 29-11-16									
29CA2911171	REPLACE HYDRAULIC FILTERS P/N 0711311-861, ACA902F815							Service	ATA:29
	MOS	15-Dec-22							
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 29-11-17, AMM 29-11-17									
29CA2921101	NO. 1 ASSY, PRESSURE, AUX HYD ACCUMULATOR							Component	ATA:29
PN:HJ1-12921-101-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:ETN00212	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-10, AMM 29-21-10									
29CA2921101	NO. 2 ASSY, PRESSURE, AUX HYD ACCUMULATOR							Component	ATA:29
PN:HJ1-12921-101-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:ETN00223	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-10, AMM 29-21-10									
29CA2921111	AUXILIARY HYDRAULIC DUMP VALVE							Component	ATA:29
PN:HJ1-12921-201-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:122	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-11, AMM 29-21-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29CA2931101	MAIN HYDRAULIC PRESSURE SWITCH							Component	ATA:29
PN:HJ1-12932-002-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:KUL00123	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-31-10, AMM 29-31-10									
29HA0500101 ^S	DO A VISUAL INSPECTION OF THE HYDRAULIC MODULE AND RESERVOIR.							Service	ATA:29
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
29HA0500102 ^S	DO A VISUAL INSPECTION OF THE ACCUMULATORS AND PLUMBING.							Service	ATA:29
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
29HA0500103 ^S	DO A VISUAL INSPECTION OF THE HYDRAULIC PUMP.							Service	ATA:29
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
29HA0500105	DO A VISUAL INSPECTION OF ALL HYDRAULIC PLUMBING.							Service	ATA:29
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO									
29HA0500106 ^S	DO A VISUAL INSPECTION OF THE HYDRAULIC MODULE AND RESERVOIR AREA ELECTRICAL HARNESSSES AND CONDUIT.							Service	ATA:29
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29HA2900107	HYDRAULIC POWER SYSTEM - FUNCTIONAL TEST							Service	ATA:29
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 29-00-01, AMM 29-00-01									
ATA 30 - ICE AND RAIN PROTECTION									
30CA3011001	LH DE-ICE ASSEMBLY							Component	ATA:30
PN:HJ1-13010-510-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:CX0109	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-10, AMM 30-12-10									
30CA3011002	RH DE-ICE ASSEMBLY							Component	ATA:30
PN:HJ1-13010-510-008	MOS/MSC	07-May-18	O/C	TSN 0					
SN:CX0108	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-10, AMM 30-12-10									
30CA3011101	LEFT WING ANTI-ICE (WAIV) CHECK VALVE							Component	ATA:30
PN:HJ1-13010-611-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:0235A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-10, AMM 30-11-10									
30CA3011102	RIGHT WING ANTI-ICE (WAIV) CHECK VALVE							Component	ATA:30
PN:HJ1-13010-611-007	MOS/MSC	17-Feb-20	O/C	TSR 0					
SN:0101A	HRS	177.4		TSR 0					
	AFL	121		TSR 0					
PROC. REF: AMM 30-11-10, AMM 30-11-10									
30CA3011111	WING ANTI-ICE CROSS (WAIXV) FLOW VALVE							Component	ATA:30
PN:HJ1-13010-621-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:80	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-11, AMM 30-11-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30CA3011131 LEFT WING ANTI-ICE LEAK DETECTION SENSOR Component ATA:30								
PN:HJ1-13010-671-001	MOS/MSC	07-May-18	O/C	TSN 0				
SN:173614	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-13, AMM 30-11-13								
30CA3011132 RIGHT WING ANTI-ICE LEAK DETECTION SENSOR Component ATA:30								
PN:HJ1-13010-671-001	MOS/MSC	07-May-18	O/C	TSN 0				
SN:173615	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-13, AMM 30-11-13								
30CA3011141 LEFT NO. 1 ANTI-ICE WING TEMPERATURE SENSOR Component ATA:30								
PN:HJ1-13010-821-003	MOS/MSC	07-May-18	O/C	TSN 0				
SN:1396	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-14, AMM 30-11-14								
30CA3011142 RIGHT NO. 1 ANTI-ICE WING TEMPERATURE SENSOR Component ATA:30								
PN:HJ1-13010-821-003	MOS/MSC	17-Feb-20	O/C	TSN 0				
SN:1088	HRS	177.4		TSN 0				
	AFL	121		TSN 0				
PROC. REF: AMM 30-11-14, AMM 30-11-14								
30CA3011143 LEFT NO. 2 ANTI-ICE WING TEMPERATURE SENSOR Component ATA:30								
PN:HJ1-13010-821-003	MOS/MSC	07-May-18	O/C	TSN 0				
SN:1397	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-14, AMM 30-11-14								
30CA3011144 RIGHT NO. 2 ANTI-ICE WING TEMPERATURE SENSOR Component ATA:30								
PN:HJ1-13010-821-003	MOS/MSC	07-May-18	O/C	TSN 0				
SN:1398	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-14, AMM 30-11-14								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30CA3012102		DE-ICE CONTROL UNIT					Component	ATA:30	
PN:HJ1-13010-521-019	MOS/MSC	07-May-18	O/C	TSN 0					
SN:127	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-10, AMM 30-12-10									
30CA3012112		ENERGY STORAGE BANK					Component	ATA:30	
PN:HJ1-13010-522-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:125	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-11, AMM 30-12-11									
30CA3021131		LEFT NO. 1 COWL ANTI-ICE OVER-TEMPERATURE SENSOR					Component	ATA:30	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-13, AMM 30-21-13									
30CA3021132		LEFT NO. 2 COWL ANTI-ICE OVER-TEMPERATURE SENSOR					Component	ATA:30	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-13, AMM 30-21-13									
30CA3021133		LEFT NO. 3 COWL ANTI-ICE OVER-TEMPERATURE SENSOR					Component	ATA:30	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-13, AMM 30-21-13									
30CA3021134		LEFT NO. 4 COWL ANTI-ICE OVER-TEMPERATURE SENSOR					Component	ATA:30	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-13, AMM 30-21-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30CA3021135	RIGHT NO. 1 COWL ANTI-ICE OVER-TEMPERATURE SENSOR							Component	ATA:30
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-13, AMM 30-21-13									
30CA3021136	RIGHT NO. 2 COWL ANTI-ICE OVER-TEMPERATURE SENSOR							Component	ATA:30
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-13, AMM 30-21-13									
30CA3021137	RIGHT NO. 3 COWL ANTI-ICE OVER-TEMPERATURE SENSOR							Component	ATA:30
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-13, AMM 30-21-13									
30CA3021138	RIGHT NO. 4 COWL ANTI-ICE OVER-TEMPERATURE SENSOR							Component	ATA:30
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-13, AMM 30-21-13									
30CA3041101	LEFT WINDSHIELD CONTROL UNIT							Component	ATA:30
PN:HJ1-13040-210-007	MOS/MSC	15-Dec-22	O/C						
SN:0233	HRS	586.8							
	AFL	433							
PROC. REF: AMM 30-41-10, AMM 30-41-10									
30CA3041102	RIGHT WINDSHIELD CONTROL UNIT							Component	ATA:30
PN:HJ1-13040-210-007	MOS/MSC	15-Dec-22	O/C						
SN:0229	HRS	586.8							
	AFL	433							
PROC. REF: AMM 30-41-10, AMM 30-41-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30CA3081103	LEFT ICE DETECTOR PROBE							Component	ATA:30
PN:0871ND4-1	MOS/MSC	07-May-18	O/C	TSN 0					
SN:0871ND4-1-0248	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-81-10, AMM 30-81-10									
30CA3081104	RIGHT ICE DETECTOR PROBE							Component	ATA:30
PN:0871ND4-1	MOS/MSC	07-May-18	O/C	TSN 0					
SN:0871ND4-1-0249	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-81-10, AMM 30-81-10									
30HA0500101	DO A VISUAL INSPECTION OF ALL ICE AND RAIN PROTECTION TUBING, COUPLINGS, SENSORS, AND CLAMPS.							Service	ATA:30
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO									
30HA0500102^S	DO A VISUAL INSPECTION OF THE WING ANTI-ICE SYSTEM COMPONENTS.							Service	ATA:30
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
30HA0500103^S	DO A VISUAL INSPECTION OF THE HORIZONTAL TAIL ICE PROTECTION SYSTEM.							Service	ATA:30
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
30HA3010101	WING ICE PROTECTION SYSTEM - OPERATIONAL TEST							Service	ATA:30
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	300		886.8		242.4		
	AFL	433							
PROC. REF: AMM 30-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30HA3010102 ^S	DO THE OPERATIONAL TEST OF HORIZONTAL TAIL ICE PROTECTION SYSTEM.							Service	ATA:30
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 30-10-02				PKG:1	
30HA3010103	OPERATIONAL TEST OF THE WING ICE PROTECTION SYSTEM (WAIV HIGH FLOW SOLENOID)							Service	ATA:30
	MOS/MSC	07-May-18	N/A						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 30-10-01					
30HA3010104	DO THE OPERATIONAL TEST OF THE WING ICE PROTECTION SYSTEM. (EFFECTIVITY: 42000011 THRU 42000125) NOTE: ACCOMPLISHMENT OF THIS AMM TASK SATISFIES THE REQUIREMENTS OF BOTH INSPECTION TASK 30HA3010104 IN THIS SECTION AND TASK 30HA3010101 IN SECTION 05-60-00.							Service	ATA:30
	MOS	15-Dec-22							
	HRS	586.8	300		886.8		242.4		
	AFL	433							
				PROC. REF: AMM 30-10-01					
30HA3010105 ^S	DO THE OPERATIONAL TEST OF THE WING ICE PROTECTION SYSTEM. (EFFECTIVITY: 42000126 AND AFTER) NOTE: ACCOMPLISHMENT OF THIS AMM TASK SATISFIES THE REQUIREMENTS OF BOTH INSPECTION TASK 30HA3010105 IN THIS SECTION AND TASK 30HA3010103 IN SECTION 05-60.							Service	ATA:30
	MOS/MSC	07-May-18	N/A						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 30-10-01				PKG:1	
30HA3020101 ^S	DO THE OPERATIONAL TEST OF THE ENGINE INLET ICE PROTECTION SYSTEM.							Service	ATA:30
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 30-20-01				PKG:1	
30HA3020102	BLEED AIR LEAK DETECTION SYSTEM (OVER TEMPERATURE SWITCH) - FUNCTIONAL TEST							Service	ATA:30
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
				PROC. REF: AMM 30-20-02					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30HA3040101	WINDSHIELD TEMPERATURE SENSING SYSTEM - FUNCTIONAL TEST							Service	ATA:30
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
	PROC. REF: AMM 30-40-01								
30HA3040103 ^S	DO THE FUNCTIONAL TEST OF THE WINDSHIELD HEAT CONTROL SYSTEM. NOTE: ACCOMPLISHMENT OF THIS AMM TASK SATISFIES THE REQUIREMENTS OF BOTH INSPECTION TASK 30HA3040103 IN THIS SECTION AND TASK 30HA3040101 IN SECTION 05-60.							Service	ATA:30
	MOS	15-Dec-22							
	HRS	586.8	600						
	AFL	433							
	PROC. REF: AMM 30-40-01								
30HA3080101 ^S	DO THE OPERATIONAL TEST OF THE ICE DETECTOR SYSTEM.							Service	ATA:30
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 30-80-01								
ATA 31 - INDICATING/RECORDING SYSTEMS									
31CA3111101	LEFT GTC 570/575 TOUCH SCREEN CONTROLLER DISPLAY							Component	ATA:31
PN:011-01924-10	MOS/MSC	07-May-18	O/C		TSN 0				
SN:1MB507240	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 31-11-10, AMM 31-11-10								
31CA3111102	RIGHT GTC 570/575 TOUCH SCREEN CONTROLLER DISPLAY							Component	ATA:31
PN:011-01924-10	MOS/MSC	07-May-18	O/C		TSN 0				
SN:1MB507243	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 31-11-10, AMM 31-11-10								
31CA3111111	OXYGEN AND PRESSURIZATION PANEL							Component	ATA:31
PN:HJ1-13100-106-007	MOS/MSC	07-May-18	O/C		TSN 0				
SN:4201900AA0124	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 31-11-11, AMM 31-11-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31CA3111121		PHASE III ELECTRICAL PANEL						Component	ATA:31
PN:HJ1-13100-107-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4201700AA0119	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-11-12, AMM 31-11-12									
31CA3111122		ELECTRICAL PANEL						Component	ATA:31
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-11-12, AMM 31-11-12									
31CA3111131		LEFT ANNUNCIATOR PANEL						Component	ATA:31
PN:HJ1-13100-105-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4201500AA0250	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-11-13, AMM 31-11-13									
31CA3111132		RIGHT ANNUNCIATOR PANEL						Component	ATA:31
PN:4201500-005	MOS/MSC	15-Dec-22	O/C	TSR 0					
SN:4201500AA0456	HRS	586.8		TSR 0					
	AFL	433		TSR 0					
PROC. REF: AMM 31-11-13, AMM 31-11-13									
31CA3111141		PHASE III LANDING GEAR CONTROL LEVER & ELT PANEL						Component	ATA:31
PN:HJ1-13100-110-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4201800AA0120	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-11-14, AMM 31-11-14									
31CA3111171		AUTOFLIGHT CONTROL SYSTEM SERVO POWER PANEL						Component	ATA:31
PN:HJ1-13100-104-015	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4201400AA0123	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-11-17, AMM 31-11-17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31CA3111181		MASTER FIRE WARNING FIRE PANEL						Component	ATA:31
PN:HJ1-13100-103-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4201600AA0125	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-11-18, AMM 31-11-18									
31CA3111221		ENGINE START PANEL						Component	ATA:31
PN:HJ1-13100-111-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4202300AA0118	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-11-22, AMM 31-11-22									
31CA3111231		AFT CENTER PEDESTAL PHASE III PANEL						Component	ATA:31
PN:HJ1-13100-112-013	MOS/MSC	07-May-18	O/C	TSN 0					
SN:4202200AA0132	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-11-23, AMM 31-11-23									
31CA3121001		NO. 1 GEA71 INTERFACE UNIT						Component	ATA:31
PN:011-00831-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:46723805	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
31CA3121002		NO. 2 GEA71 INTERFACE UNIT						Component	ATA:31
PN:011-00831-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:46723806	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
31CA3121003		NO. 3 GEA71 INTERFACE UNIT						Component	ATA:31
PN:011-00831-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:46723820	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31CA3121101	LEFT GSD41 DATA CONCENTRATOR UNIT							Component	ATA:31
PN:011-01457-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:16906986	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-21-10, AMM 31-21-10									
31CA3121102	RIGHT GSD41 DATA CONCENTRATOR UNIT							Component	ATA:31
PN:011-01457-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:16906989	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-21-10, AMM 31-21-10									
31CA3131001	VOICE / DATA (CVR / FDR) (OPTIONAL EQUIPMENT) RECORDER							Component	ATA:31
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: CMM 23-70-08, AMM 31-31-10, AMM 31-31-10									
31CA3131002	REMOTE MICROPHONE							Component	ATA:31
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-12, AMM 31-31-12									
31CA3131003	MICROPHONE AMPLIFIER							Component	ATA:31
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-11, AMM 31-31-11									
31CA3131004	REPLACE - 1605-01-00 CVR/FDR COMPONENT BATTERY (7905012 DK120/90)							Component	ATA:31
PN:PN	MOS/MSC		N/A	TSN 0				NOT INSTALLED	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31CA3131005	1605-01-00 CVR/FDR COMPONENTS BATTERY (7905012 DK120/90) AND BEACON (DK120/90) - CLEAN AND TEST							Service	ATA:31
PN:PN	MOS/MSC	07-May-18	N/A					NOT INSTALLED	
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: CMM 23-70-08, CMM 23-70-08									
31CA3161101	LEFT PFD-MFD-GDU1400 DISPLAY							Component	ATA:31
PN:011-01910-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1F1005903	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-10, AMM 31-61-10, AMM 31-61-11, AMM 31-61-11									
31CA3161102	RIGHT PFD-MFD-GDU1400 DISPLAY							Component	ATA:31
PN:011-01910-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1F1005904	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-10, AMM 31-61-10, AMM 31-61-11, AMM 31-61-11									
31CA3161103	CENTER PFD-MFD-GDU1400 DISPLAY							Component	ATA:31
PN:011-01910-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1F1005909	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-10, AMM 31-61-10, AMM 31-61-11, AMM 31-61-11									
31HA0500101 ^S	DO A VISUAL INSPECTION OF THE INSTRUMENT PANEL, INSTRUMENTS, AND PEDESTAL EQUIPMENT.							Service	ATA:31
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
PKG:1									
31HA0500102 ^S	DO A VISUAL INSPECTION CVR/FDR. (OPTIONAL EQUIPMENT)							Service	ATA:31
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
PKG:1									
ATA 32 - LANDING GEAR									
32CA3200001	LEFT MLG SIDE BRACE ACTUATOR ASSEMBLY PIN							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3200002	RIGHT MLG SIDE BRACE ACTUATOR ASSEMBLY PIN							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3200003	DRESSED NOSE GEAR							Component	ATA:32
PN:HJ1-13220-000-017	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPC00100	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3200005	NO. 1 LEFT MLG SWIVEL FITTING							Component	ATA:32
PN:USM15-14C4G	MOS/MSC	07-May-18	O/C	TSN 0					
SN:22557	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3200006	NO. 1 RIGHT MLG SWIVEL FITTING							Component	ATA:32
PN:USM15-14C4G	MOS/MSC	07-May-18	O/C	TSN 0					
SN:22561	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3200007	NO. 2 LEFT MLG SWIVEL FITTING							Component	ATA:32
PN:USM15-14C4G	MOS/MSC	07-May-18	O/C	TSN 0					
SN:22567	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3200008	NO. 2 RIGHT MLG SWIVEL FITTING							Component	ATA:32
PN:USM15-14C4G	MOS/MSC	07-May-18	O/C	TSN 0					
SN:22568	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3200009		LEFT MLG DRESSED SIDE BRACE ACTUATOR					Component	ATA:32	
PN:HJ1-13210-100-015	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP0147	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3200010		RIGHT MLG DRESSED SIDE BRACE ACTUATOR					Component	ATA:32	
PN:HJ1-13210-100-016	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP0138	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3200011		LEFT MLG GEAR ASSEMBLY - DRESSED GEAR					Component	ATA:32	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3200012		RIGHT MLG GEAR ASSEMBLY - DRESSED GEAR					Component	ATA:32	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3210001		BARREL - SIDE BRACE ACTUATOR ASSY, LEFT MLG					Component	ATA:32	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3210001		BARREL - SIDE BRACE ACTUATOR ASSY, RIGHT MLG					Component	ATA:32	
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3210005	BARREL END ASSY - SIDE BRACE ACTUATOR ASSY LEFT MLG							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3210005	BARREL END ASSY - SIDE BRACE ACTUATOR ASSY RIGHT MLG							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3211001	LEFT MAIN LANDING GEAR SHOCK ABSORBER							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-11, AMM 32-11-11									
32CA3211002	RIGHT MAIN LANDING GEAR SHOCK ABSORBER							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-11, AMM 32-11-11									
32CA3211003	LEFT MLG ARM AND AXLE							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-14, AMM 32-11-14									
32CA3211004	RIGHT MLG ARM AND AXLE							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-14, AMM 32-11-14									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3211005	LEFT MLG TRAILING ARM							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-14, AMM 32-11-14									
32CA3211006	RIGHT MLG TRAILING ARM							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-14, AMM 32-11-14									
32CA3211103	LEFT MAIN LANDING GEAR SYSTEM							Component	ATA:32
PN:HJ1-13210-000-037	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPC00082	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-10, AMM 32-11-10									
32CA3211104	RIGHT MAIN LANDING GEAR SYSTEM							Component	ATA:32
PN:HJ1-13210-000-038	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPC00069	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-10, AMM 32-11-10									
32CA3211290	LEFT MAIN LANDING GEAR FITTING ASSEMBLY							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3211290	RIGHT MAIN LANDING GEAR FITTING ASSEMBLY							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3221003		NLG SIDE BRACE ACTUATOR					Component		ATA:32
PN:HJ1-13220-100-017	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP0133	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3221101		NLG DRESSED SHOCK STRUT					Component		ATA:32
PN:HJ1-13221-000-017	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPC00100	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-21-10, AMM 32-21-10									
32CA3231001		EMERGENCY / PARK BRAKE VALVE ASSY UNION					Component		ATA:32
PN:HJ1-13243-402-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:254	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-12, AMM 32-41-12									
32CA3231002		PRESSURE SENSOR					Component		ATA:32
PN:HJ1-12932-001-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:KUL00579	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3231101		NLG DRESSED SIDE BRACE ACTUATOR					Component		ATA:32
PN:HJ1-13233-200-019	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP0133	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-10, AMM 32-31-10									
32CA3231112		NOSE LANDING GEAR UPLOCK ACTUATOR					Component		ATA:32
PN:HJ1-13233-301-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:CAD00067	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-11, AMM 32-31-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3231121		LANDING GEAR CONTROL UNIT					Component	ATA:32	
PN:HJ1-13230-101-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP00125	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-12, AMM 32-31-12									
32CA3231131		NLG RETRACTION FLOW CONTROL VALVE					Component	ATA:32	
PN:HJ1-13233-001-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:126	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3231132		LEFT MLG EXTENSION FLOW CONTROL VALVE					Component	ATA:32	
PN:HJ1-13233-002-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:249	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-13, AMM 32-31-13									
32CA3231133		RIGHT MLG EXTENSION FLOW CONTROL VALVE					Component	ATA:32	
PN:HJ1-13233-002-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:242	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-13, AMM 32-31-13									
32CA3231134		LEFT MLG RETRACTION FLOW CONTROL VALVE					Component	ATA:32	
PN:HJ1-13233-003-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:254	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-13, AMM 32-31-13									
32CA3231135		RIGHT MLG RETRACTION FLOW CONTROL VALVE					Component	ATA:32	
PN:HJ1-13233-003-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:247	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-13, AMM 32-31-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3231142		LEFT INBD MLG DOOR ACTUATOR					Component	ATA:32	
PN:HJ1-13232-100-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP0123	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-14, AMM 32-31-14									
32CA3231143		RIGHT INBD MLG DOOR ACTUATOR					Component	ATA:32	
PN:HJ1-13232-100-010	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP0116	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-14, AMM 32-31-14									
32CA3231151		LEFT MLG SIDE BRACE ACTUATOR					Component	ATA:32	
PN:HJ1-13233-100-019	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP0147	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3231152		RIGHT MLG SIDE BRACE ACTUATOR					Component	ATA:32	
PN:HJ1-13233-100-020	MOS/MSC	21-Aug-19	O/C	TSN 0					
SN:SPP0042	HRS	131.5		TSN 0					
	AFL	88		TSN 0					
PROC. REF: AMM 32-31-15, AMM 32-31-15									
32CA3231161		LANDING GEAR CONTROL SYSTEM LEVER					Component	ATA:32	
PN:HJ1-13230-102-007	MOS/MSC	15-Dec-22	O/C						
SN:0170	HRS	586.8							
	AFL	433							
PROC. REF: AMM 32-31-16, AMM 32-31-16									
32CA3232001		LEFT MAIN LANDING GEAR INBOARD DOOR EXTENSION RESTRICTOR FITTING					Component	ATA:32	
PN:HJ1-13232-001-001	MOS	06-May-18		TSN 0				AIRWORTHINESS	
SN:242	HRS	10.3	1200	TSN 0	1210.3		565.9		
	AFL	6		TSN 0					
PROC. REF: AMM 32-31-14, AMM 32-31-14									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3232002		RIGHT MAIN LANDING GEAR INBOARD DOOR EXTENSION RESTRICTOR FITTING					Component	ATA:32	
PN:HJ1-13232-001-001	MOS	06-May-18		TSN 0				AIRWORTHINESS	
SN:244	HRS	10.3	1200	TSN 0	1210.3		565.9		
	AFL	6		TSN 0					
PROC. REF: AMM 32-31-14, AMM 32-31-14									
32CA3232003		LEFT MAIN LANDING GEAR INBOARD DOOR RETRACTION RESTRICTOR FITTING					Component	ATA:32	
PN:HJ1-13232-002-001	MOS	06-May-18		TSN 0				AIRWORTHINESS	
SN:230	HRS	10.3	1200	TSN 0	1210.3		565.9		
	AFL	6		TSN 0					
PROC. REF: AMM 32-31-14, AMM 32-31-14									
32CA3232004		RIGHT MAIN LANDING GEAR INBOARD DOOR RETRACTION RESTRICTOR FITTING					Component	ATA:32	
PN:HJ1-13232-002-001	MOS	06-May-18		TSN 0				AIRWORTHINESS	
SN:232	HRS	10.3	1200	TSN 0	1210.3		565.9		
	AFL	6		TSN 0					
PROC. REF: AMM 32-31-14, AMM 32-31-14									
32CA3241011		LEFT MAIN LANDING GEAR WHEEL					Component	ATA:32	
PN:90006394	MOS/MSC	15-Dec-22	O/C						
SN:APR15-0143	HRS	586.8							
	AFL	433		TSN 433					
PROC. REF: AMM 32-41-11, AMM 32-41-11									
32CA3241012		RIGHT MAIN LANDING GEAR WHEEL					Component	ATA:32	
PN:90006365	MOS/MSC	15-Dec-22	O/C						
SN:FEB17-0372	HRS	586.8							
	AFL	433		TSN 433					
PROC. REF: AMM 32-41-11, AMM 32-41-11									
32CA3241023		NOSE LANDING GEAR WHEEL					Component	ATA:32	
PN:90006367	MOS/MSC	15-Dec-22	O/C	TSN 55					
SN:OCT17-0180	HRS	586.8		TSN 586.8					
	AFL	433		TSN 433					
PROC. REF: AMM 32-41-10, AMM 32-41-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3241041	LEFT MAIN LANDING GEAR TIRE							Component	ATA:32
PN:M19402	MOS/MSC	15-Dec-22	O/C	TSN 0					
SN:2049B264	HRS	586.8		TSN 0					
	AFL	433		TSN 0					
PROC. REF: AMM 32-41-11, AMM 32-41-11									
32CA3241042	RIGHT MAIN LANDING GEAR TIRE							Component	ATA:32
PN:M19402	MOS/MSC	15-Dec-22	O/C	TSN 0					
SN:2049B273	HRS	586.8		TSN 0					
	AFL	433		TSN 0					
PROC. REF: AMM 32-41-11, AMM 32-41-11									
32CA3241043	NOSE LANDING GEAR TIRE							Component	ATA:32
PN:M19301	MOS/MSC	15-Dec-22	O/C	TSN 0					
SN:1278B008	HRS	586.8		TSN 0					
	AFL	433		TSN 0					
PROC. REF: AMM 32-41-10, AMM 32-41-10									
32CA3241121	BRAKE SYSTEM EMERGENCY / PARK BRAKE VALVE							Component	ATA:32
PN:HJ1-13243-401-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:AWB00215	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-12, AMM 32-41-12									
32CA3241161	BRAKE SYSTEM ANTI-SKID CONTROL UNIT							Component	ATA:32
PN:HJ1-13241-101-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:225	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-16, AMM 32-41-16									
32CA3241171	LEFT BRAKE SYSTEM ANTISKID TRANSDUCER CONTROL							Component	ATA:32
PN:HJ1-13241-102-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:343	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-17, AMM 32-41-17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3241172		RIGHT BRAKE SYSTEM ANTISKID TRANSDUCER CONTROL					Component	ATA:32	
PN:HJ1-13241-102-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:345	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-17, AMM 32-41-17									
32CA3241173		POWER BRAKE AND ANTISKID BRAKE VALVE					Component	ATA:32	
PN:HJ1-13243-101-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:207	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-42-11, AMM 32-42-11									
32CA3241181		LEFT MAIN LANDING GEAR BRAKE					Component	ATA:32	
PN:90006366	MOS/MSC	13-Jan-22	O/C	TSO 0					
SN:JAN16-0201	HRS	390		TSO 0					
	AFL	292		TSO 0					
PROC. REF: AMM 32-41-18, AMM 32-41-18									
32CA3241182		RIGHT MAIN LANDING GEAR BRAKE					Component	ATA:32	
PN:90006366	MOS/MSC	13-Jan-22	O/C	TSO 0					
SN:JUN17-0283	HRS	390		TSO 0					
	AFL	292		TSO 0					
PROC. REF: AMM 32-41-18, AMM 32-41-18									
32CA3241191		NO. 1 LEFT BRAKE SYSTEM MASTER CYLINDER					Component	ATA:32	
PN:HJ1-13243-201-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:AWB00449	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-19, AMM 32-41-19									
32CA3241192		NO. 1 RIGHT BRAKE SYSTEM MASTER CYLINDER					Component	ATA:32	
PN:HJ1-13243-201-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:AWB00450	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-19, AMM 32-41-19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3241193	NO. 2 LEFT BRAKE SYSTEM MASTER CYLINDER							Component	ATA:32
PN:HJ1-13243-201-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:AWB00451	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-19, AMM 32-41-19									
32CA3241194	NO. 2 RIGHT BRAKE SYSTEM MASTER CYLINDER							Component	ATA:32
PN:HJ1-13243-201-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:AWB00452	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-19, AMM 32-41-19									
32CA3241463	LEFT MAIN WHEEL ASSEMBLY P/N 90006365 - PERFORM VISUAL AND NDT INSPECTION							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8							
	AFL	433	750		1183		718		
PROC. REF: CMM 32-41-46, AMM 32-44-01									
32CA3241464	RIGHT MAIN WHEEL ASSEMBLY P/N 90006365 - PERFORM VISUAL AND NDT INSPECTION							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8							
	AFL	433	750		1183		718		
PROC. REF: CMM 32-41-46, AMM 32-44-01									
32CA3241467	LEFT MAIN LANDING GEAR WHEEL ASSEMBLY - OVERHAUL							Service	ATA:32
PN:90006394	MOS	EFF						OVERHAUL	
SN:APR15-0143	HRS								
	AFL	EFF	1500	TAC 339	1161 *		696		
PROC. REF: CMM 32-41-46									
32CA3241467	RIGHT MAIN LANDING GEAR WHEEL ASSEMBLY - OVERHAUL							Service	ATA:32
PN:90006365	MOS	EFF						OVERHAUL	
SN:FEB17-0372	HRS								
	AFL	EFF	1500	TAC 339	1161 *		696		
PROC. REF: CMM 32-41-46									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3241474	NOSE WHEEL ASSEMBLY P/N 90006367 - VISUAL AND NDT INSPECTION							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8							
	AFL	433	750		1183		718		
PROC. REF: CMM 32-46-45, AMM 32-44-01									
32CA3241477	NOSE WHEEL ASSEMBLY P/N 90006367 - OVERHAUL							Service	ATA:32
PN:90006367	MOS	EFF						OVERHAUL	
SN:OCT17-0180	HRS								
	AFL	EFF	1500		1500 *		1035		
PROC. REF: CMM 32-46-45									
32CA3242012	BRAKE SYSTEM CHECK VALVE - UNION							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
32CA3242013	NO. 1 BRAKE SYSTEM VOLUME COMPENSATOR							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-42-13, AMM 32-42-13									
32CA3242013	NO. 2 BRAKE SYSTEM VOLUME COMPENSATOR							Component	ATA:32
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-42-13, AMM 32-42-13									
32CA3251101	LANDING GEAR CONTROL VALVE							Component	ATA:32
PN:HJ1-13234-101-009	MOS/MSC	07-May-18	O/C		TSN 0				
SN:AKN00128	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-42-10, AMM 32-42-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32CA3251122	NOSE WHEEL STEERING CONTROL UNIT							Component	ATA:32
PN:HJ1-13251-111-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP10010	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-51-12, AMM 32-51-12									
32CA3251131	LEFT NOSE STEERING TRANSDUCER							Component	ATA:32
PN:HJ1-13251-103-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP00213	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32CA3251132	RIGHT NOSE STEERING TRANSDUCER							Component	ATA:32
PN:HJ1-13251-103-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SPP00214	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32HA0500101 ^S	DO A VISUAL INSPECTION OF THE NOSE STEERING SYSTEM.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
32HA0500102 ^S	DO A VISUAL INSPECTION OF THE NOSE LANDING GEAR STRUCTURE (TRUNNION).							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
32HA0500103 ^S	DO A VISUAL INSPECTION OF THE NLG SHOCK ABSORBER.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32HA0500104 ^S	DO A VISUAL INSPECTION OF THE NLG GEAR UPLOCK ASSEMBLY.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
32HA0500105 ^S	DO A VISUAL INSPECTION OF THE NLG WEIGHT-ON-WHEELS SWITCH.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
32HA0500106 ^S	DO A VISUAL INSPECTION OF THE NLG DRAG BRACE ACTUATOR AND MLG SIDE BRACE ACTUATORS.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
32HA0500107	DO A VISUAL INSPECTION OF THE MASTER CYLINDERS.							Service	ATA:32
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
	PROC. REF: AMM NO REF, ALM INTRO								
32HA0500108 ^S	DO A VISUAL INSPECTION OF THE MLG WEIGHT-ON-WHEELS SWITCH.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
32HA0500109 ^S	DO A VISUAL INSPECTION OF THE MLG SHOCK ABSORBER.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32HA0500110 ^S	DO A VISUAL INSPECTION OF THE MLG INBOARD DOOR ACTUATORS.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
32HA0500112 ^S	DO A VISUAL INSPECTION OF THE MLG AND NLG AREA ELECTRICAL HARNESSSES AND CONDUITS.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
32HA3200103	EMERGENCY EXTENSION SYSTEM & NOSE LANDING GEAR UPLOCK - FUNCTIONAL TEST							Service	ATA:32
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
	PROC. REF: AMM 32-00-01, AMM 32-00-02								
32HA3240101 ^S	DO THE FUNCTIONAL TEST OF THE BRAKE PRESSURE.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 32-40-01							PKG:1	
32HA3240102	LANDING GEAR LATENT FAILURES, DIGITAL ANTI-SKID CONTROL UNIT (DACU) ANNUNCIATION - FUNCTIONAL TEST							Service	ATA:32
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
	PROC. REF: AMM 32-40-02								
32HA3240103 ^U	LEFT MAIN LANDING GEAR - CLEAN AND DO VISUAL INSPECTION OF ALL WHEEL BEARINGS. REPACK WITH CORRECT LUBE,							Service	ATA:32
	MOS	12-Apr-22							
	HRS	440.4							
	AFL	339	750 (+60/-60)		1089	1149	624 (+60)		
32HA3240103 ^U	NOSE LANDING GEAR - CLEAN AND DO VISUAL INSPECTION OF ALL WHEEL BEARINGS. REPACK WITH CORRECT LUBE.							Service	ATA:32
	MOS	07-May-18		TAC 0					
	HRS	0		TAC 0					
	AFL	0	750 (+60/-60)		750	810	285 (+60)		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32HA3240103 ^U	RIGHT MAIN LANDING GEAR - CLEAN AND DO VISUAL INSPECTION OF ALL WHEEL BEARINGS. REPACK WITH CORRECT LUBE.							Service	ATA:32
	MOS	12-Apr-22							
	HRS	440.4							
	AFL	339	750 (+60/-60)		1089	1149	624 (+60)		
32HA3250102 ^S	DO THE FUNCTIONAL TEST OF THE NOSEWHEEL STEERING SYSTEM.							Service	ATA:32
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
								PROC. REF: AMM 32-50-01	
								PKG:1	
ATA 33 - LIGHTS									
33CA3311001	COCKPIT CONSOLE LIGHT							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
								PROC. REF: AMM 33-11-10, AMM 33-11-10	
33CA3311002	PILOT MAP LIGHT							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
								PROC. REF: AMM 33-11-10, AMM 33-11-10	
33CA3311003	CO-PILOT MAP LIGHT							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
								PROC. REF: AMM 33-11-10, AMM 33-11-10	
33CA3341001	GROUND RECOGNITION LIGHT							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
								PROC. REF: AMM 33-44-10, AMM 33-44-10	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33CA3341101	LEFT TAXI LANDING LIGHT							Component	ATA:33
PN:01-0790497-02	MOS/MSC	07-May-18	O/C	TSN 0					
SN:317	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-10, AMM 33-41-10									
33CA3341102	RIGHT TAXI LANDING LIGHT							Component	ATA:33
PN:01-0790497-02	MOS/MSC	07-May-18	O/C	TSN 0					
SN:318	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-10, AMM 33-41-10									
33CA3341111	LEFT TAXI RECOGNITION LIGHT							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-11, AMM 33-41-11									
33CA3341112	RIGHT TAXI RECOGNITION LIGHT							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-11, AMM 33-41-11									
33CA3341121	LEFT WING ICE INSPECTION LIGHT							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-12, AMM 33-41-12									
33CA3341122	RIGHT WING ICE INSPECTION LIGHT							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-12, AMM 33-41-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33CA3341141	LEFT LIGHTING CONTROL UNIT							Component	ATA:33
PN:HJ1-13300-101-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:192961-1-6	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-14, AMM 33-41-14									
33CA3341142	RIGHT LIGHTING CONTROL UNIT							Component	ATA:33
PN:HJ1-13300-101-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:192961-1-7	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-14, AMM 33-41-14									
33CA3342101	LEFT ANTI-COLLISION/POSITION LIGHT							Component	ATA:33
PN:87-04172-002	MOS/MSC	07-May-18	O/C	TSN 0					
SN:181	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-42-10, AMM 33-42-10									
33CA3342102	RIGHT ANTI-COLLISION/POSITION LIGHT							Component	ATA:33
PN:87-04173-002	MOS/MSC	07-May-18	O/C	TSN 0					
SN:195	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-42-10, AMM 33-42-10									
33CA3343111	CURRENT SOURCE FLASHER							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-43-11, AMM 33-43-11									
33CA3343112	TAIL AC/POS LIGHT							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-43-11, AMM 33-43-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33CA3344111	TAXI-RECOG LIGHTS FLASHER							Component	ATA:33
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-44-11, AMM 33-44-11									
33HA0500101 ^S	DO A VISUAL INSPECTION OF THE COCKPIT OVERHEAD LIGHTS.							Service	ATA:33
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
33HA0500102 ^S	DO A VISUAL INSPECTION OF THE CABIN OVERHEAD, ENTRY, LAVATORY LIGHTS AND LENSES.							Service	ATA:33
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
33HA0500103 ^S	DO A VISUAL INSPECTION OF THE LANDING/TAXI LIGHTS AND LENSES.							Service	ATA:33
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
33HA0500104 ^S	DO A VISUAL INSPECTION OF THE POSITION LIGHTS, BEACON AND LENSES.							Service	ATA:33
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
33HA0500105 ^S	DO A VISUAL INSPECTION OF THE LOGO AND WING INSPECTION LIGHTS (OPTIONAL EQUIPMENT).							Service	ATA:33
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33HA3300101 ^S	DO THE OPERATIONAL TEST OF THE INTERIOR LIGHTS.							Service	ATA:33
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 33-00-02				PKG:1	
33HA3300102 ^S	DO THE OPERATIONAL TEST OF THE EXTERIOR LIGHTS.							Service	ATA:33
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 33-00-01				PKG:1	
ATA 34 - NAVIGATION									
34CA3400000	LEFT INTEGRATED AVIONICS COMPUTER (GIA UNIT)							Component	ATA:34
PN:011-01105-40	MOS/MSC	07-May-18	O/C		TSN 0				
SN:2DC003656	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 34-00-00, AMM 34-00-00					
34CA3400001	RIGHT INTEGRATED AVIONICS COMPUTER (GIA UNIT)							Component	ATA:34
PN:011-01105-40	MOS/MSC	07-May-18	O/C		TSN 0				
SN:2DC003657	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 34-00-00, AMM 34-00-00					
34CA3400023	STANDBY INSTRUMENT DISPLAY							Component	ATA:34
PN:40001-01-02	MOS/MSC	23-Oct-19	O/C		TSR 0				
SN:M037630	HRS	147			TSR 0				
	AFL	99			TSR 0				
				PROC. REF: AMM 34-21-12, AMM 34-21-12					
34CA3400025	ENHANCED TCAS PROCESSOR							Component	ATA:34
PN:011-02571-00	MOS/MSC	07-May-18	O/C		TSN 0				
SN:28P007253	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 34-41-13, AMM 34-41-13					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34CA3411102		LEFT MULTI-FUNCT AIR DATA PROBE					Component		ATA:34
PN:2015T-1B	MOS/MSC	07-Mar-18	O/C	TSN 0					
SN:228	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-10, AMM 34-11-10									
34CA3411103		RIGHT MULTI-FUNCT AIR DATA PROBE					Component		ATA:34
PN:2015T-1B	MOS/MSC	07-Mar-18	O/C	TSN 0					
SN:282	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-10, AMM 34-11-10									
34CA3411111		STANDBY AIR DATA PROBE					Component		ATA:34
PN:100564-100-000	MOS/MSC	07-Mar-18	O/C	TSN 0					
SN:1001112	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-11, AMM 34-11-11									
34CA3421101		LEFT HAND GRS77 AHRS					Component		ATA:34
PN:011-00868-10	MOS/MSC	07-May-18	O/C	TSN 0					
SN:42036258	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-10, AMM 34-21-10									
34CA3421102		RIGHT HAND GRS77 AHRS					Component		ATA:34
PN:011-00868-10	MOS/MSC	07-May-18	O/C	TSN 0					
SN:42036260	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-10, AMM 34-21-10									
34CA3421111		LEFT GMU44 MAGNETOMETER					Component		ATA:34
PN:011-00870-10	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1CM021436	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-11, AMM 34-21-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34CA3421112		RIGHT GMU44 MAGNETOMETER						Component	ATA:34
PN:011-00870-10	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1CM021441	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-11, AMM 34-21-11									
34CA3421131		STANDBY MHS MAGNETOMETER						Component	ATA:34
PN:19004-10-01	MOS/MSC	07-May-18	O/C	TSN 0					
SN:M040021	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-13, AMM 34-21-13									
34CA3431001		LEFT VHF NAVIGATION BLADE ANTENNA (VOR/LOC/GS)						Component	ATA:34
PN:CI 120-1-L	MOS/MSC	07-May-18	O/C	TSN 0					
SN:547657	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34CA3431002		RIGHT VHF NAVIGATION BLADE ANTENNA (VOR/LOC/GS)						Component	ATA:34
PN:CI 120-1-L	MOS/MSC	07-May-18	O/C	TSN 0					
SN:547658	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34CA3431004		POWER COMBINER						Component	ATA:34
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34CA3431005		2 IN, 1 OUT POWER COMBINER						Component	ATA:34
PN:CI 120-3	MOS/MSC	07-May-18	O/C	TSN 0					
SN:550463	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34CA3431111	MARKER BEACON							Component	ATA:34
PN:MB10-715-3	MOS/MSC	07-May-18	O/C	TSN 0					
SN:122	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-11, AMM 34-31-11									
34CA3431121	DUAL VOR, DUAL G/S DIPLEXER ANTENNA							Component	ATA:34
PN:CI 1125	MOS/MSC	07-May-18	O/C	TSN 0					
SN:551516	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-12, AMM 34-31-12									
34CA3431131	VOR-LOC-GS ANTENNA SYSTEM							Component	ATA:34
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-13, AMM 34-31-13									
34CA3431141	GA37, GPS WAAS / XM ANTENNA							Component	ATA:34
PN:013-00245-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:15774	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-14, AMM 34-31-14									
34CA3431142	GPS WAAS-GA36 ANTENNA							Component	ATA:34
PN:013-00244-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:14672	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-14, AMM 34-31-14									
34CA3431151	DUAL MARKER BEACON COUPLER							Component	ATA:34
PN:DMB20-20	MOS/MSC	07-May-18	O/C	TSN 0					
SN:5180	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-15, AMM 34-31-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34CA3441001		GRA 5500 RADAR RT ALTIMETER					Component		ATA:34
PN:011-02537-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:2F8005571	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-41-11, AMM 34-41-11									
34CA3441121		NO. 1 RADIO ALTIMETER ANTENNA					Component		ATA:34
PN:S67-2002	MOS/MSC	07-May-18	O/C	TSN 0					
SN:543-89165	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-41-12, AMM 34-41-12									
34CA3441122		NO. 2 RADIO ALTIMETER ANTENNA					Component		ATA:34
PN:S67-2002	MOS/MSC	07-May-18	O/C	TSN 0					
SN:543-89166	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-41-12, AMM 34-41-12									
34CA3442101		XM WEATHER-GDL69A DATALINK					Component		ATA:34
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-42-10, AMM 34-42-10									
34CA3442102		WX RDR, GWX70 ANTENNA ARRAY					Component		ATA:34
PN:117-00254-01	MOS/MSC	07-May-18	O/C	TSN 0					
SN:2236	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-42-10, AMM 34-42-10									
34CA3442103		WX RDR, GWX70 ANTENNA BASE					Component		ATA:34
PN:011-01768-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1DP007757	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-42-10, AMM 34-42-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34CA3451001	DME TRANSCEIVER							Component	ATA:34
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-10, AMM 34-51-10									
34CA3452111	NO. 1 TRANSPONDER							Component	ATA:34
PN:011-00779-21	MOS/MSC	07-Mar-18	O/C	TSN 0					
SN:84813314	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: CMM 190-01597-00									
34CA3452112	NO. 2 TRANSPONDER							Component	ATA:34
PN:PN	MOS/MSC	07-May-18	N/A	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: CMM 190-01597-00									
34CA3452121	TRANSPONDER L-BAND ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	07-May-18	O/C	TSN 0					
SN:10302	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-12, AMM 34-52-12									
34CA3452131	NO. 1 COAXIAL SWITCH							Component	ATA:34
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-13, AMM 34-52-13									
34CA3452132	NO. 2 COAXIAL SWITCH							Component	ATA:34
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-13, AMM 34-52-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34CA3453101	AUTOMATIC DIRECTION FINDER (ADF) RECEIVER							Component	ATA:34
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-10, AMM 34-53-10									
34CA3453111	UPPER GA58 ANTENNA							Component	ATA:34
PN:011-01346-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:124014046	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-11, AMM 34-53-11									
34CA3453112	LOWER GA58 ANTENNA							Component	ATA:34
PN:011-01346-00	MOS/MSC	07-May-18	O/C	TSN 0					
SN:124014145	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-11, AMM 34-53-11									
34HA0500101 ^S	DO A VISUAL INSPECTION OF THE NAVIGATION SYSTEM ANTENNAS.							Service	ATA:34
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
34HA0500102 ^S	DO A VISUAL INSPECTION OF THE NAVIGATION SYSTEM EQUIPMENT AND RACKS.							Service	ATA:34
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
34HA3400101 ^S	DO THE FUNCTIONAL TEST OF THE LEFT INTEGRATED AVIONICS COMPUTER							Service	ATA:34
PN:011-01105-40	MOS	15-Dec-22							
SN:2DC003656	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM 34-00-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34HA3400101 ^S		DO THE FUNCTIONAL TEST OF THE RIGHT INTEGRATED AVIONICS COMPUTER						Service	ATA:34
PN:011-01105-40	MOS	15-Dec-22							
SN:2DC003657	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM 34-00-02								PKG:1	
34HA3400101B ^U		LEFT MULTI-FUNCT AIR DATA PROBE CALIBRATION TEST - REFER TO 14 CFR PART 91.411 REQUIREMENTS						Service	ATA:34
	MOS	20-May-22	24		20-May-24		454 d		
	HRS	464.8	600		1064.8		420.4		
	AFL	364							
34HA3400101B ^U		NO. 1 TRANSPONDER CALIBRATION TEST - REFER TO 14 CFR PART 91.411 REQUIREMENTS.						Service	ATA:34
	MOS	20-May-22	24		20-May-24		454 d		
	HRS	464.8	600		1064.8		420.4		
	AFL	364							
34HA3400101B ^U		RIGHT MULTI-FUNCT AIR DATA PROBE CALIBRATION TEST - REFER TO 14 CFR PART 91.411 REQUIREMENTS						Service	ATA:34
	MOS	20-May-22	24		20-May-24		454 d		
	HRS	464.8	600		1064.8		420.4		
	AFL	364							
34HA3400101B ^U		STANDBY INSTRUMENT DISPLAY CALIBRATION TEST - REFER TO 14 CFR PART 91.411 REQUIREMENTS						Service	ATA:34
	MOS	20-May-22	24		20-May-24		454 d		
	HRS	464.8	600		1064.8		420.4		
	AFL	364							
34HA3400104		TRAFFIC COLLISION AVOIDANCE SYSTEM - FUNCTIONAL TEST						Service	ATA:34
PN:011-02571-00	MOS	15-Dec-22						AIRWORTHINESS	
SN:28P007253	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 34-00-02									
34HA3410102		DO THE FUNCTIONAL TEST OF THE PRIMARY AIR DATA SYSTEM. REFER TO THE CURRENT 14 CFR 14 CFR 91.411 AND 91.413 REQUIREMENT OR LOCAL REGULATORY AUTHORITY						Service	ATA:34
PN:2015T-1B	MOS	20-May-22	24		20-May-24		454 d	AIRWORTHINESS	
SN:228	HRS	464.8							
	AFL	364							
PROC. REF: AMM 34-00-02, AMM 34-00-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34HA3410102	DO THE FUNCTIONAL TEST OF THE STANDBY AIR DATA SYSTEM. REFER TO THE CURRENT 14 CFR 14 CFR 91.411 AND 91.413 REQUIREMENT OR LOCAL REGULATORY AUTHORITY							Service	ATA:34
PN:2015T-1B	MOS	20-May-22	24		20-May-24		454 d	AIRWORTHINESS	
SN:282	HRS	464.8							
	AFL	364							
PROC. REF: AMM 34-00-02, AMM 34-00-02									
34HA3410103	DO THE FUNCTIONAL TEST OF THE NO. 1 TRANSPONDER. REFER TO THE CURRENT 14 CFR 14 CFR 91.411 AND 91.413 REQUIREMENT OR LOCAL REGULATORY AUTHORITY							Service	ATA:34
PN:011-00779-21	MOS	20-May-22	24		20-May-24		454 d		
SN:84813314	HRS	464.8							
	AFL	364							
PROC. REF: AMM 34-00-02									
34HA3410103	DO THE FUNCTIONAL TEST OF THE NO. 2 TRANSPONDER. REFER TO THE CURRENT 14 CFR 14 CFR 91.411 AND 91.413 REQUIREMENT OR LOCAL REGULATORY AUTHORITY							Service	ATA:34
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 34-00-02									
34HA3410106	STANDBY AIR DATA SYSTEM - FUNCTIONAL TEST							Service	ATA:34
PN:100564-100-000	MOS	27-May-20		TAC 0					
SN:1001112	HRS	177.4	600		777.4		133		
	AFL			TAC 0					
PROC. REF: AMM 34-00-02, AMM 34-00-02									
34HA3411102	DO THE ALIGNMENT INSPECTION OF THE AIR DATA PROBES FOR RVSM.							Service	ATA:34
	MOS	20-May-22	24 (+30d/-30d)	Adj 7d	27-May-24	26-Jun-24	461 d (+30)	RVSM	
	HRS	464.8							
	AFL	364							
PROC. REF: AMM 34-11-00									
ATA 35 - OXYGEN									
35CA3500000	OVER-PRESSURE INDICATOR							Component	ATA:35
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-00-04, AMM 35-00-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35CA3500002	PILOT SMOKE GOGGLE							Component	ATA:35
PN:HJ1-13510-205-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-14, AMM 35-11-14									
35CA3500004	CO-PILOT SMOKE GOGGLE							Component	ATA:35
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-14, AMM 35-11-14									
35CA3500011	OXYGEN BOTTLE (P/N HJ1-13500-150-XXX) - REPLACE							Component	ATA:35
PN:HJ1-13500-150-001	MOS	27-Sep-22	180	TSN 0	27-Sep-37		5332 d	LIFE LIMIT	
SN:C22060385	HRS	527.7		TSN 0					
	AFL	399		TSN 0					
		Manufacture Date:: 27-Sep-22		PROC. REF: AMM 35-00-01, AMM 35-00-01					
35CA3500014	OXYGEN BOTTLE (P/N HJ1-13500-150-XXX), INSPECT ANDHYDROSTATICALLY TEST							Service	ATA:35
PN:HJ1-13500-150-001	MOS	21-Jun-22	60 (+30d/-30d)		21-Jun-27	21-Jul-27	1581 d (+30)		
SN:C22060385	HRS								
	AFL								
PROC. REF: AMM 35-00-01, AMM 35-00-01									
35CA3500015	OXYGEN REGULATOR (P/N HJ1-13500-150-XXX, 805982-XX), OVERHAUL							Service	ATA:35
PN:HJ1-13500-150-001	MOS	27-Sep-22	60		27-Sep-27		1679 d		
SN:C22060385	HRS	527.7							
	AFL	399							
PROC. REF: AMM 35-00-01, AMM 35-00-01									
35CA3500023	OXYGEN BOTTLE TRANSDUCER							Component	ATA:35
PN:HJ1-13500-151-005	MOS/MSC	27-Sep-22	O/C						
SN:20221803	HRS	527.7							
	AFL	399							
PROC. REF: AMM 35-00-02, AMM 35-00-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35CA3500051		CREW AND PASSENGER OXYGEN CABLE					Component		ATA:35
PN:HJ1-13500-031-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:166	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-00-05, AMM 35-00-05									
35CA3511001		PILOT MASK STORAGE BOX					Component		ATA:35
PN:HJ1-13510-219-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SE94044	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-13, AMM 35-11-13									
35CA3511002		CO-PILOT MASK STORAGE BOX					Component		ATA:35
PN:HJ1-13510-219-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:SE91582	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-13, AMM 35-11-13									
35CA3511101		CABIN ALTITUDE SWITCH					Component		ATA:35
PN:HJ1-13500-207-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:235	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-10, AMM 35-11-10									
35CA3511111		CABIN OXYGEN PRESSURE SWITCH					Component		ATA:35
PN:HJ1-13500-203-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:168	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-11, AMM 35-11-11									
35CA3511112		COCKPIT OXYGEN PRESSURE SWITCH					Component		ATA:35
PN:HJ1-13500-203-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:482	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-11, AMM 35-11-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35CA3511121	CABIN CONTROL VALVE							Component	ATA:35
PN:HJ1-13510-209-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:230	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-12, AMM 35-11-12									
35CA3511130	CO-PILOT CREW OXYGEN MASK - REPLACE OR OVERHAUL MASK							Component	ATA:35
PN:HJ1-13510-203-001	MOS	01-Aug-17	72	TSN 0	01-Aug-23		161 d	OVERHAUL	
SN:B123934	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-13, AMM 35-11-13									
35CA3511130	PILOT CREW OXYGEN MASK - REPLACE OR OVERHAUL MASK							Component	ATA:35
PN:HJ1-13510-203-001	MOS	01-Oct-17	72	TSN 0	01-Oct-23		222 d	OVERHAUL	
SN:B128201	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-13, AMM 35-11-13									
35CA3521101	POSITION 1A PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - SERVICE LIFE							Component	ATA:35
PN:HJ1-13520-301-103	MOS/MSC	27-May-20	O/C						
SN:D19081121	HRS	186.6		TSN 0					
	AFL	131		TSN 0					
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									
35CA3521102	POSITION 1B PASSENGER MASK (OPTIONAL EQUIPMENT) DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - SERVICE LIFE							Component	ATA:35
PN:HJ1-13520-301-103	MOS/MSC	27-May-20	O/C						
SN:D20031342	HRS	186.6		TSN 0					
	AFL	131		TSN 0					
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									
35CA3521103	POSITION 2A PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - SERVICE LIFE							Component	ATA:35
PN:HJ1-13520-301-103	MOS/MSC	27-May-20	O/C						
SN:D20031343	HRS	186.6		TSN 0					
	AFL	131		TSN 0					
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35CA3521104 POSITION 2B PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - SERVICE LIFE Component ATA:35								
PN:HJ1-13520-301-103	MOS/MSC	27-May-20	O/C					
SN:D20031345	HRS	186.6		TSN 0				
	AFL	131		TSN 0				
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35CA3521105 POSITION 3A PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - SERVICE LIFE Component ATA:35								
PN:HJ1-13520-301-103	MOS/MSC	27-May-20	O/C	TSN 1				
SN:D20021323	HRS	186.6		TSN 0				
	AFL	131		TSN 0				
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35CA3521106 POSITION 3B PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - SERVICE LIFE Component ATA:35								
PN:HJ1-13520-301-103	MOS/MSC	20-May-22	N/A	TSN 33				
SN:D19081163	HRS	464.8						
	AFL	364						
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35CA3521107 POSITION 4A PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - SERVICE LIFE Component ATA:35								
PN:PN	MOS/MSC	07-May-18	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35CA3521108 POSITION 4B PASSENGER MASK (OPTIONAL EQUIPMENT) DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - SERVICE LIFE Component ATA:35								
PN:PN	MOS/MSC	27-May-20	O/C	TSN 8				
SN:UNKNOWN	HRS	186.6		TSN 0				
	AFL	131		TSN 0				
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35CA3521121 POSITION 1A PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - VISUAL INSPECTION Service ATA:35								
PN:HJ1-13520-301-103	MOS	20-May-22	24 (+30d/-30d)		20-May-24	19-Jun-24	454 d (+30)	
SN:D19081121	HRS	464.8						
	AFL	364						
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35CA3521122	POSITION 1B PASSENGER MASK (OPTIONAL EQUIPMENT) DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - VISUAL INSPECTION							Service	ATA:35
PN:HJ1-13520-301-103	MOS	20-May-22	24 (+30d/-30d)		20-May-24	19-Jun-24	454 d (+30)		
SN:D20031342	HRS	464.8							
	AFL	364							
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									
35CA3521123	POSITION 2A PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - VISUAL INSPECTION							Service	ATA:35
PN:HJ1-13520-301-103	MOS	20-May-22	24 (+30d/-30d)		20-May-24	19-Jun-24	454 d (+30)		
SN:D20031343	HRS	464.8							
	AFL	364							
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									
35CA3521124	POSITION 2B PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - VISUAL INSPECTION							Service	ATA:35
PN:HJ1-13520-301-103	MOS	20-May-22	24 (+30d/-30d)		20-May-24	19-Jun-24	454 d (+30)		
SN:D20031345	HRS	464.8							
	AFL	364							
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									
35CA3521125	POSITION 3A PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - VISUAL INSPECTION							Service	ATA:35
PN:HJ1-13520-301-103	MOS	20-May-22	24 (+30d/-30d)		20-May-24	19-Jun-24	454 d (+30)		
SN:D20021323	HRS	464.8							
	AFL	364							
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									
35CA3521126	POSITION 3B PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - VISUAL INSPECTION							Service	ATA:35
PN:HJ1-13520-301-103	MOS	20-May-22	24 (+30d/-30d)		20-May-24	19-Jun-24	454 d (+30)		
SN:D19081163	HRS	464.8							
	AFL	364							
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									
35CA3521127	POSITION 4A PASSENGER MASK DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - VISUAL INSPECTION							Service	ATA:35
PN:PN	MOS/MSC	27-May-20	N/A						
SN:UNKNOWN	HRS	186.6							
	AFL	131							
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35CA3521128	POSITION 4B PASSENGER MASK (OPTIONAL EQUIPMENT) DEPLOYMENT SYSTEM CARTRIDGE (P/N HA4-330845) - VISUAL INSPECTION							Service	ATA:35
PN:PN	MOS/MSC	27-May-20	N/A					NOT INSTALLED	
SN:UNKNOWN	HRS	186.6							
	AFL	131							
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									
35HA0500101	VISUAL INSPECTION OF THE PASSENGER OXYGEN SYSTEM (BROKEN FILLER CAP)							Service	ATA:35
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
35HA0500102 ^S	DO A VISUAL INSPECTION OF THE CREW SMOKE GOGGLES.							Service	ATA:35
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
35HA0500103 ^S	DO A VISUAL INSPECTION OF THE CREW OXYGEN MASKS AND SEALS.							Service	ATA:35
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
35HA0500104 ^S	DO A VISUAL INSPECTION OF THE CABIN OXYGEN MASKS AND LANYARDS.							Service	ATA:35
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
35HA0500105	DO A VISUAL INSPECTION OF THE CABIN OXYGEN SYSTEM.							Service	ATA:35
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35HA0500106 ^S	DO A VISUAL INSPECTION OF THE OXYGEN SYSTEM IN THE NOSE TO INCLUDE THE BOTTLE, TUBES, REGULATORS AND GAUGES NOTE: ACCOMPLISHMENT OF THIS AMM TASK SATISFIES THE REQUIREMENTS OF BOTH INSPECTION TASK 35HA0500106 IN THIS SECTION AND TASK 35HA0500101 IN SECTION 05-60.							Service	ATA:35
	MOS	15-Dec-22							
	HRS	586.8	600						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO								PKG:1	
35HA3500101	FUNCTIONAL CHECK OF THE PASSENGER OXYGEN SYSTEM (GENERAL)							Service	ATA:35
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 35-00-01									
35HA3500102	FUNCTIONAL CHECK OF THE PASSENGER OXYGEN SYSTEM (OXYGEN SERVICE PANEL LEAK, WITH CAP REMOVED AT SERVICE PANEL)							Service	ATA:35
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 35-00-02									
35HA3500103	PASSENGER OXYGEN SYSTEM (LOW PRESSURE ERRONEOUS INDICATION) - FUNCTIONAL TEST							Service	ATA:35
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 35-00-01, AMM 35-00-03									
35HA3500106 ^S	DO THE FUNCTIONAL TEST OF THE CREW AND PASSENGER OXYGEN SYSTEM NOTE: ACCOMPLISHMENT OF THIS AMM TASK SATISFIES THE REQUIREMENTS OF BOTH INSPECTION TASK 35HA3500106 IN THIS SECTION AND TASK 35HA3500101 IN SECTION 05-60.							Service	ATA:35
	MOS	15-Dec-22							
	HRS	586.8	600						
	AFL	433							
PROC. REF: AMM 35-00-01								PKG:1	
35HA3500107 ^S	DO THE LEAK TEST OF THE CREW AND PASSENGER OXYGEN SYSTEM NOTE: ACCOMPLISHMENT OF THIS AMM TASK SATISFIES THE REQUIREMENTS OF BOTH INSPECTION TASK 35HA3500107 IN THIS SECTION AND TASK 35HA3500102 IN SECTION 05-60.							Service	ATA:35
	MOS	15-Dec-22							
	HRS	586.8	600						
	AFL	433							
PROC. REF: AMM 35-00-02								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35HA3500108 ^S	DO THE FUNCTIONAL TEST OF THE OXYGEN LOW PRESSURE SWITCH NOTE: ACCOMPLISHMENT OF THIS AMM TASK SATISFIES THE REQUIREMENTS OF BOTH INSPECTION TASK 35HA3500108 IN THIS SECTION AND TASK 35HA3500103 IN SECTION 05-60.							Service	ATA:35
	MOS	15-Dec-22							
	HRS	586.8	600						
	AFL	433							
PROC. REF: AMM 35-00-03								PKG:1	
35HA3521150	FLEXIBLE OXYGEN HOSES (P/N HJ1-13520-306-003, HJ1-13520-309-005) - REPLACE							Component	ATA:35
PN:HJ1-13520-306-003	MOS	01-Feb-17	120	TSN 0	01-Feb-27		1441 d		
SN:25991-20	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: CMM 35-01-01, AMM 35-00-06, AMM 35-00-06									
35HA3521151	FLEXIBLE OXYGEN HOSES (P/N HJ1-13520-306-003, HJ1-13520-309-005) - REPLACE							Component	ATA:35
PN:HJ1-13520-309-005	MOS	01-Jul-17	120	TSN 0	01-Jul-27		1591 d		
SN:31581-01	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-00-06, AMM 35-00-06									
35HA3521155	FLEXIBLE OXYGEN HOSES (P/N HJ1-13520-306-003, HJ1-13520-309-005) - VISUAL INSPECTION							Service	ATA:35
PN:HJ1-13520-306-003	MOS	07-May-18	60 (+30d/-30d)		07-May-23	06-Jun-23	75 d (+30)		
SN:25991-20	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
35HA3521156	FLEXIBLE OXYGEN HOSES (P/N HJ1-13520-306-003, HJ1-13520-309-005) - VISUAL INSPECTION							Service	ATA:35
PN:HJ1-13520-309-005	MOS	07-May-18	60 (+30d/-30d)		07-May-23	06-Jun-23	75 d (+30)		
SN:31581-01	HRS	0							
	AFL	0							
PROC. REF: AMM 35-00-06, GENERIC NO REF									
35HA3521201	POSITION 1 PASSENGER MASK DEPLOYMENT MANIFOLD PLATE (P/N HA5-000000 AND HA6-000000) - SERVICE LIFE							Component	ATA:35
PN:HJ1-13620-301-101	MOS	20-May-22	240		20-Jul-37		5263 d	LIFE LIMIT	
SN:D17070233	HRS	464.8							
	AFL	364							
		Manufacture Date:: 20-Jul-17							
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35HA3521202 POSITION 2 PASSENGER MASK DEPLOYMENT MANIFOLD PLATE (P/N HA5-000000 AND HA6-000000) - SERVICE LIFE								
PN:HJ1-13620-301-101	MOS	20-May-22	240		20-Jul-37		5263 d	LIFE LIMIT
SN:D17070696	HRS	464.8						
	AFL	364						
Manufacture Date:: 20-Jul-17 PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35HA3521203 POSITION 3 PASSENGER MASK DEPLOYMENT MANIFOLD PLATE (P/N HA5-000000 AND HA6-000000) - SERVICE LIFE								
PN:HJ1-13620-301-101	MOS	20-May-22	240		20-Jul-37		5263 d	LIFE LIMIT
SN:D17070695	HRS	464.8						
	AFL	364						
Manufacture Date:: 20-Jul-17 PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35HA3521204 POSITION 4 PASSENGER MASK DEPLOYMENT MANIFOLD PLATE (P/N HA5-000000 AND HA6-000000) - SERVICE LIFE								
PN:HJ1-13620-301-101	MOS	20-May-22	240		20-Jul-37		5263 d	LIFE LIMIT
SN:D17070239	HRS	464.8						
	AFL	364						
Manufacture Date:: 20-Jul-17 PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35HA3521221 POSITION 1 PASSENGER MASK DEPLOYMENT MANIFOLD PLATE (P/N HA5-000000 AND HA6-000000) - VISUAL INSPECTION								
PN:HJ1-13620-301-101	MOS	20-May-22	48 (+30d/-30d)		20-May-26	19-Jun-26	1184 d (+30)	Service ATA:35
SN:D17070233	HRS	464.8						
	AFL	364						
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35HA3521222 POSITION 2 PASSENGER MASK DEPLOYMENT MANIFOLD PLATE (P/N HA5-000000 AND HA6-000000) - VISUAL INSPECTION								
PN:HJ1-13620-301-101	MOS	20-May-22	48 (+30d/-30d)		20-May-26	19-Jun-26	1184 d (+30)	Service ATA:35
SN:D17070696	HRS	464.8						
	AFL	364						
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								
35HA3521223 POSITION 3 PASSENGER MASK DEPLOYMENT MANIFOLD PLATE (P/N HA5-000000 AND HA6-000000) - VISUAL INSPECTION								
PN:HJ1-13620-301-101	MOS	20-May-22	48 (+30d/-30d)		20-May-26	19-Jun-26	1184 d (+30)	Service ATA:35
SN:D17070695	HRS	464.8						
	AFL	364						
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35HA3521224	POSITION 4 PASSENGER MASK DEPLOYMENT MANIFOLD PLATE (P/N HA5-000000 AND HA6-000000) - VISUAL INSPECTION							Service	ATA:35
PN:HJ1-13620-301-101	MOS	20-May-22	48 (+30d/-30d)		20-May-26	19-Jun-26	1184 d (+30)		
SN:D17070239	HRS	464.8							
	AFL	364							
PROC. REF: CMM 35-20-22, AMM 35-21-10, AMM 35-21-10									
ATA 36 - PNEUMATIC									
36CA3611003	NO. 1 LEFT (BALD) WING SENSOR							Component	ATA:36
PN:HJ1-13601-801-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173520	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
36CA3611004	NO. 1 RIGHT (BALD) WING SENSOR							Component	ATA:36
PN:HJ1-13601-801-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173521	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
36CA3611005	NO. 2 LEFT (BALD) WING SENSOR							Component	ATA:36
PN:HJ1-13601-801-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173518	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
36CA3611006	NO. 2 RIGHT (BALD) WING SENSOR							Component	ATA:36
PN:HJ1-13601-801-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173519	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
36CA3611007	NO. 1 LEFT BALD WING TO BODY FAIRING SENSOR							Component	ATA:36
PN:HJ1-13603-631-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173414	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3611008	NO. 1 RIGHT BALD WING TO BODY FAIRING SENSOR							Component	ATA:36
PN:HJ1-13603-631-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173415	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
36CA3611009	NO. 2 LEFT BALD WING TO BODY FAIRING SENSOR							Component	ATA:36
PN:HJ1-13603-632-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173914	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
36CA3611010	NO. 2 RIGHT BALD WING TO BODY FAIRING SENSOR							Component	ATA:36
PN:HJ1-13603-632-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173915	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
36CA3611011	NO. 3 BALD WING TO BODY FAIRING SENSOR							Component	ATA:36
PN:HJ1-13603-633-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173903	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
36CA3611012	NO. 4 BALD WING TO BODY FAIRING SENSOR							Component	ATA:36
PN:HJ1-13603-634-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173211	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
36CA3611013	SERVICE AIR PRESSURE REGULATING VALVE							Component	ATA:36
PN:HJ1-13603-621-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:122	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3611014	LEFT (CAIV) COWL ANTI-ICE VALVE							Component	ATA:36
PN:HJ1-13605-701-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:0236A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-10, AMM 30-21-10									
36CA3611015	RIGHT (CAIV) COWL ANTI-ICE VALVE							Component	ATA:36
PN:HJ1-13605-701-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:0237A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-10, AMM 30-21-10									
36CA3611101	NO. 1 TEMPERATURE MODULATING VALVE							Component	ATA:36
PN:HJ1-13601-401-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:418	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-10, AMM 36-11-10									
36CA3611102	NO. 2 TEMPERATURE MODULATING VALVE							Component	ATA:36
PN:HJ1-13601-401-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:419	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-10, AMM 36-11-10									
36CA3611111	GROUND COOLING FAN							Component	ATA:36
PN:HJ1-13601-501-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:234	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-11, AMM 36-11-11									
36CA3611121	HEAT EXCHANGER ASSEMBLY							Component	ATA:36
PN:HJ1-13602-510-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:195	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-12, AMM 36-11-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3611141	NO. 1 BI-LEVEL FLOW CONTROL SHUTOFF VALVE							Component	ATA:36
PN:HJ1-13603-611-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:223	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-14, AMM 36-11-14									
36CA3611142	NO. 2 BI-LEVEL FLOW CONTROL SHUTOFF VALVE							Component	ATA:36
PN:HJ1-13603-611-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:224	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-14, AMM 36-11-14									
36CA3611151	NO. 1 WING TO BODY BLEED AIR CHECK VALVE							Component	ATA:36
PN:HJ1-13603-654-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:253	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-15, AMM 36-11-15									
36CA3611152	NO. 2 WING TO BODY BLEED AIR CHECK VALVE							Component	ATA:36
PN:HJ1-13603-654-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:254	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-15, AMM 36-11-15									
36CA3611153	CABIN BLEED AIR CHECK VALVE							Component	ATA:36
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-15, AMM 36-11-15									
36CA3611161	NO. 1 CABIN CHECK VALVE							Component	ATA:36
PN:HJ1-13604-301-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:326	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-16, AMM 36-11-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3611162	NO. 2 CABIN CHECK VALVE							Component	ATA:36
PN:HJ1-13604-301-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:327	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-16, AMM 36-11-16									
36CA3611171	PLENUM							Component	ATA:36
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-17, AMM 36-11-17									
36CA3611191	NO. 1 FAN AIR VALVE CONTROLLER							Component	ATA:36
PN:HJ1-13604-601-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:329	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-19, AMM 36-11-19									
36CA3611192	NO. 2 FAN AIR VALVE CONTROLLER							Component	ATA:36
PN:HJ1-13604-601-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:330	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-19, AMM 36-11-19									
36CA3611211	LEFT HIGH PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:36
PN:HJ1-13601-701-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:0269A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-21, AMM 36-11-21									
36CA3611212	RIGHT HIGH PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:36
PN:HJ1-13601-701-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:0273A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-21, AMM 36-11-21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3611221		RAM AIR CHECK VALVE						Component	ATA:36
PN:HJ1-13604-522-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:211	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-22, AMM 36-11-22									
36CA3611231		BAS MUFFLER DUCT						Component	ATA:36
PN:HJ1-13606-460-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:107	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-23, AMM 36-11-23									
36CA3611261		LEFT NACELLE PRESSURE-REGULATING SHUT-OFF (NPRSOV) VALVE						Component	ATA:36
PN:HJ1-13607-701-007	MOS	06-May-18		TSN 0				AIRWORTHINESS	
SN:0244A	HRS	10.3	2400	TSN 0	2410.3		1765.9		
	AFL	6		TSN 0					
PROC. REF: AMM 36-11-26, AMM 36-11-26									
36CA3611262		RIGHT NACELLE PRESSURE-REGULATING SHUT-OFF (NPRSOV) VALVE						Component	ATA:36
PN:HJ1-13607-701-007	MOS	06-May-18		TSN 0				AIRWORTHINESS	
SN:0245A	HRS	10.3	2400	TSN 0	2410.3		1765.9		
	AFL	6		TSN 0					
PROC. REF: AMM 36-11-26, AMM 36-11-26									
36CA3611271		LEFT FAN AIR VALVE						Component	ATA:36
PN:HJ1-13604-701-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:372	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-27, AMM 36-11-27									
36CA3611272		RIGHT FAN AIR VALVE						Component	ATA:36
PN:HJ1-13604-701-009	MOS/MSC	07-May-18	O/C	TSN 0					
SN:373	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-27, AMM 36-11-27									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3611281	LEFT PRE-COOLER							Component	ATA:36
PN:HJ1-13602-701-005	MOS/MSC	07-May-18	O/C	TSN 0					
SN:T0064	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-28, AMM 36-11-28									
36CA3611282	RIGHT PRE-COOLER							Component	ATA:36
PN:HJ1-13602-701-007	MOS/MSC	07-May-18	O/C	TSN 0					
SN:T0101	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-28, AMM 36-11-28									
36CA3611291	NO. 1 BAS LEAK DETECTION CONTROL UNIT							Component	ATA:36
PN:HJ1-13600-001-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:960	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-29, AMM 36-11-29									
36CA3611292	NO. 2 BAS LEAK DETECTION CONTROL UNIT							Component	ATA:36
PN:HJ1-13600-001-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:954	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-29, AMM 36-11-29									
36CA3611293	NO. 3 BAS LEAK DETECTION CONTROL UNIT							Component	ATA:36
PN:HJ1-13600-001-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:955	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-29, AMM 36-11-29									
36CA3611294	NO. 4 BAS LEAK DETECTION CONTROL UNIT							Component	ATA:36
PN:HJ1-13600-001-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:344	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-29, AMM 36-11-29									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3611295	NO. 5 BAS LEAK DETECTION CONTROL UNIT							Component	ATA:36
PN:HJ1-13600-001-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:345	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-29, AMM 36-11-29									
36CA3621101	NO. 1 BALD - TAILCONE SENSOR							Component	ATA:36
PN:HJ1-13604-402-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:174002	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-10, AMM 36-21-10									
36CA3621102	NO. 2 BALD - TAILCONE SENSOR							Component	ATA:36
PN:HJ1-13604-401-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173808	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-10, AMM 36-21-10									
36CA3621111	NO. 1 BALD - AFT FAIRING SENSOR							Component	ATA:36
PN:HJ1-13602-602-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173704	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-11, AMM 36-21-11									
36CA3621112	NO. 2 BALD - AFT FAIRING SENSOR							Component	ATA:36
PN:HJ1-13602-601-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173410	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-11, AMM 36-21-11									
36CA3621121	NO. 1 FAN AIR VALVE TEMPERATURE SENSOR							Component	ATA:36
PN:HJ1-13602-708-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:674	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-12, AMM 36-21-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3621122	NO. 2 FAN AIR VALVE TEMPERATURE SENSOR							Component	ATA:36
PN:HJ1-13602-708-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:675	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-12, AMM 36-21-12									
36CA3621123	NO. 3 FAN AIR VALVE TEMPERATURE SENSOR							Component	ATA:36
PN:HJ1-13602-708-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:741	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-12, AMM 36-21-12									
36CA3621124	NO. 4 FAN AIR VALVE TEMPERATURE SENSOR							Component	ATA:36
PN:HJ1-13602-708-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:738	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-12, AMM 36-21-12									
36CA3621125	NO. 5 FAN AIR VALVE TEMPERATURE SENSOR							Component	ATA:36
PN:HJ1-13602-708-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:742	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-12, AMM 36-21-12									
36CA3621126	NO. 6 FAN AIR VALVE TEMPERATURE SENSOR							Component	ATA:36
PN:HJ1-13602-708-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:739	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-12, AMM 36-21-12									
36CA3621131	NO. 1 (BALD) PYLON SENSOR							Component	ATA:36
PN:HJ1-13601-901-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173816	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-13, AMM 36-21-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3621132	NO. 2 (BALD) PYLON SENSOR							Component	ATA:36
PN:HJ1-13601-901-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173817	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-13, AMM 36-21-13									
36CA3621133	NO. 3 (BALD) PYLON SENSOR							Component	ATA:36
PN:HJ1-13601-901-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173818	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-13, AMM 36-21-13									
36CA3621134	NO. 4 (BALD) PYLON SENSOR							Component	ATA:36
PN:HJ1-13601-901-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:173819	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-13, AMM 36-21-13									
36CA3621141	NO. 1 TEMPERATURE, TMV SENSOR SWITCH							Component	ATA:36
PN:HJ1-13605-401-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:345	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-14, AMM 36-21-14									
36CA3621142	NO. 2 TEMPERATURE, TMV SENSOR SWITCH							Component	ATA:36
PN:HJ1-13605-401-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:346	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-14, AMM 36-21-14									
36CA3621151	NO. 1 MANIFOLD COWL ANTI-ICE PRESSURE SENSOR							Component	ATA:36
PN:HJ1-13606-701-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:KUL00427	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-15, AMM 36-21-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36CA3621152	NO. 2 MANIFOLD COWL ANTI-ICE PRESSURE SENSOR							Component	ATA:36
PN:HJ1-13606-701-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:KUL00428	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-15, AMM 36-21-15									
36CA3621153	NO. 3 MANIFOLD COWL ANTI-ICE PRESSURE SENSOR							Component	ATA:36
PN:HJ1-13606-701-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:KUL00441	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-15, AMM 36-21-15									
36CA3621154	NO. 4 MANIFOLD COWL ANTI-ICE PRESSURE SENSOR							Component	ATA:36
PN:HJ1-13606-701-001	MOS/MSC	07-May-18	O/C	TSN 0					
SN:KUL00442	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-15, AMM 36-21-15									
36CA3621161	NO. 1 OVER-TEMPERATURE, TMV SENSOR							Component	ATA:36
PN:HJ1-13605-402-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:335	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-16, AMM 36-21-16									
36CA3621162	NO. 2 OVER-TEMPERATURE, TMV SENSOR							Component	ATA:36
PN:HJ1-13605-402-003	MOS/MSC	07-May-18	O/C	TSN 0					
SN:337	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-21-16, AMM 36-21-16									
36HA0500101 ^S	DO A VISUAL INSPECTION OF THE PNEUMATIC AND ENGINE BLEED AIR SYSTEM LINES, VALVES AND DUCTS.							Service	ATA:36
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
PKG:1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36HA0500102 ^S	DO A VISUAL INSPECTION OF THE GROUND COOLING FAN AND DUCT.							Service	ATA:36
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
36HA0500103 ^S	DO A VISUAL INSPECTION OF THE BLEED AIR LEAK DETECTION SYSTEM.							Service	ATA:36
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
36HA0500104	DO THE INSPECTION OF THE CABIN CHECK VALVES.							Service	ATA:36
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
	PROC. REF: AMM 36-00-01								
36HA3600101	OPERATIONAL TEST - MANIFOLD TEMPERATURE SENSOR							Service	ATA:36
	MOS/MS	07-May-18	N/A					AIRWORTHINESS	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 36-00-01								
36HA3600102 ^S	DO THE OPERATIONAL TEST OF THE PNEUMATIC SYSTEM NOTE: ACCOMPLISHMENT OF THIS AMM TASK SATISFIES THE REQUIREMENTS OF BOTH INSPECTION TASK 36HA3600102 IN THIS SECTION AND TASK 36HA3600101 IN SECTION 05-60.							Service	ATA:36
	MOS	15-Dec-22							
	HRS	586.8	600						
	AFL	433							
	PROC. REF: AMM 36-00-01							PKG:1	
ATA 38 - WATER/WASTE									
38CA3820001	TOILET							Component	ATA:38
PN:PN	MOS/MS	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 38-31-10, AMM 38-31-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
38HA0500101 ^S	DO A VISUAL INSPECTION OF THE TOILET'S EXTERNAL SERVICING PLUMBING.							Service	ATA:38
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
38HA0500102 ^S	DO A VISUAL INSPECTION OF THE TOILET'S INTERNAL SERVICING PLUMBING.							Service	ATA:38
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
38HA0500103 ^S	CHECK UNDER FLOOR BOARDS FOR LEAKS IN THE LAVATORY AREA.							Service	ATA:38
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
38HA0500104 ^S	DO A VISUAL INSPECTION OF THE VANITY WATER SYSTEM.							Service	ATA:38
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
38HA0500105 ^S	DO A VISUAL INSPECTION OF THE FILL ADAPTOR AND CAP.							Service	ATA:38
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
38HA3800101 ^S	DO THE OPERATIONAL TEST OF THE WATER SYSTEM.							Service	ATA:38
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 38-00-01							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
51HA5180101	ELECTRICAL POWER BONDING AND GROUNDING PROCEDURE - FUNCTIONAL CHECK							Service	ATA:51
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
PROC. REF: AMM 51-81-10									
ATA 52 - DOORS									
52CA5211111	UPPER LATCH V DOOR PRESSURE SEAL							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
52CA5211113	UPPER LATCH DRAIN VALVE V SEAL							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
52CA5211115	EMERGENCY EXIT DOOR SEAL							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 52-21-10, AMM 52-21-10									
52CA5211117	MAIN ENTRY DOOR OUTBOARD PRESSURE SEAL - REPLACE							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 52-11-12, AMM 52-11-12									
52CA5211119	CABIN ENTRY DOOR, INBD SEAL							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 52-11-13, AMM 52-11-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52CA5211122	REPLACE O-RINGS (M83248/1-228 MED) AND (MS29513-234 EED).							Service	ATA:52
	MOS/MSC	07-May-18	O/C						
	HRS	0		TAC 0					
	AFL	0							
PROC. REF: AMM 52-11-11, AMM 52-11-11									
52CA5211181	MAIN ENTRY DOOR AIRSTAIR ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-11-18, AMM 52-11-18									
52CA5211210	DOOR ASSIST ASSY - MED							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-11-16, AMM 52-11-16									
52CA5211211	MAIN ENTRY DOOR ASSIST SPRING - REPLACE							Component	ATA:52
PN:PN	MOS	07-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	3000	TSN 0	3000		2535		
PROC. REF: AMM 52-11-21, AMM 52-11-21									
52CA5221111	EMERGENCY EXIT DOOR ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-21-11, AMM 52-21-11									
52CA5231001	AFT BAGGAGE DOOR ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-31-10, AMM 52-31-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52CA5231002	FWD BAGGAGE DOOR ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-32-10, AMM 52-32-10									
52CA5232121	NOSE BAGGAGE DOOR UPPER AFT LATCH ASSY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-32-12, AMM 52-32-12									
52CA5232122	NOSE BAGGAGE DOOR LOWER AFT LATCH ASSY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-32-12, AMM 52-32-12									
52CA5232123	NOSE BAGGAGE DOOR LOWER FWD LATCH ASSY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-32-12, AMM 52-32-12									
52CA5232124	NOSE BAGGAGE DOOR UPPER FWD LATCH ASSY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-32-12, AMM 52-32-12									
52CA5232125	NO. 1 AFT BAGGAGE DOOR LATCH ASSY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-31-11, AMM 52-31-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52CA5232126	NO. 2 AFT BAGGAGE DOOR LATCH ASSY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 52-31-11, AMM 52-31-11									
52CA5232127	NO. 3 AFT BAGGAGE DOOR LATCH ASSY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 52-31-11, AMM 52-31-11									
52CA5232128	NO. 4 AFT BAGGAGE DOOR LATCH ASSY							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 52-31-11, AMM 52-31-11									
52CA5241001	LAVATORY SERVICE DOOR							Component	ATA:52
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 52-42-10, AMM 52-42-10									
52HA0500101 ^S	DO A VISUAL INSPECTION OF MAIN ENTRY DOOR AND EMERGENCY EXIT DOOR, STOPS, POSTS, HINGES, BAYONETS AND LATCHES.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
52HA0500103 ^S	DO A VISUAL INSPECTION OF MAIN ENTRY DOOR AND EMERGENCY EXIT DOOR O-RINGS AND SEALS.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52HA0500104 ^S	DO A VISUAL INSPECTION OF THE EMERGENCY EXIT DOOR.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
52HA0500105 ^S	DO A VISUAL INSPECTION OF THE MAIN ENTRY DOOR LATCH MECHANISM AND BAYONETS. INSPECT THE SIX BLEED HOLES IN THE MAIN ENTRY DOOR (MED) RING FRAME (INNER) COMMON TO THE PRESSURE SEAL BASE.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
52HA0500106 ^S	DO A VISUAL INSPECTION OF THE MAIN ENTRY DOOR LOWER HINGE ATTACHMENT							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
52HA0500107 ^S	DO A VISUAL INSPECTION OF THE AFT BAGGAGE DOOR SEAL AND BLEED HOLES SHALL BE OPEN.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
52HA0500108 ^S	DO A VISUAL INSPECTION OF THE AFT BAGGAGE DOOR LATCHES AND HINGES.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
52HA0500109 ^S	DO A VISUAL INSPECTION OF THE NOSE GEAR DOORS, HARDWARE, AND ACTUATION MECHANISM.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52HA0500110 ^S	DO A VISUAL INSPECTION OF THE MAIN GEAR DOORS, HARDWARE AND ACTUATORS.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
52HA0500111	VENT PATH FROM THE FORWARD BAGGAGE AREA TO THE NOSE LANDING GEAR BAY AND RADOME AND UNDER FLOOR AREA - VISUAL INSPECTION							Service	ATA:52
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO								
52HA0500112 ^S	DO A VISUAL INSPECTION OF THE SERVICE DOOR LANDS, LATCHES, HINGES AND CENTERING DEVICES.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
52HA0500113	MAIN ENTRY DOOR LOWER HINGE PIN - DETAILED INSPECTION							Service	ATA:52
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
	PROC. REF: AMM 52-11-20, AMM 52-11-20								
52HA0500114 ^S	DO THE MAIN LANDING GEAR INBOARD DOOR PRE-LOAD CHECK.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 52-80-01							PKG:1	
52HA0500115 ^S	DO THE FUNCTIONAL TEST OF THE JT CONNECTOR ACCESS DOORS (433BR, 443BL).							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM 52-40-01							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52HA1221101 ^S	LUBRICATE THE FUSELAGE DOORS (MAIN ENTRY DOOR AND EMERGENCY EXIT DOOR).							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 12-21-12				PKG:1	
52HA5210101 ^S	DO THE OPERATIONAL TEST OF THE MAIN ENTRY DOOR.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 52-10-01				PKG:1	
52HA5210102 ^S	DO THE FUNCTIONAL TEST OF THE MAIN ENTRY DOOR LATCH/LOCK HANDLE.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 52-10-02				PKG:1	
52HA5210103	MAIN ENTRY DOOR (MED) WARNING SYSTEM; INCLUDING MED SWITCHES - FUNCTIONAL TEST							Service	ATA:52
	MOS	15-Dec-22						AIRWORTHINESS	
	HRS	586.8	600		1186.8		542.4		
	AFL	433							
				PROC. REF: AMM 52-10-03					
52HA5220101 ^S	DO THE FUNCTIONAL TEST OF THE EMERGENCY EXIT DOOR LATCH HANDLE.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 52-20-01				PKG:1	
52HA5230101 ^S	DO THE FUNCTIONAL TEST OF THE FORWARD BAGGAGE DOOR.							Service	ATA:52
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
				PROC. REF: AMM 52-30-02				PKG:1	
ATA 53 - FUSELAGE									
53CA5311001	RADOME ASSEMBLY							Component	ATA:53
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
	AFL	0		TSN 0					
PROC. REF: AMM 53-14-10, AMM 53-14-10									
53CA5311002	RUDDER FAIRING							Component	ATA:53
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
53CA5311003	FWD L/H FAIRING							Component	ATA:53
PN:HJ1-15350-360-011	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
53CA5311004	FWD R/H FAIRING							Component	ATA:53
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
53CA5311005	TRAILING EDGE FAIRING							Component	ATA:53
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
53HA0500101 ^S	DO A VISUAL INSPECTION OF THE RADOME AND DRAIN HOLES.							Service	ATA:53
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
53HA0500102 ^S	DO A VISUAL INSPECTION OF THE RADOME LIGHTNING DIVERTER STRIPS.							Service	ATA:53
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53HA0500103 ^S	DO A VISUAL INSPECTION OF THE FORWARD/AFT PRESSURE BULKHEADS.							Service	ATA:53
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
53HA0500104 ^S	DO A VISUAL INSPECTION OF FUSELAGE STRINGERS, INNER SKIN AND FLOOR STRUCTURE.							Service	ATA:53
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
53HA0500105 ^S	DO A VISUAL INSPECTION OF THE FUSELAGE FAIRINGS, DRAIN HOLES, AND VENT SYSTEM.							Service	ATA:53
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
53HA0500106 ^S	DO A VISUAL INSPECTION OF THE WING ATTACH AREA.							Service	ATA:53
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
53HA0500107 ^S	DO A VISUAL INSPECTION OF THE TAIL CONE AT FS 415 AND AFT.							Service	ATA:53
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
53HA0500108 ^S	DO A VISUAL INSPECTION OF THE FUSELAGE EXTERIOR SKIN.							Service	ATA:53
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53HA0500109	DO A VISUAL INSPECTION OF THE FUSELAGE BILGE DRAINS.							Service	ATA:53
	MOS	07-May-18		TAC 0					
	HRS	0	1200 (+60/-60)	TAC 0	1200	1260	555.6 (+60)		
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									
53HA0500110 ^S	DO A VISUAL INSPECTION OF THE AFT SERVICE BAY HYDRAULIC SYSTEM, ENVIRONMENTAL SYSTEM; FLIGHT CONTROLS SYSTEMS AND ELECTRICAL EQUIPMENT, WIRE CONNECTIONS.							Service	ATA:53
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									
53HA5300103	DO THE INSPECTION OF THE FORWARD FUSELAGE AND THE RVSM CRITICAL ZONE.							Service	ATA:53
	MOS	20-May-22	24 (+30d/-30d)	Adj 7d	27-May-24	26-Jun-24	461 d (+30)	RVSM	
	HRS	464.8							
	AFL	364							
PROC. REF: AMM 53-00-01									
ATA 54 - NACELLES/PYLONS									
54CA5400001	LEFT ENGINE PYLON ASSEMBLY							Component	ATA:54
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 54-11-10, AMM 54-11-10									
54CA5400002	RIGHT ENGINE PYLON ASSEMBLY							Component	ATA:54
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 54-11-10, AMM 54-11-10									
54CA5410003	LH FWD PYLON THERMAL BLANKET							Component	ATA:54
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54CA5410004	RH FWD PYLON THERMAL BLANKET							Component	ATA:54
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
54CA5410005	LEFT ENGINE MOUNT ACCESS COVER							Component	ATA:54
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
54CA5410006	RIGHT ENGINE MOUNT ACCESS COVER							Component	ATA:54
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
54HA0500102 ^S	DO A VISUAL INSPECTION OF THE FIRE SEALS, FORWARD AND AFT FIREWALLS, PYLON FIREWALL AND FORWARD PYLON FIREWALL BLANKET. ENSURE GAP IN SEAL, JUST AFT OF STARTER/ GENERATOR VENT IS OPEN.							Service	ATA:54
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									
54HA0500103 ^S	DO A VISUAL INSPECTION OF THE PYLON AND FIREWALL DRAIN LINES, DRAINS AND VENTS.							Service	ATA:54
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									
54HA0500104 ^S	DO A VISUAL INSPECTION OF THE PRECOOLER OUTLET DUCTS.							Service	ATA:54
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54HA0500105 ^S	DO A VISUAL INSPECTION OF THE INTERIOR AND EXTERIOR AREAS OF PYLON.							Service	ATA:54
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO							PKG:1	
54HA0500106 ^S	DO A VISUAL INSPECTION OF THE PYLON ATTACHMENT POINTS.							Service	ATA:54
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO							PKG:1	
54HA0500107 ^S	DO A VISUAL INSPECTION OF THE PYLON WIRE HARNESSSES.							Service	ATA:54
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO							PKG:1	
ATA 55 - STABILIZERS									
55CA5512113	LEFT ELEVATOR BALANCED ASSY, EMP							Component	ATA:55
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 55-21-12, AMM 55-21-12								
55CA5512114	RIGHT ELEVATOR BALANCED ASSY, EMP							Component	ATA:55
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 55-21-12, AMM 55-21-12								
55CA5541111	EMPENNAGE RUDDER BALANCED ASSEMBLY							Component	ATA:55
PN:HJ1-15540-000-019	MOS/MSC	07-May-18	O/C		TSN 0				
SN:FMX00077	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 55-41-11, AMM 55-41-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55HA0500101 ^S	DO A VISUAL INSPECTION OF THE VERTICAL STABILIZER, ATTACHMENTS TO THE STABILIZER, SPARS, BULKHEADS, FRAMES, FAIRING, AND FITTINGS. FLIGHT CONTROL REMOVAL IS NOT REQUIRED.							Service	ATA:55
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO							PKG:1	
55HA0500102 ^S	DO A VISUAL INSPECTION OF THE ELEVATOR ASSEMBLY INCLUDING TRIM TAB, ELEVATOR AND ATTACHING PARTS.							Service	ATA:55
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO							PKG:1	
55HA0500103 ^S	DO A VISUAL INSPECTION OF THE RUDDER ASSEMBLY INCLUDING TRIM TAB AND ATTACHING PARTS.							Service	ATA:55
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO							PKG:1	
55HA0500104 ^S	DO A VISUAL INSPECTION OF THE HORIZONTAL STABILIZER VORTEX GENERATORS, 21 PER SIDE. (EFFECTIVITY: 42000011 THROUGH 42000125, UNLESS SB-420-55-001 HAS BEEN COMPLIED WITH).							Service	ATA:55
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO							PKG:1	
ATA 56 - WINDOWS									
56CA5611101	LEFT WINDSHIELD ASSEMBLY							Component	ATA:56
PN:HJ1-15610-020-001	MOS/MSC	07-May-18	O/C		TSN 0				
SN:837	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 56-11-10, AMM 56-11-10								
56CA5611102	RIGHT WINDSHIELD ASSEMBLY							Component	ATA:56
PN:HJ1-15610-020-002	MOS/MSC	07-May-18	O/C		TSN 0				
SN:832	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 56-11-10, AMM 56-11-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56CA5611103	LEFT COCKPIT SIDE WINDOW							Component	ATA:56
PN:HJ1-15610-110-015	MOS/MSC	15-Dec-22	O/C						
SN:519	HRS	586.8							
	AFL	433							
PROC. REF: AMM 56-11-11, AMM 56-11-11									
56CA5611104	RIGHT COCKPIT SIDE WINDOW							Component	ATA:56
PN:HJ1-15610-110-015	MOS/MSC	15-Dec-22	O/C						
SN:494	HRS	586.8							
	AFL	433							
PROC. REF: AMM 56-11-11, AMM 56-11-11									
56CA5621101	CABIN WINDOW							Component	ATA:56
PN:HJ1-15620-010-031	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1585	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10, AMM 56-21-10									
56CA5621102	CABIN WINDOW							Component	ATA:56
PN:HJ1-15620-010-037	MOS/MSC	07-May-18	O/C	TSN 0					
SN:7268	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10, AMM 56-21-10									
56CA5621103	CABIN WINDOW							Component	ATA:56
PN:HJ1-15620-010-037	MOS/MSC	07-May-18	O/C	TSN 0					
SN:7269	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10, AMM 56-21-10									
56CA5621104	CABIN WINDOW							Component	ATA:56
PN:HJ1-15620-010-037	MOS/MSC	07-May-18	O/C	TSN 0					
SN:7271	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10, AMM 56-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56CA5621105	CABIN WINDOW							Component	ATA:56
PN:HJ1-15620-010-037	MOS/MSC	07-May-18	O/C	TSN 0					
SN:7272	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10, AMM 56-21-10									
56CA5621106	CABIN WINDOW							Component	ATA:56
PN:HJ1-15620-010-037	MOS/MSC	07-May-18	O/C	TSN 0					
SN:1112	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10, AMM 56-21-10									
56CA5621107	CABIN WINDOW							Component	ATA:56
PN:HJ1-15620-010-031	MOS/MSC	07-May-18	O/C	TSN 0					
SN:7240	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10, AMM 56-21-10									
56CA5621108	CABIN EMERGENCY EXIT WINDOW							Component	ATA:56
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-21-10, AMM 56-21-10									
56HA0500101 ^S	DO A VISUAL INSPECTION OF THE COCKPIT WINDSHIELDS.							Service	ATA:56
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									
56HA0500102 ^S	DO A VISUAL INSPECTION OF THE WINDSHIELDS AND FRAMES.							Service	ATA:56
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56HA0500103 ^S	DO A VISUAL INSPECTION OF THE CABIN WINDOWS.							Service	ATA:56
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO								PKG:1	
ATA 57 - WINGS									
57CA5700001	UPPER LEFT MACH-COS WING SKIN							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
57CA5700002	UPPER RIGHT MACH-COS WING SKIN							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
57CA5700003	LOWER LEFT COS WING SKIN							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
57CA5700004	LOWER RIGHT COS WING SKIN							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
57CA5700005	FORWARD LEFT LINKAGE SET							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57CA5700006	FORWARD RIGHT LINKAGE SET							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5700007	AFT LEFT LINKAGE SET							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5700008	AFT RIGHT LINKAGE SET							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710001	WING JOIN ASSEMBLY							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710002	LEFT LEADING EDGE							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-21-10, AMM 57-21-10									
57CA5710003	RIGHT LEADING EDGE							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-21-10, AMM 57-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57CA5710004	LEFT WING TIP LIGHT							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-21-12, AMM 57-21-12									
57CA5710005	RIGHT WING TIP LIGHT							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-21-12, AMM 57-21-12									
57CA5710006	LEFT WINGLET							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-22-10, AMM 57-22-10									
57CA5710007	RIGHT WINGLET							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-22-10, AMM 57-22-10									
57CA5710008	LEFT WING TRAILING EDGE							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-21-11, AMM 57-21-11									
57CA5710009	RIGHT WING TRAILING EDGE							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-21-11, AMM 57-21-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57CA5710010	LEFT AILERON							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710011	RIGHT AILERON							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710012	LEFT FLAP/VANE							Component	ATA:57
PN:HJ1-15753-110-029	MOS/MSC	07-May-18	O/C	TSN 0					
SN:LMI00028	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710013	RIGHT FLAP/VANE							Component	ATA:57
PN:HJ1-15753-110-030	MOS/MSC	07-May-18	O/C	TSN 0					
SN:LMI00025	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710014	LEFT FLAP FAIRING							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-51-10, AMM 57-51-10									
57CA5710015	RIGHT FLAP FAIRING							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-51-10, AMM 57-51-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57CA5710016	NO. 1 WING JOIN ACCESS PANEL							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710017	NO. 2 WING JOIN ACCESS PANEL							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710018	NO. 3 WING JOIN ACCESS PANEL							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710019	NO. 4 WING JOIN ACCESS PANEL							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710020	NO. 5 WING JOIN ACCESS PANEL							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710021	NO. 6 WING JOIN ACCESS PANEL							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57CA5710022	LEFT WING TORQUE BOX							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57CA5710023	RIGHT WING TORQUE BOX							Component	ATA:57
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
57HA0500101 ^S	DO AN EXTERNAL VISUAL INSPECTION OF THE SKIN, RIVETS, DRAINS, AND ATTACHMENTS ON THE WING.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									
57HA0500102 ^S	DO A VISUAL INSPECTION OF THE WINGLET, DRAIN HOLE AND VORTEX GENERATORS INSTALLATION. (EFFECTIVITY: 42000012 THROUGH 42000125, UNLESS SB-420-55-001 HAS BEEN COMPLIED WITH)							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									
57HA0500103 ^S	DO A VISUAL INSPECTION OF THE FLAP FAIRINGS AND DRAIN HOLES.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									
57HA0500104 ^S	DO AN EXTERNAL VISUAL INSPECTION OF THE WING LEADING EDGE.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO, ALM INTRO									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57HA0500105 ^S	DO AN EXTERNAL VISUAL INSPECTION OF THE WING INSPECTION PANELS AND UPPER TRAILING EDGE SKINS.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
57HA0500107 ^S	DO A VISUAL INSPECTION OF THE FLAP ASSEMBLY INCLUDING VANES AND FLAP ATTACHING PARTS.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
57HA0500108 ^S	DO A VISUAL INSPECTION OF THE AILERON ASSEMBLY INCLUDING TRIM TAB AND ATTACHING PARTS.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
57HA0500109 ^S	DO A VISUAL INSPECTION OF THE EXTERIOR PLACARDS.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
57HA0500110 ^S	DO A VISUAL INSPECTION OF THE WING DRY BAY ELECTRICAL HARNESSSES. REMOVE PANELS 521FB, 621FB, 521EB, AND 621EB FOR ACCESS.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	
57HA0500111 ^S	DO A VISUAL INSPECTION OF THE MAIN LANDING GEAR WHEEL WELL SKIN, SPARS AND RIBS.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57HA0500112 ^S	DO A VISUAL INSPECTION OF THE WING VORTEX GENERATORS AND BUMPS.							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO								PKG:1
57HA0500113 ^S	DO A VISUAL INSPECTION OF THE WINGLET AND DRAIN HOLES. (EFFECTIVITY:42000011, 42000126 AND AFTER, OR AIRCRAFT WITH SB-420- 55-001 COMPLIED WITH)							Service	ATA:57
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
	PROC. REF: AMM NO REF, ALM INTRO								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 70 - STANDARD PRACTICES - ENGINES									
70-31-00-970-801	NO. 1 ENGINE - PERFORMANCE CHECK - MONITOR AND RECORD SPECIFIED ENGINE DATA							Service	ATA:70
	MOS	02-Feb-23	1		02-Mar-23		9 d		
	HRS	622							
	ENC	452							
70-31-00-970-801	NO. 2 ENGINE - PERFORMANCE CHECK - MONITOR AND RECORD SPECIFIED ENGINE DATA							Service	ATA:70
	MOS	02-Feb-23	1		02-Mar-23		9 d		
	HRS	622							
	ENC	452							
70-31-00-970-802	NO. 1 ENGINE - RECORD ALL ENGINE RELATED FAULT MESSAGES							Service	ATA:70
	MOS/MSC	14-Feb-18	E/C	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
70-31-00-970-802	NO. 2 ENGINE - RECORD ALL ENGINE RELATED FAULT MESSAGES							Service	ATA:70
	MOS/MSC	14-Feb-18	E/C	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
72-21-02-250-801	NO. 1 ENGINE - EDDY CURRENT INSPECTION FAN BLISK PIECE-PART EXPOSURE (ECI OF THE BORE)							Service	ATA:70
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: OHM 72-21-02								
72-21-02-250-801	NO. 2 ENGINE - EDDY CURRENT INSPECTION FAN BLISK PIECE-PART EXPOSURE (ECI OF THE BORE)							Service	ATA:70
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: OHM 72-21-02								
ATA 71 - POWER PLANT									
71CA7100001	LEFT MANIFOLD							Component	ATA:71
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71CA7100001	RIGHT MANIFOLD							Component	ATA:71
PN:PN	MOS/MSC	07-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
71CA7120001	ENGINE ISOLATORS (P/N HJ1-15413-213-005) - REPLACE							Component	ATA:71
PN:HJ1-15413-213-005	MOS	07-May-18		TSN 0				LIFE LIMIT	
SN:502	HRS	0	5500	TSN 0	5500		4855.6		
	AFL	0		TSN 0					
PROC. REF: CMM 71-20-63, AMM 71-00-00, AMM 71-00-00									
71CA7120002	ENGINE ISOLATORS (P/N HJ1-15413-213-005) - REPLACE							Component	ATA:71
PN:HJ1-15413-213-005	MOS	07-May-18		TSN 0				LIFE LIMIT	
SN:514	HRS	0	5500	TSN 0	5500		4855.6		
	AFL	0		TSN 0					
PROC. REF: CMM 71-20-63, AMM 71-00-00, AMM 71-00-00									
71CA7120003	ENGINE ISOLATORS (P/N HJ1-15413-213-005) - REPLACE							Component	ATA:71
PN:HJ1-15413-213-005	MOS	07-May-18		TSN 0				LIFE LIMIT	
SN:503	HRS	0	5500	TSN 0	5500		4855.6		
	AFL	0		TSN 0					
PROC. REF: CMM 71-20-63, AMM 71-00-00, AMM 71-00-00									
71CA7120004	ENGINE ISOLATORS (P/N HJ1-15413-213-005) - REPLACE							Component	ATA:71
PN:HJ1-15413-213-005	MOS	07-May-18		TSN 0				LIFE LIMIT	
SN:505	HRS	0	5500	TSN 0	5500		4855.6		
	AFL	0		TSN 0					
PROC. REF: CMM 71-20-63, AMM 71-00-00, AMM 71-00-00									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:HJ1-17201-120-003	MOS/MSC		E/C						
SN:883327	HRS								
WC#: 71.EN1	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:HJ1-17201-120-004	MOS/MSC		E/C						
SN:883326	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									
ATA 72 - ENGINE									
71HA0500101 ^S	DO A VISUAL INSPECTION OF THE ENGINE VIBRATION ISOLATORS.							Service	ATA:72
	MOS	15-Dec-22							
	HRS	586.8	600 (+60/-60)						
	AFL	433							
PROC. REF: AMM NO REF, ALM INTRO									
PKG:1									
72-00-00-200-801	NO. 1 ENGINE - PRE-FLIGHT INSPECTION OF ENGINE							Service	ATA:72
	MOS/MSC	14-Feb-18	PF/F	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
72-00-00-200-801	NO. 2 ENGINE - PRE-FLIGHT INSPECTION OF ENGINE							Service	ATA:72
	MOS/MSC	14-Feb-18	PF/F	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
72-00-00-200-802	NO. 1 ENGINE - BORESCOPE INSPECTION OF ENGINE							Service	ATA:72
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
72-00-00-200-802	NO. 2 ENGINE - BORESCOPE INSPECTION OF ENGINE							Service	ATA:72
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
72-00-00-200-804	NO. 1 ENGINE - DETAILED INSPECTION INNER SURFACE OF FAN CASE							Service	ATA:72
	MOS	15-Dec-22						MANDATORY	
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-804	NO. 2 ENGINE - DETAILED INSPECTION INNER SURFACE OF FAN CASE								Service ATA:72
	MOS	15-Dec-22						MANDATORY	
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
72-00-00-200-805	NO. 1 ENGINE - DETAILED INSPECTION OF EXPOSED ENGINE								Service ATA:72
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
72-00-00-200-805	NO. 2 ENGINE - DETAILED INSPECTION OF EXPOSED ENGINE								Service ATA:72
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
72-00-00-200-806	NO. 1 ENGINE - DETAILED INSPECTION OF THE CORE INNER DUCT ASSEMBLY								Service ATA:72
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
72-00-00-200-806	NO. 2 ENGINE - DETAILED INSPECTION OF THE CORE INNER DUCT ASSEMBLY								Service ATA:72
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
72-00-00-550-801	NO. 1 ENGINE - PRESERVATION OF THE ENGINE								Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
72-00-00-550-801	NO. 2 ENGINE - PRESERVATION OF THE ENGINE								Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-620-013	NO. 1 ENGINE - 90 DAY SHORT TERM PRESERVATION OF AN ENGINE							Service	ATA:72
	DAYS/MSC	06-Nov-18	A/R						
	HRS	14.1							
	ENC	9							
72-00-00-620-013	NO. 2 ENGINE - 90 DAY SHORT TERM PRESERVATION OF AN ENGINE							Service	ATA:72
	DAYS/MSC	06-Nov-18	A/R						
	HRS	14.1							
	ENC	9							
72-00-00-810-801	NO. 1 ENGINE - TROUBLE SHOOT (CAS) CREW ALERTING SYSTEM (X ENGINE FAULT MESSAGE)							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
72-00-00-810-801	NO. 2 ENGINE - TROUBLE SHOOT (CAS) CREW ALERTING SYSTEM (X ENGINE FAULT MESSAGE)							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
72-00-00-810-802	NO. 1 ENGINE - TROUBLE SHOOT (CAS) CREW ALERTING SYSTEM							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
72-00-00-810-802	NO. 2 ENGINE - TROUBLE SHOOT (CAS) CREW ALERTING SYSTEM							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
72-21-00-280-005	NO. 1 ENGINE - HF120 ENGINE							Service	ATA:72
	MOS	14-Feb-18		TAC 0				OVERHAUL	
	HRS	0	2500		(2500) 2500		1855.6		
	ENC	0		TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-21-00-280-005	NO. 2 ENGINE - HF120 ENGINE							Service ATA:72
	MOS	14-Feb-18		TAC 0			1855.6	OVERHAUL
	HRS	0	2500		(2500) 2500			
	ENC	0		TAC 0				
72-21-01-210-801	NO. 1 ENGINE - VISUAL INSPECTION LOW PRESSURE SHAFT PIECE-PART EXPOSURE							Service ATA:72
PN:15721-Q0A-0000	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
SN:FHTJ0668	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-21-01								
72-21-01-210-801	NO. 2 ENGINE - VISUAL INSPECTION LOW PRESSURE SHAFT PIECE-PART EXPOSURE							Service ATA:72
PN:15721-Q0A-0000	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
SN:FHTJ0667	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-21-01								
72-21-01-240-801	NO. 1 ENGINE - MAGNETIC PARTICLE INSPECT LOW PRESSURE SHAFT PIECE-PART EXPOSURE							Service ATA:72
PN:15721-Q0A-0000	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
SN:FHTJ0668	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-21-01								
72-21-01-240-801	NO. 2 ENGINE - MAGNETIC PARTICLE INSPECT LOW PRESSURE SHAFT PIECE-PART EXPOSURE							Service ATA:72
PN:15721-Q0A-0000	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
SN:FHTJ0667	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-21-01								
72-21-02-210-801	NO. 1 ENGINE - VISUAL INSPECTION FAN BLISK PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-21-02-210-801	NO. 2 ENGINE - VISUAL INSPECTION FAN BLISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-21-02									
72-21-02-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION FAN BLISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-21-02									
72-21-02-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION FAN BLISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-21-02									
72-21-02-900-801	NO. 1 ENGINE - FAN BLISK							Component	ATA:72
PN:15111-Q0A-E000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:ACIS5096	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
PROC. REF: GENERIC NO REF									
72-21-02-900-801	NO. 2 ENGINE - FAN BLISK							Component	ATA:72
PN:15111-Q0A-E000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:ACIS5095	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
PROC. REF: GENERIC NO REF									
72-22-02-210-801	NO. 1 ENGINE - VISUAL INSPECTION STAGE 1 LOW PRESSURE COMPRESSOR ROTOR BLISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-22-02-210-801	NO. 2 ENGINE - VISUAL INSPECTION STAGE 1 LOW PRESSURE COMPRESSOR ROTOR BLISK PIECE-PART EXPOSURE							Service ATA:72	
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-02									
72-22-02-220-801	NO. 1 ENGINE - DIMENSIONAL CHECK STAGE 1 LOW PRESSURE COMPRESSOR ROTOR BLISK PIECE-PART EXPOSURE							Service ATA:72	
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-02									
72-22-02-220-801	NO. 2 ENGINE - DIMENSIONAL CHECK STAGE 1 LOW PRESSURE COMPRESSOR ROTOR BLISK PIECE-PART EXPOSURE							Service ATA:72	
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-02									
72-22-02-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 1 LOW PRESSURE COMPRESSOR ROTOR BLISK PIECE-PART EXPOSURE							Service ATA:72	
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-02									
72-22-02-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 1 LOW PRESSURE COMPRESSOR ROTOR BLISK PIECE-PART EXPOSURE							Service ATA:72	
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-02									
72-22-02-900-801	NO. 1 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR ROTOR BLISK							Component ATA:72	
PN:15311-Q0A-0300	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:ACIS4997	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-22-02-900-801	NO. 2 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR ROTOR BLISK							Component	ATA:72
PN:15311-Q0A-0300	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:ACIS4926	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
PROC. REF: GENERIC NO REF									
72-22-03-210-801	NO. 1 ENGINE - VISUAL INSPECTION STAGE 2 LOW PRESSURE COMPRESSOR ROTOR ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-03									
72-22-03-210-801	NO. 2 ENGINE - VISUAL INSPECTION STAGE 2 LOW PRESSURE COMPRESSOR ROTOR ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-03									
72-22-03-220-801	NO. 1 ENGINE - DIMENSIONAL CHECK STAGE 2 LOW PRESSURE COMPRESSOR ROTOR ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-03									
72-22-03-220-801	NO. 2 ENGINE - DIMENSIONAL CHECK STAGE 2 LOW PRESSURE COMPRESSOR ROTOR ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-03									
72-22-03-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 2 LOW PRESSURE COMPRESSOR ROTOR ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-22-03-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 2 LOW PRESSURE COMPRESSOR ROTOR ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-22-03									
72-22-03-900-801	NO. 1 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR ROTOR ASSEMBLY							Component	ATA:72
PN:15321-Q0A-0100	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:ACIS5010	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
PROC. REF: GENERIC NO REF									
72-22-03-900-801	NO. 2 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR ROTOR ASSEMBLY							Component	ATA:72
PN:15321-Q0A-0100	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:ACIS4785	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
PROC. REF: GENERIC NO REF									
72-23-02-210-801	NO. 1 ENGINE - VISUAL INSPECTION INTERMEDIATE (IM) CASE ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-23-02									
72-23-02-210-801	NO. 2 ENGINE - VISUAL INSPECTION INTERMEDIATE (IM) CASE ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-23-02									
72-23-02-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION INTERMEDIATE (IM) CASE ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-23-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-23-02-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION INTERMEDIATE (IM) CASE ASSEMBLY PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-23-02									
72-23-02-900-801	NO. 1 ENGINE - INTERMEDIATE (IM) CASE ASSEMBLY							Component	ATA:72
PN:11110-Q0A-G000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:SPK99TTO	HRS	0		TSN 0					
	ENC	0	22490	TSN 0	(22490) 22490		22025		
PROC. REF: GENERIC NO REF									
72-23-02-900-801	NO. 2 ENGINE - INTERMEDIATE (IM) CASE ASSEMBLY							Component	ATA:72
PN:11110-Q0A-G000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:SPK99TSY	HRS	0		TSN 0					
	ENC	0	22490	TSN 0	(22490) 22490		22025		
PROC. REF: GENERIC NO REF									
72-50-21-900-801	NO. 1 ENGINE - LOW PRESSURE SHAFT							Component	ATA:72
PN:15721-Q0A-0000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:FHTJ0668	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
PROC. REF: GENERIC NO REF									
72-50-21-900-801	NO. 2 ENGINE - LOW PRESSURE SHAFT							Component	ATA:72
PN:15721-Q0A-0000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:FHTJ0667	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
PROC. REF: GENERIC NO REF									
72-51-02-210-801	NO. 1 ENGINE - VISUAL INSPECTION HIGH PRESSURE TURBINE SHAFT PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-02-210-801	NO. 2 ENGINE - VISUAL INSPECTION HIGH PRESSURE TURBINE SHAFT PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: OHM 72-51-02								
72-51-02-240-801	NO. 1 ENGINE - MAGNETIC PARTICLE INSPECT HIGH PRESSURE TURBINE SHAFT PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: OHM 72-51-02								
72-51-02-240-801	NO. 2 ENGINE - MAGNETIC PARTICLE INSPECT HIGH PRESSURE TURBINE SHAFT PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: OHM 72-51-02								
72-51-02-900-801	NO. 1 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:17721-Q0A-0000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:FHTJ0524	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
	PROC. REF: GENERIC NO REF								
72-51-02-900-801	NO. 2 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:17721-Q0A-0000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:FHTJ0523	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14535		
	PROC. REF: GENERIC NO REF								
72-51-03-210-801	NO. 1 ENGINE - VISUAL INSPECTION HIGH PRESSURE CENTRIFUGAL COMPRESSOR IMPELLER PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: OHM 72-51-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-03-210-801	NO. 2 ENGINE - VISUAL INSPECTION HIGH PRESSURE CENTRIFUGAL COMPRESSOR IMPELLER PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: OHM 72-51-03							
72-51-03-220-801	NO. 1 ENGINE - DIMENSIONAL CHECK HIGH PRESSURE CENTRIFUGAL COMPRESSOR IMPELLER PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: OHM 72-51-03							
72-51-03-220-801	NO. 2 ENGINE - DIMENSIONAL CHECK HIGH PRESSURE CENTRIFUGAL COMPRESSOR IMPELLER PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: OHM 72-51-03							
72-51-03-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION HIGH PRESSURE CENTRIFUGAL COMPRESSOR IMPELLER PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: OHM 72-51-03							
72-51-03-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION HIGH PRESSURE CENTRIFUGAL COMPRESSOR IMPELLER PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: OHM 72-51-03							
72-51-03-250-801	NO. 1 ENGINE - EDDY CURRENT INSPECTION HIGH PRESSURE CENTRIFUGAL COMPRESSOR IMPELLER PIECE-PART EXPOSURE (ECI OF THE BORE)							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
	PROC. REF: OHM 72-51-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-03-250-801	NO. 2 ENGINE - EDDY CURRENT INSPECTION HIGH PRESSURE CENTRIFUGAL COMPRESSOR IMPELLER PIECE-PART EXPOSURE (ECI OF THE BORE)							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-03									
72-51-03-900-801	NO. 1 ENGINE - HIGH PRESSURE CENTRIFUGAL COMPRESSOR ROTOR IMPELLER							Component	ATA:72
PN:17511-Q0A-0200	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:ACIS5110	HRS	0		TSN 0					
	ENC	0	11900	TSN 0	(11900) 11900		11435		
PROC. REF: GENERIC NO REF									
72-51-03-900-801	NO. 2 ENGINE - HIGH PRESSURE CENTRIFUGAL COMPRESSOR ROTOR IMPELLER							Component	ATA:72
PN:17511-Q0A-0200	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:ACIS5109	HRS	0		TSN 0					
	ENC	0	11900	TSN 0	(11900) 11900		11435		
PROC. REF: GENERIC NO REF									
72-51-04-210-801	NO. 1 ENGINE - VISUAL INSPECTION STAGE 1 HIGH PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-04									
72-51-04-210-801	NO. 2 ENGINE - VISUAL INSPECTION STAGE 1 HIGH PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-04									
72-51-04-220-801	NO. 1 ENGINE - DIMENSIONAL CHECK STAGE 1 HIGH PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-04-220-801	NO. 2 ENGINE - DIMENSIONAL CHECK STAGE 1 HIGH PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-51-04								
72-51-04-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 1 HIGH PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-51-04								
72-51-04-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 1 HIGH PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-51-04								
72-51-04-250-801	NO. 1 ENGINE - EDDY CURRENT INSPECTION STAGE 1 HIGH PRESSURE TURBINE DISK PIECE-PART EXPOSURE (ECI OF THE BORE)							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-51-04								
72-51-04-250-801	NO. 2 ENGINE - EDDY CURRENT INSPECTION STAGE 1 HIGH PRESSURE TURBINE DISK PIECE-PART EXPOSURE (ECI OF THE BORE)							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-51-04								
72-51-04-900-801	NO. 1 ENGINE - STAGE 1 HIGH PRESSURE TURBINE DISK							Component ATA:72
PN:2514M29P01	MOS	14-Feb-18		TSN 0				LIFE LIMIT
SN:TMT3AU64	HRS	0		TSN 0				
	ENC	0	9200	TSN 0	(9200) 9200		8735	
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-04-900-801	NO. 2 ENGINE - STAGE 1 HIGH PRESSURE TURBINE DISK							Component	ATA:72
PN:2514M29P01	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:TMT101HJ	HRS	0		TSN 0					
	ENC	0	9200	TSN 0	(9200) 9200		8735		
PROC. REF: GENERIC NO REF									
72-51-05-210-801	NO. 1 ENGINE - VISUAL INSPECTION THRUST PISTON DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-05									
72-51-05-210-801	NO. 2 ENGINE - VISUAL INSPECTION THRUST PISTON DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-05									
72-51-05-220-801	NO. 1 ENGINE - DIMENSIONAL CHECK THRUST PISTON DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-05									
72-51-05-220-801	NO. 2 ENGINE - DIMENSIONAL CHECK THRUST PISTON DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-05									
72-51-05-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION THRUST PISTON DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-05-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION THRUST PISTON DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-05									
72-51-05-900-801	NO. 1 ENGINE - THRUST PISTON DISK							Component	ATA:72
PN:17811-Q0A-0500	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:APV5120G	HRS	0		TSN 0					
	ENC	0	7400	TSN 0	(7400) 7400		6935		
PROC. REF: GENERIC NO REF									
72-51-05-900-801	NO. 2 ENGINE - THRUST PISTON DISK							Component	ATA:72
PN:17811-Q0A-0500	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:APV5141G	HRS	0		TSN 0					
	ENC	0	7400	TSN 0	(7400) 7400		6935		
PROC. REF: GENERIC NO REF									
72-51-11-210-801	NO. 1 ENGINE - VISUAL INSPECTION AFT TURBINE RETAINER PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-11									
72-51-11-210-801	NO. 2 ENGINE - VISUAL INSPECTION AFT TURBINE RETAINER PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-11									
72-51-11-220-801	NO. 1 ENGINE - DIMENSIONAL CHECK AFT TURBINE RETAINER PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-51-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-11-220-801	NO. 2 ENGINE - DIMENSIONAL CHECK AFT TURBINE RETAINER PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-51-11								
72-51-11-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION AFT TURBINE RETAINER PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-51-11								
72-51-11-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION AFT TURBINE RETAINER PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-51-11								
72-51-11-900-801	NO. 1 ENGINE - AFT TURBINE RETAINER							Component ATA:72
PN:18741-Q0A-0200	MOS	14-Feb-18		TSN 0				LIFE LIMIT
SN:TMT1NN59	HRS	0		TSN 0				
	ENC	0	11600	TSN 0	(11600) 11600		11135	
PROC. REF: GENERIC NO REF								
72-51-11-900-801	NO. 2 ENGINE - AFT TURBINE RETAINER							Component ATA:72
PN:18741-Q0A-0200	MOS	14-Feb-18		TSN 0				LIFE LIMIT
SN:TMT1NN58	HRS	0		TSN 0				
	ENC	0	11600	TSN 0	(11600) 11600		11135	
PROC. REF: GENERIC NO REF								
72-53-03-210-801	NO. 1 ENGINE - VISUAL INSPECTION LOW PRESSURE TURBINE SUPPORT DISK PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-53-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-53-03-210-801	NO. 2 ENGINE - VISUAL INSPECTION LOW PRESSURE TURBINE SUPPORT DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-03									
72-53-03-220-801	NO. 1 ENGINE - DIMENSIONAL CHECK LOW PRESSURE TURBINE SUPPORT DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-03									
72-53-03-220-801	NO. 2 ENGINE - DIMENSIONAL CHECK LOW PRESSURE TURBINE SUPPORT DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-03									
72-53-03-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION LOW PRESSURE TURBINE SUPPORT DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-03									
72-53-03-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION LOW PRESSURE TURBINE SUPPORT DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-03									
72-53-03-900-801	NO. 1 ENGINE - LOW PRESSURE TURBINE SUPPORT DISK							Component	ATA:72
PN:16310-Q0A-A000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:TMT1NS12	HRS	0		TSN 0					
	ENC	0	7300	TSN 0	(7300) 7300		6835		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-53-03-900-801	NO. 2 ENGINE - LOW PRESSURE TURBINE SUPPORT DISK							Component	ATA:72
PN:16310-Q0A-A000	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:TMT1NS19	HRS	0		TSN 0					
	ENC	0	7300	TSN 0	(7300) 7300		6835		
PROC. REF: GENERIC NO REF									
72-53-04-210-801	NO. 1 ENGINE - VISUAL INSPECTION STAGE 2 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-04									
72-53-04-210-801	NO. 2 ENGINE - VISUAL INSPECTION STAGE 2 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-04									
72-53-04-220-801	NO. 1 ENGINE - DIMENSIONAL CHECK STAGE 2 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-04									
72-53-04-220-801	NO. 2 ENGINE - DIMENSIONAL CHECK STAGE 2 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-04									
72-53-04-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 2 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-53-04-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 2 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-04									
72-53-04-900-801	NO. 1 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISK							Component	ATA:72
PN:16231-Q0A-0100	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:TMT1RG77	HRS	0		TSN 0					
	ENC	0	10200	TSN 0	(10200) 10200		9735		
PROC. REF: GENERIC NO REF									
72-53-04-900-801	NO. 2 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISK							Component	ATA:72
PN:16231-Q0A-0100	MOS	14-Feb-18		TSN 0				LIFE LIMIT	
SN:TMT1RG76	HRS	0		TSN 0					
	ENC	0	10200	TSN 0	(10200) 10200		9735		
PROC. REF: GENERIC NO REF									
72-53-07-210-801	NO. 1 ENGINE - VISUAL INSPECTION STAGE 1 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-07									
72-53-07-210-801	NO. 2 ENGINE - VISUAL INSPECTION STAGE 1 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-07									
72-53-07-220-801	NO. 1 ENGINE - DIMENSIONAL CHECK STAGE 1 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service	ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: OHM 72-53-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-53-07-220-801	NO. 2 ENGINE - DIMENSIONAL CHECK STAGE 1 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-53-07								
72-53-07-230-801	NO. 1 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 1 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-53-07								
72-53-07-230-801	NO. 2 ENGINE - FLUORESCENT PENETRANT INSPECTION STAGE 1 LOW PRESSURE TURBINE DISK PIECE-PART EXPOSURE							Service ATA:72
	MOS/MSC	14-Feb-18	A/R	TAC 0				MANDATORY
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: OHM 72-53-07								
72-53-07-900-801	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISK ASSEMBLY							Component ATA:72
PN:16130-Q0A-0000	MOS	14-Feb-18		TSN 0				LIFE LIMIT
SN:TMT2LE76	HRS	0		TSN 0				
	ENC	0	10400	TSN 0	(10400) 10400		9935	
PROC. REF: GENERIC NO REF								
72-53-07-900-801	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISK ASSEMBLY							Component ATA:72
PN:16130-Q0A-0000	MOS	14-Feb-18		TSN 0				LIFE LIMIT
SN:TMT2LE87	HRS	0		TSN 0				
	ENC	0	10400	TSN 0	(10400) 10400		9935	
PROC. REF: GENERIC NO REF								
72HA0500101 ^S	DO A VISUAL INSPECTION OF THE NACELLE / COWLING AREA, SKINS, DOORS, LATCHES AND FASTENERS.							Service ATA:72
	MOS	15-Dec-22						
	HRS	586.8	600 (+60/-60)					
	AFL	433						
PROC. REF: AMM NO REF, ALM INTRO								

PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72HA0500102 ^S	DO A VISUAL INSPECTION OF THE ENGINE INLET AND INLET LIP, LINER, AND LINER DRAINS. (EFFECTIVITY: 42000011, 42000126 AND AFTER)							Service	ATA:72
	MOS/MSC	07-May-18	N/A	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM NO REF, ALM INTRO								PKG:1	
72HAGHAEA	REVIEW AND DO THE ENGINE MAINTENANCE PROGRAM.							Service	ATA:72
	MOS/MSC	07-May-18	A/R	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
73-00-00-200-801	NO. 1 ENGINE - DETAILED INSPECTION MECHANICAL FUEL SHUTOFF SYSTEM (MFSS)							Service	ATA:73
	MOS	15-Dec-22						MANDATORY	
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
73-00-00-200-801	NO. 2 ENGINE - DETAILED INSPECTION MECHANICAL FUEL SHUTOFF SYSTEM (MFSS)							Service	ATA:73
	MOS	15-Dec-22						MANDATORY	
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
73-00-00-440-802	NO. 1 ENGINE - REPLACE THE FUEL PUMP METERING UNIT							Service	ATA:73
	MOS/MSC	EFF	A/R	TAC 0					
	HRS			TAC 0					
	ENC			TAC 0					
73-00-00-440-802	NO. 2 ENGINE - REPLACE THE FUEL PUMP METERING UNIT							Service	ATA:73
	MOS/MSC	EFF	A/R	TAC 0					
	HRS			TAC 0					
	ENC			TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-00-00-610-801	NO. 1 ENGINE - REPLACE FUEL FILTER							Service	ATA:73
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
73-00-00-610-801	NO. 2 ENGINE - REPLACE FUEL FILTER							Service	ATA:73
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
73-21-01-900-801	NO. 1 ENGINE - FPMU ASSEMBLY							Component	ATA:73
PN:PN	MOS/MSC	14-Feb-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
73-21-01-900-801	NO. 2 ENGINE - FPMU ASSEMBLY							Component	ATA:73
PN:PN	MOS/MSC	14-Feb-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
ATA 74 - IGNITION									
74-00-00-440-801	NO. 1 ENGINE - REPLACE 4 OCLOCK IGNITER PLUG							Service	ATA:74
PN:31111-Q0A-0000	MOS	14-Feb-18		TAC 0					
SN:UNLL9779	HRS	0	600	Ext 600	(1200) 1200		555.6		
	ENC	0		TAC 0					
74-00-00-440-801	NO. 1 ENGINE - REPLACE 8 OCLOCK IGNITER PLUG							Service	ATA:74
PN:31111-Q0A-0000	MOS	14-Feb-18		TAC 0					
SN:UNLE1979	HRS	0	600	Ext 600	(1200) 1200		555.6		
	ENC	0		TAC 0					
74-00-00-440-801	NO. 2 ENGINE - REPLACE 4 OCLOCK IGNITER PLUG							Service	ATA:74
PN:31111-Q0A-0000	MOS	14-Feb-18		TAC 0					
SN:UNLL9761	HRS	0	600	Ext 600	(1200) 1200		555.6		
	ENC	0		TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-00-00-440-801	NO. 2 ENGINE - REPLACE 8 OCLOCK IGNITER PLUG							Service	ATA:74
PN:31111-Q0A-0000	MOS		14-Feb-18		TAC 0				
SN:UNLL9760	HRS	0	600	Ext 600	(1200) 1200		555.6		
	ENC	0			TAC 0				
74-00-40-900-801	NO. 1 ENGINE - 8 OCLOCK IGNITER PLUG							Component	ATA:74
PN:31111-Q0A-0000	MOS/MSC		14-Feb-18	O/C	TSN 0				
SN:UNLE1979	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
74-00-40-900-801	NO. 2 ENGINE - 8 OCLOCK IGNITER PLUG							Component	ATA:74
PN:31111-Q0A-0000	MOS/MSC		14-Feb-18	O/C	TSN 0				
SN:UNLL9760	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
74-00-70-900-801	NO. 1 ENGINE - 4 OCLOCK IGNITER PLUG							Component	ATA:74
PN:31111-Q0A-0000	MOS/MSC		14-Feb-18	O/C	TSN 0				
SN:UNLL9779	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
74-00-70-900-801	NO. 2 ENGINE - 4 OCLOCK IGNITER PLUG							Component	ATA:74
PN:31111-Q0A-0000	MOS/MSC		14-Feb-18	O/C	TSN 0				
SN:UNLL9761	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
ATA 76 - ENGINE CONTROLS									
76CA7600001	THROTTLE QUADRANT ASSEMBLY (TQA) W SPEED							Component	ATA:76
PN:HJ1-17600-101-007	MOS/MSC		07-May-18	O/C	TSN 0				
SN:126	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 76-12-10, AMM 76-12-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
77-00-00-750-801	NO. 1 ENGINE - TEST ENGINE VIBRATION DETECTION SYSTEM							Service	ATA:77
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
77-00-00-750-801	NO. 2 ENGINE - TEST ENGINE VIBRATION DETECTION SYSTEM							Service	ATA:77
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
ATA 79 - OIL									
79-00-00-200-801	NO. 1 ENGINE - DETAILED INSPECTION CHIP DETECTOR							Service	ATA:79
	MOS	13-Jan-23							
	HRS	605.4	600		(1205.4) 1205.4		561		
	ENC	446							
79-00-00-200-801	NO. 2 ENGINE - DETAILED INSPECTION CHIP DETECTOR							Service	ATA:79
	MOS	15-Dec-22							
	HRS	586.8	600		(1186.8) 1186.8		542.4		
	ENC	433							
79-00-00-610-801	NO. 1 ENGINE - CHECK OIL LEVEL							Service	ATA:79
	MOS/MSC	14-Feb-18	BF/F	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
79-00-00-610-801	NO. 2 ENGINE - CHECK OIL LEVEL							Service	ATA:79
	MOS/MSC	14-Feb-18	BF/F	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: HONDAJET HA-420 Serial: 42000107 RegNo: N14QB HRS: 644.4 AFL: 465 As Of: 17-Feb-2023

21-Feb-2023 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-00-00-610-802	NO. 1 ENGINE - REPLACE ENGINE OIL							
	MOS	15-Dec-22						Service ATA:79
	HRS	586.8	600		(1186.8) 1186.8		542.4	
	ENC	433						
	PROC. REF: GENERIC NO REF							
79-00-00-610-802	NO. 2 ENGINE - REPLACE ENGINE OIL							
	MOS	15-Dec-22						Service ATA:79
	HRS	586.8	600		(1186.8) 1186.8		542.4	
	ENC	433						
	PROC. REF: GENERIC NO REF							
79-00-00-610-803	NO. 1 ENGINE - REPLACE ENGINE OIL FILTER							
	MOS	15-Dec-22						Service ATA:79
	HRS	586.8	600		(1186.8) 1186.8		542.4	
	ENC	433						
	PROC. REF: GENERIC NO REF							
79-00-00-610-803	NO. 2 ENGINE - REPLACE ENGINE OIL FILTER							
	MOS	15-Dec-22						Service ATA:79
	HRS	586.8	600		(1186.8) 1186.8		542.4	
	ENC	433						
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task