

AIRCRAFT LOG
AL-12P

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
9-16-22	1715.7	Installed Plane Power 50AMP alternator and Regulator Per STC SA10921SC.	
		Hartzell P/N E R 14-50 S/N H-WO ⁶³⁴⁹⁵ 52258 8A	
		Regulator P/N R12248 S/N H-WO 53258	
		used aircraft quality wire.	
		Run up and checked for proper operation. Boyd Roberts A+ P1980389	

Aircraft Log

7-9-2023 N76608 Tach:1734.1 A/C TT:2264.6


Remove panels and inspect. Lube all controls. C/W A/D 47-43-04, 47-43-05, 47-50-02, 48-07-01, due each 100 hours A/D 93-22-05 on carb intake. FAR 91-207D on ELT operation. ELT battery due September.2023. Hone leading edge of prop. C/W A/D search thru 2023-13. K&N air filter serviced.

I certify that I have inspected this aircraft in accordance with a 100 hour/annual inspection and was determined to be in airworthy condition.

Boyd R. Roberts
A&P 1980389IA

Boyd R. Roberts I.A.

F.A.R. 43.9



N76608

TACH: 1670.1

Removed Transponder

Installed and tested Appareo Stratus ESG ADS-B Compliant Transponder in accordance with Stratus ESG Installation Instructions, Document No. 600840-000032, Revision 1.4 dated June 22, 2016 and FAA Policy Notice No. 8900.362.

This installation is a follow on to STC SA 04112CH. The installed ADS-B system was shown to meet the equipment performance requirements of 14 CFR part 91.227.

Weight and balance negligible. Performed an Electrical load analysis and found total load loss does not exceed 80% of rated capacity.

Reference Instructions for Continued Airworthiness, Aparreo Document No.600837-0000024,
Revision 2.2.

Mark Krotky /
AP 3110034 IA

F.A.R. 43.9

[illegible]

Edge Aviation, LLC

FAR 91.413 The Transponder make Stratus

Model ESG and S/N 084662

I certify the ATC Transponder has been tested and inspected and found to comply with FAR 43 APP. F.

For details see W.O. 01108

Inspected by: Brod Connors Date: 7 Apr. 2022

Edge Aviation, LLC CRS# RJKR854D

7255 HWY 50, Hangar 7 • Commerce, TX 75428 • 903-461-1374

Aircraft Log

6-7-2022 N76608 Tach:1692.1 A/C TT:2222.6

Re packed all bearings. Remove panels and inspect. Lube all controls. C/W A/D 47-43-04, 47-43-05, 47-50-02, 48-07-01, due each 100 hours C/W A/D 2022-08-03 on replace seat belt holder P/N:0425132. A/D 93-22-05 on carb intake. FAR 91-207D on ELT operation. ELT battery due September.2023. Hone leading edge of prop. C/W A/D search thru 2022-11. K&N air filter serviced.

I certify that I have inspected this aircraft in accordance with a 100 hour/annual inspection and was determined to be in airworthy condition.

Boyd R. Roberts
A&P 1980389IA

n. Boyd R. Baker IA

MAINTENANCE RECORD

F.A.R. 43.9

MAINTENANCE RECORD

F.A.R. 43.9

SERV

Aircraft Log

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
--------------------	--------------------------	---	---

MAKE: CESSNA MODEL: 140 S/N 11048 TACH 1455.2 AFTT 1985.7

This aircraft was inspected in accordance with FAR 43 appendix d. The following maintenance was performed. Cleaned, inspected and greased all wheel bearings. Cleaned all fuel screens. Lubricated all flight controls and pulleys. Checked all cable tensions. Cleaned and oiled engine air filter. Inspected ELT in accordance with FAR 91.207 d. Ops checked good at this time. Complied with AD48-25-03 by inspection. No defects noted at this time. Due again in 100 hours. AD84-26-02 Not applicable. K&N Filter installed at this time. I certify this aircraft has been inspected in accordance with an annual inspection and has been determined to be in an airworthy condition at this time. No other new or recurring Ads due at this time.

Tim Fellegly



A&P2834940IA

Date 01/01/2020

5-19-2021 N76608 Tach:1535.9 A/C TT:2066.4

Replaced both main tires with 8.00-6/6/120 Condor S/N0314T00139 and 0314T00122. Replaced both tubes with P/N: GL-7020B. Re packed all bearings. Remove panels and inspect. Lube all controls. C/W A/D 47-43-04, 47-43-05, 47-50-02, 48-07-01, each A/D due every 100 hours. A/D 93-22-05 on carb intake. FAR 91-207D on ELT operation. ELT battery due September.2023. Hone leading edge of prop. C/W A/D search thru 2021-09. K&N air filter serviced. I certify that I have inspected this aircraft in accordance with a 100 hour/annual inspection and was determined to be in airworthy condition.

Boyd R. Roberts
A&P 1980389IA

Boyd R. Roberts IA.

*10-5-21 Tach 1622.4 Installed SKY Tec starter Per STC SE1007650
Installed push button for starter. Installed required placards
Installed new Tail wheel Alaska Bushwheel Per STC
SA.012335A. See 337 for both mods this date
Boyd Roberts A&P 1980389*

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
07/07/2017	N76608	TACH 1408.1 TTAF 1938.6 COMPLETED 100HR/ANNUAL INSPECTION ICW FAR 43.13 D AND CESSNA SERVICE MANUAL. TESTED ELT PER FAR 91.207 D, ELT BATTERY DUE REPLACEMENT 7/2018. COMPLIED WITH ALL CURRENT AD NOTES. I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED ICW A 100HR/ANNUAL INSPECTION AND IS IN AIRWORTHY CONDITION.	DOUGLAS A. EVANS A&P 3129033 <i>Douglas Evans</i> IA. <i>[Signature]</i> 3342477
08/26/2018	N76608	TACH 1417.3 TTAF 1947.8 COMPLETED 100HR/ANNUAL INSPECTION ICW FAR 43.13 D AND CESSNA SERVICE MANUAL. TESTED ELT PER FAR 91.207 D, ELT BATTERY REPLACED NEXT DUE 8/2020. CLEANED AND REPAINTED BATTERY BOX. REPLACED BATTERY WITH CONCORD RG-25XC COMPLIED WITH APPLICABLE AD NOTES SEE LIST IN ARCFT. RECORDS I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED ICW A 100HR/ANNUAL INSPECTION AND IS IN AIRWORTHY CONDITION.	DOUGLAS A. EVANS A&P 3129033 <i>Douglas Evans</i> IA. <i>[Signature]</i> 3342477 AP/EA

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
12-1-19		Completed ANNUAL/100 HR Insp. Tach - 1455.2 IAW FAR 43.13 D TEST ELT. BATT. DUE - 9-2020 CK All cables - Pulleys - hinges Lubed AS NECC. Cleaned battery - cables - box - Complied with All AD's to this date. Installed NEW BRAKE Pads - cleaned & Repacked wheel Bearings. Installed New MTR. MT. Bushings. (8) Installed New Rudder bushings. Set cable tension IAW MPG INST. SAFETY All turnbuckles -	
12-1-19		WHEEL AP. 1220156 -	

F.A.R. 43.9

R & B Air 806-922-5273

06-15-2016 N76608 Tach 1400.5 SMOH 79.0 AFTT 1931

I Have inspected this Aircraft IAW with Cessna service Manual. Installed Rebuilt Carburetor, Set and Checked Engine Controls for Function and Control. Cleaned and Checked Fuel Screen and Replaced Fuel Line. Replaced Voltage Regulator, Checked all flight Controls, cables pulleys and push rods. Checked brakes and Wheels. Checked all AD's to this Date. ELT Battery Due 07/2018 I have inspected this Aircraft in Accordance with an annual Inspection and Returned to service at This time.

A & P 003054846

F.A.R. 43.9

LOG ENTRY

DATE OF OVERHAUL 04/08/ 2016 NA-S3A1 SERIES CARBURETOR p/n 380167-1,2,3,4

TCM MFGR'S NUMBER 40590

SERIAL NUMBER -

APPLICATION / FITS CONTINENTAL C85-8, C85-8F, C85-12, C85-12F ENGINES

USE ONLY WITH GRAVITY FLOW FUEL DELIVERY SYSTEMS

1 STROMBERG NA-S3 carburetor as per STROMBERG Overhaul and Parts M

Overhaul STROMBERG NA-S3 carburetor as per STROMBERG Overhaul and Parts Manual Form 15-S91D REV. 05-15-71. Unit was disassembled, cleaned and inspected for damage and corrosion, glass bead blasted, Alumina-etched and Alodined. Replaced all gaskets & seals, stainless steel float needle p/n P14222 & brass seat p/n P17247 and all AN hardware. Float was tested for leaks / checks good. Float level was set to 13/32" wet per manual. Float drop was checked at .048" minimum per manual. Part numbers checked are # 45 main metering jet / # 60 reducer / 1-3/8" venturi / #65 idle air tube orifice. Installed float bowl vent re-location as per Stromberg Service Bulletin #73 - identified by 1" yellow dot painted on face of carburetor body. Unit re-assembled and safety wired. Mixture control arm is safety wired to "full rich" position. NOTE: The engine idle speed adjustment screw is set for approximately 600 RPM initially and the idle mixture screw is set to 3 turns open. These two adjustment screws MUST be re-adjusted at initial engine start-up for proper idle speed and smoothest idle mixture. A fuel proof sealant is to be used on the thread of the 1/4" NPT fuel bowl inlet fitting to prevent fuel leaks. Teflon tape IS **NOT** TO BE USED

Teflon tape IS *NOT* TO BE USED

**NOTE: TURN FUEL SELECTOR TO "OFF" AT
ENGINE SHUTDOWN AND WHEN PARKED**

=WARNING= OPERATION OF THIS CARBURETOR IS PROHIBITED WHEN USED WITH AUTOMOTIVE FUEL CONTAINING ETHANOL.

I CERTIFY THAT THIS CARBURETOR HAS BEEN OVERHAULED TO STROMBERG
FACTORY MANUAL STANDARDS AND IS IN AN AIRWORTHY CONDITION...

ROBERT E. KACHERGIUS /PRES. A&P / IA 2768440
UNI-TECH AIR MANAGEMENT SYSTEMS. IINC.

-END-

F.A.R. 43.9

April 16, 2013 N76608
TAC - 1330.7 T.T. AF 1861.7 SMOH - 10.0 (owner 3-2010)

ELT Battery due 3/14

Checked trim operation and travel, fuel selector valve operation, operation of fuel drains and cleaned. Checked rudder pedals, brake cylinders for operation and leaks, brake fluid level. Checked control stick, column, pulleys, and cables. Checked instruments, lines and attachments, checked condition in general under panel for loose wires, loose equipment, chafing. Lubricated all controls. Removed inspection plates and panels, checked general condition of aircraft skin. Checked bulkheads and stringers for damage, checked wiring for damage and security. Checked all fuel and hydraulic lines for condition. Checked empennage surfaces for damage, rudder hinges, horn, and attachments. Horizontal stabilizer was checked. Checked surfaces and tips for damage, loose screws. Checked ailerons, hinges, cables, pulleys and bellcranks for damage and operation. Checked wing attachment bolts. Pitot tube was checked for security. Lubricate as per manual. Reinstalled inspection plates and fairing. Checked tires for wear and damage, brakes, brake lines for security and condition left tire has some wear. Checked wheel bearings cleaned and packed. Checked tail wheel bearings lubricated. No change to weight and balance to aircraft. Checked recurring AD's by visual inspection all okay at this time.

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTH CONDITION.

JOHN E. METCALF A&P – IA 309380547

47 *John E. McQuade*

F.A.R. 43.9

R & B Air 806-922-5273
01-15-2015 N76608 Tach1384.5 TTAF

Removed, Repaired, and Reinstalled Engine. I have inspected This aircraft IAW an annual Inspection. Checked all flight Controls, cables pulleys and push rods. Checked brakes and Wheel bearings. Replaced fuel line, replaced exhaust system. Test run engine and checked for function installed prop and Spinner. Checked all recurring AD's by visual inspection to This date. I have inspected this aircraft in accordance with An annual inspection and returned it to service at this time.

Rory R. Cook

IA003054846

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
--------------------	--------------------------	---	---

March 28, 2010 N76608

TAC - 1330.0 T.T. AF 1861.7 SMOH - 10.0 (owner 3-2010)

ELT Battery due 3/10

Checked trim operation and travel, fuel selector valve operation, operation of fuel drains and cleaned. Checked rudder pedals, brake cylinders for operation and leaks, brake fluid level. Checked control stick, column, pulleys, and cables. Checked instruments, lines and attachments, checked condition in general under panel for loose wires, loose equipment, chafing. Lubricated all controls. Removed inspection plates and panels, checked general condition of aircraft skin. Checked bulkheads and stringers for damage, checked wiring for damage and security. Checked all fuel and hydraulic lines for condition. Checked empennage surfaces for damage, rudder hinges, horn, and attachments. Horizontal stabilizer was checked. Checked surfaces and tips for damage, loose screws. Checked ailerons, hinges, cables, pulleys and bellcranks for damage and operation. Checked wing attachment bolts. Pitot tube was checked for security. Lubricate as per manual. Reinstalled inspection plates and fairing. Checked tires for wear and damage, brakes, brake lines for security and condition left tire has some wear. Checked wheel bearings cleaned and packed. Checked tail wheel bearings lubricated. Replaced ELT with Ameri-King AK-450 with voice transmit batteries next due 3/10. No change to weight and balance to aircraft. Checked recurring AD's see list of AD's in back of book dated 3-28-2010.

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTH CONDITION.

JOHN E. METCALF A&P - IA 309380547

John E. Metcalf

7/31/10 1335.7 Changed oil *[Signature]*

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
--------------------	--------------------------	---	---

April 16, 2012 N76608

TAC - 1330.7 T.T. AF 1861.7 SMOH - 10.0 (owner 3-2010)

ELT Battery due 3/10

Checked trim operation and travel, fuel selector valve operation, operation of fuel drains and cleaned. Checked rudder pedals, brake cylinders for operation and leaks, brake fluid level. Checked control stick, column, pulleys, and cables. Checked instruments, lines and attachments, checked condition in general under panel for loose wires, loose equipment, chafing. Lubricated all controls. Removed inspection plates and panels, checked general condition of aircraft skin. Checked bulkheads and stringers for damage, checked wiring for damage and security. Checked all fuel and hydraulic lines for condition. Checked empennage surfaces for damage, rudder hinges, horn, and attachments. Horizontal stabilizer was checked. Checked surfaces and tips for damage, loose screws. Checked ailerons, hinges, cables, pulleys and bellcranks for damage and operation. Checked wing attachment bolts. Pitot tube was checked for security. Lubricate as per manual. Reinstalled inspection plates and fairing. Checked tires for wear and damage, brakes, brake lines for security and condition left tire has some wear. Checked wheel bearings cleaned and packed. Checked tail wheel bearings lubricated. No change to weight and balance to aircraft. Checked recurring AD's by visual inspection all okay at this time.

I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTH CONDITION.


JOHN E. METCALF A&P - IA 309380547

John E. Metcalf

April 16 2012 Installer Cleveland Wheel #40-97A, Brake #30-63A (conversion KIT WITH CLEVELAND HAWKING 20-134 Revision A, dated Oct 12 1972 & Muntz Insiz. 50-24, Rev C, dated Feb 21 1973 50-25 Certificate # 5A13AL by Aircraft Wheel & Brake Division, Porter-Hamilton Corp, 1160 Center St, Avon Ohio 44011 *John E. Metcalf* IA 309-38-0547

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
Feb. 6, 2009	N76608		
TAC - 1320.0	T.T. AF 1851.7	STOH - 1272.7	
ELT Battery due 2/10			
Checked trim operation and travel, fuel selector valve operation, operation of fuel drains and cleaned. Checked rudder			
pedals, brake cylinders for operation and leaks, brake fluid level. Checked control stick, column, pulleys, and cables.			
Checked instruments, lines and attachments, checked condition in general under panel for loose wires, loose			
equipment, chafing. Lubricated all controls. Removed inspection plates and panels, checked general condition of			
aircraft skin. Checked bulkheads and stringers for damage, checked wiring for damage and security. Checked all fuel			
and hydraulic lines for condition. Checked empennage surfaces for damage, rudder hinges, horn, and attachments.			
Horizontal stabilizer was checked. Checked surfaces and tips for damage, loose screws. Checked ailerons, hinges,			
cables, pulleys and bellcranks for damage and operation. Checked wing attachment bolts. Pitot tube was checked for			
security. Lubricate as per manual. Reinstalled inspection plates and fairing. Checked tires for wear and damage,			
brakes, brake lines for security and condition left tire has some wear. Checked wheel bearings cleaned and packed.			
Checked tail wheel bearings lubricated. Replaced ELT with Ameri-King AK-450 with voice transmit batteries next due			
2/10. No change to weight and balance to aircraft. Checked recurring AD's see list of AD's in back of book dated 2-6-			
2009.			
I CERTIFY THAT THIS <u>AIRFRAME</u> HAS BEEN INSPECTED IN ACCORDANCE WITH AN <u>ANNUAL INSPECTION</u>			
AND WAS DETERMINED TO BE IN AIRWORTH CONDITION.			
JOHN E. METCALF A&P - IA 309380547			
			



ARTEX AIRCRAFT SUPPLIES, INC.
14405 Kell Rd. NE Aurora, OR 97002
(503) 678-7929 800-547-8901

LOG BOOK ENTRY _____

E.L.T. BATTERY

REPLACEMENT DATE

OCT 2002

AIRCRAFT LOG AND MAINTENANCE RECORD

DATE 19__	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT

N76608 AIRFRAME LOG ENTRY

Date 5/10/07
Tach Time 1320.0
Tradewind Turbines work order # 48862

Completed Annual Inspection this date.
I Certify this aircraft was inspected in accordance with an Annual
Inspection and determined to be in unairworthy condition. A list of
Unairworthy items given to owner.



James E. Whatley
James E. Whatley A&P4499656151A

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP
OF NEXT PAGE

DATE 19__	REMARKS ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.
	<i>A.D. Notes</i>
	<i>✓ 47-26-2 P/C/W</i>
	<i>✓ 47-43-1 P/C/W</i>
	<i>47-43-4 C/W Checked OK 3-11-66 FR</i>
	<i>47-43-5 P/C/W</i>
	<i>47-50-2 P/C/W</i>
	<i>48-7-1 C/W Checked OK 3-11-66 FR</i>
	<i>48-25-2 C/W (Repaired) Checked OK 3-11-66 FR</i>
	<i>48-25-3 C/W Checked OK 3-11-66 FR</i>
	<i>50-31-1 P/C/W</i>
	<i>61-8-2 P/C/W</i>

DATE 2001 10	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
Cessna N76608 Tach: 1295.2 hrs. Date: May 4, 2001 Annual Inspection completed this date. All routine items checked per Cessna check list. Serviced and lubricated all systems. Resealed fuel selector valve and lubricated. Replaced left nav light bulb and rewired as needed. Cleaned both landing light assemblies, cleaned contact points, checked operation checked good. Replaced cable pulleys on elevator cables (top), and rudder cables, (below fuel selector). Installed new main gear tires. Lubricated flap latch mechanism and checked operation, checked good. Installed Bracket inlet air filter assembly P/N BA4106 in accordance with STC SA71GL, see 337 in aircraft papers. C/W AD 48-25-02 by inspection of muffler, checked good. C/W AD 48-25-03 by inspection of wing drag brace wires, checked good. C/W AD 79-08-03 by installing inline fuse holder in Cigar lighter circuit. C/W AD 96-12-07 by inspection of both magneto impulse couplings, left impulse checked good, installed new impulse coupling in right mag. Replaced ELT battery, checked operation per FAR 91.207, checked good. Reinstalled ELT, battery date: Oct. 2002. See AD note summary in aircraft papers for complete listing and <i>Continued</i>							

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP

DATE 19	REMARKS
	ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.
	compliance times. I Certify that this <u>Aircraft</u> has been inspected in accordance with an <u>Annual</u> inspection and determined to be in <u>Serviceable</u> Condition. Total Time <u>1826.9</u> Tach Time <u>1295.2</u> Date <u>May 4, 2001</u> Signature <u>Arthur Mitchell</u> ELT Batt. Exp. <u>Oct. 2002</u> Cert. # <u>IA2140786</u> Miller Flying Service Plainview, TX

DATE 19 <u>98</u>	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
Jan 3	1998		Checked all Cables, pulleys + hinges + Lubed				
TACH	1208.1		Repacked all wheel bearings + checked Broken				
AF-TT	1208.1		Replaced brake pads on left wheel, aired tires				
Eng TT	1432.8		checked all lights - Bright landing light Inop				
Eng Smolt	358.1		Serviced + charged Batt, Replaced ELT Batt				
ELT	1-2000		Vacuum interiors, checked fuel drains + valve				
			checked master cyls for fluid, Clean Fuel bowl				
			Clean air Filter, Paint + File prop, checked				
			main gear box, + welded attack bolts, checked				
			ADS. that comply				
			William B Hartrell				
			A-I 1620 450				

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP
OF NEXT PAGE

DATE 19 <u>99</u>	REMARKS ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.	
12-1	Checked all Cables, pulleys + lubed, Polished airplane checked	
TACH	1247.9 wheels bearings + brakes, Replaced Pitot tube	
	Installed New 35 amp Batt. ELT Batt ok	
	till January 2000, checked wheels, tires, bearings	
	+ brakes, checked all fuel drains + pumps	
	cleaned Eng + cowd,	
DATE	Dec - 1 - 99	
TACH	1247.9	
STOH	- 0.000	
	BY Certify that this aircraft has been inspected in accordance with a <u>Annual</u> inspection and was determined to be in airworthy condition.	
	William B Hartrell A-I 1620450	

DATE 19 <u>95</u>	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
<u>Nov 17-95</u>			checked, cleaned, and lubed all pulleys, cables				
<u>1159.4</u>			pulleys & bell cranks checked W eng tank fuel				
			drams, cleaned air filter, Repacked all wheel				
			bearings, checked tires & brakes, vacuum				
			Interior, Serviced Batt and installed new ELT				
			Batt May 1997, checked lights, Installed auto				
			Fuel STC on Eng & Airframe - see 337				
			Dated This Date.				
			I certify that this aircraft has been inspected				
			in accordance with Annual inspection:				
			and was determined to be in satisfactory condition.				
			William B. Lathrop				
			A-I/620450				

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE

DATE		REMARKS
19 96		ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.
12-24		checked all cables, pulleys, bellcranks, hinges + Lubed Repacked all wheel bearings, checked brakes mangeon Box + Aired tires, checked lights + serviced Batt-ELT ok until May 1997 Cleaned Air filter, Vacuum interior + checked Centrals + lubed, checked master cyls,
DATE	12-24-96	
TACH	1195.2	
AFTT	1195.2	
Eng TT	1195.2	
SMOH	345.2	
		I certify that this aircraft has been inspected in accordance with a Annual inspection and was determined to be in airworthy condition. William B Sartell A-I 16 20450

DATE 19 <u>81</u>	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
Jan 9	checked all fuel pumps + cleaned up fuel valve						
	drained wing tank pumps, checked + lubed all pulleys						
	bellcranks, hinges etc, checked wheel bearing, brakes						
	+ tires, checked Batt + Prop, Inspected rudder-horn						
	as per AD-48-25-03, checked all lights, fuses						
	switch etc, Elt Batt ok until 7-1-81						
DATE - 1-9-81							TACH 1074
TACH - 1068.4							930
SMOth - 218.4							1604.77
			"I certify that this aircraft has been inspected in accordance with a <u>annual</u> inspection and was determined to be in airworthy condition."				
			William B Gortell				A#I 1620450
CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE							

SOLD TO RAY TERRY		REMARKS
DATE	19 <u>93</u>	ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.
Aug 30		checked all pulleys, cables, bellcranks + hinges + lubed, checked all lights, switches + fuses + C Rs
TACH		Replaced wing tank drains, cleaned air filter, check
1074.1		all tires, wheel bearings, tail wheel + brakes, master cyl
AFF7		Install new gasket on air filter, installed new 35 amp
1074.1		Batt, Inspected Prop, Replaced spring in right door latch
Eng SMOth		Replaced left fuel line, cleaned fuel shut off valve, installed
224.1		new ELT Batt (Sept 95) installed AT 50 A
Elt		transponder, Narco AR850 Encoder, Edo-Air Radio,
Sept 95		See new w/b and 337 form, AD, 9/4 47-43-04 48-25-03 48-25-03 86-26-04
		William B Gortell "I certify that this aircraft has been inspecte in accordance with a <u>annual</u> inspecti and was determined to be in airworthy condition."
		A#I 1620450

DATE 76608 19	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
11 March 1973			Replace R.H. New light bulbs Inspect Drag wires in wing as per A.D. 48-25-3 fill brake res. Routine Maintenance Tech 914 hrs TOTAL TIME 1444.7				
I certify that this aircraft has been inspected in accordance with a <u>Annual</u> inspection and was determined to be in airworthy condition.							Clarence E. Swindle 1A1396373
11-3-73			Installed 2 new tires + new Batteries Changed oil tank 914 3 HRS inspected Exhaust Stack 2 917 H.				
CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE							

DATE 19	REMARKS ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.	
	2 May 1974	963 hrs Tach Time T.T. 1493 Total Time is 530. + Tach Time Comply with A.D. 48-25-3 Inspection of drag wires. Replace 2 Bolts in Vert fin. free up + lube Controls. Installed E.B.C. 102 A E.L.T.
I certify that this aircraft has been inspected in accordance with a <u>Annual</u> inspection and was determined to be in airworthy condition.		
Clarence E. Swindle 1A1396373		

DATE 19__	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
5 Nov 1970			Removed Engine - Cont. C85-12 serial no 24761-6-12 + Replaced with Cont C85-12 serial no 4391-6-12 time on airframe is 818.3 hrs tach total time on installed eng is 1043 hrs + 193.0 hrs since Major O.H. Comp check good on engine 80/87 89/95 all cyls. which + not so Replace missing bolt in rudder attachment, repair flap hinge R.H. Flap				
Total Time on A/C 1348 hrs			I certify that this aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition.				Clarence E. Swindle 1A1396373

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP
OF NEXT PAGE

DATE 19__	REMARKS ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.	
	29 Dec 71	863.3 hours on tach Replace fuel Control Valve, Clean + re paint battery box Inspect rudder cable horns. as per A.D. 48-7-1- Pres. Reinforced Inspect mufflers A.D. 48-25-2, Inspect Drag wires + ribs as per A.D. 48-25-3, 1393 T.T. A.E. Clarence E. Swindle 1A1396373 I certify that this aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition.

DATE 19__	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
Aug 6, 1968 Inspected Airframe Checked Cables & Pulleys - Checked Battery & electrical system Packed all wheel bearings - Replaced tail wheel & bearings Installed tail spring Bushings - Repaired lower skin on Rudder Jack Leads							
I certify that this aircraft has been inspected in accordance with a <u>Annual</u> inspection and was determined to be in <u>Airworthy</u> condition.					TT	722.10	1252.60
Signed <u>B.W. Fletcher</u> A/P 1800079							
Total Time <u>1252.60</u> <u>James R. Howell</u> 19							
Date <u>8-6-68</u> <u>ACE-361195</u>							
CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE							

DATE 19__	REMARKS ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.
	19 <u>69</u>
	8-26-69 Jack @ 720 hrs.
	I certify that this <u>Aircraft</u> has been inspected in accordance with a Periodic Inspection, and was determined to be in air worthy condition.
	<u>Keith W. Black</u>
	A & P 1393435,

DATE

19

REMARKS

ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK."

ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.

April 11, 1967 - Annual Inspection - Lach records
691:09 - Cowl and Fuel cockal. Services - inspect
Cable (locks) - inspect airframe cables and pulleys

I certify that this aircraft has been
inspected in accordance with a Annual
inspection and was determined to be
in Good condition.

Signed Edward M. Rieck PER 445979

Total Time 1221:59 hrs

Date April 11, 1967

DATE

REMARKS
ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK."

ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.

19

3-11-66, 100 Hr. Insp. Checked all controls and control cables, Repacked wheel bearings, Checked brakes, Checked electrical system, Cleared fuel strainers, Adjust flap stops, Tighten Tail wheel springs, Replaced tail wheel bearings, Resattled turn buckles, Replaced air filter. Replaced compass.

I certify that this aircraft has been inspected in accordance with a Periodic inspection and was determined to be

in Airworthy condition.

Signed

Floyd G. Richardson

Total Time

1113.1 Tach 512.6

Date

3-11-66

A.1907460

DATE 19____	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
2-2-65					456.6		T Ach Reaching.
							15.6 last 12 month
							Total ###E
							Corrected sum. 987

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE

DATE	REMARKS
1964	ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.
5-24-64	41-43-5-Elevator Spar Reinforcement Installed R. Side. Left side previous. New bolt tank Tack 441 Total 1160 971 Cable & Pulleys Checked
	I certify that this aircraft has been inspected in accordance with <u>Periodic</u> inspection and was determined to be in airworthy condition. Otto M. Wendert 1A1261243
2-2-65	Inspected Cable pulley Screws - Screws - Repaired & wing tip hangar brace -
	I certify that this aircraft has been inspected in accordance with <u>periodic</u> inspection and was determined to be in airworthy condition. Otto M. Wendert 1A1261245

I certify that this aircraft has been inspected in accordance with Periodic inspection and was determined to be in airworthy condition. Robert M. Smith 1A1261243

I certify that this aircraft has been inspected in accordance with periodic inspection and was determined to be in airworthy condition.

Sgt. Otto M. Herdick 1A1261245

DATE 19 <u>63</u>	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
57-28-63			TOTAL TIME		435.00		972.
			TTC TIME	4	10.00		corrected 7/1/63
I certify that this aircraft has been inspected in accordance with a periodic inspection and found to be airworthy. Alexander A & P 1165483							
CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE							

DATE 19__	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
2-21-62			Mech Reading	382.9	hrs		
			TOTAL TIME	918.9		918.9	
I certify that this aircraft has been inspected in accordance with a Periodic Inspection and was determined to be in Airworthy condition AD Notes listed in rear of log book on separate type written paper							
two (2) one inch flesh patches installed on fuselage - new battery R-33 installed							
(2) new overcap tires installed - wheel bearings cleaned & repacked - one new brake disc							
CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE							

DATE 19__	REMARKS ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.	
(cont)	installed ~ 2 new brake blocks ~ 8 new keys	
2-21-62	& 8 new screws installed on inside wheel base left & right - tail wheel removed cleaned & repacked - gasoline tanks sumped - aircraft cleaned -	
	Frank E. Winter AsP 69387V	
2-21-62	Flight test & adjust trim tabs OK	
	Mach Reading 383.6	
	F.E. Winter AsP 69387V	

11709

DATE 19__	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
6-25-57			Metal Wing Conversion.	Installed			Shoulder
			Worms, Installed	air Vent			installed
			like in Cabin.	adjusted			
			Checked Controls.	assigned Ship			Revised Landing gear
			gear has to be replaced	with New 600x6			ties.
			(as tie is out of Balance)	5 top shield glass in right			rear window.
			5 top shield glass in right	of rudder.			Welded out Fuel tank, 3 planes.
			Repair Broken flap hinge.	Air Craft Weight and			357 issued to cover metal wing conversion.
			Safety Belts replace	Rolls Royce			

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE

DATE 19__	REMARKS	
	ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.	
	I Certify that this aircraft has been inspected in accordance with a periodic inspection and determined in airworthy condition.	
	Time on log 726.00	
	J.S. French Jr. E	
	1068145	
	Inspector Authorized	

DATE

19

REMARKS

ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK."
ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.

May 24-1956.

Periodic and Manual inspection.

Airplane washed, inside vacuum cleaned. All cables
& pulleys checked. All inspection ^{plates} removed. Landing gear
checked. brakes checked. battery checked.
47-43-4 47-43-5 checked. It is certified that
this Aircraft has been thoroughly inspected as required
by FAR. and found to be Airworthy.

St. Foster.

Form 1362 issued

A-E 548227

DAN 5452

DATE

19 _____

REMARKS

ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK."

ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.

2-21-56 Wing fabric tests in the First Green or "Good" indication on Seaboth fabric tester. ~~Strength~~ Drape on wings is considered to meet minimum requirements for Safety. Timothy D. Sheehan ASDC # 3-6874

DATE 19 <u>53</u> <u>4</u>	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
11-1	Johnson	Wilder	Business	35	504	15	
11-15	"	"	"	30	504	45	
2-10	"	"	"	20	505	05	
10-10-54	"	"	"	1 35	506	40	
10-22	"	Huron SD	"	4 40	511	20	
10-23	Huron	Grand Fork	"	3 30	514	50	
10-24	Grand F.	Winnipeg Canada	"	1 40	516	30	
10-26	Winnipeg	Grand F. N.D.	"	1 15	517	45	
10-26	L.F.N.D.	Fargo N.D.	"	45	518	30	
10-27	Fargo N.D.	North Platte Neb.	"	5 20	523	50	
10-28	N.P. Neb.	Johnson	"	2 00	525	50	
11-7	Johnson	Wichita	"	2 20	528	10	

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO
OF NEXT PAGE

DATE 19 <u>54</u>	REMARKS ENTER HERE GENERAL DATA WITH REFERENCE TO "LINE" AND "PERIODIC" INSPECTIONS - RIGGING CHANGES - ALTERATIONS - REPAIRS - AND CHANGES IN PROPELLER OR ENGINE - AS OUTLINED IN THE FRONT OF THIS BOOK, UNDER THE HEADING: "INSTRUCTIONS FOR USE OF THIS LOG BOOK." ALL DATA MUST BEAR THE ENDORSEMENT OF A CERTIFICATED MECHANIC, AND HIS RATING AND CERTIFICATE NUMBER MUST BE SHOWN.
	February 13, 1954
	Periodic & Annual inspection completed.
	All controls checked. All cables & pulleys checked.
	wheels & brakes checked. Rejuvenated top of left wing
	finished with (2) coats of clear dope, (3) coats of silver
	It is certified that this aircraft has been thoroughly
	inspected, as required by C.A.R. and found to be Airworthy.
	At <u>Parsons</u> A.E. 548177 P.A.M.I. 5452
	Form 1362 issued.

DATE 19 <u>53</u>	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
4-21	Amarillo	Johnson	Business	1 35	455	10	
4-26	Johnson	Local	"	45	455	55	
5-2	"	Empire	"	1 20	457	15	
5-8	"	Plainview	"	3 00	460	15	
5-9	Plainview	Johnson	"	55	461	10	
5-10	Johnson	Emp.	"	2 55	464	05	
5-23	"	Garden City	"	1 25	465	30	
5-31	"	Wynona	"	50	466	20	
7-4	"	Fields	"	1 00	467	20	
7-17	"	Amarillo	"	1 45	469	05	
7-18	Amarillo	Thorne	"	1 20	470	25	
7-26	Johnson	Amarillo Tex	"	3 45	474	10	

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP
OF NEXT PAGE

DATE 19 <u>53</u>	FLIGHT FROM	TO	NATURE OF FLIGHT	DURATION OF FLIGHT		ACCUMULATED TOTAL FLYING TIME		SIGNATURE OF PILOT
1-4	Johnson	Wynona	Business		45	440	35	C. A. Myers
1-9	"	Lufkin	"	1	10	441	45	
1-11	"	Total	"		50	442	35	"
1-18	"	" Imp	"		45	443	20	"
1-25	"	" "	"		30	443	50	"
2-3	"	" Wynona	"		40	444	30	
2-17	"	Wichita	"	2	35	447	05	
2-20	Wichita	Johnson	"	2	30	449	35	
3-31	Johnson	Total	"		40	450	20	
4-5	"	Syracuse	"	1	15	451	00	
4-12	"	Wynona	"		55	452	15	
4-17	"	Amarillo	"	1	20	453	35	

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP
OF NEXT PAGE

AIRCRAFT LOG AND MAINTENANCE RECORD

Type AP-12

Book # 2.

Record of Perennial 140 11048 76608
Make Model Serial Certificate

With Engine Continental C-85-12 24761-6-12
Make Model Serial

From Jan. 1st 1953 To 19

Detailing Time From 439-50 To
Hours—Minutes Hours—Minutes

Owner Clifton C. Rye

Address Two miles south of - Johnson Kansas