

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation
Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for airframe serial no. 680-0237

Aircraft Identification and Status																			
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		AFU Hours		AFU Events						
680-0237		N680SA	9/26/2018	BTL	1161.6	941	#1 1161.6	#2 1161.6	#1 892	#2 892									
Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished																			
Item Code	Transaction No.	Transaction Type	Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #							
4-12-MC	1	2	Inspection Document MC									8A							
Complied with Airworthiness Limitations Inspection Document MC IAW Cessna 680 MM																			
4-12-MJ	2	2	Inspection Document MJ									9A							
Complied with Airworthiness Limitations Inspection Document MJ IAW Cessna 680 MM																			
5-12-01	3	2	Document 1 Inspection									6A							
Complied with Inspection Document 1 IAW Cessna 680 MM																			
5-12-15	4	2	Document 15 Inspection									7A							
Complied with Inspection Document 15 IAW Cessna 680 MM																			
5-12-20	5	2	Document 20 Inspection									1A							
Complied with Inspection Document 20 IAW Cessna 680 MM.																			
	6	1	Cockpit Display Unit	#1	7037620-811		08096724	C	S			32A							
Removed #1 display unit P/N 7037620-811 S/N 06104065 and installed display from #4 position.																			
	7	1	Cockpit Display Unit	#4	7037620-811		06104065	C	S			32A							
Removed #4 display unit P/N 7037620-811 S/N 08096724 and installed display from #1 position.																			
	8	1	Engine Fire Bottle	#1	30700009-12		63652D1	S	O		0.0	3A							
Removed #1 engine fire bottle P/N 30700009-12 S/N 63246D1 and installed bottle overhauled by Pacific Scientific Company, CRS P94R580N on work order 2756427 dated 25 Jul 2018 IAW Cessna 680 AMM 26-20-00-2 (Rev 26). Bottle Manufacture Date: 09/08 Current Hydrostatic Date: 07/18. Both Cartridge P/N: 30903824-1 S/N-LOT: ESD18G284-001 Service Date: 07/18																			
<small>Trans Type: 1-Component Chg, 2-Inspection, 3-SB, 4-AD, 5-Other Maintenance Removal Reasons: W-Worn To Limits, G-Convergence, S-Scheduled, N-Other (note below), U-Unscheduled Installed Part Status: N-New, R-Repaired, S-Serviceable, O-Overhauled, T-Tested, I-Inspected, M-Modified</small>																			
Repair Facility	Duncan Aviation Battle Creek, MI			Certified Repair Station Number	EBVR450D		Work Order Number	W1PAA				<table border="1"> <tr> <th colspan="2">Maintenance Log</th> </tr> <tr> <th>Section</th> <th>Page</th> </tr> <tr> <td>3</td> <td>1</td> </tr> </table>		Maintenance Log		Section	Page	3	1
Maintenance Log																			
Section	Page																		
3	1																		
Work Performed By:	Duncan Aviation Battle Creek, MI			Certificate No.	EBVR450D		Date	9/26/2018		Permanent Aircraft Record - File In Maintenance Log									
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.																			
Work Inspected By:	DUNCAN RII 241 For Duncan Aviation			Certificate No.	EBVR450D		Date	9/26/2018											


Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation
Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for Eng. #2 serial no. PCE-CG0483

Aircraft Identification and Status														
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs	Total Engine Cycles	APU Hours	APU Events				
680-0237		N680SA	9/26/2018	BTL	1161.6	941	#1	#2	1161.6	#1	#2	892		
Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished														
Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQR #		
	No.	Type												
1	1		Oil Filter		30B6070-01			S	N				10A, 29A	
Complied with oil filter replacement. Removed oil filter P/N 30B6070-01 and installed new filter IAW PW306C EMM 79-20-01. Took oil analysis sample.														
2	2		Bearing Scavenge Oil Tube	#1 Left									11A	
Complied with engine visual check for leakage on No 3 Bearing Scavenge Oil Tube IAW PW306C 79-20-03. No defects noted.														
3	5		Desalination Compressor Wash										27A	
Performed desalination compressor wash IAW PW306C MM 71-00-00.														
4	1		Alternator drive pad seal		30B7406-01		N/A	S	N				25A	
Removed engine alternator drive pad seal P/N 30B5899-01 S/N N/A and installed new seal. Alternator drive pad seal next due for replacement at 1561.6 hours (+/-30).														
5	1		Starter generator pad seal		30B7405-01		N/A	S	N				49A	
Removed engine starter generator pad seal P/N 30B5898-01 S/N N/A and installed new seal. starter generator pad seal next due for replacement at 1561.6 hours (+/-30).														
6														
7														
8														
<small>Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SR, 4 - AD, 5 - Other Maintenance. Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled. Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified.</small>														
Repair Facility	Duncan Aviation Battle Creek, MI			Certified Repair Station Number	EBVR450D			Work Order Number	W1PAA					
Work Performed By:	Duncan Aviation Battle Creek, MI			Certificate No.	EBVR450D			Date	9/26/2018			Permanent Aircraft Record - File In Maintenance Log		
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.														
Work Inspected By:	 DUNCAN RH 241			For Duncan Aviation	Certificate No.	EBVR450D			Date	9/26/2018				


Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

**Duncan Aviation
 Maintenance Transaction Report**

**DUNCAN
 AVIATION**



This Maintenance Transaction Report is to be solely for Eng. #1 serial no. PCE-CG0482

Aircraft Identification and Status																			
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events							
680-0237		N680SA	9/26/2018	BTL	1161.6	941	#1	1161.6	#2	892	#2								
Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished																			
Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #							
	No.	Type																	
	1	1	Oil Filter		30B6070-01			S	N			10A,30A							
Complied with oil filter replacement. Removed oil filter P/N 30B6070-01 and installed new filter IAW PW306C EMM 79-20-01. Took oil analysis sample.																			
	2	2	Bearing Scavenge Oil Tube	#2 Right								11A							
Complied with engine visual check for leakage on No 3 Bearing Scavenge Oil Tube IAW PW306C 79-20-03. No defects noted.																			
	3	5	Desalination Compressor Wash									28A							
Performed desalination compressor wash IAW PW306C MM 71-00-00.																			
	4	1	Alternator drive pad seal		30B7406-01		N/A	S	N			26A							
Removed engine alternator drive pad seal P/N 30B5899-01 S/N N/A and installed new seal. Partially complied with P&WC S.B. No. 25433R1 Dated: Revision No. 1: Jun 07/2018 by replacing alternator drive pad seal (for full compliance of this service bulletin replacement of starter generator drive pad seal will need to be performed). Alternator drive pad seal next due for replacement at 1561.6 hours (+/-30).																			
	5																		
	6																		
	7																		
	8																		
<small>Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance. Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled. Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified.</small>																			
Repair Facility		Duncan Aviation Battle Creek, MI			Certified Repair Station Number		EBVR450D		Work Order Number		W1PAA								
												<table border="1"> <tr> <th colspan="2">Maintenance Log</th> </tr> <tr> <td>Section</td> <td>Page</td> </tr> <tr> <td>6</td> <td>1</td> </tr> </table>		Maintenance Log		Section	Page	6	1
Maintenance Log																			
Section	Page																		
6	1																		
Work Performed By:		Duncan Aviation Battle Creek, MI			Certificate No. EBVR450D		Date		9/26/2018		Permanent Aircraft Record - File In Maintenance Log								
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.																			
Work Inspected By:		 DUNCAN RII 241 For Duncan Aviation			Certificate No. EBVR450D		Date		9/26/2018										



Maintenance Transaction Record

CAMP MTR ID # 2857372



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng.#1 Serial No. _____
 Eng.#2 Serial No. _____
 APU Serial No. _____

Aircraft Identification and Status													
A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N680SA	02-May-2018	KMCO	1095.6	882	1096.6	1096.6	837	837	736	1178	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours	
SL680-32-15	5	3	LANDING GEAR - TRANSMIT GOODRICH SERVICE BULLETIN 2-1675-32-2 LANDING GEAR - MAIN BRAKE ASSEMBLY, - INTRODUCTION OF AN INSPECTION PROCEDURE TO MAKE SURE THE WEAR INDICATOR PINS WERE SET CORRECTLY. SERVICE LETTER										
MOC: COMPLIED WITH Comments: SL680-32-15 was complied with by verifying the installed brake serial numbers are not effected per Goodrich SB 2-1675-32-2 R1 Instructions , S/N installed: 1087,1134,1136, & 1133. No further action required.													
CIL-99-03 R01	6	3	CORROSION PREVENTION AND CONTROL PROGRAM (CPCP), SERVICE LETTER										
MOC: COMPLIED WITH Comments: Complied with by applying Corban to Wall Wells, Vertical and Horizontal Stab and Wing Spars per SL CIL-99-03-R1.													

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(see in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	TEXTRON AVIATION SERVICE - ORLANDO	Certified Repair Station Number	CNQ8919C	Work Order No.	80592
Work Performed By	TEXTRON AVIATION SERVICE - ORLANDO	Certificate No.	CNQ8918C	Date	02-May-2018
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and _____ THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RONALD E. CARNER	Certificate No.	CNQ8918C	Date	02-May-2018
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	2



Maintenance Transaction Record

CAMP MTR ID # 2870695 Replaces MTR ID # 2858573

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng.#1 Serial No. PCE-CG0482
 Eng.#2 Serial No. _____
 APU Serial No. _____



Aircraft Identification and Status													
A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 TII Hrs	Engine 2 TII Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N680SA	02-May-2018	KMCO	1096.6	882	1096.6		837		736		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
792030	1	2	NO. 1 ENGINE - CHANGE OIL									
Comments: Complied with IAW P & W 306C Maintenance Manual Chap. 5-20-00. Serviced with Eastman 2380 Oil.												
2870695002	2	-	COMPRESSOR WASH									
Comments: Complied with a Compressor Wash IAW P & W 306C Maintenance Manual Chap. 72-00-00.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	TEXTRON AVIATION SERVICE - ORLANDO	Certified Repair Station Number	CNQ8918C	Work Order No.	80592
Work Performed By	TEXTRON AVIATION SERVICE - ORLANDO	Certificate No.	CNQ8918C	Date	02-May-2018
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RONALD E. CARNER	Certificate No.	CNQ8918C	Date	02-May-2018
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
6	1



Maintenance Transaction Record

CAMP MTR ID # 2870700 Replaces MTR ID # 2858577



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng.#1 Serial No. _____
 Eng.#2 Serial No. PCE-CG0483
 APU Serial No. _____

Aircraft Identification and Status													
A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N680SA	02-May-2018	KMCO	1096.6	882		1096.6		837			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
792030	1	2	NO. 2 ENGINE - CHANGE OIL									
Comments: Complied with IAW P & W 306C Maintenance Manual Chap. 5-20-00. Serviced with Eastman 2380 Oil.												
2870700002	2	-	COMPRESSOR WASH									
Comments: Complied with a Compressor Wash IAW P & W 306C Maintenance Manual Chap. 72-00-00.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	TEXTRON AVIATION SERVICE - ORLANDO	Certified Repair Station Number		Work Order No.	80592
Work Performed By	TEXTRON AVIATION SERVICE - ORLANDO	Certificate No.	CNQ8918C	Date	02-May-2018
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RONALD E. CARNER	Certificate No.	CNQ8918C	Date	02-May-2018
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
8	1

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation
Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for Eng. #1 serial no. PCE-CG0482

Aircraft Identification and Status												
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events
680-0237		N680SA	1/18/2018	BTL	1061.3	844	#1 1061.3	#2	#1 807	#2		
Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #
	No.	Type										
1	5		Engine Preservation									10A
Complied with regular operation as alternative to preservation of inactive engine S/N PCE-CG0482 IAW Pratt and Whitney PW306C EMM 72-00-00 chapter 7.D.												
2												
3												
4												
5												
6												
7												
8												

Trans Type: 1 - Component Cha, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified

Repair Facility: Duncan Aviation Battle Creek, MI	Certified Repair Station Number: EBVR450D	Work Order Number: ZLWQ	Maintenance Log	
Work Performed By: Duncan Aviation Battle Creek, MI	Certificate No. EBVR450D	Date 1/18/2018	Section 6	Page 1
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.			Permanent Aircraft Record - File In Maintenance Log	
Work Inspected By: <i>[Signature]</i> DUNCAN RII 241 For Duncan Aviation	Certificate No. EBVR450D	Date 1/18/2018		


Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation
Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for Eng. #2 serial no. PCE-CG0483

Aircraft Identification and Status																		
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events						
680-0237		N680SA	1/18/2018	BTL	1061.3	844	#1	#2	1061.3	#1	#2	807						
Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished																		
Item Code	Transaction No.	Transaction Type	Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #						
	1	5	Engine Preservation									10A						
Complied with regular operation as alternative to preservation of inactive engine S/N PCE-CG0483 IAW Pratt and Whitney PW306C EMM 72-00-00 chapter 7.D.																		
	2																	
	3																	
	4																	
	5																	
	6																	
	7																	
	8																	
<small>Trans Type: 1 - Component Cha, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified</small>																		
Repair Facility	Duncan Aviation Battle Creek, MI			Certified Repair Station Number	EBVR450D			Work Order Number	ZLWQ		<table border="1"> <tr> <th colspan="2">Maintenance Log</th> </tr> <tr> <td>Section</td> <td>Page</td> </tr> <tr> <td>8</td> <td>1</td> </tr> </table>		Maintenance Log		Section	Page	8	1
Maintenance Log																		
Section	Page																	
8	1																	
Work Performed By:	Duncan Aviation Battle Creek, MI			Certificate No.	EBVR450D			Date	1/18/2018		Permanent Aircraft Record - File In Maintenance Log							
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.																		
Work Inspected By:	 DUNCAN RII 241 For Duncan Aviation			Certificate No.	EBVR450D			Date	1/18/2018									

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation
Maintenance Transaction Report



This Maintenance Transaction Report is to be solely for airframe serial no. 680-0237

Aircraft Identification and Status																		
A/C Serial No	A/C Unit No	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs	Total Engine Cycles	APU Hours	APU Events								
680-0237		N680SA	1/18/2018	BTL	1061.3	844	#1 1061.3 #2 1061.3	#1 807 #2 807										
Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished																		
Item Code	Transaction No.	Type	Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #						
	1	5	Overall Paint									1A,3A,7A						
Performed overall strip & paint of aircraft in accordance with Duncan Aviation Approved Procedures Manual AP-34-002-96 using the following colors: Base Color: PPG Matterhorn White (CA8800/11050) Second Base Color: Axalta Med. Concorde Blue Metallic (742662) Avionics, Baggage and Access Doors: Sherwin Williams Acry-Glo Beige (00364) Engine Cowl Logo: Axalta Platinum Metallic (499588) Stripe: Axalta Phantom Gray (748864) Stripe: Axalta Platinum (499588)																		
	2	5	Maintenance Note									1A						
Ailerons, Flaps, Elevators and Rudders were removed, painted, balanced.																		
	3	5	Maintenance Note									5A						
Removed #1, 2, 3, 4 MLG wheel assemblies and painted outboard face of MLG wheel assembly with Jet Glo Matterhorn White CM0570535 in accordance with Duncan Approved Paint Procedure AP-34-002-96 and reinstalled wheel assemblies.																		
	4	5	Maintenance Note									1A						
Performed Ultrasonic Thickness Inspection of paint on required composite surfaces and composite flight controls in accordance with Cessna 680 Maintenance Manual 20-31-01.																		
	5	1	Lightning Diverter Strips		LDS10-01-64-1-OV-03-W-160			C	N			1A						
Installed (4 ea) new lightning diverter strips on radome.																		
	6	1	Erosion Boot		PM-53			C	N			1A						
Installed new clear vinyl radome erosion boot.																		
	7	1	Placards									1A						
Installed required external placards.																		
	8	5	Lube Gear / Perform Gear Swing									1A						
Performed Landing Gear Lubrication/Performed Gear Swing IAW C680 MM 12-20-00.																		
<small>Trans. Type: 1 - Component Chg. 2 - Inspection 3 - SB 4 - AD 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repair, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified</small>																		
Repair Facility	Duncan Aviation Battle Creek, MI			Certified Repair Station Number	EBVR450D		Work Order Number	ZLWQ		<table border="1"> <tr> <th colspan="2">Maintenance Log</th> </tr> <tr> <td>Section</td> <td>Page</td> </tr> <tr> <td>3</td> <td>1</td> </tr> </table>			Maintenance Log		Section	Page	3	1
Maintenance Log																		
Section	Page																	
3	1																	
Work Performed By:	Duncan Aviation Battle Creek, MI			Certificate No.	EBVR450D		Date	1/18/2018		Permanent Aircraft Record - File In Maintenance Log								
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.																		
Work Inspected By:	DUNCAN RE 241 For Duncan Aviation			Certificate No.	EBVR450D		Date	1/18/2018										

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation
Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for airframe serial no. 680-0237

Aircraft Identification and Status																			
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events							
680-0237		N680SA	1/18/2018	BTL	1061.3	844	#1	1061.3	#2	1061.3	#1	807	#2	807					
Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished																			
Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #							
	1	5	Maintenance Note									1A							
Performed P-Static check of radome and bonding checks.																			
	2	5	Maintenance Note									4A							
Changed registration number from N101CF to N680SA. Performed reprogramming of ELT P/N S1821502-02 S/N 2619591-0002 IAW Citation 680 AMM, Chapter 25-60-10. HEX ID: ADCDEA4132001A5. Battery expiration date 11/30/2019. Function test passed.																			
	3	5	Maintenance Note									4A							
Reprogrammed transponders for new registration number N680SA and updated Flight ID and the WiFi sign. ICAO code 52202310.																			
	4	5	Maintenance Note									11A							
Repaired corrosion on right side upper wing skin in accordance with Cessna Repair Definition report number S-680-0237/01RD revision (-) dated 21 December 2017 approved by FAA form 8110-3 (ODA-100129-CE) dated 22 December 2017. This is a major repair, see FAA form 337 dated 16 January, 2018																			
	5	5	Maintenance Note									1A							
RVSM Airworthiness Requirements. Aircraft was tested and inspected IAW Cessna 680 Maintenance Manual (34-11-00-6) REV. 25																			
	6	1	VHF Antenna	Aft Belly	S65-8282-1		3850	S	N			18A							
Removed aft belly VHF Antenna P/N S65-8282-1 S/N 3015 and installed new IAW Cessna Model 680 MM (Rev 25), Task 23-20-10-2 (Rev 23).																			
	7	1	Registration Placards	Cockpit				S	N			4A							
Removed old cockpit registration placards and installed new placards "N680SA" IAW Duncan INT-4008.																			
	8	1	Registration Change					S	N			4A							
Registration changed from N101CF to N680SA per form FAA 8050-64.																			
<small>Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repaired, B - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified</small>																			
Repair Facility	Duncan Aviation Battle Creek, MI			Certified Repair Station Number	EBVR450D			Work Order Number	ZLWQ		<table border="1"> <tr> <th colspan="2">Maintenance Log</th> </tr> <tr> <th>Section</th> <th>Page</th> </tr> <tr> <td>3</td> <td>2</td> </tr> </table>			Maintenance Log		Section	Page	3	2
Maintenance Log																			
Section	Page																		
3	2																		
Work Performed By:	Duncan Aviation Battle Creek, MI			Certificate No.	EBVR450D			Date	1/18/2018		Permanent Aircraft Record - File In Maintenance Log								
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.																			
Work Inspected By:	DUNCAN For Duncan Aviation RA 241			Certificate No.	EBVR450D			Date	1/18/2018										

Watford AeroService LLC. N101CF TT 923..5 Cycles 762 3/26/17
SN 680-0237

RT's INOP at this time, will be fixed at next maintenance hub. RT Lock pins installed on both Right and Left Engines, Red Access panel doors installed to display pins installed, All breakers for RT Left and Right have been zip tied to not allow use during flight ops. I certify that this aircraft is in flight worthy condition.

Rob McCree

A/P

3677284



Rob McCree 3/26/17



Maintenance Transaction Record

MTR ID # 2695244
Page 1 of 1

This Maintenance Report is To Be Used Safely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	10-Mar-2017	KSDL	916.5	758	916.5	916.5	721	721			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2695244001	1 -	MAINTENANCE NOTE								
Comments: Adjusted nitrogen level in both MLG oleo struts IAW Citation 680 MM Chpt 12-40-00.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.


Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TEXTRON AVIATION SERVICE CENTER Certified Repair Station Number CNQD918C Work Order No. 53882

Work Performed By TEXTRON AVIATION SERVICE CENTER Certificate No. CNQD918C Date 10-Mar-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By BRETT BOOKER  Certificate No. CNQD918C Date 10-Mar-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2702499
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
0237	0237	N101CF	28-Mar-2017	KTEB	926.7	763	926.7	926.7	726	726	597.5	917	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
01	1	T/R LOCK SWITCH		07ND78311-13		N/A	UN			

Comments: Right T/R light flashes when stowed - Removed and replaced right upper outboard lock switch on right hand T/R- performed ops check all checks good.
The work done I/AW 680 W/M Chapter 78-30-02

- Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

NEW YORK CITATION SERVICE CENTER
 Certified Repair Station Number CNQ6918C Work Order No. 54891
 Performed By NEW YORK CITATION SERVICE CENTER Certificate No. CRS#CNQ6918C Date 28-Mar-2017
 that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Aviation Administration Other (Specify) _____ and
 CRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.
 Performed By BENNY COHEN Certificate No. CRS#CNQ6918C Date 28-Mar-2017
 Details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2706656

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
00-0237	0237	N101CF	06-Apr-2017	SDL	932.8	765							0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSC/TSR	Material Costs	Man Hours
3656001	1 -	RIGHT HAND MLG OLEO								

Comments: Adjusted nitrogen service in right hand MLG oleo to within spec in reference to the Citation 680 AMM Chpt 12-14-03. Leak checks are good.

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc

Removal Reasons WO - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TEXTRON AVIATION SERVICE CENTER Certified Repair Station Number: CNQD918C Work Order No.: 55493

Work Performed By: TEXTRON AVIATION SERVICE CENTER Certificate No.: CNQD918C Date: 06-Apr-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: BRETT BOOKER Certificate No.: CNQD918C Date: 06-Apr-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



CESCOM

Maintenance Transaction Record

MTR ID # 2720777

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	12-May-2017	KSDL	943.3	771	943.3	943.3	734	734	615.6	949	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
D323001 051222	1 2	HYDROSTATIC TEST LANDING GEAR EMERGENCY BLOWDOWN PNEUMATIC BOTTLE	LANDING GEAR	40005369-2		8224				
Hydro Check Date: 31-Jan-2017 Comments:										
353003 051235 : O2	2 2	HYDROSTATIC TEST EMERGENCY OXYGEN BOTTLE		550-0M6W-FF23 AN		P07080353				
Hydro Check Date: 12-May-2017 Comments: Removed portable O2 bottle for hydro test. Reinstalled in aircraft.										
353001	3 1	EMERGENCY OXYGEN BOTTLE		550-0M6W-FF23 AN	9914067-47	P07080353	SC	R		
Comments: Removed part no: 5500M6W-FF23AN Removed serial no: P07080353.										
680-27-14	4 3	FLIGHT CONTROLS - ELEVATOR TRIM ACTUATOR PIN IMPROVEMENT, SERVICE BULLETIN								
MOC: COMPLIED WITH Comments: C/W IAW Cessna SB 680-27-14										
324001	5 1	LANDING GEAR EMERGENCY BLOWDOWN PNEUMATIC BOTTLE	LANDING GEAR	40005369-2	9914678-3	8224	SC	O	0 MTH	
Manufacture Date: 31-Oct-2013 Comments: Removed part no: 40005369-2 Removed serial no: 5155. All work C/W IAW Cessna 680 MM 32-30-70										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TECHNICAIR SDL	Certified Repair Station Number	LN3R663L	Work Order No.	S29-17-09915
Work Performed By	BRYAN BIEROD	Certificate No.	LN3R663L	Date	12-May-2017
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KURT FRANCIS	Certificate No.	LN3R663L	Date	12-May-2017
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



MTR ID # 2731272

Maintenance Transaction Record

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU with Serial No. fields.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TI Cycles, Engine 2 TI Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

Comments: C/W weight and balance IAW Cessna 680 MM 8-20-00, 8-10-00 and 6-110-54.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CD - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TECHNICAIR SDL. Certified Repair Station Number: LN3R663L. Work Order No.: S29-17-10161. Work Performed By: RICHARD PETTY. Certificate No.: CRS#LN3R663L. Date: 09-Jun-2017. Work Inspected By: DAVID FUNK. Certificate No.: CRS#LN3R663L. Date: 09-Jun-2017.

Maintenance Log table with columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2693312

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	09-Mar-2017	KIWA	916.5	758	916.5	916.5	721	721			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
321011 321011 : R	1 1	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY	RIGHT	6941050-3		478M	UN	R		
Comments: Removed Rental part no: 6941050-3 Removed serial no: 398M. Original "Repaired" Strut installed was certified by Textron Aviation, Inc. CRS# CNQR918C. Operational checked good. Work performed I.A.W. chapters 32-10-00 & 12-14-00 of the Citation 750 Maintenance Manual. (899.2 Hours / 746 cycles)										
2693312002	2 1	SENSOR		SPEEDBRAK 9914584-1 E/SPOILER		1753	UN	N 0 MTH 0 HRS		
Comments: Removed part no. 9914584-1 Removed serial no: 1753. Installed new sensor IAW the Cessna 680 MM 27-10-00. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TEXTRON AVIATION SERVICE MESA Certified Repair Station Number CNQD918C Work Order No. 53200

Work Performed By TEXTRON AVIATION SERVICE MESA Certificate No. CNQD918C Date 09-Mar-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By CLARK COLTER *[Signature]* Certificate No. CNQD918C Date 09-Mar-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2671968

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	12-Jan-2017	KIWA	899.2	746	899.2	899.2	713	713	585.2	895	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
321011 321011 : R	1 1	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY	RIGHT	6941050-3		398M	UN	R 1286 LDG		

Comments: Removed part no: 6941050-3 Removed serial no: 478M. Due to leakage. Rental "Repaired" unit installed was certified by Cessna Service Direct CNQR918C. Operational checked good. Work performed I.A.W. chapter 32-10-00 of the Citation 680 Maintenance Manual. Rental unit has 1286 cycles at time of installation.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SG - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TEXTRON AVIATION SERVICE (MESA AZ.) Certified Repair Station Number CNQD918C Work Order No. 50181

Work Performed By TEXTRON AVIATION SERVICE (MESA AZ.) Certificate No. CNQD918C Date 12-Jan-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By LOREN MAIZE  Certificate No. CNQD918C Date 12-Jan-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1

CAMP Systems International
 8201 E. 34th St. North, Bldg. 1100, Suite 1101
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-2443



Maintenance Transaction Report

This Maintenance Transaction Report is To Be Solely For (Check One)

Airframe Entries
 Eng. # 1
 Eng. # 2
 APU
 Serial No.
 Serial No.
 Serial No.

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
680-0237	0237	N101CF	3/1/2017	KSDL	911.3	755	#1 911.3 #2 718	#1 911.3 #2 718	597.5	917

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1												
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

W - Worn To Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (note below)

Enter One

Installed Part Status
N - New
R - Repaired
S - Serviceable
O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	SL680-32-14 C/W- LANDING GEAR - MAIN LANDING GEAR BRAKE VERIFICATION, SERVICE LETTER	Not applicable per serial number for brakes.
2		
3		
4		
5		
6		
7		
8		

Work Order No. <input type="text"/>	Maintenance Log Section <input type="text"/>	Maintenance Log Page <input type="text"/>
Work Performed By:	Certificate No. CRS# LN3R663L	Date 03/01/17
I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service		Permanent Aircraft Record - File In Maintenance Log
Work Inspected By:	Certificate No. CRS# LN3R663L	Date 3/1/2017



MTR ID # 2603149 Replaces MTR ID # 2598042

Maintenance Transaction Record

Page 4 of 4

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2598042	17 1	AIRCELL-AIR TO GROUND ANTENNA	AFT	P12949		448629	SC	N 0 MTH 0 HRS		
Comments: Installed new aircell antenna P/N P12949, S/N 448629 as part of GOGO BIZ internet install. Operational checks passed. Work performed IAW Cessna EO C1009005035 680-0237.										
2598042	18 1	AIRCELL-AIR TO GROUND ANTENNA	FORWARD	P12949		462345	SC	N 0 MTH 0 HRS		
Comments: Installed new aircell antenna P/N P12949, S/N 462345 as part of GOGO BIZ internet install. Operational checks passed. Work performed IAW Cessna EO C1009005035 680-0237.										
2598042	19 1	AIRCELL CONFIGURATION MODULE	FS 495.00	P14126		1412614523	SC	N 0 MTH 0 HRS		
Comments: Installed Aircell Configuration Module part no: P14126 serial no: 1412614523 as part of GOGO BIZ internet install in accordance with Cessna EO C1009005035 680-0237. Operational check good.										
340051 340051 : L	20 1	LEFT GPS MODULE	LEFT	245-604067-100		07012001	SC	S		
Comments: Removed part no: 245-604067-001 Removed serial no: 08032982. Installed module modified by CMC Electronics Inc., CRS# 3-73, WO# 3501286485E, dated August 11, 2015 IAW the Cessna 680 MM 34-55-10. Operational check good.										
340051 340051 : R	21 1	RIGHT GPS MODULE	RIGHT	245-604067-100		08032983	SC	S		
Comments: Removed part no: 245-604067-001 Removed serial no: 08032983. Installed module modified by CMC Electronics Inc., CRS# 3-73, WO# 3501805827E, dated July 21, 2015 IAW the Cessna 680 MM 34-55-10. Operational check good.										
2603149022	22 1	LIFE RAFT	AFT	69FASA-632-1-70 5		6UL-00814	SC	O		
Comments: Removed P/N 69FASA-632-1-705 S/N 6UL-00814. Installed same S/N raft overhauled by Shoreline Marine, INC., CRS# WV1R599K, WO# 2379190, dated July 20, 2016 IAW the Cessna 680 MM 25-60-00. ELT S/N: 133464. ELT Battery date: 11/2019. Cylinder Hydro. due: 07/2021. Next service 07/2019.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	MESA SERVICE CENTER	Certified Repair Station Number	CNQD918C	Work Order No.	39782
Work Performed By	MESA SERVICE CENTER	Certificate No.	CNQD918C	Date	23-Jul-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CLARK COLTER <i>Clark Colter</i>	Certificate No.	CNQD918C	Date	23-Jul-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	4



MTR ID # 2598042

Maintenance Transaction Record

Page 3 of 4

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
237004A	12 1	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY Expiration Date: 01-Jun-2022 Comments: Removed COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: SD35740, and installed repaired COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: SD01118 repaired by Aircraft Instrument and Radio Services Inc. CRS# T12R188L in accordance with Cessna 680 Maintenance Manual 23-70-00. Operational check good. ULB battery expires 6/2022.	COCKPIT	810-2008/K		NSN	UN	N 0 MTH 0 HRS		
324013	13 1	EMERGENCY BRAKE PNEUMATIC BOTTLE Manufacture Date: 01-Sep-2010 Comments: Removed EMERGENCY BRAKE PNEUMATIC BOTTLE part no: 40005370-1 serial no: 7323 for hydrostatic test, and installed overhauled EMERGENCY BRAKE PNEUMATIC BOTTLE part no: 40005370-1 serial no: 7323 overhauled by S. J. O'Brien Ent. Inc. CRS# QK3R792L in accordance with Cessna 680 Maintenance Manual 32-43-00. Leak and operational checks good.		40005370-1	9914678-2	7323	SC	O 70 MTH		
D324301 051222 : BRAKE	14 2	HYDROSTATIC TEST EMERGENCY BRAKE PNEUMATIC BOTTLE Hydro Check Date: 14-Jul-2016 Comments: Removed EMERGENCY BRAKE PNEUMATIC BOTTLE part no: 40005370-1 serial no: 7323 for hydrostatic test, and installed overhauled EMERGENCY BRAKE PNEUMATIC BOTTLE part no: 40005370-1 serial no: 7323 overhauled by S. J. O'Brien Ent. Inc. CRS# QK3R792L in accordance with Cessna 680 Maintenance Manual 32-43-00. Leak and operational checks good.		40005370-1		7323				
291005	15 1	HYDRAULIC BOOTSTP 700 CI RESERVOIR Comments: Removed HYDRAULIC BOOTSTP 700 CI RESERVOIR part no: 7520-3 serial no: 0281, and installed modified HYDRAULIC BOOTSTP 700 CI RESERVOIR part no: 7520-3 serial no: 0089 modified by Pneudraulics Inc. CRS# PD6R469L in accordance with Cessna 680 Maintenance Manual 29-10-01. Leak and operational checks good.		7520-3	9914648-7	0089	UN	R		
2598042016	16 1	ATG 4000 BROADBAND LRU Comments: Installed new ATG 4000 broadband LRU P/N P13989, S/N 1398914315 as part of GOGO biz internet install. Operational checks passed. Work performed IAW Cessna EO C1009005035 680-0237.		P13989		1398914315				

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	MESA SERVICE CENTER	Certified Repair Station Number	CNQD918C	Work Order No.	39782
Work Performed By	MESA SERVICE CENTER	Certificate No.	CNQD918C	Date	23-Jul-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CLARK COLTER <i>Clark Colter</i>	Certificate No.	CNQD918C	Date	23-Jul-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	3



Maintenance Transaction Record

MTR ID # 2598042 Page 2 of 4

This Maintenance Report is To Be Used Solely For (Check One)

Form with checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU, each followed by a Serial No. field.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains multiple rows of maintenance entries with detailed comments.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Mac. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments). Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: MESA SERVICE CENTER. Certified Repair Station Number: CNQD918C. Work Order No.: 39782. Work Performed By: MESA SERVICE CENTER. Certificate No.: CNQD918C. Date: 23-Jul-2016. Includes a signature and a statement of airworthiness.

Maintenance Log table with columns: Section, Page. Row 1: 3, 2.



Maintenance Transaction Record

MTR ID # 2598042 Page 1 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 6 transaction entries.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: MESA SERVICE CENTER, Certified Repair Station Number: CNQD918C, Work Order No.: 39782, Date: 23-Jul-2016. Includes signature of Clark Colter.

Maintenance Log table with columns: Section, Page. Row 1: 3, 1



Maintenance Transaction Record

MTR ID # 2604711
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	27-Jul-2016	KSDL	802.7	685	802.7	802.7	651	651			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2604711001	1 -	RECONFIGURED AIRCRAFT ARINC SETTINGS								
Comments: Reconfigured Aircraft ARINC Settings due to incorrect settings. Operational checks are satisfactory. Work performed in reference to SB680-34-12 Rev 1.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: MESA CITATION SERVICE CENTER Certified Repair Station Number: CNQD918C Work Order No.: 41035

Work Performed By: MESA CITATION SERVICE CENTER Certificate No.: CNQD918C Date: 27-Jul-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE IN RESPECT TO THE WORK PERFORMED.

Work Inspected By: EDDY BULINSKI Certificate No.: CNQD918C Date: 27-Jul-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1

TRAVIS SWIFT



Maintenance Transaction Record

MTR ID # 2604496

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, N101CF, 27-Jul-2016, KIWA, 795, 679, 795, 795, 645, 645, 509.5, 812, .

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Row 1: 256005, 1 1, LIFE RAFT, , 69FASA-632-1-705, , 6UL-00813, SC, O 0 MTH 0 HRS. Comments: Life raft PN 69FASA-632-1-705 SN 6UL-00813 was overhauled by Shoreline Marine Inc. FAA# WV1R599K. Next service due by 7/31/2019

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: MESA SERVICE CENTER, Certified Repair Station Number: CNQD918C, Work Order No.: 30782, Date: 27-Jul-2016. I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration. THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.

Maintenance Log table with 2 columns: Section, Page. Row 1: 3, 1



Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-945-9006 / Phone: 316-941-6291

Maintenance Transaction Report

This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
680-0237		N101CF	8-30-2016	KSDL	829.7		#1 _____ #2 _____	#1 _____ #2 _____			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter# Change Desired)	TSO Installed Part	Material Costs	Man Hours
1												
2	Do Not											
3	Write											
4	In This											
5	Space											
6												
7												
8												

- Type Transaction
1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments Below

Removal Reason
Enter One:

- W - Worn To Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other(note below)

Installed Part Status

- Enter One:
- N - New
 - R - Repaired
 - S - Serviceable
 - O - Overhauled

Ref No. This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced L/H front avionics door gas spring with new P/N 6713117-21 IAW Citation C680 MM 52-30-00 operational check good
2	Serviced R/H MLG strut IAW Citation C680 MM 12-14-00
3	Serviced accumulator IAW Citation C680 MM 29-10-02 and 12-12-03 no leaks noted
4	Adjusted pin hole on emergency exit door IAW Citation C680 MM 52-20-00 operational check good
5	
6	
7	
8	

Repair Facility	Signature Technician	Certificated Repair Number	LN3R663L	Work Order No.	S29-16-09322	<table border="1"> <tr><th colspan="2">Maintenance Log</th></tr> <tr><th>Section</th><th>Page</th></tr> <tr><td> </td><td> </td></tr> <tr><td colspan="2">Scheduled Removal Due (TAT)</td></tr> <tr><td> </td><td> </td></tr> </table>	Maintenance Log		Section	Page			Scheduled Removal Due (TAT)			
Maintenance Log																
Section	Page															
Scheduled Removal Due (TAT)																
Work Performed By		Certificate No.	LN3R663L	Date												
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.																
Work Inspected By:		Certificate No.	LN3R663L	Date	8-30-2016	Permanent Aircraft Record-File In Maintenance Log										



Maintenance Transaction Record

MTR ID # 2633083
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	06-Oct-2016	KHOU	862	719	862	862	686	686	558.3	861	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2633083001	1 -	AILRON RATIO CHANGER PROX SWITCH		6908272-12		NSN	UN	N 0 MTH 0 HRS		
Comments: Gained access to aileron changer ratio box inspected gap to prox switch good. Performed ohms check resistance readings high found prox switch defective , Removed aileron ratio prox switch installed new switch performed operational checks good no CAS message present work done IAW CE680 AMM 27-11-10. P/N ON OFF 6908272-12										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility SAN ANTONIO CITATION SERVICE CENTER
 Certified Repair Station Number CRS# CNQ5918C
 Work Order No. REV 44925

Work Performed By SAN ANTONIO CESSNA CITATION SERVICE CENTER
 Certificate No. CRS# CNQ5918C
 Date 06-Oct-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By MARK MILINA *Mark Milina*
 Certificate No. CRS CNQ5918C
 Date 06-Oct-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



Maintenance Transaction Record

MTR ID # 2637256

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	17-Oct-2016	KIWA	868.4	723	868.4	868.4	690	690			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
261002 261002 : R	1 1	RIGHT BLEED AIR CONTROL UNIT	RIGHT	35009-20		D5064	N	S		
Comments: Removed Right Bleed Air Control Unit P/N 35009-20 S/N D5010 and swapped with serviceable control unit (Right Wing Bleed Air Leak Control Unit) P/N 35009-20 S/N D5064 for troubleshooting purposes IAW Cessna 680 AMM 36-20-10, checks good on operational check.										
261003 261003 : R	2 1	RIGHT ANTI-ICE CONTROL UNIT	RIGHT	35009-20		D5010	N	S		
Comments: Removed Right Wing Bleed Air Leak Control Unit P/N 35009-20 S/N D5064 and swapped with serviceable control unit (Right Bleed Air Control Unit) P/N 35009-20 S/N D5010 for troubleshooting purposes IAW Cessna 680 AMM 36-20-10, checks good on operational check.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility MESA CITATION SERVICE CENTER Certified Repair Station Number CNQD918C Work Order No. 43997

Work Performed By MESA CITATION SERVICE CENTER Certificate No. CNQD918C Date 17-Oct-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By CLARK COLTER *Clark Colter* Certificate No. CNQD918C Date 17-Oct-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2667158

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	30-Dec-2016	KSDL	893.7	739	893.7	893.7	706	706	585.2	895	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
D243102 051234 : L	1 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34	LEFT	023167-000		00091EE0				
Comments:										
D243102 051234 : R	2 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34	RIGHT	023167-000		0008850B				
Comments:										
5-12-13 051213	3 2	INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS)								
Comments:										
5-12-21 051221	4 2	INSPECTION DOCUMENT 21(91.207 ITEMS)								
Comments:										
5-12-34	5 2	INSPECTION DOCUMENT 34								
Comments:										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility SIGNATURE TECHNICAIR
 Certified Repair Station Number LN3R663L
 Work Order No. S29-16-09706

Work Performed By KURT FRANCIS
 Certificate No. CRS#LN3R663L Date 30-Dec-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By MIKE BOWEN
 Certificate No. CRS#LN3R663L Date 30-Dec-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2501633
Page 6 of 6

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries, Eng. #1, Eng. #2, APU

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER, Certified Repair Station Number: CNQR918C, Work Order No.: 25216, Date: 15-Dec-2015

Maintenance Log table with columns: Section, Page

Handwritten signature of Sergio A. Velez



Maintenance Transaction Record

MTR ID # 2501633
Page 5 of 6



Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER, Certified Repair Station Number: CNQR918C, Work Order No.: 26216, Date: 15-Dec-2015

Maintenance Log table with columns: Section, Page

Handwritten signature of Sergio A. Velez



Maintenance Transaction Record

MTR ID # 2501633

Page 4 of 6



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
245012 245012 - R	23 1	RIGHT B/A MONITOR NF208 PCB ASSY	RIGHT	6918625-26		0604A	UN	R		
Comments: Removed right bleed air monitor PCB assembly, P/N: 6918625-26 S/N: 0604A, due to failure. Unit repaired and reinstalled IAW the CE 680 M/M Chapter 35-20-00. Operational check good. Unit repaired by: Cessna Service Direct. CRS#: CNQR918C.										
B256001	24 2	FUNCTIONAL CHECK EMERGENCY LOCATOR TRANSMITTER (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324) INSPECTION DOCUMENT 21(91.207 ITEMS)		S1821502-02		26195910002				
Comments: Accomplished Inspection Document 21 functional check of emergency locator transmitter IAW the CE 680 M/M Chapter 25-63-01. Operational check good.										
321007 321007 - L	25 1	LEFT MAIN LANDING GEAR TRAILING LINK	LEFT	6941030-2		25129221	UN	N 0 LDG		
Comments: Removed left MLG trailing link, P/N: 6941030-2 S/N: 419, due to corrosion. Replaced with new trailing link IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										
321007 321007 - R	26 1	RIGHT MAIN LANDING GEAR TRAILING LINK	RIGHT	6941030-2		25121602	UN	N 0 LDG		
Comments: Removed right MLG trailing link, P/N: 6941030-2 S/N: 420, due to corrosion. Replaced with new trailing link IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										
321009 321009 - L	27 1	LEFT MAIN LANDING GEAR TRAILING LINK SPACER	LEFT	6941031-16		24633937J	UN	N 0 LDG		
Comments: Removed left MLG trailing link spacer, P/N: 6941031-16 S/N: 419, due to corrosion. Replaced with new unit IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										
321009 321009 - R	28 1	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER	RIGHT	6941031-16		24631146A	UN	N 0 LDG		
Comments: Removed right MLG trailing link spacer, P/N: 6941031-16 S/N: 420, due to corrosion. Replaced with new unit IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CNQR918C Date: 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SERGIO A. VELEZ *Sergio A. Velez* Certificate No.: CNQR918C Date: 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	4



Maintenance Transaction Record

MTR ID # 2501633

Page 3 of 6



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	16 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Accomplished INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS IAW the CE-680 M/M chapter 5-12-42								
5-12-MC	17 2	INSPECTION DOCUMENT MC Comments: Accomplished INSPECTION DOCUMENT MC IAW the CE-680 M/M chapter 5-12-MC								
5-12-MD 0512MD	18 2	INSPECTION DOCUMENT MD (800 HR/CH 4 INSP) Comments: Accomplished INSPECTION DOCUMENT MD (800 HR/CH 4 INSP) IAW the CE-680 M/M chapter 5-12-MD								
5-12-MG 0512MG	19 2	INSPECTION DOCUMENT MG (800 HRS TWICE THEN 1600 HRS/CH 4 INSP) Comments: Accomplished INSPECTION DOCUMENT MG (800 HRS TWICE THEN 1600 HRS/CH 4 INSP) IAW the CE-680 M/M chapter 5-12-MG								
059048	20 2	- VOR FUNCTIONAL CHECK Comments: Remove Item Code 059048 per customer request.								
D243102 051234 - L	21 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments: Accomplished Inspection Document 34 functional check of left main battery, S/N: 00091EE0, IAW the CE 680 M/M Chapter 24-31-00. Operational check good.	LEFT	023167-000		00091EE0				
D243102 051234 - R	22 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments: Accomplished Inspection Document 34 functional check of right main battery, S/N: 0008850B, IAW the CE 680 M/M Chapter 24-31-00. Operational check good.	RIGHT	023167-000		0008850B				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CNQR918C Date: 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SERGIO A. VELEZ Certificate No.: CNQR918C Date: 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	3



Maintenance Transaction Record

MTR ID # 2501633 Page 2 of 6



Aircraft Identification and Status
This Maintenance Report is To Be Used Solely For (Check One)
Airframe Entries, Eng. #1, Eng. #2, APU

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER, Certified Repair Station Number: CNQR918C, Work Order No.: 26216, Date: 15-Dec-2015

Maintenance Log table with columns: Section, Page

Handwritten signature of Sergio A. Velez



Maintenance Transaction Record

MTR ID # 2501633 Page 1 of 6

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287/ Fax: 316-462-0791



Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER, Certified Repair Station Number: CNQR918C, Work Order No.: 26216, Date: 15-Dec-2015. Includes signature of Sergio A. Velez.

Maintenance Log table with 2 columns: Section, Page. Row 1: 3, 1.



CESSNA
Maintenance Transaction Record
This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAME SYSTEMS INTERNATIONAL
 8209 S. 34th St. Suite 100
 Building 1000, Suite 1007
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	29-Sep-2015	SBJD	769.3	660	769.3	769.3	626	626	501.3	780	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSC/TSR	Material Costs	Man Hours
340050 340050 : L	1 1	NO. 1 ATC TRANSPONDER	NO. 1	7517400-950 XS-857A		03106530	UN	S		

Comments: Replaced NO. 1 ATC Transponder. Removed PN 7517400-950 SN 0803D893. Installed PN 7517400-950 SN 03106530 (Modified), I.A.W. MM Cessna 680 chapter 34-13-00 Rev.23 -
 FAA Form 8130-3 # 321295841, dated Jun/26/2015, issued by Honeywell.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.
 Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)
 Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhaul

Repair Facility TAM AVIACAO EXECUTIVA E TAXI AEREO S/A
 Certified Repair Station Number COM # 6905-1 / ANAC
 Work Order No. 82110

Work Performed By TAM AVIACAO EXECUTIVA E TAXI AEREO S/A
 Certificate No. COM # 6905-1 / ANAC
 Date 29-Sep-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) ANAC / BRAZIL
 and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By VLADILSON SALDANHA CARDOSO
 Certificate No. COD. ANAC # 718304
 Date 29-Sep-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page

Scanned with CamScanner



Maintenance Transaction Record

MTR ID # 2513593
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	16-Jun-2016	ICT	785.2	668	785.2	785.2	634	634	505.5	790	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2513593	1 -	AIRWORTHINESS CERTIFICATE								
Comments: This aircraft meets the requirements for the certificate requested and has been issued a Standard Airworthiness Certificate on December 17, 2015.										
360013 360013 - CNTR	2 1	CENTER ENGINE BLEED SHUTOFF VALVE	CENTER	2602-68	9914552-3	0262C	UN	O		
Comments: Removed inoperative cross over valve S/N 0289. Installed overhauled valve S/N 0262C IAW the CE-680 MM Chapter 36-00-13. Overhaul accomplished by Aerospace Systems and Components, INC. CRS# OI2R058L Operational and leak check good.										
2513593003	3 1	KANNAD ELT DONGLE					UN	S		
Comments: Programmed tail number PP-UTC for ELT IAW the Kannad Component MM Chapter 25-63-01. 15 Digit Hex Code: D8C64B6D63C86E5.										

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 16-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and _____

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Mason* Certificate No. CNQR918C Date 16-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2588189
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone 316-462-2267/ Fax. 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	20-Jun-2016	ICT	787.6	670	787.6	787.6	636	636	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
2588189002	1 1	CONDENSER BAG		83237-12		N/A	UN	N	0 MTH 0 HRS		
Comments: Removed and replaced water separator condenser bag IAW the CE-680 MM Chapter 21-50-00. Leak check good.											
275010	2 1	LEFTAILERON TRIM ACTUATOR	LEFT	2A7211D	9914667-6	D0461	UN	O			
Comments: Removed inoperative Left Aileron Trim Actuator S/N D0481. Installed overhauled actuator S/N D0461 IAW the CE-680 MM Chapter 27-11-01. Overhaul accomplished by Woodward MPC Inc. CRS# M74R907N. Operational check good.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 20-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and _____

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Mason* Certificate No. CNQR918C Date 20-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
	3



Maintenance Transaction Record

MTR ID # 2589400

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	22-Jun-2016	ICT	789.1	671	789.1	789.1	637	637	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
330005 330005 1	1 1	NO. 1 EMERGENCY LIGHTING (UF004) BATTERY PACK	NO. 1	CBS28-1		2482M	UN	S		
Comments: Removed inoperative NO.1 Emergency Battery Pack S/N 2276. Installed modified battery S/N 2482M IAW the CE-680 MM Chapter 33-50-00. Unit modified by Radiant Power Corp. CRS# W9PR345Y. Operational check good.										
330005 330005 2	2 1	NO. 2 EMERGENCY LIGHTING (UC003) BATTERY PACK	NO. 2	CBS28-1		1935M	UN	S		
Comments: Removed inoperative NO.2 Emergency Battery Pack S/N 2924. Installed modified battery S/N 1935M IAW the CE-680 MM Chapter 33-50-00. Unit modified by Radiant Power Corp. CRS# W9PR345Y. Operational check good.										
330005 330005 3	3 1	NO. 3 EMERGENCY LIGHTING (UF006) BATTERY PACK	NO. 3	CBS28-1		2124M	UN	S		
Comments: Removed inoperative NO.3 Emergency Battery Pack S/N 2756. Installed modified battery S/N 212M IAW the CE-680 MM Chapter 33-50-00. Unit modified by Radiant Power Corp. CRS# W9PR345Y. Operational check good.										
330005 330005 4	4 1	NO. 4 EMERGENCY LIGHTING (UF008) BATTERY PACK	NO. 4	CBS28-1		2008M	UN	S		
Comments: Removed inoperative NO.4 Emergency Battery Pack S/N 2489. Installed modified battery S/N 2008M IAW the CE-680 MM Chapter 33-50-00. Unit modified by Radiant Power Corp. CRS# W9PR345Y. Operational check good.										
2589400005	5 1	AIRCELL HANDSET		P12192-003		1219238925	UN	N	0 MTH 0 HRS	
Comments: Removed inoperative cockpit overhead aircell handset S/N 1219213553. Installed new handset S/N 1219238925 IAW the CE-680 MM Chapter 23-40-00. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CNQR918C Date: 22-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and _____

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SHAWN MASON *Shawn Mason* Certificate No.: CNQR918C Date: 22-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



MTR ID # 2727806 Replaces MTR ID # 2590693

Maintenance Transaction Record

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	23-Jun-2016	ICT	790.8	672	790.8	790.8	638	638	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
276002 276002 : LO	1 1	LEFT OUTBOARD ROLL SPOILER POWER CONTROL UNIT	LEFT OUTBOARD	1560800-5	9914651-3	1483	UN	O		
Comments: Removed inoperative Left Outboard Roll spoiler power control unit S/N 1569. Installed overhauled actuator S/N 1483 IAW the CE-560XL MM Chapter 27-10-00. Overhaul accomplished by NABTESCO AEROSPACE, INC CRS# HV6R601N. Operational and leak check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CNQR918C	Date	23-Jun-2016
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and _____					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SHAWN MASON <i>Shawn Mason</i>	Certificate No.	CNQR918C	Date	23-Jun-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	



CESCOM

Maintenance Transaction Record

MTR ID # 2591053
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	24-Jun-2016	ICT	791.1	673	791.1	791.1	639	639	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2591053001	1 -	LEFT WING MIDDLE FLAP								
Comments: Adjusted Left wing middle flap actuators and accomplished mechanical rigging IAW the CE-680 MM Chapter 27-50-00. Operational check good.										

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 24-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and _____

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shaw Mason* Certificate No. CNQR918C Date 24-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



Maintenance Transaction Record

MTR ID # 2592457
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	28-Jun-2016	ICT	792.4	676	792.4	792.4	642	642	507.5	792	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
276002 276002 - LC	1 1	LEFT CENTER ROLL SPOILER POWER CONTROL UNIT	LEFT CENTER	1560800-5	9914651-3	2951	UN	N 0 MTH 0 HRS		

Comments: Removed inoperative Left Center Roll Spoiler Power Control Unit S/N 1483. Installed new PCU S/N 2951 IAW the CE-680 MM Chapter 27-12-01. Operational and leak check good.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 28-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Ma* Certificate No. CNQR918C Date 28-Jun-2016

pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



CESCOM

Maintenance Transaction Record

MTR ID # 2591714

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	27-Jun-2016	ICT	791.9	675	791.9	791.9	641	641	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
276002 276002 LC	1 1	LEFT CENTER ROLL SPOILER POWER CONTROL UNIT	LEFT CENTER	1560800-5	9914651-3	1483	UN	O		
Comments: Replaced Left Center Roll Spoiler PCU due to damaged pushrod locking tab. Removed unit s/n: 1560. Installed unit part no:1560800-5 serial no:1483 IAW the CE-680 M/M chapter 27-10-00 overhauled by Nabtesco Aerospace Inc., CRS# HV6R601N. Operational and leak check good.										
324020 324002	2 1	PARKING BRAKE VALVE		98340-9	9912388-9	0482	UN	O	4 MTH 0 HRS	
Comments: Removed inoperative valve part no: 98340-9, serial no: 0364 and installed valve overhauled by SAF Industries, LLC D/B/A Gar-Kenyon Technologies CRS# GK0R519Y, IAW the CE-680 M/M chapter 32-42-70. Operational and leak check good.										
276002 276002 RC	3 1	RIGHT CENTER ROLL SPOILER POWER CONTROL UNIT	RIGHT CENTER	1560800-5	9914651-3	2943	UN	N	0 MTH 0 HRS	
Comments: Removed inoperative Right Center Spoiler PCU S/N 1435. Installed new PCU S/N 2943 IAW the CE-680 MM Chapter 27-10-00. Operational and leak check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CNQR918C Date: 27-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and _____

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SHAWN MASON *Shawn Mason* Certificate No.: CNQR918C Date: 27-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



CESCOM

Maintenance Transaction Record

MTR ID # 2595612

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	05-Jul-2015	ICT	792.8	677	792.8	792.8	643	643	507.9	793	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	1 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Accomplished Inspection Document 42 IAW the CE-680 MM Chapter 5-12-42.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CNQR918C Date: 05-Jul-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and _____

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SHAWN MASON *Shawn Mason* Certificate No.: CNQR918C Date: 05-Jul-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	

TRAVIS SWIFT



Maintenance Transaction Record

MTR ID # 2593475

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TH Cycles	Engine 2 TH Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	08-Jul-2016	KICT	793	678	793	793	644	644	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2593475	1 -	REGISTRATION CHANGE								
Comments: Accomplished registration change from PP-UTC to N101CF. Accomplished re-programming of APM for N101CF, re-strapped transponders and flight ID IAW the CE-680 MM Chapter 34-23-10. Programmed ELT dongle for tail number N101CF per PR550 Manual S7025501 and Kannad CMM 25-63-01. ELT Hex Address : ADCDE80228C01A5 Installed new call placards.										
321011 321011 R	2 1	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY	RIGHT	6941050-3		478M	SC	R		
Comments: Removed Right Main Gear Oleo P/N 6941050-2 S/N478 due to internal seal leaking. Installed repaired unit P/N 6941050-3 S/N 478M IAW the CE-680 MM Chapter 32-10-10. Unit repaired by Cessna Service Direct LLC/d.b.a. Wichita Citation Service Center CRS# CNQR918C.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CNQR918C Date: 08-Jul-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and _____

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By: JESSIE RAY DRYER Certificate No.: CNQR918C Date: 08-Jul-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



CASCOTI Maintenance Transaction Record

MTR ID # 2200100
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
6200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2257 Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Tti Cycles	Engine 2 Tti Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	22-Mar-2014	SBSP	598.1	493	598.1	598.1	460	460			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
221001 221010	1 1	FLIGHT GUIDANCE CONTROL PANEL		7022010-909 GP-400		06120621	N	R		

Comments: Replaced Flight Guidance Control Panel. Removed PN 7022010-909 S/N 08060842. Installed PN 7022010-909 S/N 06120621 (Repaired), I.A.W M.M 680 Chapter 22-10-01 Rev. 20 - Form B130-3 N° 317272743, dated Mar 14 / 2014, emitted by Honeywell.

Trans. Type: 1 - Component, 2 - Inspection, 3 - BB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number CHE # 6905-01 / ANAC Work Order No. 78841

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No. CHE # 6905-01 / ANAC Date 22-Mar-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By VLADILSON SALDANHA CARDOSO Certificate No. COD. ANAC NO. 718304 Date 22-Mar-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2205336 Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: CNQ8918C, Work Order No.: 6044469, Date: 05-Nov-2013

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2205336
Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N405JD	05-Nov-2013	MCO	537.8	452	537.8	537.8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-01 051201	1 2	MSG-3 INSPECTION DOCUMENT 1 (INTERVAL 1A ITEMS)								
Comments: Complied with Inspection Document #1 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-01.										
5-12-02 051202	2 2	MSG-3 INSPECTION DOCUMENT 2 (INTERVAL 2A ITEMS)								
Comments: Complied with Inspection Document #2 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-02.										
5-12-03 051203	3 2	MSG-3 INSPECTION DOCUMENT 3 (INTERVAL 3A ITEMS)								
Comments: Complied with Inspection Document #3 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-03.										
5-12-09 051209	4 2	MSG-3 INSPECTION DOCUMENT 9 (INTERVAL 4C ITEMS)								
Comments: Complied with Inspection Document #9 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-09.										
5-12-15 051215	5 2	MSG-3 INSPECTION DOCUMENT 15 (INTERVAL 4A/4C ITEMS)								
Comments: Complied with Inspection Document #15 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-15.										
5-12-36 051236	6 2	INSPECTION DOCUMENT 36 (INTERVAL 3A/4C ITEMS)								
Comments: Complied with Inspection Document #36 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-36.										
5-12-38 051238	7 2	INSPECTION DOCUMENT 38 (INTERVAL 4A/2C ITEMS)								
Comments: Complied with Inspection Document #38 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-38.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER Certified Repair Station Number: CNQ8918C Work Order No.: 6044469

Work Performed By: ORLANDO CITATION SERVICE CENTER Certificate No.: CRS# CNQ8918C Date: 05-Nov-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: GARY DUCHARME *Gary Ducharme* Certificate No.: CRS# CNQ8918C Date: 05-Nov-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3PT2	

CAMP Systems International
 8200 E. 34th St. Bldg. 1600, Suite 1607
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-0791



Maintenance Transaction Report

This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. # 1 Serial No.
 Eng. # 2 Serial No.
 APU Serial No.

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
680-0237	0237	N405JD	11/5/2013	MCO	537.8	452	#1 537.8 #2 537.8	#1 419 #2 419		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction		Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	No.	Type											
	1		MAINTENANCE NOTE										
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Type Transaction: 1. Component Change, 2. Inspection Accomplished, 3. Service Bulletin Accomplished, 4. Airworthiness Directive Accomplished
 Detail Method Of Compliance Under Comments Below
 W - Worn To Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note below)
 Enter One: N - New, R - Repaired, S - Serviced, O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	This aircraft was inspected and found to be current on it's FAA approved inspection program, and to be in a condition for safe operation. AD notes were checked through Bi-Weekly issue 2013-21 for applicability and compliance.
2	
3	
4	
5	
6	
7	
8	

Work Order No.	6044553	Maintenance Log Section	3	Maintenance Log Page	1	Scheduled Removal Due (TAT)
----------------	---------	-------------------------	---	----------------------	---	-----------------------------

Work Performed By: CESSNA ORLANDO CSC
 Certificate No. CNQ8918C
 Date 11/05/13
 Scheduled Removal Due (TAT)

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Work Inspected By: *[Signature]* JOHN M. CARNEY
 Certificate No. CNQ8918C
 Date 11/5/2013

Permanent Aircraft Record - File In Maintenance Log

CAMP Systems International
 8200 E. 34th St. Bldg. 1600, Suite 1607
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-0791



Maintenance Transaction Report



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. # 1
 Eng. # 2
 APU
 Serial No. Serial No. Serial No.

Aircraft Identification and Status												
A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events
680-0237	0237	N405JD	11/5/2013	MCO	537.8	452	#1 537.8	#2 537.8	#1 419	#2 419		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1												
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Date: November 5, 2013

Registration Number: N405JD

Serial Number: 680-0237

I have inspected this aircraft and found that it meets the requirements for the certificate requested and I have issued a Standard (Transport Category) Airworthiness Certificate this date.

- Type Transaction
- 1. Component Chan
 - 2. Inspection Accom
 - 3. Service Bulletin A
 - 4. Airworthiness Dir

Authorized Signature

Fred E. Ware
 Fred E. Ware
 DART200033-SO

- Called Part Status
- New
 - Repaired
 - Serviceable
 - Overhauled
 - Etc.

Ref No	
1	
2	
3	
4	
5	
6	
7	
8	

Work Order No. <input type="text"/>		Maintenance Log Section 3	Maintenance Log Page 1	Scheduled Removal Due (TAT) <input type="text"/>
Work Performed By: <input type="text"/>	Certificate No. <input type="text"/>	Date <input type="text"/>		
I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service			Permanent Aircraft Record - File In Maintenance Log	
Work Inspected By: <input type="text"/>	Certificate No. <input type="text"/>	Date <input type="text"/>		

CAMP Systems International
 8200 E. 34th St. Bldg. 1600, Suite 1607
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-0791



Maintenance Transaction Report



This Maintenance Transaction Report is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.

Aircraft Identification and Status

A/C Serial No. 680-0237	A/C Unit No. 0237	A/C Registration N405JD	Date (Mo.-Day-Yr.) 11/11/2013	City Identifier MCO	Total A/C Hours 538.9	Total A/C Landings 453	Total Engine Hours #1 538.9 #2 538.9	Total Engine Cycles #1 420 #2 420	APU Hours	APU Events
----------------------------	----------------------	----------------------------	----------------------------------	------------------------	--------------------------	---------------------------	---	--------------------------------------	-----------	------------

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1		MAINTENANCE NOTE										
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

W - Worn To Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other(note below)

Enter One
 N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

Ref No	1	This aircraft was inspected and found to be current on it's FAA approved inspection program, and to be in a condition for safe operation. AD notes were checked through Bi-Weekly issue 2013-22 for applicability and compliance. The special requirements for Brazil were reviewed and complied with as applicable.
2		
3		
4		
5		
6		
7		
8		

Work Order No.	6044663	Maintenance Log Section	3	Maintenance Log Page	1	Scheduled Removal Due (TAT)
----------------	---------	-------------------------	---	----------------------	---	-----------------------------

Work Performed By: CESSNA ORLANDO CSC Certificate No. CNQ8918C Date 11/11/13

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Work Inspected By: *[Signature]* JOHN M. CARNEY Certificate No. CNQ8918C Date 11/11/2013

Permanent Aircraft Record - File In Maintenance Log

CAMP Systems International
 8200 E. 34th St. Bldg. 1600, Suite 1607
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-0791



Maintenance Transaction Report



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. # 1
 Eng. # 2
 APU
 Serial No. Serial No. Serial No.

Aircraft Identification and Status												
A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events
680-0237	0237	N405JD	11/11/2013	MCO	538.9	453	#1 538.9	#2 538.9	#1 420	#2 420		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1		Date: November 11, 2013										
	2		Registration Number: N405JD										
	3		Serial Number: 680-0237										
	4		I have inspected this aircraft and found that it meets the requirements for the certificate requested and I have issued an Export Certificate of Airworthiness to Brazil this date.										
	5												
	6												
	7												
	8												

Type Transact:
 1. Component C
 2. Inspection Ac
 3. Service Bulle
 4. Airworthiness

Authorized Signature

Fred E. Ware
 Fred E. Ware
 DART200033-SO

Installed Part Status
 N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

S, Etc.

Ref No.	
1	
2	
3	
4	
5	
6	
7	
8	

Work Order No. <input type="text"/>	Maintenance Log Section	3	Maintenance Log Page	1	Scheduled Removal Due (TAT)
Work Performed By: <input type="text"/>	Certificate No. <input type="text"/>	Date <input type="text"/>			
I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service				Permanent Aircraft Record - File In Maintenance Log	
Work Inspected By: <input type="text"/>	Certificate No. <input type="text"/>	Date <input type="text"/>			



Maintenance Transaction Record

MTR ID # 2223251
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Nov-2013	MCO	538.9	453	538.9	538.9	420	420			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2223251	1 -	REGISTRATION CHANGE								
Comments: Complied with registration change from N405JD to PP-UTC with paint work on aircraft, IAW 690 M.M. ch. 12-26-00. Transponders and the ELT transmitter have been strapped for new registration IAW 690 M.M. ch. 25-60-10 and 45-40-00. Operational checks good. New ELT 15 digit code is D8C64B8D63C86E5.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, D - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number 1106-41/ANAC Work Order No. 6044469

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. 1106-41/ANAC Date 15-Nov-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) BRAZIL ANAC and

I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By MARTIN FREEMAN Certificate No. 1106-41/ANAC Date 15-Nov-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286069

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 78247. Date: 27-Dec-2013. THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Maintenance Log table with columns: Section, Page



CAMP
Maintenance Transaction Record

MAIN ID # 7108947
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
6200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TB Cycles	Engine 2 TB Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	24-Jan-2013	SBDJ	512.2	431	512.2	512.2	398	398	304.3		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
274001	1 1	STABILIZER TRIM MOTOR		EM440-2	9914257-4	130	N	O		
Comments: Replaced Stabilizer Trim Motor. Removed P/N EM440-1 (9914257-3) S/N 576. Installed P/N EM440-2 (9914257-4) S/N 130 (Overhauled), I.A.W MM Cessna 680, Chapter 27-40-00 Rev.19. Form 8130-3 # 62267, dated Mar/22/2012 issued by Western Ski.										
40027	2 1	LEFT CURSOR CONTROLLER	LEFT	7028610-903	CC-950	08110700	N	R		
40027 : L Comments: Replaced Left Cursor Controller. Removed P/N 7028610-903 S/N 8020579. Installed P/N 7028610-903 S/N 08110700 (Repaired), I.A.W MM Cessna 680 Chapter 34-24-00 Rev.19. Form 8130-3 # 312274513, dated Jul/23/2012 issued by Honeywell.										
108947003	3 -	NOTE: RIGHT CURSOR CONTROLLER								
Comments: Verified Cursor Controller installed P/N 7028610-903 S/N 07070495 is installed in the Right position.										

11

Trans. Type: 1 - Component, 2 - Inspection, 3 - BB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A Certified Repair Station Number CHE Nº. 6905-01/ANAC Work Order No. 75995

Work Performed By TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A Certificate No. CHE Nº. 6905-01/ANAC Date 24-Jan-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By WANTUIR FELIPPE DA SILVA Certificate No. COD. ANAC # 345793 Date 24-Jan-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2246084
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 WICHITA, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	08-Jan-2014	S BSP	556.1	460	556.1	556.1	427	427	356	564	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - BB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number		Work Order No.	
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	08-Jan-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	08-Jan-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



CBSCOM Maintenance Transaction Record

MTR ID # 2246084
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	09-Jan-2014	SBSP	556.1	460	556.1	556.1	427	427	356	564	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	08-Jan-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	16-Jan-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286079

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	05-Feb-2014	SBSP	576	477	576	576	444	444			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
232011 232011 : R	1 1	RIGHT COMMUNICATION RADIO MODULE	RIGHT	7026201-801		04040661	N	R		

Comments: Replaced RH Communication Radio Module. Removed PN 7026201-801 S/N 08064790. Installed PN 7026201-801 S/N 04040661 (Repaired), I.A.W M.M 680 Chapter 23-10-10 Rev. 19 - Form 8130-3 N° 316583678, dated Jan 08 / 2014, emitted by Honeywell.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 78519.

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE # 6905-01 / ANAC. Date: 05-Feb-2014.

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON SALDANHA CARDOSO. Certificate No.: COD. ANAC NO. 718304. Date: 05-Feb-2014.

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2261410

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
880-0237	0237	PP-UTC	06-Feb-2014	SBSP	576.8	478	576.8	576.8	445	445	373.9	582	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CD - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	06-Feb-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	06-Feb-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286158

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2257/ Fax: 316-462-0791



Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CD - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing fields for Repair Facility, Certified Repair Station Number, Work Order No., Work Performed By, Certificate No., Date, and Work Inspected By.

Maintenance Log table with columns: Section, Page



MTR ID # 2286264 Replaces MTR ID # 2286147

Maintenance Transaction Record

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
690-0237	0237	PP-UTC	10-Mar-2014	SBJD	592	489	592	592	456	456			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
262002 262002 : CABIN	1	1	CABIN PORTABLE FIRE EXTINGUISHER	CABIN	C352TS		Y-650217	N	N	0 MTH 0 HRS		
Comments: Replaced Cabin Portable Fire Ext. Removed PN C352 S/N X-561534. Installed PN C352TS S/N Y-650217 (New), I.A.W M.M 680 Rev. 20 - Form 8130-3 N° 4089703, dated Jan 13 / 2014, emitted by Cessna Aircraft Company. Manufacture Date: Jan / 2014 Next Hydro Check: Jan / 2025												
262002 262002 : CKPT	2	1	COCKPIT PORTABLE FIRE EXTINGUISHER	COCKPIT	C352TS		Y-548311	N	N	0 MTH 0 HRS		
Comments: Replaced Ckpt Portable Fire Ext. Removed PN C352TS S/N X-624311. Installed PN C352TS S/N Y-548311 (New), I.A.W M.M 680 Rev. 20 - Form 8130-3 N° 4083368, dated Jan 07 / 2014, emitted by Cessna Aircraft Company. Manufacture Date: Jan / 2014. Next Hydro Check: Jan / 2025												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	78737
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE # 6905-01 / ANAC	Date	10-Mar-2014
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC NO. 718304	Date	10-Mar-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



MTR ID # 2267563
Page 1 of 1

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	11-Mar-2014	SBSP	592	489	592	592	456	456	383	593	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2267563001	1 - VOR									
Comments: RBHA 91.171 VOR CHECK										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number		Work Order No.	
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	11-Mar-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC _____ and _____					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	11-Mar-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286199

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2257/ Fax: 316-462-0791



[x] Airframe
Entries

[] Eng. #1
Serial No.

[] Eng. #2
Serial No.

[] APU
Serial No.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 22-Mar-2014, SBSP, 598.1, 493, 598.1, 598.1, 460, 460, , , 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Row 1: 221001, 1 1, FLIGHT GUIDANCE CONTROL PANEL, , 7022010-909, GP-400, 06120621, N, R, ,

Comments: Replaced Flight Guidance Control Panel. Removed PN 7022010-909 S/N 08060842. Installed PN 7022010-909 S/N 06120621 (Repaired), I.A.W.M.M 680 Chapter 22-10-01 Rev. 20 - Form 8130-3 N° 317272743, dated Mar 14 / 2014, emitted by Honeywell.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 78841. Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE # 6905-01 / ANAC. Date: 22-Mar-2014. I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the [] Federal Aviation Administration [x] Other (Specify) ANAC / BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE. Work Inspected By: VLADILSON SALDANHA CARDOSO. Certificate No.: COD. ANAC NO. 716304. Date: 22-Mar-2014.

Maintenance Log table with 2 columns: Section, Page.

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.



CBSCOM Maintenance Transaction Record

MTR ID # 2285232
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	27-Mar-2014	SBSP	602.9	496	602.9	602.9	463	463	388.7	600	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	27-Mar-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the			
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC and			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	27-Mar-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286218

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 15-Apr-2014, SBJD, 598.1, 493, 598.1, 598.1, 460, 460, , , 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No., Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status, Material Costs, Man Hours. Includes two entries for COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON and COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 78991. Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE # 6905-01 / ANAC. Date: 15-Apr-2014. I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and Other (Specify) ANAC / BRAZIL. THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE. Work Inspected By: VLADILSON SALDANHA CARDOSO. Certificate No.: COD. ANAC NO. 718304. Date: 15-Apr-2014.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2286606

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Apr-2014	SBSP	616.6	509	616.6	616.6	476	476	400.8	613	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility _____	Certified Repair Station Number _____	Work Order No. _____
Work Performed By <u>CESAR ALIBONI</u>	Certificate No. <u>14493</u>	Date <u>25-Apr-2014</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC</u> and		
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.		
Work Inspected By <u>CESAR ALIBONI</u>	Certificate No. <u>14493</u>	Date <u>25-Apr-2014</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2301310

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	01-May-2014	SBSP	618.2	512	618.2	618.2	479	479	401.2	615	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91,171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	01-May-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	01-May-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



MTR ID # 2290203

Maintenance Transaction Record

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	30-Apr-2014	SBJD	618.2	511	618.2	618.2	478	478			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
801000 801000 : L	1 1	LEFT ENGINE STARTER/GENERATOR	LEFT ENGINE	23291-005	9914685-1	P1664	N	O		
Comments: Replaced Starter Generator LH, IAW MM Cessna 680 Series Rev. 20, Removed PN 23291-005 SN P1853 and Installed PN 23291-005 SN P1664 (Overhauled) FORM 8130-3 nr R13-06919 dated 12/31/2013 issued by Ametek B&S Aircraft Parts & Accessories										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S A	Certified Repair Station Number	CHE # 6905-01/ANAC	Work Order No.	79088
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE # 6905-01 / ANAC	Date	30-Apr-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 71830-4	Date	30-Apr-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



12350 North Vistoso Park Road
 Oro Valley, Arizona 85755
 Customer: CESSNA#1

REPAIR STATION DISCREPANCY REWORK RECORD

phone (520) 297-0844
 fax (520) 498-4924

Ship by: 04/07/2014

DESCRIPTION		WORK ORDER	PART NUMBER	PART REV/MOD	PART SER NO.
EBATTS		RMA-049691	100-2410-04	2	1104
MOT/ATP STEP	DISCREPANCY	CORRECTIVE ACTION	TECH DATE	REWORK*	PROD / IN DATE
1201F II	B, Hs due, eco required	Replace Batts Install Eco #		Rep. Batts @ D.D.C. 08123 New Batts P/N 362-0003-01 D.C. 14042 P# 029236	
		100616-4 + 110927-2	TEV 3-25-14	Installed Eco # 100616-4 R57 P/N 308-0029-03 P# 020665 R57 P/N 308-26K100A2 B# 13604 Jump PDS From U6-9 to U4-14 U6-9 to U6-14, eco # 110929-2 R19 R50 P/N 308-00K150AA P# 91738 R56 P/N 308-000506 P# 020950	
				Replaced P.C. on Monitor & C.C.B INSTALLED THERMAL PAD P/N 120-4394-01 P# 027961 Between Back Panel & Viper Assy	APR 03 2014

SHEET 1 OF 2

QC. 026 09/9

*PART DESIGNATOR/PART NUMBER, P.O.# OR S/N



Maintenance Transaction Record

MTR ID # 2294508

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSNT/SO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing fields for Repair Facility, Certified Repair Station Number, Work Order No., Work Performed By, Certificate No., Date, and Work Inspected By.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2293873

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SIG - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S.A. Certified Repair Station Number: CHE # 6905-01/ANAC Work Order No. 79202 Date 20-May-2014

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2315397

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	18-Jun-2014	SBSP	652.9	531	652.9	652.9	498	498	416.6	634	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WC - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuil, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	18-Jun-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the			
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	18-Jun-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2318103

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Jul-2014	SBSP	663.3	546	663.3	663.3	515	515	426.9	649	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements Trans.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	21-Jul-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	21-Jul-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2329117

Page 7 of 7

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - EB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing repair details: Repair Facility, Certified Repair Station Number, Work Order No., Work Performed By, Certificate No., Date, and Work Inspected By.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2329117

Page 6 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WG - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 79770. Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE # 6905-01/ANAC. Date: 21-Aug-2014.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2329117

Page 5 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report Is To Be Used Solely For (Check One)

Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 79770. Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE # 6905-01/ANAC. Date: 21-Aug-2014.

Maintenance Log table with columns: Section, Page

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.



Maintenance Transaction Record

MTR ID # 2329117

Page 4 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 79770. Date: 21-Aug-2014. Work Inspected By: VLADILSON SALDANHA CARDOSO. Certificate No.: COD, ANAC # 718304. Date: 21-Aug-2014.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2329117

Page 3 of 7

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2257/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing repair facility details, work performed by, certified repair station number, work order number, date, and certification text.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2329117

Page 2 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Form with checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU, each followed by a Serial No. field.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains multiple rows of inspection and calibration records.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form section for repair facility details, work performed by, and work inspected by, including fields for station number, certificate number, date, and signature.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2329117

Page 1 of 7

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing repair details: Repair Facility, Certified Repair Station Number, Work Order No., Work Performed By, Certificate No., Date, and signature of VLADILSON SALDANHA CARDOSO.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2330108

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1500, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBJD	674	558	674	674	525	525	434.1	667	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIL-32-02 R1	1 3	NOSE LANDING GEAR ISOLATOR-PIN INSPECTION, SERVICE LETTER Comments: Accomplished SL CIL 32-02 R.1, in accordance with Instructions paragraphs 1 (A) (B) (C) (D), 2 (A), 3 (A1), 2, 5A, 6 and 7 (A) (B) (C) of this CIL.								
SL680-32-10	2 3	NOSE WHEEL STEERING CABLE INSPECTION, SERVICE LETTER Comments: Accomplished SL680-32-10 in accordance with Instructions paragraphs 01(A,B,C,D), 2, 3(A), 9, 10, 11 (A,B,C) of this SL.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 79770

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE # 6905-01 / ANAC. Date: 21-Aug-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON SALDANHA CARDOSO. Certificate No.: COD. ANAC # 718304. Date: 21-Aug-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page

CBSCOM

Maintenance Transaction Record

MTR ID # 2331120
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBJD	674	558	674	674	525	525	434.1	667	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
324001	1 1	LANDING GEAR EMERGENCY BLOWDOWN PNEUMATIC BOTTLE Manufacture Date: 30-Nov-2008	LANDING GEAR	40005369-2 9914678-3		5155	SC	O 93 MTH		
Comments: Replaced Landing Gear Emergency Blowdown Pneumatic Bottle. Removed PN 40005369-2 (9914678-3) SN 6182. Installed PN 40005369-2 (9914678-3) SN 5155 (Overhauled). I.A.W. MM Cessna 680 chapter 5-12-22 Rev 21 - FAA Form 8130-3 # W392092-4496420-1, dated May/08/2014, issued by Pacific Scientific.										
324013	2 1	EMERGENCY BRAKE PNEUMATIC BOTTLE Manufacture Date: 31-Dec-2010		40005370-1 9914678-2		7323	SC	O 44 MTH		
Comments: Replaced Emergency Brake Pneumatic Bottle. Removed PN 40005370-1 (9914678-2) SN 6182. Installed PN 40005369-2 (9914678-2) SN 7323 (Overhauled). I.A.W. MM Cessna 680 chapter 5-12-22 Rev 21 - FAA Form 8130-3 # W384634-4512529-1, dated Jan/03/2014, issued by Pacific Scientific.										
258003	3 1	EMERGENCY LOCATOR TRANSMITTER BATTERY		S1820516-99 KANNAD 406AF		10012019	SC	N 0 MTH		
Comments: Replaced Emergency Locator Transmitter Battery. Installed PN S1820516-99 SN 10012019, I.A.W. MM Cessna 680 chapter 25-60-00 Rev.21 - Form 8130-3 # 4105971, dated Jan/28/2014, issued by Cessna Aircraft Company.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	79770
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE # 6905-01/ANAC	Date	21-Aug-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	21-Aug-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



CBSCOM

Maintenance Transaction Record

MTR ID # 2345092
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBSP	674	558	674	674	525	525	434.1	668	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								

Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements

Trade Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.
 Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)
 Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	21-Aug-2014
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and _____			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	21-Aug-2014
pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	11-Sep-2014	SBJD	681.8	566	681.8	681.8	533	533			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-27-12 R1	1 3	FLIGHT CONTROLS - RUDDER BIAS ACTUATOR IMPROVEMENT, SERVICE BULLETIN								
Comments: Accomplished with SB 680-27-12 R1, IAW instructions paragraphs 01 thru 07 of this SB. Replaced Pneumatic Bias Actuator. Removed P/N 6960561-78 S/N 78. Installed P/N 6960561-86 S/N APW355 (Overhauled - FORM 8130-3 # OA 213812-1/ 2029912 issued by APPH Wichita on 06/02/2014). IAW SB 680-27-12 instructions.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.
 Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)
 Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S.A.	Certified Repair Station Number	COM # 6905-01/ANAC	Work Order No.	79971
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S.A.	Certificate No.	COM # 6905-01/ANAC	Date	11-Sep-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/ BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	11-Sep-2014
Pertinent details of this maintenance are on file at <u>our</u> facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2349913

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S.A. Certified Repair Station Number: COM # 6905-01/ANAC Work Order No.: 79971 Date: 11-Sep-2014

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2345089
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67225
Phone: 316-462-2267 / Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	18-Sep-2014	SBSP	683.8	569	683.8	683.8	536	536	444	678	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	18-Sep-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the			
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	18-Sep-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2349217

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	09-Oct-2014	SBSP	691	575	691	691	542	542	448.2	684	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number		Work Order No.	
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	09-Oct-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	09-Oct-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2366436
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	06-Nov-2014	SBSP	702.7	586	702.7	702.7	553	553	455	695	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	06-Nov-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the			
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	06-Nov-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2371250

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CD - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing fields for Repair Facility, Certified Repair Station Number, Work Order No., Work Performed By, Certificate No., Date, and Work Inspected By.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2386772
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	16-Jan-2015	SBSJ	722	605	722	722	571	571	467.1	713	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	16-Jan-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	16-Jan-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



CESCOM

Maintenance Transaction Record

This Maintenance Report is To Be Used Solaly For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

MTR ID # 2393949
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	10-Feb-2015	SBSP	735.5	626	735.5	735.5	592	592	475.9	734	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	10-Feb-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	10-Feb-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



CBSCOM

Maintenance Transaction Record

MTR ID # 2412312

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	26-Mar-2015	SBJD	735.5	626	735.5	735.5	592	592	475.9	734	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIL-32-02 R1	1	3	NOSE LANDING GEAR ISOLATOR-PIN INSPECTION, SERVICE LETTER								
Comments: Accomplished SL CIL-32-02, in accordance with paragraphs 3A, 3B, 5, 6, 7 of this SL. No further action required.											
SL680-53-05 R1	2	3	AFT CANTED BULKHEAD INSPECTION, SERVICE LETTER								
Comments: Verified SL680-53-05. Not Applicable in Aircraft Serial Number, in accordance paragraph "Effectivity".											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WG - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	80897
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	26-Mar-2015
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SAULO LISBOA VIEIRA	Certificate No.	COD, ANAC # 114259	Date	26-Mar-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2412298

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	26-Mar-2015	SBJD	735.5	626	735.5	735.5	592	592	475.9	734	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSC/TSR	Material Costs	Man Hours
FAA 2014-18-01	1 4	APPLIANCE AD - NAVIGATION - ROCKWELL COLLINS, INC. MODE S TRANSPONDERS - INSPECTION / MODIFICATION								
Comments: Verified AD 2014-18-01. Not Applicable in according paragraph "Applicability". Installed in the aircraft Transponder Honeywell Model: XS-857A PN 7517400-950 SN 0803D893 and SN 0803D861.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number: COM # 6905-1 / ANAC Work Order No.: 80897

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No.: COM # 6905-1 / ANAC Date: 26-Mar-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SAULO LISBOA VIEIRA Certificate No.: COD. ANAC # 114259 Date: 26-Mar-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2412107

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status, Material Costs, Man Hours

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing repair details: Repair Facility, Work Performed By, Work Inspected By, Certificate No., Date, and a certification statement.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2411330
Page 2 of 2



Aircraft Identification and Status
This Maintenance Report is To Be Used Solely For (Check One)
Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TI Cycles, Engine 2 TI Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 26-Mar-2015, SBJD, 735.5, 626, 735.5, 735.5, 592, 592, 475.9, 734, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains multiple rows of repair and inspection records.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: COM # 6905-1 / ANAC. Work Order No.: 80897. Date: 26-Mar-2015. Includes signature of SAULO LISBOA VIEIRA.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2411330

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TI Cycles, Engine 2 TI Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSC/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A. Certified Repair Station Number: COM # 6905-1 / ANAC. Work Order No.: 80897. Date: 26-Mar-2015. Signature of Saulo Lisboa Vieira.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2431597
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-452-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Frecn Hrs
680-0237	0237	PP-UTC	24-Apr-2015	SBSJ	735.9	627	735.9	735.9	593	593	476.4	735	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	24-Apr-2015
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC and			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	24-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2439722

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TI Cycles, Engine 2 TI Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 13-May-2015, SBSJ, 743.5, 631, 743.5, 743.5, 597, 597, 480.8, 746, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Row 1: 059048, 1 2 - VOR FUNCTIONAL CHECK, Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: UTC ENGENHARIA, Station Number, Work Order No., Work Performed By: CESAR ALIBONI, Certificate No. 14493, Date 30-May-2015. I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the [] Federal Aviation Administration [x] Other (Specify) ANAC and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE. Work Inspected By: CESAR ALIBONI, Certificate No. 14493, Date 30-May-2015. Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log table with 2 columns: Section, Page



Maintenance Transaction Record

MTR ID # 2446443 Page 1 of 1

CAMP Systems International
6200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Comments: Replaced Standby Battery Pack. Removed P/N 100-2410-04 S/N 1104. Installed P/N 100-2410-04 S/N 0808351 (Repaired - FORM 8130-3 # 2130490 issued by Securaplane Technologies on 03/16/2015). IAW Cessna Citation Maintenance Manual P/N 68MM Rev. 21 chapter: 24-32-00.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certified Repair Station Number: COM # 6905-1 / ANAC. Work Order No.: 81368. Date: 15-May-2015. Work Inspected By: VLADILSON SALDANHA CARDOSO. Certificate No.: COD. ANAC # 718304. Date: 15-May-2015.

Maintenance Log table with columns: Section, Page



CBSCOM Maintenance Transaction Record

MTR ID # 2440692
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	30-May-2015	SBSJ	747.1	634	747.1	747.1	600	600	482.4	749	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.
 Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)
 Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility UTC ENGENHARIA	Certified Repair Station Number _____	Work Order No. _____	Date 30-May-2015
Work Performed By CESAR ALIBONI Certificate No. 14493			
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the			
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC and			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By CESAR ALIBONI Certificate No. 14493 Date 30-May-2015			
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2467096
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	636	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
FAA 2015-08-07 PARA (G)	1 4	INSPECT THE INFLATABLE HARNESS FITTED TO EACH FLIGHTCREW OXYGEN MASK REGULATOR TO DETERMINE IF THE INFLATABLE HARNESS IS INSTALLED WITH A PART NUMBER AND A BATCH NUMBER IDENTIFIED IN APPENDIX I OF ZODIAC AEROSPACE SERVICE BULLETIN MXH-35-240, REVISION 7, DATED SEPTEMBER 1, 2011								
Comments: Verified AD 2015-08-07, in accordance to paragraph (G) of this AD. Not applicable because the Series Numbers of installed not included in Service Bulletin Zodiac Aerospace MXH-35-240R7. PN installed MC10-16-150 SN 121690 MFG: 04/2007 Overhaul: 06/2013 and SN 88003 MFG: 11/2000 Overhaul: 06/2013.										
FAA 2015-10-51-E	2 4	AVIDYNE INTEGRATED FLIGHT DISPLAY (IFD)- INCORPORATE OPERATIONAL LIMITATIONS INTO LIMITATIONS SECTION OF THE AFM OR AFMS.								
Comments: Verified AD 2015-10-51-E, in accordance paragraph instructions (C), not applicable in Displays Installed in the aircraft. Installed Display PN 7037620-811 Manufactured: Honeywell.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certified Repair Station Number: COM # 6905-1 / ANAC Work Order No.: 81885

Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certificate No.: COM # 6905-1 / ANAC Date: 25-Aug-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: FRANCISCO JOSÉ MACHADO LUCAS Certificate No.: COD, ANAC # 394528 Date: 25-Aug-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2466102
Page 6 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2466102031	31 2	PREFLIGHT INSPECTION								
Comments: Performed Preflight Inspection, I.A.W. MM Cessna 680 PN 680MM23 Rev.23.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certified Repair Station Number: COM # 6905-1 / ANAC Work Order No.: 81885

Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certificate No.: COM # 6905-1 / ANAC Date: 25-Aug-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: FRANCISO JOSÉ MACHADO LUCAS *[Signature]* Certificate No.: COD, ANAC # 394528 Date: 25-Aug-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2466102
Page 5 of 6

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A, Certified Repair Station Number: COM # 6905-1 / ANAC, Work Order No.: 81885, Date: 25-Aug-2015

Maintenance Log table with columns: Section, Page



MTR ID # 2466102

Maintenance Transaction Record

Page 4 of 6

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
256004 256004 : 3	18 1	NO. 3 LIFE JACKET	NO. 3	PO1074-207		227805	SC	S		
Comments: Removed NO. 1 Life Jacket PN PO1074-207 SN 227805. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvôo 003 # MRL-OF-EE 2722/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										
256004 256004 : 4	19 1	NO. 4 LIFE JACKET	NO. 4	PO1074-207		227755	SC	S		
Comments: Removed NO. 4 Life Jacket PN PO1074-207 SN 227755. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvôo 003 # MRL-OF-EE 2720/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										
256004 256004 : 5	20 1	NO. 5 LIFE JACKET	NO. 5	PO1074-207		227000	SC	S		
Comments: Removed NO. 5 Life Jacket PN PO1074-207 SN 227000. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvôo 003 # MRL-OF-EE 2717/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										
256004 256004 : 6	21 1	NO. 6 LIFE JACKET	NO. 6	PO1074-207		227964	SC	S		
Comments: Removed NO. 6 Life Jacket PN PO1074-207 SN 227964. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvôo 003 # MRL-OF-EE 2727/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										
256004 256004 : 7	22 1	NO. 7 LIFE JACKET	NO. 7	PO1074-207		227824	SC	S		
Comments: Removed NO. 7 Life Jacket PN PO1074-207 SN 227824. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvôo 003 # MRL-OF-EE 2724/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										
256004 256004 : 8	23 1	NO. 8 LIFE JACKET	NO. 8	PO1074-207		227808	SC	S		
Comments: Removed NO. 8 Life Jacket PN PO1074-207 SN 227808. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvôo 003 # MRL-OF-EE 2723/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A
 Certified Repair Station Number: COM # 6905-1 / ANAC
 Work Order No.: 81885
 Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A
 Certificate No.: COM # 6905-1 / ANAC
 Date: 25-Aug-2015
 I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.
 Work Inspected By: FRANCISO JOSÉ MACHADO LUCAS
 Certificate No.: COD. ANAC # 394528
 Date: 25-Aug-2015
 Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2466102
Page 3 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)
Airframe Entries
Eng. #1 Serial No.
Eng. #2 Serial No.
APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WQ - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A
Certified Repair Station Number: COM # 6905-1 / ANAC
Work Order No.: 81885
Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A
Certificate No.: COM # 6905-1 / ANAC
Date: 25-Aug-2015
Work Inspected By: FRANCISO JOSÉ MACHADO LUCAS
Certificate No.: COD. ANAC # 394528
Date: 25-Aug-2015

Maintenance Log
Section Page



MTR ID # 2466102
Page 2 of 6

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
A561102	7 2	DETAILED INSPECTION (DELAMINATION) COCKPIT WINDSHIELD AND SIDE WINDOWS: INSPECTION DOCUMENT 38 (INTERVAL 4A/2C ITEMS)								
Comments: Performed Inspection Document 38, I.A.W. MM Cessna 680 chapter 5-12-38 Rev.23.										
B561101	8 2	FUNCTIONAL CHECK (TORQUE INSPECTION) WINDSHIELD RETAINER SCREWS: INSPECTION DOCUMENT 38 (INTERVAL 4A/2C ITEMS)								
Comments: Performed Inspection Document 38, I.A.W. MM Cessna 680 chapter 5-12-38 Rev.23.										
5-12-39	9 2	INSPECTION DOCUMENT 39								
Comments: Performed Inspection Document 39, I.A.W. MM Cessna 680 chapter 5-12-39 Rev.23.										
B262003 051239 : CABIN	10 2	FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	CABIN	C352TS		Y-650217				
Weight Check Date: 18-Aug-2015 Comments: Performed Inspection Document 39, I.A.W. MM Cessna 680 chapter 5-12-39 Rev.23.										
B262003 051239 : CKPT	11 2	FUNCTIONAL (WEIGHT) CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	COCKPIT	C352TS		Y-548311				
Weight Check Date: 18-Aug-2015 Comments: Performed Inspection Document 39, I.A.W. MM Cessna 680 chapter 5-12-39 Rev.23.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	81885
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	25-Aug-2015
<p>I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the</p> <p><input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and</p> <p>THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.</p>					
Work Inspected By	FRANCISO JOSÉ MACHADO LUCAS <i>[Signature]</i>	Certificate No.	COD. ANAC # 394528	Date	25-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2466102
Page 1 of 6

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSC/TSR	Material Costs	Man Hours
5-12-06 051206	1 2	MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS)								
Comments: Performed Inspection Document 06, I.A.W. MM Cessna 680 chapter 5-12-06 Rev.23.										
5-12-13 051213	2 2	MSG-3 INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS)								
Comments: Performed Inspection Document 13, I.A.W. MM Cessna 680 chapter 5-12-13 Rev.23.										
5-12-21 051221	3 2	INSPECTION DOCUMENT 21(91,207 ITEMS)								
Comments: Performed Inspection Document 21, I.A.W. MM Cessna 680 chapter 5-12-21 Rev.23.										
A256002	4 2	DETAILED INSPECTION EMERGENCY LOCATOR TRANSMITTER ELT, ELT MOUNT AND ANTENNA (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324); INSPECTION DOCUMENT 21(91,207 ITEMS)		S1821502-02		26195910002				
Comments: Performed Inspection Document 21, I.A.W. MM Cessna 680 chapter 5-12-21 Rev.23.										
B256001	5 2	FUNCTIONAL CHECK EMERGENCY LOCATOR TRANSMITTER (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324);INSPECTION DOCUMENT 21(91,207 ITEMS)		S1821502-02		26195910002				
Comments: Performed Inspection Document 21, I.A.W. MM Cessna 680 chapter 5-12-21 Rev.23.										
5-12-38 051238	6 2	INSPECTION DOCUMENT 38 (INTERVAL 4A/2C ITEMS)								
Comments: Performed Inspection Document 38, I.A.W. MM Cessna 680 chapter 5-12-38 Rev.23.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certified Repair Station Number: COM # 6905-1 / ANAC Work Order No.: 81885

Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certificate No.: COM # 6905-1 / ANAC Date: 25-Aug-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: FRANCISO JOSÉ MACHADO LUCAS Certificate No.: COD. ANAC # 394528 Date: 25-Aug-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2467026
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TH Cycles, Engine 2 TH Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certified Repair Station Number: COM # 6905-1 / ANAC. Work Order No.: 81885. Date: 25-Aug-2015. Includes signature of Francisco José Machado Lucas.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2462667

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	12-Aug-2015	SBSV	752.3	638	752.3	752.3	604	604	487	753	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuil, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number		Work Order No.	
Work Performed By	SERGIO DEL FORNO	Certificate No.	803932	Date	12-Aug-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SERGIO DEL FORNO	Certificate No.	803932	Date	12-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2479287

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 17-Sep-2015, SBSJ, 763.5, 652, 763.5, 763.5, 618, 618, 497.2, 771, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Row 1: 059048, 1 2 - VOR FUNCTIONAL CHECK, Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: UTC ENGENHARIA, Certified Repair Station Number, Work Order No., Work Performed By: SERGIO DEL FORNO, Certificate No. 803932, Date 17-Sep-2015. I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the [x] Federal Aviation Administration and [] Other (Specify). THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE. Work Inspected By: SERGIO DEL FORNO, Certificate No. 803932, Date 17-Sep-2015. Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2488875

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Form with checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU, each followed by a Serial No. field.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TI Cycles, Engine 2 TI Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

Comments: Replaced NO. 1 ATC Transponder, Removed PN 7517400-950 SN 0803D893. Installed PN 7517400-950 SN 03106530 (Modified), I.A.W. MM Cessna 680 chapter 34-13-00 Rev.23 - FAA Form 8130-3 # 321295841, dated Jun/26/2015, issued by Honeywell.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Main maintenance report form containing fields for Repair Facility, Certified Repair Station Number, Work Order No., Work Performed By, Certificate No., Date, and Work Inspected By.

Maintenance Log table with columns for Section and Page.



Maintenance Transaction Record

MTR ID # 2488016

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
290006	1 1	MAIN SYSTEM ACCUMULATOR		7550-4	S912644-4	0088	UN	O		
Comments: Replaced Main System Accumulator, Removed PN 7550-4 SN 0118. Installed PN 7550-4 SN 0088 (Overhauled), I.A.W. MM Cessna 680chapter 29-10-02 and 12-12-03 Rev.23 - FAA Form 8130-3 # 60086, dated May/13/2015, issued by PneuDrualics, Inc.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certified Repair Station Number COM # 6905-1 / ANAC Work Order No. 81885

Work Performed By TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certificate No. COM # 6905-1 / ANAC Date 25-Aug-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By FRANCISCO JOSÉ MACHADO LUCAS  Certificate No. COD, ANAC # 394528 Date 25-Aug-2015

Pertinent details of this maintenance are on file at our facility under the above Work Service Order Number as applicable.

Maintenance Log	
Section	Page

CESSNA CITATION

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

CESSCOM

Maintenance Transaction Record

MTR ID: 913811
Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Mar-08-2010	BED	206.9	117	206.9	206.9	117	117	116	206	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
051239	1	2	INSP DOCUMENT 39	CKPT								
Comments: C/W INSPECTION DOCUMENT 39 - 12 MONTH WEIGHT CHECK OF THE COCKPIT FIRE EXTINGUISHER REF AMM 5-12-19 REV 15												
051239	2	2	INSP DOCUMENT 39	CABIN								
Comments: C/W INSPECTION DOCUMENT 39 - 12 MONTH WEIGHT CHECK OF THE CABIN FIRE EXTINGUISHER REF AMM 5-12-19 REV 15												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.
 Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments)
 Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility JET AVIATION	Certified Repair Station Number CRS JAVR120F	Work Order No. 21700
Work Performed By JET AVIATION	Certificate No. CRS JAVR120F	Date Mar-08-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and _____		
has been inspected in accordance with a DOCUMENT 39 inspection as required by FAR 91.409(f)(3) and is determined to be in airworthy condition. Pertinent details are on file at this repair station under work order(s) 21700.		
Work Inspected by _____	Certificate No. CRS JAVR120F	Date Mar-08-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page

CSNA-1023-W-R-2003-11-07



JET AVIATION - BEDFORD, MASS



Maintenance Transaction Record

MTR ID # 1662890
Page 5 of 5

This Maintenance Report is To Be Used Solely For (Check One)



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1662890032	32 -	LIFE VEST	11	P01074-207		227754				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
262002	33 1	COCKPIT PORTABLE FIRE EXTINGUISHER	COCKPIT	C352TS		X-624311	UN	N 0 MTH 0 HRS		
262002 CKPT	Comments: Removed due to underweight part no. C352, Removed serial no. X466377. Installed new unit IAW Cessna 680 Maintenance Manual 26-20-20. Manufacture date: 2008. Bottle weight: 5.05 lbs.									

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033632

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 03-Aug-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and _____
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL A. CIAPONI Certificate No. CNQ8918C Date 03-Aug-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	5



Maintenance Transaction Record

MTR ID # 1662890
Page 4 of 5

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries, Eng. #1, Eng. #2, APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: CNQ8918C, Work Order No.: 6033632, Date: 03-Aug-2010

Maintenance Log table with columns: Section, Page

Work Inspected By: DANIEL A. CIAPONI, Certificate No.: CNQ8918C, Date: 03-Aug-2010



Maintenance Transaction Record

MTR ID # 1662890

Page 3 of 5

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B320002	15 2	OPERATIONAL CHECK MAIN LANDING GEAR SYSTEM UPLOCK SWTCHES: INSPECTION DOCUMENT MB (400 HR/CH 4 INSP)	MAIN LANDING GEAR							
Comments: Complied with in accordance with the CE680 Maintenance Manual Item Code B320002, Task 32-00-00-701, Operational check good.										
B341001 051220 : STDBY	16 2	CALIBRATION TEST STANDBY AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20	STANDBY	501-1881-05		1947				
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-20, Item Code B341001, Task 34-11-00-700. 14 CFR 91.411/FAR 91.411 requirements complied with to a test altitude of 47,000 feet. Calibration Date : 7/2010.										
B262003 051239 : CABIN	17 2	FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	CABIN	C352		X561534				
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-39. Weight 4.95 Lbs. DOM : 2007.										
B262003 051239 : CKPT	18 2	FUNCTIONAL (WEIGHT) CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	COCKPIT	C352TS		X-624311				
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-39. Weight 5.05 Lbs. DOM : 2008.										
D243102 051234 : L	18 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34	LEFT	023167-000		00091EE0				
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-34 and battery manufacturers instructions for Continued Airworthiness. Average water added per cell : 0 CC.										
D243102 051234 : R	20 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34	RIGHT	023167-000		0008850B				
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-34 and battery manufacturers instructions for Continued Airworthiness. Average water added per cell : 0 CC.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WG - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033632

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 03-Aug-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL A. CIAPONI Certificate No. CNQ8918C Date 03-Aug-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	3



Maintenance Transaction Record

MTR ID # 1662890

Page 2 of 5

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing repair facility (ORLANDO CITATION SERVICE CENTER), certified repair station number (CNQ8918C), work order number (6033632), and signature of Daniel A. Ciapponi.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 1662890
Page 1 of 5

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: CNQ8918C, Work Order No.: 6033632, Date: 03-Aug-2010

Maintenance Log table with columns: Section, Page

Work Inspected By: DANIEL A. CIAPONI, Certificate No.: CNQ8918C, Date: 03-Aug-2010



Maintenance Transaction Record

MTR ID # 1663058
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. P423

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-26 051226	1 2	INSPECTION DOCUMENT 26								
Comments: Complied with IAW Cessna 680 Maintenance Manual CH 05-12-26. Leak checks good.										
5-12-27 051227	2 2	INSPECTION DOCUMENT 27 (APU)								
Comments: Complied with IAW Cessna 680 Maintenance Manual CH 05-12-27. APU serviced with 2380 oil.										
1663058	3 1	FILTER-APU OIL	APU	3882440-1		NSN	SC	N 00		
Comments: Removed time change due Part No: 3882440-1, removed Serial No: NSN. Installed new filter IAW Honeywell RE100 (CS) APU Maintenance Manual CH 49-40-04. Leak checks good.										
801100 801100 APU	4 1	APU STARTER/GENERATOR	APU	23291-005	9914685-1	P1337	UN	O 0		
Comments: Removed due to brushes worn to limits part no: 23291-005. Removed serial no: P1827. Installed unit overhauled and returned to service by: AMETEK B&S Aircraft Parts & Accessories, Wichita, KS., CRS# NE2R028L IAW Cessna 680 Maintenance Manual CH 49-40-00. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033632

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 03-Aug-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL A. CIAPONI Certificate No. CNQ8918C Date 03-Aug-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
12	1

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8600 / Phone: 316-517-6291



Maintenance Transaction Report



This Maintenance Transaction Report is To Be Solely For (Check One)

Airframe Entries
 Eng. # 1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.

Aircraft Identification and Status											
A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1												
	2												
	3												
	4												
	5												
	6												
	7												
	8												

I have issued an Export Certificate of Airworthiness this date for Cessna Aircraft Co. Model: 680 (sovereign), S/N: 680-0237. The Export Certificate No. is: E458400.
 ---END---

George E. Littlefield III
 DART-832601-SO
 September 01, 2010

View
 Repaired
 Serviceable
 Overhauled
 Etc.

Type Transaction
 1. Component Change
 2. Inspection Accompli
 3. Service Bulletin Acc
 4. Airworthiness Direct

Item No.	Description
1	
2	
3	
4	
5	
6	
7	
8	

Work Order No. <input type="text"/>	Maintenance Log Section <input type="text"/>	Maintenance Log Page <input type="text"/>	Scheduled Removal Due (TAT) <input type="text"/>
Work Performed By: <input type="text"/>	Certificate No. <input type="text"/>	Date <input type="text"/>	
I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service			Permanent Aircraft Record - File In Maintenance Log
Work Inspected By: <input type="text"/>	Certificate No. <input type="text"/>	Date <input type="text"/>	



MTR ID # 1676508

Maintenance Transaction Record

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttd Cycles	Engine 2 Ttd Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	22-Sep-2010	MCO	211.3	124	211.3	211.3	124	124	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
D350004	9 2	HYDROSTATIC TEST LEFT EXTENDED RANGE OXYGEN CYLINDER AND REGULATOR ASSEMBLY : INSPECTION DOCUMENT 22	LEFT							
Comments: Complied with in accordance with Task 35-00-20-960 of the CE680 Maintenance Manual during the initial installation of extended oxygen system listed above. Manufacture Date is 11/2008. Hydro date: 7/2010.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033899

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 22-Sep-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL COLLINS Certificate No. CNQ8918C Date 22-Sep-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	2



MTR ID # 1676508

Maintenance Transaction Record

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	22-Sep-2010	MCO	211.3	124	211.3	211.3	124	124	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
1676508	1 1	EXTENDED RANGE O2 SYSTEM INSTALL		6914014				N	0 MTH 0 HRS		
Comments: Complied with post-delivery commitment installation of extended range oxygen system in accordance with Cessna supplied Drawing 6914014-120001 and -120002, IPC 35-00-01. Aircraft equipment list and weight and balance revised. Operational and leak checked good. Components of this installation listed separately below.											
350001	2 1	LEFT EXTENDED RANGE OXYGEN CYLINDER AND REGULATOR ASSEMBLY	LEFT	804882-14		C09040610	N	N	0 MTH 0 HRS		
Comments: This bottle and regulator installed as a part of the extended range O2 system listed above and in accordance with same. Manufacture date of cylinder: 11/2008. Hydro Date : 7/2010											
350005	3 1	EXTERNAL CHARGE VALVE	EXTERNAL	P21010		5634	N	N	0 MTH 0 HRS		
Comments: This valve installed as a part of the extended range O2 system listed above and in accordance with same.											
350002	4 1	LEFT INSIDE OXYGEN PRESSURE GAUGE	LEFT	C668512-0101		E07-10392	N	N	0 MTH 0 HRS		
Comments: This cockpit gauge installed as a part of the extended range O2 system listed above and in accordance with same.											
350002	5 1	FORWARD OXYGEN PRESSURE GAUGE	FORWARD	C668512-0101		D09-10105	N	N	0 MTH 0 HRS		
Comments: This gauge installed as a part of the extended range O2 system listed above and in accordance with same.											
1676508	6 1	LEFT OXYGEN CHECK VALVE	L	P21018		3411	N	N	0 MTH 0 HRS		
Comments: This valve installed as a part of the extended range O2 system listed above and in accordance with same.											
1676508007	7 1	RIGHT OXYGEN CHECK VALVE	R	P21018		3845	N	N	0 MTH 0 HRS		
Comments: This valve installed as a part of the extended range O2 system listed above and in accordance with same.											
B350001	8 2	OPERATIONAL CHECK EXTENDED RANGE OXYGEN SYSTEM. MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS)									
Comments: Complied with in accordance with Task 35-00-20-700 of the CE680 Maintenance Manual during the initial installation of extended oxygen system listed above.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comment(s))

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033899

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 22-Sep-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL COLLINS Certificate No. CNQ8918C Date 22-Sep-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 1730146
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Nov-2010	SBJD	223.9	128	223.9	223.9	128	128	164.1	274	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	Material Costs	Man Hours
242050 242050 : R	1 1	RIGHT AC GENERATOR	RIGHT	92589-2	9914435-9	179	N	O 0 MTH 0 HRS		
Comments: Replaced Generator, Removed PN 92589-2 Serial 520 and installed PN 92589-2 serial 179 (Overhauled) FAA FORM 8130-3 N°R0910-0179 emitted by Pacific Scientific EKD dated on August/28/2010 in accordance with AMM 680 Chapter 24-20-10 Revision 17.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reason: WO - Worn to Limits, SC - Scheduled, UN - Un-scheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A Certified Repair Station Number CHE 6905-1/ANAC Work Order No. 68937

Work Performed By WANTUIR FELIPE DA SILVA Certificate No. ANAC 345793 Date 03-Nov-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC/BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By MAURO GAGEIRO PINTO Certificate No. CREA SP N°0681839364 Date 03-Nov-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1726213

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	26-Nov-2010	SBBH	225.5	130	225.5	225.5	130	130	164.1	274	0


Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1726213001	1 -	CESCOM NOTE Comments: REGISTRATION NUMBER CHANGED TO PR-EGS. NOW THIS AIRPLANE IS REGISTERED IN BRAZIL.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility _____	Certified Repair Station Number _____	Work Order No. _____
Work Performed By <u>WANDERSON LOUIS COSTA</u> 	Certificate No. <u>715243</u>	Date <u>26-Nov-2010</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC</u> and		
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.		
Work Inspected By _____	Certificate No. _____	Date <u>26-Nov-2010</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1879022
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2010-01-03	1 4	IDENTIFY AND REMOVE FROM SERVICE ALL AFFECTED FIRE EXTINGUISHERS AND REPLACE WITH SERVICABLE UNITS Comments: Verified AD2010-01-03. Not applicable to manufacture of Fire Extinguisher installed. For more details see FCDA.								
2010-11-05	2 4	INSPECT FOR AND REMOVE SUBSTANDARD OXYGEN CYLINDERS FROM AIRPLANE Comments: Verified AD2010-11-05. Not applicable to Part Number of Oxygen Cylinder installed. For more details see FCDA.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A Certified Repair Station Number: CHE 6905-01/ANAC Work Order No.: 71846

Work Performed By: VLADILSON SALDANHA CARDOSO Certificate No.: ANAC #718304 Date: 07-Oct-2011

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC/BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MAURO GAGEIRO PINTO Certificate No.: CREA SP #0681839364 Date: 07-Oct-2011

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1871800
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791



Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
SL680-25-11 R1	1 3	TRANSMITTAL OF AIRCRAFT BELTS INC. SB-BUC062-A001 INSPECTION OF BUCKLES FOR PROPER OPERATION SERVICE LETTER Comments: Accomplished SL680-25-11 R1, I.A.W. accomplishment instructions 1, 2 page 2.								
680-24-11	2 3	ELECTRICAL POWER - FUEL CROSSFEED IMPROVEMENT SERVICE BULLETIN Comments: Accomplished SB680-24-11, I.A.W. item 8, page 3.								
1871800003	3 3	FA2100CVR SB016 Comments: Verification of compliance, was necessary to modify, I.A.W. page 3 paragraph II accomplishment instructions.								
72-25360 R1	4 3	NO. 1 ENGINE - REPLACEMENT OF FUEL WASTE EJECTOR SERVICE BULLETIN Comments: Performed swaped of the Fuel Waste Ejector, removed P/N 8700-011 S/N 2007, installed 8700-011 S/N 00010, I.A.W. PWC MM PW306C chapter 73-10-03 Rev 24.								
72-25360 R1	5 3	NO. 2 ENGINE - REPLACEMENT OF FUEL WASTE EJECTOR SERVICE BULLETIN Comments: Replaced Fuel Waste Ejector, removed P/N 8700-011 S/N 20077, installed P/N 8700-015 S/N 30161 (New), I.A.W. FAA Form 8130-3 #993294-1, issued by Woodwar Inc., dated Apr/22/2011 - PWC MM PW306C chapter 73-10-03 Rev 24.								
SL680-56-03	6 3	WINDOWS - OPENABLE COCKPIT WINDOW HINGE AND LATCH INSPECTION SERVICE LETTER Comments: Accomplished SL680-56-03, I.A.W. instructions of paragraph 1, 2, 3 A, B, C e D.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A Certified Repair Station Number: CHE 6905-01/ANAC Work Order No.: 71846

Work Performed By: VLADILSON SALDANHA CARDOSO Certificate No.: ANAC #718304 Date: 07-Oct-2011

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC/BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MAURO GAGEIRO PINTO Certificate No.: CREA SP #0681839364 Date: 07-Oct-2011

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1871058
Page 6 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
72-25360 R1	34 3	NO. 2 ENGINE - REPLACEMENT OF FUEL WASTE EJECTOR SERVICE BULLETIN								
Comments: Replaced Fuel Waste Ejector RH, removed P/N 8700-011 S/N 00010, installed P/N 8700-015 S/N 30161 (New), I.A.W. FAA Form 8130-3 #993294-1, issued by Woodward Ind., dated Apr/22/2011 - PWC MM PW306C chapter 73-10-03 Rev 24.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1871058
Page 5 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A. Certified Repair Station Number: CHE 6905-01/ANAC. Work Order No.: 71846. Work Performed By: VLADILSON SALDANHA CARDOSO. Certificate No.: ANAC #718304. Date: 07-Oct-2011. Work Inspected By: MAURO GAGEIRO PINTO. Certificate No.: CREA SP# 0681839364. Date: 07-Oct-2011.

Maintenance Log table with columns: Section, Page

CESCOM

Maintenance Transaction Record

MTR ID # 1871058
Page 4 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
D243102 051234 : L	20 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34	LEFT	023167-000		00091E0				
Comments: Removed Battery, performed recycling and reinstalled, I.A.W. Segvoo 003 #MRL-OF-BT 2971/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/27/2011 - Technical Publication Used SAFT24-32-07.										
D243102 051234 : R	21 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34	RIGHT	023167-000		0008850B				
Comments: Removed Battery, performed recycling and reinstalled, I.A.W. Segvoo 003 #MRL-OF-BT 2970/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/27/2011 - Technical Publication Used SAFT24-32-07.										
5-12-06 051206	22 2	MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS)								
Comments: Performed inspection Document 6, I.A.W. 680MM chapter 5-12-06 Rev 19.										
5-12-16 051216	23 2	MSG-3 INSPECTION DOCUMENT 16 (INTERVAL 6A/3C ITEMS)								
Comments: Performed inspection Document 16, I.A.W. 680MM chapter 5-12-16 Rev 19.										
1871058024	24 1	FILTER-AIR		9914183-7		N/A	SC	N	0 MTH 0 HRS	
Comments: Replaced Filter-Air installed P/N 9914183-7 S/N N/A (New), I.A.W. FAA Form 8130-3 #3162542, issued by CESSNA Aircraft Company, dated Jul/12/2011 - Document 16 680MM chapter 5-12-16 Rev 19.										
1871058025	25 -	PREFLIGHT INSPECTION								
Comments: Performed Preflight inspection, I.A.W. 680 MM P/N 680MM19 Rev 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page

CBSCOM

Maintenance Transaction Record

MTR ID # 1871058
Page 3 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status													
A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
A324003 051231	14 2	NON DESTRUCTIVE TEST LEFT INBOARD MAIN LANDING GEAR WHEEL	LEFT INBOARD	3-1621		2241				
Comments: Removed MLG Wheel LHI, performed NDT (Eddy Current), inspection and reinstalled, I.A.W. Segvoo 003 #MRL-OF-HD 3375/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/26/2011 - CMM Goodrich P/N 3-1621 Pub 32-45-53 Rev 01. The inspection did not detect anomalies and the testing parts was found airworthy for return to service.										
A324003 051231	15 2	NON DESTRUCTIVE TEST LEFT OUTBOARD MAIN LANDING GEAR WHEEL	LEFT OUTBOARD	3-1621		2238				
Comments: Removed MLG Wheel LHO, performed NDT (Eddy Current), inspection and reinstalled, I.A.W. Segvoo 003 #MRL-OF-HD 3373/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/26/2011 - CMM Goodrich P/N 3-1621 Pub 32-45-53 Rev 01. The inspection did not detect anomalies and the testing parts was found airworthy for return to service.										
A324003 051231	16 2	NON DESTRUCTIVE TEST RIGHT INBOARD MAIN LANDING GEAR WHEEL	RIGHT INBOARD	3-1621		2237				
Comments: Removed MLG Wheel RHI, performed NDT (Eddy Current), inspection and reinstalled, I.A.W. Segvoo 003 #MRL-OF-HD 3372/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/26/2011 - CMM Goodrich P/N 3-1621 Pub 32-45-53 Rev 01. The inspection did not detect anomalies and the testing parts was found airworthy for return to service.										
A324003 051231	17 2	NON DESTRUCTIVE TEST RIGHT OUTBOARD MAIN LANDING GEAR WHEEL	RIGHT OUTBOARD	3-1621		2239				
Comments: Removed MLG Wheel RHO, performed NDT (Eddy Current), inspection and reinstalled, I.A.W. Segvoo 003 #MRL-OF-HD 3374/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/26/2011 - CMM Goodrich P/N 3-1621 Pub 32-45-53 Rev 01. The inspection did not detect anomalies and the testing parts was found airworthy for return to service.										
5-12-08 051208	18 2	MSG-3 INSPECTION DOCUMENT 8 (INTERVAL 3C ITEMS)								
Comments: Performed inspection Document 8, I.A.W. 680 MM chapter 5-12-08 Rev 19.										
5-12-34	19 2	INSPECTION DOCUMENT 34								
Comments: Performed inspection Document 34, I.A.W. 680 MM chapter 5-12-34 Rev 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page

CBSCOM

Maintenance Transaction Record

MTR ID # 1871058
Page 2 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
A490002 051226	8 2	DETAIL INSPECT APU MAGNETIC CHIP COLLECTOR: INSPECTION DOCUMENT 26 (APU)	APU							
Comments: Performed inspection Document 26, I.A.W 680 MM chapter 5-12-26 Rev 19.										
5-12-22	9 2	INSPECTION DOCUMENT 22								
Comments: Performed inspection Document 22, I.A.W. 680MM chapter 5-12-22 Rev 19.										
D323001 051222	10 2	HYDROSTATIC TEST LANDING GEAR EMERGENCY BLOWDOWN PNEUMATIC BOTTLE : INSPECTION DOCUMENT 22	LANDING GEAR	40005369-2		6182				
Hydro Check Date: 20-Sep-2011 Comments: Removed Emergency Pneumatic P/N 40005369-2 S/N 6182, performed hydrostatic test, overhaul and reinstalled, I.A.W. Segvoo 003 #MRL-OF-TH 305/11, issued by TAM Aviação Executiva e Taxi Aéreo S/A, dated Sep/21/2011 - Pacific Scientific Component MM with Illustrated Part List HTL P/N 40005369-2 CMM 25-60-08 Rev 15/05/2008.										
D324301 051222 - BRAKE	11 2	HYDROSTATIC TEST EMERGENCY BRAKE PNEUMATIC BOTTLE : INSPECTION DOCUMENT 22		40005370-1		6206				
Hydro Check Date: 20-Sep-2011 Comments: Removed Emergency Brake Pneumatic P/N 40005370-1 S/N 6206, performed hydrostatic test, overhaul and reinstalled, I.A.W. Segvoo 003 #MRL-OF-TH 304/11, issued by TAM Aviação Executiva e Taxi Aéreo S/A, dated Sep/21/2011 - Pacific Scientific Component MM with Illustrated Part List HTL P/N 40005369-2 CMM 25-60-08 Rev 15/05/2008.										
5-12-13 051213	12 2	MSG-3 INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS)								
Comments: Performed inspection Document 13, I.A.W. 680 MM chapter 5-12-13 Rev 19.										
5-12-40 051240	13 2	MSG-3 INSPECTION DOCUMENT 40 (INTERVAL 2A/1C)								
Comments: Performed inspection Document 40, I.A.W. 680 MM chapter 5-12-40 Rev 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1871058
Page 1 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status													
A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1871058001	1 2	APU HOURS/ CYCLES Comments: Verified Hours and cycles of the APU = 243,2 hours/ 385 cycles.								
1871058002	2 2	JUNGLE SURVIVAL KIT INSPECTION Comments: Performed Jungle Survival kit inspection, next item expire "Aspirin" in Nov/2012.								
5-12-21 051221	3 2	INSPECTION DOCUMENT 21(91.207 ITEMS) Comments: Performed inspection Document 21, I.A.W. 680 MM chapter 5-12-21 Rev 19.								
5-12-39	4 2	INSPECTION DOCUMENT 39 Comments: Performed inspection Document 39, I.A.W. 680MM chapter 5-12-39 Rev 19.								
B262003 051239 - CABIN	5 2	FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39 Weight Check Date: 21-Sep-2011 Comments: Performed inspection Document 39, I.A.W. 680MM chapter 5-12-39 Rev 19.	CABIN	C352		X561534				
B262003 051239 - CKPT	6 2	FUNCTIONAL (WEIGHT) CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39 Weight Check Date: 21-Sep-2011 Comments: Performed inspection Document 39, I.A.W. 680MM chapter 5-12-39 Rev 19.	COCKPIT	C352TS		X-624311				
5-12-26 051226	7 2	INSPECTION DOCUMENT 26 Comments: Performed inspection Document 26, I.A.W.680 MM chapter 5-12-26 Rev 19.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A Certified Repair Station Number: CHE 6905-01/ANAC Work Order No.: 71846

Work Performed By: VLADILSON SALDANHA CARDOSO Certificate No.: ANAC #718304 Date: 07-Oct-2011

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC/BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MAURO GAGEIRO PINTO Certificate No.: CREA SP# 0681839364 Date: 07-Oct-2011

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1952743
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	08-Mar-2012	SBJD	444.6	348	444.6	444.6	320	320	273.1	429.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1952743	1 1	RADOM BOOT		6713101-201		058	UN	N 0 MTH 0 HRS		

Comments: Replaced Radom Boot P/N 6713101-201 S/N 058 (New). I.A.W M M 680 Chap 53-10-10 Rev. 19 - Form 8130-3 # 3386211, dated Feb/16/2012, issued by Cessna Aircraft Company.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXA AEREO S.A. Certified Repair Station Number: CHE # 6905-1 / ANAC Work Order No.: 73172

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TAXA AEREO S.A. Certificate No.: CHE # 6905-1 / ANAC Date: 08-Mar-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON SALDANHA CARDOSO Certificate No.: CHT # 718304 / ANAC Date: 08-Mar-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page





Maintenance Transaction Record

MTR ID # 1952611

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287/ Fax: 316-462-0791



Airframe Entries

Eng #1 Serial No.

Eng #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(ride in comments)

Installed Part Status: N - New, R - Replaced/Result, S - Serviceable, O - Overhauled

Form containing fields for Repair Facility, Work Performed By, Work Inspected By, Certificate No., Work Order No., Date, and a signature.

Maintenance Log table with columns: Section, Page





Maintenance Transaction Record

MTR ID # 1952605

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	08-Mar-2012	SBJD	444.6	348	444.6	444.6	320	320	273.1	429.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-53-04 R1	1 3	FORWARD PRESSURE BULKHEAD FASTENER INSPECTION SERVICE BULLETIN								

Comments: Accomplished SB680-53-04 R1, in accordance with paragraph 2 of this item A and B, no action is required.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Mac. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A	Certified Repair Station Number	CHE # 6905-4 / ANAC	Work Order No.	73067
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A	Certificate No.	CHE # 6905-4 / ANAC	Date	08-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	CHT # 719542 / ANAC	Date	08-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page





Maintenance Transaction Record

MTR ID # 1879053

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A. Certified Repair Station Number: CHE # 6905-1 / ANAC. Work Order No.: 73067. Date: 08-Mar-2012. Includes signature of VLADILSON SALDANHA CARDOSO.

Maintenance Log table with columns: Section, Page





Maintenance Transaction Record

MTR ID # 1879053

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No.

Eng. #2
Serial No.

APU
Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Mec Removal Reasons: WO - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing fields for Repair Facility, Certified Repair Station Number, Work Order No., Work Performed By, Certificate No., Date, and Work Inspected By.

Maintenance Log table with columns: Section, Page





Maintenance Transaction Record

MTR ID # 1952747

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	08-Mar-2012	SBJD	444.6	348	444.6	444.6	320	320	273.1	429.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSD/TSR	Material Costs	Man Hours
726010 712003 : E1**L	1 1	NO. 1 ENGINE - AGB STARTER PAD SEAL		30B5898-01		N/A	SC	N 0 HRS		
Comments: Replaced AGB Starter Pad Seal. Removed P/N 30B5898-01 S/N N/A. Installed P/N 30B5898-01 S/N N/A (New), I.A.W M.M Pratt & Whitney chap.72-60-01 Rev.24 - Form One # 81680515-000001, dated May/29/2011, issued by Pratt & Whitney Canada.										
726010 712003 : E2**R	2 1	NO. 2 ENGINE - AGB STARTER PAD SEAL		30B5898-01		N/A	SC	N 0 HRS		
Comments: Replaced AGB Starter Pad Seal. Removed P/N 30B5898-01 S/N N/A. Installed P/N 30B5898-01 S/N N/A (New), I.A.W M.M Pratt & Whitney chap.72-60-01 Rev.24 - Form 8130-3 # 3111407, dated May/31/2011, issued by Cessna Aircraft Company.										
726012 712004 : E1**L	3 1	NO. 1 ENGINE - ALTERNATOR PAD SEAL		30B5899-01		N/A	SC	N 0 HRS		
Comments: Replaced Alternator Pad Seal. Removed P/N 30B5899-01 S/N N/A. Installed P/N 30B5899-01 S/N N/A (New), I.A.W M.M Pratt & Whitney chap.72-60-01 Rev.24 - Form 8130-3 # 3121336, dated Jun/02/2011, issued by Cessna Aircraft Company.										
726012 712004 : E2**R	4 1	NO. 2 ENGINE - ALTERNATOR PAD SEAL		30B5899-01		N/A	SC	N 0 HRS		
Comments: Replaced Alternator Pad Seal. Removed P/N 30B5899-01 S/N N/A. Installed P/N 30B5899-01 S/N N/A (New), I.A.W M.M Pratt & Whitney chap.72-60-01 Rev.24 - Form 8130-3 # 3111407, dated May/26/2011, issued by Cessna Aircraft Company.										
237004	5 1	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON	COCKPIT	DK120		SC54404	UN	S		
Comments: Replaced ULB. Removed P/N DK120 S/N SC42899. Installed P/N DK120 S/N SC54404 (Inspected), I.A.W M.M 680 chap.23-70-00 Rev.19 - Form 8130-3 # 060629, dated Nov/03/2011, issued by Aircraft Instruments & Radio Services, Inc.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A. Certified Repair Station Number: CHE # 6905-1 / ANAC Work Order No.: 73067

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A. Certificado No.: CHE # 6905-1 / ANAC Date: 08-Mar-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON SALDANHA CARDOSO Certificate No.: COD. ANAC # 718304 Date: 08-Mar-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2023240

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	02-Jul-2012	SBJD	480.3	391	480.3	480.3	363	363			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
211003	1 1	PNEUMATIC SHUTOFF VALVE		2601-31		0133	N	O			
Comments: Replace Pneumatic Shutoff Valve. Removed P/N 2601-31 S/N 0270 and installed P/N 2601-31 S/N 0133 (Overhauled) I.A.W MM Cessna 680 Chapter 21-22-05 Rev.19, Form 8130-3 # 82945, dated Feb/24/2011 issued by Aerospace Systems.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CG - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number: CHE Nº 6905-01/ANAC Work Order No.: 74332

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No.: CHE Nº 6905-01/ANAC Date: 02-Jul-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC-BRAZIL and
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: WANTUIR FELIPPE DA SILVA Certificate No.: CÔD.ANAC 345793 Date: 02-Jul-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2031874

Page 6 of 6

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE N° 6905-01 / ANAC. Work Order No.: 74524. Date: 22-Aug-2012. Includes signature of Manoel José Borges do Nascimento.

Maintenance Log table with columns: Section, Page



MTR ID # 2031874

Maintenance Transaction Record

Page 5 of 6

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WD - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Form containing fields for Repair Facility, Work Performed By, Work Inspected By, Station Number, Certificate No., Work Order No., Date, and a signature area.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2031874
Page 2 of 6

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304,3	468,00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-15 051215	8 2	MSG-3 INSPECTION DOCUMENT 15 (INTERVAL 4A/4C ITEMS)								
Comments: Performed Inspection Document 15, I.A.W. MM 680 Chapter 5-12-15 Rev. 19.										
5-12-17 051217	9 2	MSG-3 INSPECTION DOCUMENT 17 (INTERVAL 8A/4C ITEMS)								
Comments: Performed Inspection Document 17, I.A.W. MM 680 Chapter 5-12-17 Rev. 19.										
5-12-19 051219	10 2	MSG-3 INSPECTION DOCUMENT 19 (INTERVAL 4C THEN 2C ITEMS)								
Comments: Performed Inspection Document 19, I.A.W. MM 680 Chapter 5-12-19 Rev. 19.										
5-12-20	11 2	INSPECTION DOCUMENT 20								
Comments: Performed Inspection Document 20, I.A.W. MM 680 Chapter 5-12-20 Rev. 19.										
5-12-21 051221	12 2	INSPECTION DOCUMENT 21 (91,207 ITEMS)								
Comments: Performed Inspection Document 21, I.A.W. MM 680 Chapter 5-12-21 Rev. 19.										
5-12-26 051226	13 2	INSPECTION DOCUMENT 26								
Comments: Performed Inspection Document 26, I.A.W. MM 680 Chapter 5-12-26 Rev. 19.										
5-12-27 051227	14 2	INSPECTION DOCUMENT 27 (APU)								
Comments: Performed Inspection Document 27, I.A.W. MM 680 Chapter 5-12-27 Rev. 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A, Certified Repair Station Number: CHE N° 6905-01 / ANAC, Work Order No.: 74524

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A, Certificate No.: CHE N° 6905-01 / ANAC, Date: 22-Aug-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MANOEL JOSÉ BORGES DO NASCIMENTO, Certificate No.: COD. ANAC N° 75438-2, Date: 22-Aug-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2031874
Page 1 of 6

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2031874005	1 2	AIRCRAFT - ANNUAL INSPECTION Comments: Performed Annual Maintenance Inspection on the Aircraft, IAW (ANAC) RBHA-43, Appendix "D".								
5-12-01 051201	2 2	MSG-3 INSPECTION DOCUMENT 1 (INTERVAL 1A ITEMS) Comments: Performed Inspection Document 01, I.A.W. MM 680 Chapter 5-12-01 Rev. 19.								
5-12-06 051206	3 2	MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS) Comments: Performed Inspection Document 06, I.A.W. MM 680 Chapter 5-12-06 Rev. 19.								
5-12-07 051207	4 2	MSG-3 INSPECTION DOCUMENT 7 (INTERVAL 2C ITEMS) Comments: Performed Inspection Document 07, I.A.W. MM 680 Chapter 5-12-07 Rev. 19.								
5-12-09 051209	5 2	MSG-3 INSPECTION DOCUMENT 9 (INTERVAL 4C ITEMS) Comments: Performed Inspection Document 09, I.A.W. MM 680 Chapter 5-12-09 Rev. 19.								
5-12-13 051213	6 2	MSG-3 INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS) Comments: Performed Inspection Document 13, I.A.W. MM 680 Chapter 5-12-13 Rev. 19.								
5-12-14 051214	7 2	MSG-3 INSPECTION DOCUMENT 14 (INTERVAL 2A/2C ITEMS) Comments: Performed Inspection Document 14, I.A.W. MM 680 Chapter 5-12-14 Rev. 19.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE N° 6905-01 / ANAC. Work Order No.: 74524.

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE N° 6905-01 / ANAC. Date: 22-Aug-2012.

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MANOEL JOSÉ BORGES DO NASCIMENTO. Certificate No.: COD. ANAC N° 75438-2. Date: 22-Aug-2012.

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2048192

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No. P423

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing fields for Repair Facility, Certified Repair Station Number, Work Order No., Work Performed By, Date, and Work Inspected By.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2031911
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304,3	468,00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
353001	1 1	EMERGENCY OXYGEN BOTTLE		5500M6W-FF23A 9914067-47 N		P07080353	SC	O		

Comments: Replaced Emergency Oxygen Bottle. Removed P/N 50-0M6W-FF23AN, S/N P08021511 and Installed P/N 5500M6W-FF23AN, S/N P07080353 (Overhauled), I.A.W. MM 680 Chapter 35-20-00 Rev. 19, FAA Form 8130 #1111502 by AVOX, Inc, dated JUN/06/2012.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Warn to Limits, SC - Scheduled, UN - Unscheduled, CD - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE N° 6905-01 / ANAC. Work Order No.: 74524

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE N° 6905-01 / ANAC. Date: 22-Aug-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MANOEL JOSÉ BORGES DO NASCIMENTO. Certificate No.: COD. ANAC N° 75438- Date: 22-Aug-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	2



MTR ID # 2031874

Maintenance Transaction Record

Page 4 of 6

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	22 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W. MM 680 Chapter 5-12-42 Rev. 19.								
2031874023	23 2	VOR CHECK Comments: Performed VOR Check, I.A.W. RBHA 91.171.								
2031874026	24 -	PRE FLIGHT Comments: Performed Pre Flight Inspection, I.A.W. MM 680 PN 680MM19 Rev. 19.								
2031874	25 2	APU HOURS Comments: Verified APU Hours: 304.3 Hours and 468 Cycles.								
2031874	26 2	FIRST AID KIT Comments: Performed First Aid Kit inspection, next item expire "Antiseptic Solution" in Jul/2013.								
D243102 051234 : L	27 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT) INSPECTION DOCUMENT 34 Comments: Removed Main Battery PN 023167-000, SN 00091EE0. Performed Recycled and reinstalled, I.A.W Cessna 680 Chapter 05-12-34 Rev.19 - Segão 003 # MRL-OF-BT3327/12, dated Aug/06/2012, issued by TAM Aviação Executiva Taxi Aereo S/A.	LEFT	023167-000		00091EE0				
D243102 051234 : R	28 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT) INSPECTION DOCUMENT 34 Comments: Removed Main Battery PN 023167-000, SN 0008850B. Performed Recycled and reinstalled, I.A.W Cessna 680 Chapter 05-12-34 Rev.19 - Segão 003 # MRL-OF-BT3326/12, dated Aug/06/2012, issued by TAM Aviação Executiva Taxi Aereo S/A.	RIGHT	023167-000		0008850B				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC - BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2031874 Page 3 of 6

CAMP Systems International 8200 E. 34TH STREET BUILDING 1600, SUITE 1607 Wichita, KS 67226 Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PR-EGS, 22-Aug-2012, SBJD, 493, 404, 493, 493, 376, 376, 304,3, 468.00, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 8 rows of inspection records.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauling

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE N° 6905-01 / ANAC. Work Order No.: 74524. Date: 22-Aug-2012. Includes signature of Manoel José Borges do Nascimento.

Maintenance Log table with 2 columns: Section, Page. Row 1: 3, 4



Maintenance Transaction Record

MTR ID # 2108947
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	24-Jan-2013	SBDJ	512.2	431	512.2	512.2	398	398	304.3		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part TSNT/TSO/TSR	Material Costs	Man Hours
274001	1 1	STABILIZER TRIM MOTOR		EM440-2	9914257-4	130	N	O		
Comments: Replaced Stabilizer Trim Motor. Removed P/N EM440-1 (9914257-3) S/N 576. Installed P/N EM440-2 (9914257-4) S/N 130 (Overhauled), I.A.WMM Cessna 680, Chapter 27-40-00 Rev. 19. Form 8130-3 # 62267, dated Mar/22/2012 issued by Western Ski.										
340027 340027 : L	2 1	LEFT CURSOR CONTROLLER	LEFT	7028610-903	CC-950	08110700	N	R		
Comments: Replaced Left Cursor Controller. Removed P/N 7028610-903 S/N 8020579. Installed P/N 7028610-903 S/N 08110700 (Repaired), I.A.WMM Cessna 680 Chapter 34-24-00 Rev. 19. Form 8130-3 # 312274513, dated Jul/23/2012 issued by Honeywell.										
2108947003	3 -	NOTE: RIGHT CURSOR CONTROLLER								
Comments: Verified Cursor Controller installed P/N 7028610-903 S/N 07070495 is installed in the Right position.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number CHE Nº. 6905-01/ANAC Work Order No. 75995

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No. CHE Nº. 6905-01/ANAC Date 24-Jan-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By WANTUIR FELIPPE DA SILVA Certificate No. COD. ANAC # 345793 Date 24-Jan-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2155977

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Td Cycles	Engine 2 Td Cycles	APU Hrs	APU Events	Freeon Hrs
680-0237	0237	PR-EGS	20-May-2013	SBJD	523.2	445	523.2	523.2	412	412			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2155977	1 1	SENSOR FUEL FILTER BYPASS	RH #2	30B3500-03		HE2282	UN	N 0 MTH 0 HRS		
Comments: Replaced Sensor Fuel Filter Bypass RH #2. Removed PN 30B3500-03 SN HE1667. Installed PN 30B3500-03 SN HE2282 (New), I.A.W.M.M PW306C chap.73-10-03 Rev.26 - Form 8130-3 n°3806260, dated Apr/05/2013, emitted by Cessna.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number: CHE N°. 6905-01/ANAC Work Order No.: 76652

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No.: CHE N°. 6905-01/ANAC Date: 20-May-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON SALDANHA CARDOSO Certificate No.: CÔD.ANAC 718304 Date: 20-May-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2155987
Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	D237	PR-EGS	20-May-2013	SBJD	523.2	445	523.2	523.2	412	412			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
350013 051235 : OXYR	6 2	HYDROSTATIC TEST RIGHT PRIMARY OXYGEN CYLINDER AND REGULATOR ASSEMBLY Hydro Check Date: 20-May-2013 Comments: Removed Oxygen Cylinder, Removed PN 804882-14 SN C08060169, performed Hydrostatic Test and reinstalled, I.A.W.M.M 680 chap.35-00-30 Rev.19 - Segvoo 003 n* MRL-OF-TH795/13, dated May/20/2013, emitted by TAM aviação Executiva e Táxi Aéreo S/A.	RIGHT	804882-14		C08060169				
059048	7 2	VOR FUNCTIONAL CHECK Comments: Performed VOR check, I.A.W.RBHA 91.171 Rev. EMD 12.								
2155987008	8 2	PREFLIGHT INSPECTION Comments: Performed Preflight Inspection. I.A.W.M.M 680 PN 680MM19 Rev.19.					UN	S		

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number: CHE Nº. 6905-01/ANAC Work Order No. 76652

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No. CHE Nº. 6905-01/ANAC Date 20-May-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON SALDANHA CARDOSO Certificate No. COD ANAC 718304 Date 20-May-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2155987

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE N°. 6905-01/ANAC. Work Order No.: 78652. Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE N°. 6905-01/ANAC. Date: 20-May-2013. Work Inspected By: VLADILSON SALDANHA CARDOSO. Certificate No.: COD.ANAC 718304. Date: 20-May-2013.

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2179833
Page 3 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: 1106-41/ANAC, Work Order No.: 6043663, Date: 19-Sep-2013. Includes certification text and signature of Gary Ducharme.

Maintenance Log table with columns: Section, Page. Value: 3PT4



Maintenance Transaction Record

MTR ID # 2179833

Page 2 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Includes items like APU FIRE BOTTLE, FORWARD ENGINE FIRE BOTTLE, AFT ENGINE FIRE BOTTLE, and FLEX SHAFTS.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER. Certified Repair Station Number: 1106-41/ANAC. Work Order No.: 6043663. Date: 19-Sep-2013. Includes signature of Gary Ducharme.

Maintenance Log table with columns: Section, Page. Value: 3PT4



Maintenance Transaction Record

MTR ID # 2179833

Page 1 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: 1106-41/ANAC, Work Order No.: 6043663, Date: 19-Sep-2013. Includes signature of Gary Ducharme.

Maintenance Log table with columns: Section, Page. Value: 3PT4



Maintenance Transaction Record

MTR ID # 2179833

Page 4 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PR-EGS, 19-Sep-2013, MCO, 537.8, 452, 537.8, 537.8, 419, 419, 337, 530.00,

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 6 rows of maintenance transactions including ejector pump, fire bottles, and oxygen masks.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER. Certified Repair Station Number: 1106-41/ANAC. Work Order No.: 6043663. Work Performed By: ORLANDO CITATION SERVICE CENTER. Certificate No.: 1106-41/ANAC. Date: 19-Sep-2013. Includes certification text and inspector signature.

Maintenance Log table with 2 columns: Section, Page. Row 1: 3PT4,



Maintenance Transaction Record

MTR ID # 2201715
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	24-Sep-2013	MCO	537.8	452	537.8	537.8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2 -	VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements.										
2201715002	2 -	AIRCRAFT WEIGHMENT								
Comments: Aircraft weighment accomplished, IAW Cessna 680 Weight & Balance Manual chapter on ground operations, and meets the requirements of the Brazil ANAC, RBHA 91.423.										
2201715003	3 -	RBHA 43 APP. D BRAZILIAN ANNUAL								
Comments: Annual inspection accomplished, IAW RBHA 43 app. D. Next annual due September 2014.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER Certified Repair Station Number: 1106-41/ANAC Work Order No.: 6043663

Work Performed By: ORLANDO CITATION SERVICE CENTER Certificate No.: 1106-41/ANAC Date: 24-Sep-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) BRAZIL ANAC and

I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: GARY DUCHARME Certificate No.: 1106-41/ANAC Date: 24-Sep-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3PT2	4



Maintenance Transaction Record

MTR ID # 2169630
Page 3 of 3

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER. Certified Repair Station Number: 1106-41/ANAC. Work Order No.: 6043663. Work Performed By: ORLANDO CITATION SERVICE CENTER. Certificate No.: 1106-41/ANAC. Date: 19-Sep-2013. I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and Other (Specify) ANAC/BRAZIL. I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE. Work Inspected By: GARY DUCHARME. Certificate No.: 1106-41/ANAC. Date: 19-Sep-2013.

Maintenance Log table with columns: Section, Page. Row: 3PT2, 3



Maintenance Transaction Record

MTR ID # 2169630

Page 2 of 3

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries, Eng. #1 Serial No., Eng. #2 Serial No., APU Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status, TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: 1106-41/ANAC, Work Order No.: 6043663, Date: 19-Sep-2013

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2169630

Page 1 of 3

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: 1106-41/ANAC, Work Order No.: 6043663, Date: 19-Sep-2013

Maintenance Log table with columns: Section, Page



MTR ID: 666469
Page 1 of 1

Maintenance Transaction Record

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7708
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 To Cycles	Engine 2 To Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Dec-04-2008	MCO	40.1	27	40.1	40.1	27	27			

Component Changes: Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part S/N	TBO Installed Part	Material Costs	Man Hours
213019	1	1	VALVE-CABIN TEMP	L	27241287-14 / 9912518-2		2BD83A	N	S			
Comments: Removed Part No: 27241287-14 Removed Serial No: 2BD82A. Installed a valve removed from the right hand position for troubleshooting IAW CE680 MM 21-61-00. Leak and operational checks good.												
213019	2	1	VALVE-COCKPIT TEMP	R	27241287-14 / 9912518-2		2BD82A	N	S			
Comments: Removed Part No: 27241287-14 Removed Serial No: 2BD83A. Installed a valve removed from the left hand position for troubleshooting IAW CE680 MM 21-61-00. Leak and operational checks good.												
66469003	3	1	CONDITIONED AIR DUCT ASSY		6915030-62		NSN	N	N			
Comments: Removed P/N: 6915030-25 S/N: NSN. Installed P/N: 6915030-62 IAW Cabin Cold Air Supply Duct with Orifice Modification engineering order 680-0481 drawing #6900056. Leak and operational checks good.												
274002	4	1	LINEAR SERVO ACTUATOR ASSEMBLY		EM4070-8 / 9914558-8		270	U	O			
Comments: Removed Part No: EM4070-8 Removed Serial No: 365. Removed and replaced the Linear Actuator due to a "Mach Trim Fail" EICAS message. Work done IAW Cessna 680 MM Ch. 27-40-00. Operational checks good.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, . . . Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Certified Repair Station Number	Work Order No.	6028337
Work Performed By	Orlando Citation Service Center	Certificate No.	CN98918C
		Date	Dec-04-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the			
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and			
the aircraft identified above is presently approved for return to service.			
Work Inspected by	Kurt W. Dising	Certificate No.	CN98918C
		Date	Dec-04-2008
Pertinent details of this maintenance are on file at our facility under the above Work Service Order Number as applicable.			

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



Cessna CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 668145
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Dec-08-2008	LGB	48.3	31	48.3	48.3	31	31	37	69	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Install Part Status	TSO Installed Part	Material Costs	Man Hours
68145001	1	MAINTENANCE NOTE	N								

Comments: Repacked nose landing gear strut and rigged nose landing gear uplock switch to correct intermittent uplock indication and gear banging noise discrepancy. Work performed i.a.w. chapter 32-20-01 of the Citation 680 C.M.M. and chapters 32-10-00, 32-20-00 and 32-30-05 of the Citation 680 M.M.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Warning Limit, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Long Beach Citation Service Center	Certified Repair Station Number CNQD918C	Work Order No. 921401
Work Performed By LONG BEACH CITATION SERVICE CENTER	Certificate No. CNQD918C	Date Dec-08-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by GIL G. GUMAYAGAY	Certificate No. CNQD918C	Date Dec-08-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



Cessna CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 679581
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ti Cycles	Engine 2 Ti Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Jan-05-2009	AUS	99.0	57	99.0	99.0	57	57	55.0	117	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item No.	Transaction Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removed Reason	Installed Part Serial	TSO Installed Part	Material Costs	Man Hours
243007	1	BATTERY-MAIN SHIP	L	023167-000 / 9914058-11		096837			C S		
Comments: Removed Part No: 023167-000 Removed Serial No: 00091EE0 due to convenience. Installed #3 loaner battery by SAN ANTONIO CITATION SERVICE CENTER FAA #CNQ5918C. OPS CHECKS GOOD. IAW 680 MM 24-31-00. Returned Customers original batteries to SACSC for Doc 34 inspection.											
243007	2	BATTERY-MAIN SHIP	R	023167-000 / 9914058-11		092600			C S		
Comments: Removed Part No: 023167-000 Removed Serial No: 0008850B due to convenience. Installed #11 loaner battery by SAN ANTONIO CITATION SERVICE CENTER FAA #CNQ5918C. OPS CHECKS GOOD. IAW 680 MM 24-31-00. Returned Customers original batteries to SACSC for Doc 34 inspection.											

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Warn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility SAN ANTONIO CITATION SERVICE CENTER	Certified Repair Station Number CNQ5918C	Work Order No. 1-18711
Work Performed By SAN ANTONIO CITATION SERVICE CENTER	Certificate No. CNQ5918C	Date Jan-05-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by Roger Howell <i>R. Howell</i>	Certificate No. CNQ5918C	Date Jan-05-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



CESSNA CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 680560
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Tr Cycles	Engine 2 Tr Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Jan-06-2009	AUS	99	57	99	99	57	57	55	117	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
243007	1	BATTERY-MAIN SHIP	L	023167-000 / 9914058-11		00091EE0		C	S		
Comments: Removed Part No: 023167-000 Removed Serial No: 096537 due to convenience. Installed Inspected Battery, performed operational checked good. Worked done IAW 680MM 24-31-00.											
243007	2	BATTERY-MAIN SHIP	R	023167-000 / 9914058-11		0008650B		C	S		
Comments: Removed Part No: 023167-000 Removed Serial No: 092600 due to convenience. Installed Inspected Battery, performed operational checked good. Worked done IAW 680MM 24-31-00.											

Trans: Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility San Antonio Citation Service Center	Certified Repair Station Number CNQ5918C	Work Order No. 1-18711
Work Performed By San Antonio Citation Service Center	Certificate No. CNQ5918C	Date Jan-06-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by Demick Broussard <i>DB</i>	Certificate No. CNQ5918C	Date Jan-06-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



CESSNA CITATION

CESSCOM

MTR ID: 681572 Replaces MTR ID: 680660

Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No. Freon Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Jan-06-2009	AUS	99	57	99	99	57	57	55	117	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
243007	1	1	BATTERY-MAIN SHIP	L	023167-000 / 9914058-11		00091EE0	C	S			
Comments: Removed Part No: 023167-000 Removed Serial No: 096837 Due To Convenience. Installed Battery Inspected By Cessna FAA# CNQ5918C, Performed Operational Checked Good I/AW 680 M/M 24-31-00.												
243007	2	1	BATTERY-MAIN SHIP	R	023167-000 / 9914058-11		0008850B	C	S			
Comments: Removed Part No: 023167-000 Removed Serial No: 092600 Due To Convenience. Installed Battery Inspected By Cessna FAA# CNQ5918C, Performed Operational Checked Good I/AW 680 M/M 24-31-00.												
051234	3	2	INSP DOCUMENT 34 BATTERY	L			00091EE0					
Comments: Complied With Inspection Document 34, Left Main Battery, I/AW 680 M/M Chapter 05-12-34.												
051234	4	2	INSP DOCUMENT 34 BATTERY	R			0008850B					
Comments: Complied With Inspection Document 34, Right Main Battery, I/AW 680 M/M Chapter 05-12-34.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility San Antonio Citation Service Center	Certified Repair Station Number CNQ5918C	Work Order No. 1-18711
Work Performed By San Antonio Citation Service Center	Certificate No. CNQ5918C	Date Jan-06-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and _____		
the aircraft identified above is presently approved for return to service		
Work Inspected by Lesley C. Wedding <i>[Signature]</i>	Certificate No. CNQ5918C	Date Jan-06-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



Please Print

Cessna/CITATION®

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706/Wichita, Kansas 67277
 Telex: Citation 41-7370/FAX: 316-945-9000/Phone: 316-941-6291

CESCOM

Maintenance Transaction Report



This Maintenance Transaction Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No.

Aircraft Identification and Status													
AC Serial Number	AC Unit No.	AC Registration No.	Date (Mo.-Day-Yr.)	City	Total AC Hours	Total AC Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	
680-00237		N21NR	1 12 09	TEB	117.1	66	No. 1: 117.1	No. 2: 117.1	No. 1: 66	No. 2: 66			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished.													
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mat. Level	Installed Serial Number	Removal Reason	Installed Part Status	TSC (Date of Change Desired)	TSC Installed Part	Material Cost	Man. Hours	
1	1	#1 MCDU	L	7033700-910	U	07080171	U	R					
2													
3													
4													
5													
6													
7													
8													

Type Transaction: 1 Component Change, 2 Inspection Accomplished, 3 Service Bulletin Accomplished, 4 Airworthiness Directive Accomplished

Removal Reason: Enter One: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (Note Below)

Installed Part Status: Enter One: N - New, R - Repaired, S - Serviceable, O - Overhauled

Detail Method of Compliance Under Comments Below

If Overhauled Part: Enter Overhaul Agents Name Under Comments

Ref. No. **This Space For Other Maintenance Comments Including, Test or Calibration Dates, Removed Serial Numbers, Etc.**

1 Removed the Defective #1 MC-850-2 MCDU P/N 7033700-910, S/N 07120271 and replaced with part listed above.
 The installed MCDU was repaired by Honeywell, Wichita, Ks., CRS# LV2R992K, WO# 5002143897, dated Nov. 20, 2008.
 Function tested the #1 and #2 MCDU systems. All tests check good. All work performed I/A/W Cessna 680 maintenance manual chapter 23-80-00.

Repair Facility: **Duncan Aviation** Certified Repair Station Number: **XJRR155L** Work Order No.: **TQ9BA**

Work Performed By: **Steve Jurrens** Certificate No.: **XJRR155L** Date: **1/12/09**

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration and the aircraft identified above is presently airworthy and approved for return to service.

Other (Specify) _____

Work Inspected By: *Steve Jurrens* Signature **DUNCAN Q11076** Certificate No.: **XJRR155L** Date: **1/12/09**

CESCOM
 Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File in Maintenance Log

AUTHORIZED RELEASE CERTIFICATE
FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG

R0910-0179

FAA/UNITED STATES
Organization Name and Address:

Pacific Scientific, EKD
4607 SE International Way
Milwaukie, OR 97222
Approval/Certificate No: EK7R622N

5. Work Order/Contract/Invoice Number:

1488631

6. Item:	7. Description:	8. Part Number:	9. Eligibility:	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:
1	AC GENERATOR	92589-2	N/A	1	179	OVERHAULED

13. Remarks
THE WORK SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH CMM 24-20-33. REV N/C DATED 12/15/05 P/N 9914435-9 (ZERO TIME BRGS ONLY)

CERTIFIES THAT THE WORK SPECIFIED IN BLOCKS 12 AND 13 WAS PERFORMED IN ACCORDANCE WITH EASA-145 AND IN RESPECT TO THAT WORK THE COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA-145 APPROVAL NUMBER EASA .145.5053.

14. Certifies the items identified above were manufactured in conformity to:

Approved design data and are in condition for safe operation.

Non-approved design data specified in Block 13.

19. 14 CFR 43.9 Return to Service Other regulation specified in Block 13

Certifies that unless otherwise specified in block 13, the work identified in Block 12 And described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for Return to service.

15. Authorized Signature:

20. Authorized Signature: 

21. Approval/Certificate No.:
EK7R622N

17. Name (Typed or Printed):

22. Name (Typed or Printed):
ROBERT PADILLA

23. Date (m/d/y):
AUGUST/28/2010

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensure that his/her airworthiness accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the National regulations by the user/installer before the aircraft may be flown.

*Installer must crosscheck eligibility with applicable technical data

2 N/F 20390

Scanned with CamScanner

Please Print

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No. Freon Serial No.

Aircraft Identification and Status												
A/C Serial Number	A/C Unit No	A/C Registration No	Date (Mo-Day-Yr)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles		APU Hours	APU Events	Fuel On Hours
690-0237	0237	N21NR	12/30/08	KTEB				No. 1	No. 2			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1		059039 AD/5B check										
2	Do Not											
3	Write											
4	In This											
5	Space											
6												
7												
8												

Type Transaction: 1. Component Change, 2. Inspection Accomplished, 3. Service Bulletin Accomplished, 4. Airworthiness Directive Accomplished

Removal Reason: Enter One: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (Note Below)

Installed Part Status: Enter One: N - New, R - Repaired, S - Serviceable, O - Overhauled

Detail Method Of Compliance Under Comments Below

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1. OK on AD/5B check I/P/W manufacturer approved website + FAA approved website. No defects noted.

Repair Facility: Midcoast Aviation, KTEB Certificated Repair Station Number: CSJ28271K Work Order No: 37036

Work Performed By: Carlos R. Ayala Certificate No: CSJ28271K Date: 12/30/08

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By: CSJ Signature: _____ Certificate No: CSJ28271K Date: 12/30/08

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Please Print

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM Maintenance Transaction Report

CSNA-1023-A



Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No. Freon Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
680-0237	0237	N21NK	1/15/09	K766	113.2	64							

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Initial Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1		059039 AD/5B Check										
2	Do Not Write											
3												
4	In This											
5	Space											
6												
7												
8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Removal Reason Enter One:
 W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status Enter One:
 N - New
 R - Replaced
 S - Serviceable
 O - Overhauled

Detail Method Of Compliance Under Comments Below

If Overhauled Part Enter Overhaul Agents Name Under Comments

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

C.W MONTHLY AD/5B CHECK, NO DISCREPANCIES NOT TO BE AT THIS TIME

Repair Facility: MIDWEST AVIATION Station Number: CASSIANTON Work Order No: 37076

Work Performed By: [Signature] Certificate No: CASSIANTON Date: 1-15-09

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By: [Signature] Certificate No: CASSIANTON Date: 1-15-09

CESCOM
 Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Please Print

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291



Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No. Freon Serial No.

Aircraft Identification and Status												
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours	
680-0237	0237	N21NR	2/3/09	KSTB	150.9	86						

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No. / Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours	
1	059039 AD/SB Check											
2												
3												
4												
5												
6												
7												
8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason Enter One:
 W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status Enter One:
 N - New
 R - Replaced
 S - Serviceable
 O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.	
1	NO DISCREPANCIES NOTED AT THIS TIME

Repair Facility: WINDCOAST AVIATION Station Number: CHS 2267142 Work Order No.: 37161

Work Performed By: [Signature] Certificate No.: CONSTRUCTION Date: 2-3-09

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration and the aircraft identified above is presently airworthy and approved for return to service.

Other (Specify) _____

Work Inspected By: [Signature] Signature Certificate No.: CDL 7262710K Date: 2-3-09

CESCOM
 Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Please Print

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No. Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
No. 1	No. 2	No. 1	No. 2	No. 1	No. 2	No. 1	No. 2	No. 1	No. 2	No. 1	No. 2	No. 1	No. 2
680-0237	0237	N21NR	3/1/09	KTGO	172.1	94							

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Remove Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1	059039 AD/SB CK										
2											
3											
4											
5											
6											
7											
8											

- Type Transaction
1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason Enter One:

- W - Worn to Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other (Note Below)

Installed Part Status

- Enter One:
- N - New
 - R - Replaced
 - S - Serviceable
 - O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	no discrepancies noted at this time

Repair Facility *midwest aviation* Certified Repair Station Number *CA1262710* Work Order No. *37235*

Work Performed By *[Signature]* Certificate No. *CA1262710* Date *3-1-09*

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration

Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service

Work Inspected By *[Signature]* Certificate No. *CA1262710* Date *3-1-09*

Signature

CESCOM

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Please Print

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No. Freon Serial No.

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
680-0237	0237	N21NR	3/3/09	KTEB	172.1	94					

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
	Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	(TBO Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1 2	051234 L Insp. Doc	34	4078-14		00091EG0	S	0				
Do Not	2	Battery										
Write	3											
In This	4 2	051234 R Insp. Doc	34	4078-14		0008850B	S	0				
Space	5	Battery										
	6											
	7											
	8											

Type Transaction: 1. Component Change, 2. Inspection Accomplished, 3. Service Bulletin Accomplished, 4. Airworthiness Directive Accomplished

Removal Reason: Enter One: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (Note Below)

Installed Part Status: Enter One: N - New, R - Repaired, S - Serviceable, O - Overhauled

Detail Method Of Compliance Under Comments Below

Ref. No. This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Clw cescom Insp. Doc. 34 overhaul main Battery L+R. ops check ok. F/AW A.M.M. 24-31-00

Repair Facility: midwest Aviation KTEB Station Number: C2552B2710K Work Order No.: 37235

Work Performed By: Corr. O Certificate No.: C2552B2710K Date: 3/3/09

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By: Corr. O Signature: _____ Certificate No.: C2552B2710K Date: 3/3/09

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log
Section _____ Page _____
Scheduled Removal Due (IAT) _____

Permanent Aircraft Record-File In Maintenance Log

Please Print

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291



Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No. Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
No. 1	No. 2	No. 1	No. 2	No. 1	No. 2	No. 1	No. 2	No. 1	No. 2	No. 1	No. 2	No. 1	No. 2
608-0237	0237	N21NR	4/14/09	KTEB	203.9	111							

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Transaction Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Inst. at Part Status	TBO (Enter if Change Desired)	TSO Installed Part	Material Costs	Man Hours
1		059037 AD/SB CR										
2	Do Not Write											
3												
4												
5												
6												
7												
8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Removal Reason
 Enter One:
 W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status
 Enter One:
 N - New
 R - Replaced
 S - Serviceable
 O - Overhauled

Detail Method Of Compliance Under Comments Below

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 complied with A.D + SB check. No discrep. noted as per CE680man + FAA web site.

Repair Facility: Midcoast Aviation Certificated Repair Station Number: CR55ZBR701K Work Order No.: 37409

Work Performed By: [Signature] Certificate No.: CR55ZBR701K Date: 4/15/09

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By: [Signature] Signature Certificate No.: CR55ZBR701K Date: 4/15/09

CESCOM
 Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Please Print

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report is To Be Solely For (Check One)

Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No. Freon Serial No.

Aircraft Identification and Status												
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours	
680-0237	0237	N21NK	4/15/09	TEB	203.9	111						

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TPO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1		051223 (CKPT) Doc 23										
2	Do Not	051223 (Cabin) Doc 23										
3	Write											
4	In This											
5	Space											
6												
7												
8												

Type Transaction: 1. Component Change, 2. Inspection Accomplished, 3. Service Bulletin Accomplished, 4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason Enter One: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (Note Below)

Installed Part Status Enter One: N - New, R - Repaired, S - Serviceable, O - Overhauled

1+2 Complied with code 051223 weight check cabin and cockpit portable fire extinguishers. No discrep. noted. Work as per CE680mm 26-20-20

Repair Facility: midcoast Aviation Station Number: CR552BR701K Work Order No: 37409

Work Performed By: [Signature] Certificate No: CR552BR701K Date: 4/15/09

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration and the aircraft identified above is presently airworthy and approved for return to service

Work Inspected By: [Signature] Certificate No: CR552BR701K Date: 4/15/09

Signature

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Please Print

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)
 Airframe Entries Eng. #1 Serial No. Eng. #2 Serial No. APU Serial No. Freon Serial No.

Aircraft Identification & Status
A/C Serial Number: 280-0237 A/C Unit No: 0237 A/C Registration No: N21NR
Date (Mo-Day-Yr): 5/15/09 City Identifier: KTGB Serial A/C Group: 1493.8 Total A/C Hrs: 939
Total Engine Hours: No. 1: No. 2: Total Engine Cycles: No. 1: No. 2: APU Hours: APU Events: Freon Hours:

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter if Change Desired	TSO Installed Part	Material Costs	Man Hours
1		059039 AD/SB CK.										
2	Do Not											
3	Write											
4	In This											
5	Space											
6												
7												
8												

Type Transaction: 1. Component Change, 2. Inspection Accomplished, 3. Service Bulletin Accomplished, 4. Airworthiness Directive Accomplished
Removal Reason: Enter One: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (Note Below)
Installed Part Status: Enter One: N - New, R - Replaced, S - Serviceable, O - Overhauled
Detail Method Of Compliance Under Comments Below

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 NO DISCREPANCIES NOTED AT THIS TIME.

Repair Facility: MID COAST AVIATION TGB Certified Repair Station Number: CRJ20A710K Work Order No: 37535
Work Performed By: [Signature] Certificate No: CRJ20A710K Date: 5-15-09
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.
Work Inspected By: [Signature] Certificate No: CRJ20A710K Date: 5-15-09

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log

Section	Page

Scheduled Removal Due (FAT)

Permanent Aircraft Record-File In Maintenance!



MTR ID: 638007
Page 1 of 1

Maintenance Transaction Record

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TS Cycles	Engine 2 TS Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Oct-26-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
051201	1	2	INSP DOCUMENT 1									
Comments: COMPLIED WITH DOCUMENT 1 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-01. OPERATIONAL AND FUNCTIONAL CHECKS ARE GOOD.												
051206	2	2	INSP DOCUMENT 6									
Comments: COMPLIED WITH DOCUMENT 6 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-06. OPERATIONAL CHECKS ARE GOOD.												
051213	3	2	INSP DOCUMENT 13									
Comments: COMPLIED WITH DOCUMENT 13 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-13. FUNCTIONAL CHECKS ARE GOOD.												
051221	4	2	INSP DOCUMENT 21									
Comments: COMPLIED WITH DOCUMENT 21 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-21. FUNCTIONAL CHECK GOOD. ELT BET EXPR DATE: SEP-2014.												
051226	5	2	INSP DOCUMENT 26/MAG CHIP									
Comments: COMPLIED WITH DOCUMENT 26 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-26. NO DEFECTS NOTED.												
051234	6	2	INSP DOCUMENT 34 BATTERY	L			00091EE0					
Comments: COMPLIED WITH DOCUMENT 34 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-34. CAPACITY CHECK GOOD.												
051234	7	2	INSP DOCUMENT 34 BATTERY	R			0008850B					
Comments: COMPLIED WITH DOCUMENT 34 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-34. CAPACITY CHECK GOOD.												
0512MB	8	2	INSP DOCUMENT MB									
Comments: COMPLIED WITH DOCUMENT MB INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-MB. OPERATIONAL AND FUNCTIONAL CHECKS ARE GOOD.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility NEW YORK CITATION SERVICE CENTER	Certified Repair Station Number CNQ6918C	Work Order No. 323294
Work Performed By NEW YORK CITATION SERVICE CENTER	Certificate No. CNQ6918C	Date Oct-26-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by MICHAEL PADDEN	Certificate No. CNQ6918C	Date Oct-26-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
03	1

CSNA-1023-W-R-2003-11-07



CESNA CITATION

CESCOM

MTR ID: 842498
Page 1 of 1



Maintenance Transaction Record

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 T8 Cycles	Engine 2 T8 Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Oct-30-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
42496001	1	-	CESCOM NOTE								
Comments: CUSTOMER REQUEST REMOVAL OF CESCOM ITEM CODES 059921, 059924, AND 059925. THESE WERE CUSTOMER REQUEST ITEMS THAT ARE NO LONGER NEEDED.											
42496002	2	-	CESCOM NOTE								
Comments: CESCOM NOTE: SB680-34-17, SB680-34-07 & SB680-34-19 COMPLETED DURING PRODUCTION PER FACTORY AIRCRAFT ORDER CO68000237. PLEASE CLEAR ITEM CODES 34SB-07880, 34SB-17680R1 & 34SB-19680 FROM CESCOM.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, * - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhaul

Repair Facility NEW YORK CITATION SERVICE CENTER	Certified Repair Station Number CNQ6918C	Work Order No. 323294
Work Performed By NEW YORK CITATION SERVICE CENTER	Certificate No. CNQ6918C	Date Oct-30-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
I certify that the above maintenance & information contained in the listed work order was performed in accordance with the current FAA regulations & the aircraft /component identified above is presently airworthy & approved for return to service.		
Work Inspected by MICHAEL PADDEN	Certificate No. CNQ8918C	Date Oct-30-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
03	2

CSNA-1023-W-R-2003-11-07



CESNA CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 845887
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TD Cycles	Engine 2 TD Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Nov-03-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removed Reason	Installed Part Status	TSC Installed Part	Material Costs	Man Hours
232012	1	1	VDR ASSEMBLY		7026201-803		08095106	U	S			
Comments: DATA LINK COMM FAILED. REMOVED AND REPLACED VDR ASSEMBLY WITH SERVICEABLE UNIT FROM HONEYWELL CRS # LV2R992K PER CE680 M/M CH 23-10-01. GROUND OPERATIONAL CHECK GOOD. Removed Part No: 7026201-804 Removed Serial No: 0805466.												
232004	2	1	COMM MANAGEMENT RADIO ANT	CMF	S65-8282-1		3015	U	N			
Comments: DATA LINK COMM FAILED. REMOVED AND REPLACED CMF ANTENNA PER CE680 M/M CH 23-20-10. GROUND OPERATIONAL CHECK GOOD. Removed Part No: S65-8282-1 Removed Serial No: 2624.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility NEW YORK CITATION SERVICE CENTER	Certified Repair Station Number CNQ6918C	Work Order No. 323294
Work Performed By NEW YORK CITATION SERVICE CENTER	Certificate No. CNQ6918C	Date Nov-03-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by MICHAEL PADDEN <i>[Signature]</i>	Certificate No. CNQ6918C	Date Nov-03-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
03	3

CSNA-1023-W-R-2003-11-07





Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500



Maintenance Transaction Record

MTR ID: 595287
Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries
 Eng #1 Serial No. _____
 Eng #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status													
A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Td Cycles	Engine 2 Td Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
11AD-01	1	4 LAV SMOKING PLACARD	680	AD74-08-09REV2							
Comments: AD 74-08-09 R2; Regarding "No Smoking" Placards Installed In Lavatory, Is Complied With.											
25AD-01	2	4 AIRCRAFT BELT INSPECTION	680	AD98-25-10REV1							
Comments: AD98-25-10 R1; Aircraft Belts Inc., AD Does Not Apply. Specified Parts Are Not Installed.											
35AD-01	3	4 PURITAN-BENNETT AERO SYSTEM CO	680	AD99-08-21							
Comments: AD99-08-21; Puritan Bennett Aero-Systems Co. C351-2000 Series Passenger Oxygen Masks and Portable Oxygen Masks. Does Not Apply. Specified Parts Are Not Installed.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Cessna Aircraft Company	Certified Repair Station Number		Work Order No.	CC6652N
Work Performed By	Cessna Aircraft Company	Certificate No.	PC-4	Date	Oct-08-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
the aircraft identified above is presently approved for return to service					
Work Inspected by	E. RILLORAZA	Certificate No.	PC-4	Date	Oct-08-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	

CSNA-1023-W-R-2003-11-07





Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500



Maintenance Transaction Record

MTR ID: 595281
Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries
 Eng #1 Serial No. _____
 Eng #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 T19 Cycles	Engine 2 T19 Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item No. Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
28343001 1 -	Fire Bottles									

Comments: The following fire bottles are installed at the listed positions.
 * Fwd Eng. Bottle P/N 9914513-6 S/N 63246D1, Hydro 06/08, F/T 06/16/08, Squib 1 & 2 F/T 06/08.
 * Aft Eng Bottle P/N 9914513-6 S/N 63249D1, Hydro 06/08, F/T 06/16/08, Squib 1 & 2 F/T 06/08.
 * APU P/N 9914712-3 S/N 59805B1, Hydro 05/08, F/T 06/12/08, Squib 1 & 2 F/T 06/08.
 * Baggage Fire Bottle P/N 9914712-6, S/N 10439H1, Hydro 06/08, F/T 06/26/08, Squib 1 & 2 F/T 06/08.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility <u>Cessna Aircraft Company</u>	Certified Repair Station Number _____	Work Order No. <u>CC6652N</u>
Work Performed By <u>Cessna Aircraft Company</u>	Certificate No. <u>PC-4</u>	Date <u>Oct-08-2008</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by <u>E. RILLORAZA</u>	Certificate No. <u>PC-4</u>	Date <u>Oct-08-2008</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07





MTR ID: 595284
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng #1 Serial No. _____ Eng #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Tt Cycles	Engine 2 Tt Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Display, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
28360001	1	-	NO Dynamic Rigging									

Comments: This Aircraft Meets All The Requirements Of The 6960010 Roll System Rig Spec And Type Design Requirements.
• No Dynamic Rigging Has Been Implemented.

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuil, S - Serviceable, O - Overhauled

Repair Facility	Cessna Aircraft Company	Certified Repair Station Number		Work Order No.	CC6652N
Work Performed By	Cessna Aircraft Company	Certificate No.	PC-4	Date	Oct-08-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
the aircraft identified above is presently approved for return to service					
Work Inspected by	E. RILLORAZA	Certificate No.	PC-4	Date	Oct-08-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07





Citation Customer Service
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, KS 67277
 Phone: 316-517-6291 / Fax: 316-517-8500



Maintenance Transaction Record

MTR ID: 595282
 Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng #1 Serial No. _____ Eng #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Tt Cycles	Engine 2 Tt Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Changes, Inspections, Service Bulletins or Airworthiness Directives Accomplished

Transaction Item No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
28352001	1	- Life Preservers									

Comments: Maintenance Note: The following Eastern Aero Marine Adult/Child Life Preservers, Part #PO1074-207, are installed in this aircraft.
 - The following S/N with MFD/Inspection date of June 2008 are installed at seat positions:
 - #1. 227752; #2. 227926; #3. 227805; #4. 227755, #5. 227000; #6. 227964; #7. 227824; #8. 227808; #9. 227833; #10. 227799; SFS. 227754.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Cessna Aircraft Company	Certified Repair Station Number _____	Work Order No. CC6652N
Work Performed By Cessna Aircraft Company	Certificate No. PC-4	Date Oct-08-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by E. RILLORAZA	Certificate No. PC-4	Date Oct-08-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
	3

CSNA-1023-W-R-2003-11-07





Citation Customer Service
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, KS 67277
 Phone: 316-517-6291 / Fax: 316-517-8500



Maintenance Transaction Record

MTR ID: 595283
 Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng #1 Serial No. _____ Eng #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	APU Hrs	Installed Part Date	TSD Installed Part	Material Costs	Man Hours
28354001	1	-	AOA switch								

Comments: AOA switch settings on ARINC Decoder PC Boards are L/H Switch 1 = E, Switch 2 = 6, R/H Switch 1 = C, Switch 2 = 0.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Cessna Aircraft Company	Certified Repair Station Number		Work Order No.	CC6652N
Work Performed By	Cessna Aircraft Company	Certificate No.	PC-4	Date	Oct-08-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
the aircraft identified above is presently approved for return to service					
Work Inspected by	E. RILLORAZA	Certificate No.	PC-4	Date	Oct-08-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07



070Citation / Jet Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291



MAINTENANCE TRANSACTION REPORT

CSNA-1023A

<input checked="" type="checkbox"/> Airframe Entries	<input type="checkbox"/> Eng. #1 Serial No. PCE-CG0482	<input type="checkbox"/> Eng. #2 Serial No. PCE-CG0483	<input type="checkbox"/> APU Serial No. P-423	<input type="checkbox"/> Freon Serial No.
--	--	--	---	---

Aircraft Identification and Status																	
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours			Total Engine Cycles			APU Hours	APU Events	Freon Hours		
680-0237	0237	N51042	10/09/08	ICT	9.3	8	No1	9.3	No2	9.3	No1	8	No2	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Charge Desired	TSO Installed Part	Material Costs	Man Hours

Type Transaction:
 1. Component Change
 2. Inspector Accomplished
 3. Service Bulletin/Detail Method of Compliance
 4. Airworthiness Directive Accomplished/Under Comments Below

Removal Reason:
 W. When to Limits
 S. Scheduled
 U. Unchecked/Ad
 C. Conformance
 R. Other (see item)

Ref. No. This Space For Other Maintenance Comments Including, Test, Or Calibration Dates, Removed Serial Numbers, Etc.

Per 14 CFR Part 21, this aircraft has been inspected and found to be in compliance with airworthiness standards, requirements and all mandatory changes. AS of Today the Transponder # 1, S/N 0803D893, and Transponder # 2, S/N 0803D861, meet the requirements of 14CFR Part 91.413 and the Static Pressure System, incorporating the Air Data Modules, P/N HG1153CA02, # 1 S/N 08053056, # 2 S/N 08043025, and the Standby Altimeter, S/N 1982A, and the Standby Air Data Unit S/N 1947, have been inspected and tested to the aircraft's maximum certified altitude of 47,000 feet and found to meet the requirements of 14 CFR Part 91.217 and 91.411 And are considered to be in service. This aircraft meets RVSM requirements and RVSM equipment is standard equipment for this model aircraft. Per 14 CFR Part 91.409 all life vests are in service as of this date.

Repair Facility:	Certified Repair Station Number	Work Order Number	<p style="font-size: small; margin: 0;">Citation Product Support The Cessna Aircraft Company Post Office Box 7706 Wichita, Kansas 67277</p>	Maintenance Log	
Work Performed By:	Certificate No.	Date 10/09/08		Section 3	Page 1
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) and the aircraft identified above is presently airworthy and approved for return to service.				Scheduled Removal Due (TAT)	
Work Inspected By: Roy A. House	Signature <i>Roy A. House</i>	Certificate No.	Date 10/09/08		



MTR ID: 642597
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-6500

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Td Cycles	Engine 2 Td Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-22-2008	ICT	11.0	9	11.0	11.0	9	9	31.6	69	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Addressed

Transaction Item No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
42597001	1	Maintenance Note									

Comments: Customer squawks are completed, reviewed and verified by Quality Assurance I.A.W. The maintenance manual and Cessna Aircraft Engineering practices. Copies are on file at Cessna Aircraft Company. Aircraft is Returned To Service.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Cessna Aircraft Company	Certified Repair Station Number	Work Order No.	CC6852N	
Work Performed By	Cessna Aircraft Company	Certificate No.	PC-4	Date	Oct-22-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently approved for return to service					
Work Inspected by	Richard Broerman	Certificate No.	PC-4	Date	Oct-22-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07



Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291



MAINTENANCE TRANSACTION REPORT

<input type="checkbox"/> Airframe Entries	<input type="checkbox"/> Eng. #1 Serial No. PCE-CG0482	<input type="checkbox"/> Eng. #2 Serial No. PCE-CG0483	<input type="checkbox"/> APU Serial No. P-432	<input type="checkbox"/> Freon Serial No.
---	---	---	--	---

Aircraft Identification and Status																	
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours				Total Engine Cycles				APU Hours	APU Events	Freon Hours
680-0237	0237	N51042	10/23/2008	ICT	11.6	10	No1	11.6	No2	11.6	No1	10	No2	10	28	66	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished															
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Charge Desired	TSO Installed Part	Material Costs	Man Hours	Detail Method of Compliance		
													U	V	
1	Do Not														
2	Write														
3	In This														
4	Space														

- Type Transaction:
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin
 4. Airworthiness Directive Accomplished
- Detail Method of Compliance:
 U: Under Comments Below
 V: Under Comments Below

- Removal Reason:
 W: Went to Limits
 S: Scheduled
 U: Unscheduled
 C: Convenience
 N: Other (see item)
- How:
 R: Replaced
 S: Serviceable
 O: Overhauled

Ref. No. This Space For Other Maintenance Comments Including, Test, Or Calibration Dates, Removed Serial Numbers, Etc.

Per customer request, FAA registration N51042 has been removed. (US) registration N21NR is now displayed in compliance with (US) regulations.
 The assigned "MODE S Code" (50334145) has been embedded into the Transponders and they have been checked for proper operation.
 The NAV ELT has been interrogated, checked and reads ID No. ADC6492665D9AA1
 Per (US) Aircraft Registry Requirements a "fireproof" aircraft identification plate, engraved with aircraft registration number has been fitted.
 An Standard Certificate of Airworthiness has been issued.

Repair Facility: Cessna Aircraft Company	Certified Repair Station Number: PC-4	Work Order Number: 10/23/2008	 Citation Product Support The Cessna Aircraft Company Post Office Box 7706 Wichita, Kansas 67277	Maintenance Log Section 3 Page
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify EASA Part - 145) and the aircraft identified above is presently airworthy and approved for return to service.				Scheduled Removal Due (TAT)
Work Inspected By: M. A. Miranowski	Certificate No. PC-4	Date: 10/23/08		

Signature

Please Print

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.
 Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
680-0237	0237	N21NR	11/24/08	TEB	34.0	22	No. 1 34.0	No. 2 34.0	No. 1 22	No. 2 22	-	-	-

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1	*	MAINT NOTE										
2												
3												
4												
5												
6												
7												
8												

<p>Type Transaction</p> <ol style="list-style-type: none"> 1. Component Change 2. Inspection Accomplished 3. Service Bulletin Accomplished 4. Airworthiness Directive Accomplished 	<p>Detail Method Of Compliance Under Comments Below</p>	<p>Removal Reason Enter One:</p> <p style="font-size: x-small;">W - Worn to Limits S - Scheduled U - Unscheduled C - Convenience N - Other (Note Below)</p>	<p>Installed Part Status Enter One:</p> <p style="font-size: x-small;">N - New R - Replaced S - Serviceable O - Overhauled</p> <p style="font-size: x-small;">If Overhauled Part Enter Overhaul Agents Name Under Comments.</p>
---	--	--	--

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

* Crew reports MACH TRIM FAIL on last 2 flights, gained access to mach trim actuator and monitored operation while using Laversab air data tester to actuate freeze actuator with freeze and monitored travel of elevator trim tab with digital inclinometer. All checks good IAW citation 680 m/m, ch. 27-40-00.

Repair Facility <u>NEW YORK CITATION SVC CTR</u>	Certificated Repair Station Number <u>CNQ6918C</u>	Work Order No. <u>321909</u>
Work Performed By <u>NEWBURGH, NY 12550</u>	Certificate No. <u>CNQ6918C</u>	Date <u>11/24/08</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____		
Work Inspected By <u>John H. Begley</u>	Certificate No. <u>CNQ6918C</u>	Date <u>11/24/08</u>

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
03	
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2637250

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Inputs for Airframe Entries, Eng. #1, Eng. #2, and APU Serial Numbers.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: MESA CITATION SERVICE CENTER. Certified Repair Station Number: CNQD918C. Work Order No.: 43997. Date: 17-Oct-2016. Includes signature of Clark Colter.

Maintenance Log table with 2 columns: Section, Page. Values: 4, 1.



Maintenance Transaction Record

MTR ID # 2729755
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1800, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0781

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
880-0237	0237	N101CF	06-Jun-2017	SDL	943.3	771	943.3	943.3	734	734	610.6	949	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSOTSR	Material Coets	Man Hours
FAA 2017-06-13	1 4	PREVENTION OF DISBONDING OF THE HORIZONTAL AND VERTICAL STIFFENERS ON THE AFT CANTED BULKHEAD MOC: NOT APPLICABLE Comments: Not Applicable to Aircraft S/N per Paragraph (c). No further action required.								

Trans Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Mac

Removal Reasons: WO - Work Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Certified Repair Station Number	Work Order No.
Work Performed By SCOTT GUETTI	Certificate No. AP3416789	Date 06-Jun-2017
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and I CERTIFY THIS AIRCRAFT HAS BEEN REPAIRED AND INSPECTED IN ACCORDANCE WITH THE CURRENT FEDERAL AVIATION REGULATIONS AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.		
Work Inspected By SCOTT GUETTI	Certificate No. AP3416789	Date 06-Jun-2017
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page



TEXTRON AVIATION

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng.#1 Serial No. _____

Eng.#2 Serial No. _____

APU Serial No. _____

TR ID # 2791484
Page 1 of 4
CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	06-Dec-2017	KIWA	1057.3	842	1057.3	1057.3	805	805	721.6	1114	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternata Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
5-12-09	1	2	INSPECTION DOCUMENT 9 (INTERVAL 4C ITEMS)									
Comments: Complied with Inspection Document 9 per the 680 MM CH 5-12-09.												
5-12-13	2	2	INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS)									
Comments: Complied with Inspection Document 13 per the 680 MM CH 5-12-13.												
5-12-14	3	2	INSPECTION DOCUMENT 14 (INTERVAL 2A/2C ITEMS)									
Comments: Complied with Inspection Document 14 per the 680 MM CH 5-12-14.												
5-12-15	4	2	INSPECTION DOCUMENT 15 (INTERVAL 4A/4C ITEMS)									
Comments: Complied with Inspection Document 15 per the 680 MM CH 5-12-15.												
5-12-19	5	2	INSPECTION DOCUMENT 19 (INTERVAL 4C THEN 2C ITEMS)									
Comments: Complied with Inspection Document 19 per the 680 MM CH 5-12-19.												
5-12-20	6	2	INSPECTION DOCUMENT 20									
Comments: Complied with Inspection Document 20 per the 680 MM CH 5-12-20.												
B341001	7	2	CALIBRATION TEST NO. 1 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20	NO. 1	HG1153CA02		08053056					
CALIBRATION Date: 29-Oct-2017 Comments: 14 CFR 91.411 requirements complied with to a test altitude of 47,000 feet, and per the Model 680 Maintenance Manual, Item Code B341001, Task 34-11-00-700 in accordance with CFR 91.411.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility TEXTRON AVIATION SERVICE MESA Certified Repair Station Number CNQD918D Work Order No. 67859

Work Performed By TEXTRON AVIATION SERVICE MESA Certificate No. CRS# CNQD918C Date 06-Dec-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.

Work Inspected By TIMOTHY J. ESKER *Timothy J. Esker* Certificate No. CRS# CNQD918C Date 06-Dec-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



TEXTRON AVIATION

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng #1 Serial No. _____

Eng #2 Serial No. _____

APU Serial No. _____

TR ID # 2791484
Page 3 of 4

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	06-Dec-2017	KIWA	1057.3	842	1057.3	1057.3	805	805	721.6	1114	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
5-12-21	13	2	INSPECTION DOCUMENT 21 (91,207 ITEMS)									
Comments: Complied with Inspection Document 21 per the 680 MM CH 5-12-21.												
5-12-27	14	2	INSPECTION DOCUMENT 27 (APU)									
Comments: Complied with Inspection Document 27 per the 680 MM CH 5-12-27.												
5-12-34	15	2	INSPECTION DOCUMENT 34									
Comments: Complied with Inspection Document 34 per the 680 MM CH 5-12-34.												
D243102	16	2	FUNCTIONAL CHECK LEFT MAIN BATTERY LEFT (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34	LEFT	023167-000		0008850B					
Comments: Complied with Task 24-31-00-721, functional check of the left Saft Ni-Cad Battery, Inspection Document 34, IAW the 680 MM CH 5-12-34.												
D243102	17	2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34	RIGHT	023167-000		00091EE0					
Comments: Complied with Task 24-31-00-721, functional check of the right Saft Ni-Cad Battery, Inspection Document 34, IAW the 680 MM CH 5-12-34.												
5-12-36	18	2	INSPECTION DOCUMENT 36 (INTERVAL 3A/4C ITEMS)									
Comments: Complied with Inspection Document 36 per the 680 MM CH 5-12-36.												
5-12-42	19	2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS									
Comments: Complied with Inspection Document 42 per the 680 MM CH 5-12-42.												
345008	20	1	LEFT DME ANTENNA	LEFT	DMNI50-2-2		141278	UN	N			0 MTH 0 HRS
Comments: Removed Left DME Antenna p/n: DMNI50-2-2 s/n: 119823 and installed new antenna p/n: DMNI50-2-2 s/n: 141278 IAW Cessna 680 MM 34-52-00. Ops checks good												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	TEXTRON AVIATION SERVICE MESA	Certified Repair Station Number	CNQD918D	Work Order No.	67859
Work Performed By	TEXTRON AVIATION SERVICE MESA	Certificate No.	CRS# CNQD918C	Date	06-Dec-2017
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	TIMOTHY J. ESKER	Certificate No.	CRS# CNQD918C	Date	06-Dec-2017
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	3



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Maintenance Transaction Records
This Maintenance Report is To Be Used Solely For (Check One)

36111-11-01-00000
Page 2 of 4

CAMP Systems International
9200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645	509.5	612	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	7	2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS									
Comments: Complied with inspection document 42 in accordance with chapter 5-12-42 of the Citation 680 maintenance manual												
340052 340052 : 1	8	1	NO. 1 IRIDIUM/GPS ANTENNA	NO. 1	S67-1575-135		818-5877	SC	N	0 MTH 0 HRS		
Comments: Removed NO. 1 IRIDIUM/GPS ANTENNA part no: S67-1575-132 serial no: 435-1679, and installed new NO. 1 IRIDIUM/GPS ANTENNA part no: S67-1575-135 serial no: 818-5877 in accordance with Cessna 680 Maintenance Manual 34-55-15. Operational check good.												
340052 340052 : 2	9	1	NO. 2 IRIDIUM/GPS ANTENNA	NO. 2	S67-1575-135		818-5872	SC	N	0 MTH 0 HRS		
Comments: Removed NO. 2 IRIDIUM/GPS ANTENNA part no: S67-1575-132 serial no: 435-1680, and installed new NO. 2 IRIDIUM/GPS ANTENNA part no: S67-1575-135 serial no: 818-5872 in accordance with Cessna 680 Maintenance Manual 34-55-15. Operational check good.												
237001	10	1	COCKPIT VOICE RECORDER	COCKPIT	2100-1020-02		000749576	UN	R			
Comments: Removed COCKPIT VOICE RECORDER part no: 2100-1020-02 serial no: 000547138, and installed repaired COCKPIT VOICE RECORDER part no: 2100-1020-02 serial no: 000749576 repaired by Aircraft Instrument and Radio Services Inc. CRS# T12R188L in accordance with Cessna 680 Maintenance Manual 23-70-00. Operational check good.												
237004	11	1	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON	COCKPIT	DK120		SD01118	UN	R			
Comments: Removed COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: S035740, and installed repaired COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: SD01118 repaired by Aircraft Instrument and Radio Services Inc. CRS# T12R188L in accordance with Cessna 680 Maintenance Manual 23-70-00. Operational check good. ULB battery expires 6/2022.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Over

Repair Facility: MESA SERVICE CENTER
 Certified Repair Station Number: CNQD918C
 Work Order No.: 39782

Work Performed By: MESA SERVICE CENTER
 Certificate No.: CNQD918C
 Date: 23-Jul-2016

Federal Aviation Administration
 Other (Specify) _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: CLARK COLTER
 Certificate No.: CNQD918C
 Date: 23-Jul-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	2



CBSCOM Maintenance Transaction Record

MTR ID # 2505612
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287/ Fax: 316-462-0791

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	05-Jul-2016	ICT	792.8	677	792.8	792.8	643	643	507.9	793	0

Component Changes: Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	1 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								

Comments: Accomplished Inspection Document 42 IAW the CE-680 MM Chapter 5-12-42.

Scanned with CamScanner

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CNQR918C Date: 05-Jul-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and _____

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SHAWN MASON *Shawn Mason* Certificate No.: CNQR918C Date: 05-Jul-2016

Pertinent details of this maintenance are on file at cur facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



Maintenance Transaction Record

MTR ID # 2603146

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-34-27	1 3	WIDE AREA AUGMENTATION SYSTEM (WAAS) INSTALLATION, SERVICE BULLETIN MOC: COMPLIED WITH Comments: Complied with SB680-34-27 WAAS Installation.								

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Mac. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: MESA CITATION SERVICE CENTER Certified Repair Station Number: CNQD918C Work Order No.: 39782

Work Performed By: MESA CITATION SERVICE CENTER Certificate No.: CNQD918C Date: 23-Jul-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: CLARK COLTER *[Signature]* Certificate No.: CNQD918C Date: 23-Jul-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	1

Wichita Citation Service Center AD Review List

Aircraft: 680-0237
CofA Date: 10/09/2008

Airframe hours: 787.6
Landings: 670

Date: 7/8/16

AD Number	Status	Model	Subject description	AD Sign off	Completed	Effective	AD sign off
					By:	Date:	Date:
AD74-08-09 R3	Recurring	Various	Waste Receptacle Inpection	Next due at: 1493.0 Hours	BJD	3/28/12	8/22/12
AD98-25-10 R1	N/A	Various	Aircraft Belts Inc	Not Applicable-Equipment not Installed	ICT	1/14/00	10/9/08
AD99-08-21	N/A	Various	Puritan O2 Masks	Not Applicable-Equipment not Installed	ICT	6/2/99	10/9/08
AD2003-26-14	N/A	Various	Kidde Aerospace Hand held BTL	Not Applicable-Equipment not Installed	N/A	2/20/04	N/A
AD2005-08-03	N/A	680	Honeywell Primus Epic Systems	N/A-Apploes to S/N 680-0001 thru 0021	N/A	4/29/05	N/A
AD2007-26-16	N/A	680	Aft Fairing Wire Bundle Clearance	N/A-Apploes to S/N 680-0001 thru 0158	N/A	1/8/08	N/A
AD2010-04-16	N/A	Various	SICLI Halon 1211 Portable Fire Ext	Not Applicable-AMEREX Fire Ext installed	ASH	3/8/10	6/11/10
AD2010-07-02	N/A	Various	Honeywell Primus II RNZ-850/-851 INU	Not Applicable-Equipment not Installed	N/A	5/3/10	N/A
AD2011-14-08	N/A	Various	B/E Aerospace Oxygen Mask Assy.	Not Applicable-Equipment not Installed	N/A	8/19/11	N/A
AD2012-02-08	N/A	Various	ACSS TCAS Units	Accomplished per SB680-34-29	MCO	3/13/12	9/19/13
AD2012-07-04	N/A	680	Fuel Cross Feed	Accomplished per SB680-24-11	BJD	5/15/12	8/22/12
AD2014-18-01	N/A	Various	Rockwell Collins Inc., TDR-94 XPDRS	Not Applicable per P/N & S/N Installed	BJD	10/14/14	3/26/15
AD2015-08-07	N/A	Various	Zodiac Oxygen Mask Regulator	Not Applicable per P/N & S/N Installed	BJD	6/16/15	8/25/15
AD2015-10-02	N/A	Various	Zodiac France Pass Seat Assy	Not Applicable-Equipment not Installed	ICT	6/12/15	12/15/15
AD2015-10-51 E	N/A	Various	Avidyne Corporation IFD's	Not Applicable-Equipment not Installed	BJD	Emergency	8/25/15
AD2015-10-51	N/A	Various	Avidyne Corporation IFD's	Not Applicable-Equipment not Installed	ICT	7/1/15	12/15/15
AD2015-23-09	N/A	Various	Zodiac Oxygen Mask Regulators	Not Applicable-Equipment not Installed	ICT	12/28/15	12/15/15
AD2016-11-20	N/A	Various	B/E Aerospace PBE	Not Applicable per P/N Installed	ICT	7/15/16	6/20/16

AD Biweekly 2016-13, 06/13/2016 - 06/26/2016.



92060
I
RWD 07-08-2016.

CESSNA/CITATION SERVICE CENTER
 FAA Repair Station
 CNQR918C

Wichita Citation Service Center AD Review List

Aircraft: 680-0237
CofA Date: 10/09/2008

Airframe hours: 787.6
Landings: 670

Date: 7/8/16

AD Number	Status	Model	Subject description	AD Sign off	Completed By:	Effective Date:	AD sign off Date:
AD74-08-09 R3	Recurring	Various	Waste Receptacle Inpection	Next due at: 1493.0 Hours	BJD	3/28/12	8/22/12
AD98-25-10 R1	N/A	Various	Aircraft Belts Inc	Not Applicable-Equipment not Installed	ICT	1/14/00	10/9/08
AD99-08-21	N/A	Various	Puritan O2 Masks	Not Applicable-Equipment not Installed	ICT	6/2/99	10/9/08
AD2003-26-14	N/A	Various	Kidde Aerospace Hand held BTL	Not Applicable-Equipment not Installed	N/A	2/20/04	N/A
AD2005-08-03	N/A	680	Honeywell Primus Epic Systems	N/A-Apploes to S/N 680-0001 thru 0021	N/A	4/29/05	N/A
AD2007-26-16	N/A	680	Aft Fairing Wire Bundle Clearance	N/A-Apploes to S/N 680-0001 thru 0158	N/A	1/8/08	N/A
AD2010-04-16	N/A	Various	SICLI Halon 1211 Portable Fire Ext	Not Applicable-AMEREX Fire Ext installed	ASH	3/8/10	6/11/10
AD2010-07-02	N/A	Various	Honeywell Primus II RNZ-850/-851 INU	Not Applicable-Equipment not Installed	N/A	5/3/10	N/A
AD2011-14-08	N/A	Various	B/E Aerospace Oxygen Mask Assy.	Not Applicable-Equipment not Installed	N/A	8/19/11	N/A
AD2012-02-08	N/A	Various	ACSS TCAS Units	Accomplished per SB680-34-29	MCO	3/13/12	9/19/13
AD2012-07-04	N/A	680	Fuel Cross Feed	Accomplished per SB680-24-11	BJD	5/15/12	8/22/12
AD2014-18-01	N/A	Various	Rockwell Collins Inc.,TDR-94 XPDRS	Not Applicable per P/N & S/N Installed	BJD	10/14/14	3/26/15
AD2015-08-07	N/A	Various	Zodiac Oxygen Mask Regulator	Not Applicable per P/N & S/N Installed	BJD	6/16/15	8/25/15
AD2015-10-02	N/A	Various	Zodiac France Pass Seat Assy	Not Applicable-Equipment not Installed	ICT	6/12/15	12/15/15
AD2015-10-51 E	N/A	Various	Avidyne Corporation IFD's	Not Applicable-Equipment not Installed	BJD	Emergency	8/25/15
AD2015-10-51	N/A	Various	Avidyne Corporation IFD's	Not Applicable-Equipment not Installed	ICT	7/1/15	12/15/15
AD2015-23-09	N/A	Various	Zodiac Oxygen Mask Regulators	Not Applicable-Equipment not Installed	ICT	12/28/15	12/15/15
AD2016-11-20	N/A	Various	B/E Aerospace PBE	Not Applicable per P/N Installed	ICT	7/15/16	6/20/16

AD Biweekly 2016-13, 06/13/2016 - 06/26/2016.

Richard Dietz

 92060
 I
 RWD
 07-08-2016
CESSNA CITATION SERVICE CENTER
FAA Repair Station
CNQR918C



Maintenance Transaction Record

MTR ID # 2588763
Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	20-Jun-2016	KICT	787.6	670	787.6	787.6	636	636	505.5	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
FAA 2016-11-20	1 4	APPLIANCE AD - OXYGEN - INSPECTION AND REPLACEMENT OF B/E AEROSPACE PROTECTIVE BREATHING EQUIPMENT (PBE), PART NUMBER 119003-11 THAT ARE INSTALLED ON AIRPLANES. MOC: NOT APPLICABLE Comments: FAA 2016-11-20 Does not Apply to this Aircraft per section (c) of this AD and information contained in BE service bulletin No: 119003-35-11, Rev. 000 dated February 4, 2015 part number not installed in this aircraft								
FAA 2016-11-20 PARA (G)	2 4	PHYSICALLY INSPECT THE PBE POUCH TO DETERMINE IF IT HAS AN INTACT VACUUM SEAL IN ACCORDANCE WITH B/E AEROSPACE SERVICE BULLETIN NO. 119003-35-011, REV. 000, DATED FEBRUARY 4, 2015, PARA III.A.1 MOC: NOT APPLICABLE Comments: FAA 2016-11-20 PARA (G) Does not Apply to this Aircraft per section (c) of this AD and information contained in BE service bulletin No: 119003-35-11, Rev. 000 dated February 4, 2015 part number not installed in this aircraft								
FAA 2016-11-20 PARA (H)(1)	3 4	REPLACEMENT OF A PBE POUCH, FOUND DURING THE INSPECTION IN PARAGRAPH (G) OF THIS AD, THAT DOES NOT HAVE AN INTACT VACUUM SEAL. MOC: NOT APPLICABLE Comments: FAA 2016-11-20 PARA (H)(1) Does not Apply to this Aircraft per section (c) of this AD and information contained in BE service bulletin No: 119003-35-11, Rev. 000 dated February 4, 2015 part number not installed in this aircraft								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CRS # CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CRS # CNQR918C Date: 20-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SHAWN MASON *Shawn Mason* Certificate No.: CNQR918C Date: 20-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	1



CESCOM

Maintenance Transaction Record

MTR ID # 2588763
Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	20-Jun-2016	KICT	787.6	670	787.6	787.6	636	636	505.5	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
FAA 2016-11-20 PARA (H)(2)	4 4	REPLACEMENT OF A PBE POUCH, FOUND DURING THE INSPECTION IN PARAGRAPH (G) OF THIS AD, WHERE THE VACUUM SEAL IS INTACT. MOC: NOT APPLICABLE Comments: FAA 2016-11-20 PARA (H)(2) Does not Apply to this Aircraft per section (c) of this AD and information contained in BE service bulletin No. 119003-35-11. Rev. 000 dated February 4, 2015 part number not installed in this aircraft								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CRS # CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CRS # CNQR918C Date: 20-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SHAWN MASON *Shawn Mason* Certificate No.: CNQR918C Date: 20-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	2



CESCOM

Maintenance Transaction Record

MTR ID # 2582902
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	09-Jun-2016	ICT	785.2	668	785.2	785.2	634	634	505.5	790	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIL-35-05	1 3	OXYGEN - TRANSMITTAL OF ZODIAC AEROSPACE SB MCF-SBU-35-001, SERVICE LETTER MOC COMPLIED WITH Comments: Accomplished CIL-35-05 Transmittal of Zodiac Service Bulletin MCF-SBU-35-001, Dated January 8, 2016								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CNQR918C	Date	09-Jun-2016
<p>I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the</p> <p><input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and</p> <p>I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.</p>					
Work Inspected By	SHAWN MASON <i>Shawn Mason</i>	Certificate No.	CNQR918C	Date	09-Jun-2016
<p>Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.</p>					

Maintenance Log	
Section	Page
4	



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

CASCOM Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

MTR ID # 2495192 Page 3 of 8

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hou
5-12-40 051240	12 2	MSG-3 INSPECTION DOCUMENT 40 (INTERVAL 2A/1C)								
Comments: Performed Inspection Document 40, I.A.W. MM Cessna 680 chapter 5-12-40 Rev.23.										
5-12-41	13 2	INSPECTION DOCUMENT 41								
Comments: Performed Inspection Document 41, I.A.W. MM Cessna 680 chapter 5-12-41 Rev.23.										
5-12-42	14 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Performed Inspection Document 42, I.A.W. MM Cessna 680 chapter 5-12-42 Rev.23.										
A521005	15 2	GENERAL VISUAL INSPECTION (CORROSION INSPECT) CABIN DOOR: INSPECTION DOCUMENT 42								
Comments: Performed Inspection Document 42, I.A.W. MM Cessna 680 chapter 5-12-42 Rev.23.										
255004 256004 : 1	16 1	NO. 1 LIFE JACKET	NO. 1	PO1074-207		227752	SC	S		
Comments: Removed NO. 1 Life Jacket PN PO1074-207 SN 227752. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvdo 003 # MRL-OF-EE 2718/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										
256004 256004 : 2	17 1	NO. 2 LIFE JACKET	NO. 2	PO1074-207		227926	SC	S		
Comments: Removed NO. 2 Life Jacket PN PO1074-207 SN 227926. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvdo 003 # MRL-OF-EE 2726/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhaul

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	COM # 5905-1 / ANAC	Work Order No.	81885
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certificate No.	COM # 5905-1 / ANAC	Date	25-Aug-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	FRANCISCO JOSÉ MACHADO LUCAS	Certificate No.	COD, ANAC # 394528	Date	25-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2512061

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 15-Dec-2015, ICT, 785.2, 668, 785.2, 785.2, 634, 634, 505.5, 790, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 5 entries for FAA AD 2015-10-02 and FAA AD 2015-23-09.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER, Certified Repair Station Number: CNQR918C, Work Order No.: 26216, Date: 15-Dec-2015. Includes signature of Sergio A. Velez.

Maintenance Log table with 2 columns: Section, Page. Row 1: 4, 1



Maintenance Transaction Record

MTR ID # 2512061
Page 2 of 2

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
FAA 2015-23-09 PARA (G)	6 4	INSPECT EACH FLIGHTCREW OXYGEN MASK REGULATOR TO IDENTIFY THE PART NUMBER AND SERIAL NUMBER								
Comments: Accomplished FAA AD 2015-23-09 (G). Affected equipment not installed in this aircraft, no further action is required.										
FAA 2015-23-09 PARA (H)(1)	7 4	REPLACE EACH AFFECTED FLIGHTCREW OXYGEN MASK WITH A PART IDENTIFIED IN PARAGRAPH (H)(1)(I) OR (H)(1)(II).								
Comments: Accomplished FAA AD 2015-23-09 (H)(1). Affected equipment not installed in this aircraft, no further action is required.										
FAA 2015-23-09 PARA (H)(2)	8 4	REVISE THE EMERGENCY PROCEDURES SECTION OF THE AIRPLANE FLIGHT MANUAL (AFM) BY INSERTING THE STATEMENT PROVIDED IN FIGURE 1								
Comments: Accomplished FAA AD 2015-23-09 PARA (H)(2)(I). Affected equipment not installed in this aircraft, no further action is required.										
FAA 2015-23-09 PARA (H)(2)	9 4	FABRICATE AND INSTALL A PLACARD ON THE FLIGHTCREW OXYGEN MASK CONTAINER THAT STATES: "USE SELECTOR ON 100% OR EMERGENCY ONLY."								
Comments: Accomplished FAA AD 2015-23-09 (H)(2)(II). Affected equipment not installed in this aircraft, no further action is required.										
FAA 2015-23-09 PARA (I)	10 4	REGULATOR REPLACEMENT								
Comments: Accomplished FAA AD 2015-23-09 PARA (I). Affected equipment not installed in this aircraft, no further action is required.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER Certified Repair Station Number: CNQR918C Work Order No.: 26216

Work Performed By: WICHITA CITATION SERVICE CENTER Certificate No.: CNQR918C Date: 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SERGIO A. VELEZ Certificate No.: CNQR918C Date: 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	2



MTR ID # 2501033
Page 4 of 5

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-482-2267 / Fax: 316-482-0791

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	688	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
245012 245012 : R	23	1	RIGHT B/A MONITOR NF208 PCB ASSY	RIGHT	6918625-26		0604A	UN	R			
<p>Comments: Removed right bleed air monitor PCB assembly, P/N: 6918625-26 S/N: 0604A, due to failure. Unit repaired and reinstalled IAW the CE 680 M/M Chapter 35-20-00. Operational check good. Unit repaired by: Cessna Service Direct, CRS#: CNQR918C.</p>												
B258001	24	2	FUNCTIONAL CHECK EMERGENCY LOCATOR TRANSMITTER (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324).INSPECTION DOCUMENT 21(91.207 ITEMS)		S1821502-02		26195910002					
<p>Comments: Accomplished Inspection Document 21 functional check of emergency locator transmitter IAW the CE 680 M/M Chapter 25-63-01. Operational check good.</p>												
321007 321007 : L	25	1	LEFT MAIN LANDING GEAR TRAILING LINK	LEFT	6941030-2		25129221	UN	N	0 LDG		
<p>Comments: Removed left MLG trailing link, P/N: 6941030-2 S/N: 419, due to corrosion. Replaced with new trailing link IAW the CE 680 M/M Chapter 32-10-00. Operational check good.</p>												
321007 321007 : R	26	1	RIGHT MAIN LANDING GEAR TRAILING LINK	RIGHT	6941030-2		25121602	UN	N	0 LDG		
<p>Comments: Removed right MLG trailing link, P/N: 6941030-2 S/N: 420, due to corrosion. Replaced with new trailing link IAW the CE 680 M/M Chapter 32-10-00. Operational check good.</p>												
321009 321009 : L	27	1	LEFT MAIN LANDING GEAR TRAILING LINK SPACER	LEFT	6941031-16		24633937J	UN	N	0 LDG		
<p>Comments: Removed left MLG trailing link spacer, P/N: 6941031-16 S/N: 419, due to corrosion. Replaced with new unit IAW the CE 680 M/M Chapter 32-10-00. Operational check good.</p>												
321009 321009 : R	28	1	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER	RIGHT	6941031-16		24631146A	UN	N	0 LDG		
<p>Comments: Removed right MLG trailing link spacer, P/N: 6941031-16 S/N: 420, due to corrosion. Replaced with new unit IAW the CE 680 M/M Chapter 32-10-00. Operational check good.</p>												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhaul

Repair Facility: WICHITA CITATION SERVICE CENTER
 Certified Repair Station Number: CNQR918C
 Work Order No.: 26216
 Date: 15-Dec-2015

Work Performed By: WICHITA CITATION SERVICE CENTER
 Certificate No.: CNQR918C
 Date: 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: SERGIO A. VELEZ
 Certificate No.: CNQR918C
 Date: 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	4

Scanned with CamScanner



Maintenance Transaction Record

MTR ID # 2506232
Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries, Eng. #1, Eng. #2, APU Serial No.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER, Certified Repair Station Number: CNQR918C, Work Order No.: 26216, Work Performed By: WICHITA CITATION SERVICE CENTER, Certificate No.: CRS# CNQR918C, Date: 15-Dec-2015

Maintenance Log table with 2 columns: Section, Page



Maintenance Transaction Record

MTR ID # 2506232
Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-49-09	7 3	AUXILIARY POWER - APU GENERATOR CONTROL PCB IMPROVEMENT, SERVICE BULLETIN Comments: SB680-49-09; APU Generator Control PCB Improvement. Is C/W due to Rev. 1 was accomplished.								
680-49-09 R2	8 3	APU GENERATOR CONTROL PCB IMPROVEMENT, SERVICE BULLETIN Comments: SB680-49-09 Rev. 2; APU Generator Control PCB Improvement. Is C/W due to Rev. 1 was accomplished.								
SL680-49-04 R1	9 3	AUXILIARY POWER - APU FUEL LINE INSPECTION, SERVICE LETTER Comments: SL680-49-04 Rev. 1; APU Fuel Line Inspection. Is C/W due to original issue was accomplished.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CRS# CNQR918C Date 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By MICHAEL THOMAS *mthomas* Certificate No. CRS# CNQR918C Date 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	2



CASCOM
Maintenance Transaction Record

MTR ID # 2293673
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No.

Eng. #2
Serial No.

APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1000, SUITE 1007
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0761

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	20-May-2014	SBJD	625.9	518	625.9	625.9	484	484	405.3	621	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSC/TBR	Material Costs	Man Hours
5-12-34	1 2	INSPECTION DOCUMENT 34								
Comments: Performed Inspection Document 34, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 05-12-34 Rev. 20.										
D243101 051234 : L	2 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - MARATHON): INSPECTION DOCUMENT 34	LEFT	023167-000		00091EE0				
Comments: Removed Main Battery, P/N 9914058-11 S/N 00091EE0, performed Capacity Test and reinstalled, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 24-31-00 Rev. 20. SEGVOO 003 # MRL-OF-BT 3978/14 issued by TAM Aviação Executiva e Taxi Aereo S.A on 05/19/2014.										
D243101 051234 : R	3 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - MARATHON): INSPECTION DOCUMENT 34	RIGHT	023167-000		0008850B				
Comments: Removed Main Battery, P/N 9914058-11 S/N 0008850B, performed Capacity Test and reinstalled, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 24-31-00 Rev. 20. SEGVOO 003 # MRL-OF-BT 3978/14 issued by TAM Aviação Executiva e Taxi Aereo S.A on 05/19/2014.										
5-12-42	4 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Performed Inspection Document 42, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 5-12-42 Rev. 20.										
2293873005	5 -	APU HOURS AND CYCLES								
Comments: Verified APU Hours and Cycles: 405,3 Hours / Cycles 626.										
2293873008	6 2	PRE-FLIGHT INSPECTION								
Comments: Performed Pre-Flight Inspection, IAW Cessna Citation Maintenance Manual P/N 680MM Rev. 20. Checked OK.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - EB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S.A. Certified Repair Station Number: CHE # 6905-01/ANAC Work Order No. 79202

Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S.A. Certificate No. CHE # 6905-01/ANAC Date 20-May-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC/ BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON BALDANHA CARDOSO Certificate No. CDD. ANAC # 71830-4 Date 20-May-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page

Scanned with CamScanner

CASCAM

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

MTR ID # 2329117
Page 7 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1800, SUITE 1807
Wichita, KS 67226
Phone: 316-462-2257 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TB Cycles	Engine 2 TB Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBJD	674.1	558	674.1	674.1	525	525	434.1	667	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSNTSO/TSR	Material Costs	Man Hours
5-12-41	32 2	INSPECTION DOCUMENT 41								
Comments: Performed Inspection Document 41, I.A.W. MM Cessna 680 chapter 5-12-41 Rev.21.										
5-12-42	33 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Performed Inspection Document 42, I.A.W. MM Cessna 680 chapter 5-12-42 Rev.21.										
5-12-MS	34 2	INSPECTION DOCUMENT MS								
Comments: Performed Inspection Document MS, I.A.W. MM Cessna 680 chapter 5-12-MS Rev.21.										
2329117039	35 2	APU HOURS AND CYCLES								
Comments: Verified APU Hours and Cycles: 434.1 Hours and 667 Cycles.										
2329117040	36 2	PREFLIGHT INSPECTION								
Comments: Performed Preflight Inspection, I.A.W. MM Cessna 680 PN 680MM21 Rev.21.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - EB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC Work Order No. 79770

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No. CHE # 6905-01/ANAC Date 21-Aug-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON SALDANHA CARDOSO Certificate No. COD ANAC # 718304 Date 21-Aug-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page

Scanned with CamScanner



Maintenance Transaction Record

MTR ID # 2205338

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TI Cycles, Engine 2 TI Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: CNQ8918C, Work Order No.: 6044469, Date: 05-Nov-2013.

Maintenance Log table with columns: Section, Page. Value: 4PT2.



Airframe
Entry

Eng. #1
Serial No.

Eng. #2
Serial No.

APU
Serial No.

CAMP Systems International
5200 E. 34TH STREET
BUILDING 1005, SUITE 1507
WICHITA, KS 67226
Phone: 316-462-2267 Fax: 316-462-0791

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N405JD	05-Nov-2013	MCO	537.8	452	537.8	537.8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TBOTSR	Material Costs	Man Hours
5-12-42	8 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Complied with Inspection Document #42 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-42.										
059048	9 2	- VOR FUNCTIONAL CHECK								
Comments: Accomplished VOR check IAW RBHA 91.171 requirements. Operational check good.										
2205338010	10 -	REGISTRATION CHANGE								
Comments: Complied with registration change from PR-EGS to N405JD by installation of temporary decals, IAW 680 SRM ch. 51-40-09, Transponders and ELT transmitter strapped for new registration IAW 680 M.M. ch. 25-60-10 and 45-40-00. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	8044489
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CRS# CNQ8918C	Date	05-Nov-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	GARY DUCHARME <i>[Signature]</i>	Certificate No.	CRS# CNQ8918C	Date	05-Nov-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3PT2	

CBS-COM
Maintenance Transaction Record

MTR ID # 2100930
Page 3 of 3

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
5200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419	337	530.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	14 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Complied with Inspection Document #42 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-42.								
5-12-35	15 2	INSPECTION DOCUMENT 35 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements.								
D262006 051235 : BAGG	16 2	HYDROSTATIC TEST NOSE COMPARTMENT BAGGAGE (UN002) FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 01-Jul-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Unit overhauled by Pacific Scientific, Miami, FL, CRS# P94R580N, and installed IAW 680 M.M. ch. 28-20-30. MFR date 05/2008. Next hydo date due 07/2018.	NOSE	34750005-1		10439H1				
D262007 051235 : F	17 2	RESTORATION (HYDROSTATIC TEST) FORWARD ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 26-Jul-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Hydrostatic test completed by S.J. OBrien Ent. CRS# QK3R792L. Bottle manufacture date is 06/2008.	FORWARD	30700009-12		53246D1				
D262007 051235 : A	18 2	RESTORATION (HYDROSTATIC TEST) AFT ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 26-Jul-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Hydrostatic test completed by S.J. OBrien Ent. CRS# QK3R792L. Bottle manufacture date is 06/2008.	AFT	30700009-12		53249D1				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER Certified Repair Station Number: 1106-41/ANAC Work Order No.: 8043663

Work Performed By: ORLANDO CITATION SERVICE CENTER Certificate No.: 1106-41/ANAC Date: 19-Sep-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the _____ and _____
 Federal Aviation Administration Other (Specify) ANAC/BRAZIL

I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: GARY DUCHARME Certificate No.: 1106-41/ANAC Date: 19-Sep-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3PT2	3

Scanned with CamScanner



Maintenance Transaction Record

MTR ID # 2168775

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: 1106-41/ANAC, Work Order No.: 6043663, Date: 19-Sep-2013

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 2170312
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2012-02-08	1 4	AVIATION COMMUNICATION AND SURVEILLANCE SYSTEMS (ACSS) TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) UNITS								
Comments: Complied with AD2012-02-08 effective date March 13, 2012 by upgrading TCAS 2000 software to version 7.0 per Cessna SB680-34-29 Rev.2 and ACSS SB 7517900-34-6040R2.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number 1106-41/ANAC Work Order No. 6043663

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. 1106-41/ANAC Date 19-Sep-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) BRAZIL 1106-41/ANAC and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By GARY DUCHARME Certificate No. 1106-41/ANAC Date 19-Sep-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4PT3	



CASCUM
Maintenance Transaction Record

MTR ID # 215567
Page 1 of 2

CAMP Systems International
3208 E. 34TH STREET
BUILDING 1808, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Tt Cycles	Engine 2 Tt Cycles	APU Hrs	APU Events	Freon Hrs
880-0237	0237	PR-EGS	20-May-2013	SBJD	523.2	445	523.2	523.2	412	412			

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-35	1 2	INSPECTION DOCUMENT 35 Comments: Performed Inspection Document 35, accomplished only item code D262007 - Task 26-20-00-962, I.A.W.M.M 680 chap.5-12-35 Rev.19.								
D262007 051235 : F	2 2	RESTORATION (HYDROSTATIC TEST) FORWARD ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 20-May-2013 Comments: Removed Forward Engine Fire Bottle SN 63246D1, performed Hydrostatic Test and reinstalled, I.A.W.M.M 680 chap.5-12-35 Rev.19 - Segvoo 003 n°MRL-OF-TH793/13, dated May/20/2013, emitted by TAM Aviação Executiva e Taxi Aereo S/A.	FORWARD	3070009-12		63246D1				
D262007 051235 : A	3 2	RESTORATION (HYDROSTATIC TEST) AFT ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 20-May-2013 Comments: Removed Forward Engine Fire Bottle SN 63246D1, performed Hydrostatic Test and reinstalled, I.A.W.M.M 680 chap.5-12-35 Rev.19 - Segvoo 003 n°MRL-OF-TH794/13, dated May/20/2013, emitted by TAM Aviação Executiva e Taxi Aereo S/A.	AFT	3070009-12		63249D1				
5-12-41	4 2	INSPECTION DOCUMENT 41 Comments: Performed Inspection Document 41, I.A.W.M.M 680 chap.5-12-41 Rev.19.								
5-12-42	5 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W.M.M 680 chap.5-12-42 Rev.19.								

Trans. Type: 1 - Completion, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work in Limits, SC - Scheduled, UN - Unscheduled, CD - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, D - Overhaul

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certified Repair Station Number	CHE Nº. 6905-01/ANAC	Work Order No.	76652
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	CHE Nº. 6905-01/ANAC	Date	23-May-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	CÓD. ANAC 718304	Date	20-May-2013

Pertinent details of this maintenance are on file at this facility under the above Work/Service Order Number as applicable.



Maintenance Transaction Record

MTR ID # 2031904
Page 2 of 3

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1974-08-09 R3	7 4	LAVATORY PAPER OR LINEN WASTE RECEPTACLE FIRE PREVENTION								
Comments: Accomplished AD 1974-08-09 R3, in accordance with Instructions paragraph (F) and (K), the aircraft already has installed placards. For more details see FCDA.										
1974-08-09 R2 053801	8 4	WASTE RECEPTACLE INSPECTION								
Comments: Accomplished AD 1974-08-09 R2, in accordance with Instructions paragraph (F) and (K), the aircraft already has installed placards. For more details see FCDA.										
2012-07-04	9 4	INSTALL A KIT, PART NUMBER (P/N) SB680-24-11, TO THE LEFT AND RIGHT MOTIVE FLOW RELAYS, IN ACCORDANCE WITH THE ACCOMPLISHMENT INSTRUCTIONS OF CESSNA SERVICE BULLETIN SB680-24-11, REVISION 1								
Comments: This AD is applicable. Accomplished AD 2012-07-04 I.A.W Parg (H) 2 (I), (II), (III) through of incorporation of the SB 680-24-11 R.1 as Instructions of the Parg. 04 and 13 (B) 1 of the SB.										
2011-14-08	10 4	CONTINUOUS FLOW PASSENGER OXYGEN MASK ASSEMBLY								
Comments: Verified AD 2011-14-08, not applicable because the Masks Installed in the aircraft were Manufactured by Avox P/N 289-601-228-8. For more details see FCDA.										
680-24-11 R1	11 3	ELECTRICAL POWER - FUEL CROSSFEED IMPROVEMENT SERVICE BULLETIN								
Comments: Accomplished AD 2012-07-04 I.A.W Parg (H) 2 (I), (II), (III) through of incorporation of the SB 680-24-11 R.1 as Instructions of the Parg. 04 and 13 (B) 1 of the SB.										
2031904	12 4	DA 2012-05-01								
Comments: This DA 2012-05-01 is not applicable. Verified that AD 2012-05-01 is N/A because the aircraft has installed a tire Michelin, P/N 14401.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A. Certified Repair Station Number: CHE N° 6905-01 / ANAC. Work Order No.: 74524.

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A. Certificate No.: CHE N° 6905-01 / ANAC. Date: 22-Aug-2012.

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MANOEL JOSÉ BORGES DO NASCIMENTO. Certificate No.: COD. ANAC N° 75438-2. Date: 22-Aug-2012.

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	2



Maintenance Transaction Record

MTR ID # 2031904

Page 1 of 3

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-53-05	1 3	FUSELAGE - NOSE DRIP CAP BOND INSPECTION SERVICE BULLETIN								
Comments: Accomplished SB680-53-05, Fuselage - Nose Drip Cap Bond Inspection Service Bulletin, I.A.W. Paragraph 3 and Pages 3 and 4.										
680-53-05 R1	2 3	FUSELAGE - NOSE DRIP CAP BOND INSPECTION SERVICE BULLETIN								
Comments: Accomplished SB680-53-05 R1, Fuselage - Nose Drip Cap Bond Inspection Service Bulletin, I.A.W. Paragraph 3 and Pages 3 and 4.										
SL680-30-05	3 3	ICE AND RAIN PROTECTION - WING ANTI-ICE PRESSURE REGULATING SHUTOFF VALVE INSPECTION SERVICE LETTER								
Comments: Verified SL680-30-05, not applicable because the Shutoff Valve Installed in the aircraft were P/N 9914710-2, LH S/N 6BD63 and RH S/N 6BD62.										
SL680-31-02	4 3	INDICATING/RECORDING SYSTEMS - TRANSMITTAL OF L-3 COMMUNICATIONS ALERT BULLETIN NO. CESSNA SB 001 SERVICE LETTER								
Comments: SL680-31-02, is not applicable Verified SL680-31-02, I.A.W. L3 Alert Bulletin N°. Cessna SB 001 because the CVR installed in the aircraft is P/N 2100102002, S/N 000847138.										
SL680-35-02	5 3	OXYGEN - TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240 SERVICE LETTER								
Comments: Applied SL680-35-02, I.A.W. Part's 1 and 2. No action required because the models of the masks are not listed in the installed boletin MXH-35-240 and will suffer no repair between the 50th week of 2008 and the 8th week of 2011.										
SL680-35-02 R1	6 3	TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240 SERVICE LETTER								
Comments: Applied SL680-35-02 R1, I.A.W. Part's 1 and 2. No action required because the models of the masks are not listed in the installed boletin MXH-35-240 and will suffer no repair between the 50th week of 2008 and the 8th week of 2011.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE N° 6905-01 / ANAC. Work Order No.: 74524.

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE N° 6905-01 / ANAC. Date: 22-Aug-2012.

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) ANAC - BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MANOEL JOSÉ BORGES DO NASCIMENTO. Certificate No.: COD. ANAC N° 75438-2. Date: 22-Aug-2012.

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	1



CBSCOM
Maintenance Transaction Record
This Maintenance Report is To Be Used Solely For (Check One)

MTR ID # 2031874
Page 4 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1800, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	22 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W. MM 680 Chapter 5-12-42 Rev. 19.								
2031874023	23 2	VOR CHECK Comments: Performed VOR Check, I.A.W. RBHA 91.171.								
2031874026	24 -	PRE FLIGHT Comments: Performed Pre Flight Inspection, I.A.W. MM 680 PN 680MM19 Rev. 19.								
2031874	25 2	APU HOURS Comments: Verified APU Hours: 304.3 Hours and 468 Cycles.								
2031874	26 2	FIRST AID KIT Comments: Performed First Aid Kit inspection, next item expire "Antiseptic Solution" in Jul/2013.								
D243102 051234 : L	27 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments: Removed Main Battery PN 023167-000, SN 00091EE0. Performed Recided and reinstalled, I.A.W Cessna 680 Chapter 05-12-34 Rev. 19 - Segão 003 # MRL-OF-BT3327/12, dated Aug/06/2012, Issued by TAM Aviação Executiva Taxi Aereo S/A.	LEFT	023167-000		00091EE0				
D243102 051234 : R	28 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments: Removed Main Battery PN 023167-000, SN 0008850B. Performed Recided and reinstalled, I.A.W Cessna 680 Chapter 05-12-34 Rev. 19 - Segão 003 # MRL-OF-BT3326/12, dated Aug/06/2012, Issued by TAM Aviação Executiva Taxi Aereo S/A.	RIGHT	023167-000		0008850B				

Trend Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Work in Limit, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A. Certified Repair Station Number: CHE N° 6905-01 / ANAC Work Order No. 74524

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A. Certificate No. CHE N° 6905-01 / ANAC Date 22-Aug-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MANOEL JOSÉ BORGES DO NASCIMENTO Certificate No. COD. ANAC N° 75438-2 Date 22-Aug-2012

Perinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	2

Scanned with CamScanner



Maintenance Transaction Record

MTR ID # 2031904

Page 3 of 3

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2031904	13 4	AD 2012-08-07								
Comments: This AD2012-08-07 is not applicable. Verified that AD2012-08-07 is N/A because the aircraft does not have Sicma Passenger Seat Assemblies. The aircraft has installed Ipeco Seat.										
2031904	14 4	AD 2012-11-09								
Comments: This AD2012-11-09 is not applicable. Verified that AD2012-11-09 is N/A because the aircraft does not have Chemical Oxygen Generators.										
SL680-25-10 25SL-10	15 3	TRANSMITTAL OF ROCKWELL COLLINS AIRSHOW 4000 SERVICE BULLETIN 30, CORRECTION OF HARD DRIVE MOUNTING SCREWS - MOD U SERVICE LETTER								
Comments: SL680-25-10, is not applicable Verified SL680-25-10, because the Airshow installed in the aircraft is P/N 925000-100, S/N M03361904.										
680-27-13	16 3	FLAP HANDLE ASSEMBLY SCREW IMPROVEMENT SERVICE BULLETIN								
Comments: Accomplished SB680-27-13, I.A.W. Instructions Paragraph 1 to 9.										
680-34-20 R1	17 3	EPIC PHASE 5.2 SOFTWARE UPGRADE SERVICE BULLETIN								
Comments: Accomplished SB680-34-20 R1. Installed the Software Upgrade of the System Epic Honeywell. The System has been tested, and is OK.										
680-53-06	18 3	FUSELAGE - STINGER DRAIN IMPROVEMENT SERVICE BULLETIN								
Comments: Accomplished SB680-53-06, I.A.W. Instructions Paragraph 1 to 3. Performed Ultrasonic Inspection by CAL - Compoende as Techical Report N° 2012/0458.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC - BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	3



Maintenance Transaction Record

MTR ID # 1952605

Page 1 of 1



Airframe
Entres

Eng #1
Serial No _____

Eng #2
Serial No _____

APU
Serial No _____

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems Internabonal
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Tot Cycles	Engine 2 Tot Cycles	APU Hrs	APU Events	Freon Hrs
237	0237	PR-EGS	08-Mar-2012	SBJD	444.6	346	444.6	444.6	320	320	273.1	429.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	Material TSN/TSO/TSR	Material Costs	Man Hours
R1	1 3	FORWARD PRESSURE BULKHEAD FASTENER INSPECTION SERVICE BULLETIN									

Comments: Accomplished SB680-53-04 R1, in accordance with paragraph 2 of this item. A and B, no action is required.

Component: 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reason: WD - Warn to Land, SC - Scheduled, UN - Unscheduled, CO - Conformance, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Performed By: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A. Certificate No. CHE # 6905-4 / ANAC Date 08-Mar-2012
 Work Order No. 73067
 by that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Civil Aviation Administration Other (Specify) ANAC / BRAZIL and
 AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.
 Inspected By: VLADILSON SALDANHA CARDOSO Certificate No. CHT # 719542 / ANAC Date 08-Mar-2012
 Details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page

CBSCOM

Maintenance Transaction Record

MTR ID # 1871058
Page 5 of 6



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1871058026	26 -	COCKPIT VOICE RECORDER		2100-1020-02		000511357		R		
Comments: Removed Cockpit Voice Recorder P/N 2100-1020-02 S/N 000511357, performed repair and reinstalled, I.A.W. Segvoo 003 #MRL-OF-AV 5355/11, issued by TAM Aviação Executiva e Taxi Aéreo S/A, dated Sep/23/2011 - CMM 165E168900 Rev 7 SB FA2100CVR SB016 (23-70-04-016).										
1871058027	27 2	COMPRESSOR WASH	LH			CG0482				
Comments: Performed Compressor Wash, I.A.W. MM P/N 30B4422 Rev 24										
1871058028	28 -	COMPRESSOR WASH	RH			CG0483				
Comments: Performed Compressor Wash, I.A.W. MM P/N 30B4422 Rev 24.										
1871058029	29 -	400 HOURS INSPECTION	LH			CG0482	SC			
Comments: Performed 400 hours inspection on engine, I.A.W. PW306C MM P/N 30B4422 Rev 24.										
1871058030	30 2	400 HOURS INSPECTION	RH			CG0483				
Comments: Performed 400 hours inspection on engine, I.A.W. PW306C MM P/N 30B4422 Rev 24.										
792030 057102 : E1**L	31 2	NO. 1 ENGINE - CHANGE OIL								
Comments: Performed Change Oil, I.A.W. MM P/N 30B4422 Rev 24.										
792030 057102 : E2**R	32 2	NO. 2 ENGINE - CHANGE OIL								
Comments: Performed Change Oil, I.A.W. MM P/N 30B4422 Rev 24.										
72-25360 R1	33 3	NO. 1 ENGINE - REPLACEMENT OF FUEL WASTE EJECTOR SERVICE BULLETIN								
Comments: Performed swaped of Fuel Waste Ejector LH, removed P/N 8700-011 S/N 20077, installed P/N 8700-011 S/N 00010, I.A.W. PWC MM PW306C chapter 73-10-03 Rev 24.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1730146
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67225
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Nov-2010	SBJD	223.9	128	223.9	223.9	128	128	164.1	274	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
242050 242050 : R	1	1	RIGHT AC GENERATOR	RIGHT	92589-2 9914435-9		179	N	O	0 MTH 0 HRS		

Comments: Replaced Generator, Removed PN 92589-2 Serial 520 and installed PN 92589-2 serial 179 (Overhauled) FAA FORM 8130-3 N°R0910-0179 emitted by Pacific Scientific EKD dated on August/28/2010 in accordance with AMM 680 Chapter 24-20-10 Revision 17.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reason: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A
 Certified Repair Station Number: CHE 0905-1/ANAC
 Work Order No.: 68937
 Certificate No.: ANAC 345793
 Date: 03-Nov-2010
 Work Performed By: WANTUIR FELIPE DA SILVA
 I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) ANAC/BRAZIL
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.
 Work Inspected By: MAURO GAGEIRO PINTO
 Certificate No.: CREA SP N°0681839364
 Date: 03-Nov-2010
 Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page

Scanned with CamScanner



MTR ID # 1674071

Maintenance Transaction Record

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main transaction table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: CNQ8918C, Work Order No.: 6033899, Date: 22-Sep-2010

Maintenance Log table with columns: Section, Page



Maintenance Transaction Record

MTR ID # 1664042
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSNTSO/TSR	Material Costs	Man Hours
1664042001	1 3	NLG STRUT SEAL IMPROVEMENT		SL680-32-08						
Comments: Complied with by replacement of NLG strut seals with improved units per Service Letter Instructions.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, 5 - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033632

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 03-Aug-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL A. CIAPONI Certificate No. CNQ8918C Date 03-Aug-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	1



Maintenance Transaction Record

MTR ID: 846028
Page 1 of 1

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Till Cycles	Engine 2 Till Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Nov-03-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction	Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
	24SB-10	1	3	AFT FAIRING WIRE ROUTING MOD	680	SB680-24-10							

Comments: COMPLIED WITH SB680-24-01 AFT FAIRING WIRE ROUTING MODIFICATION. INSTALLED BRACKET PER ACCOMPLISHMENT INSTRUCTIONS.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	NEW YORK CITATION SERVICE CENTER	Certified Repair Station Number	CNQ6918C	Work Order No.	323294
Work Performed By	NEW YORK CITATION SERVICE CENTER	Certificate No.	CNQ6918C	Date	Nov-03-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
the aircraft identified above is presently approved for return to service					
Work Inspected by	MICHAEL PADDEN	Certificate No.	CNQ6918C	Date	Nov-03-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
04	2

CSNA-1023-W-R-2003-11-07



CITATION

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-6500

CBSCOM

Maintenance Transaction Record

MTR ID: 645657
Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TS Cycles	Engine 2 TS Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Nov-03-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removed Reason	Installed Part Status	TBO Installed Part	Material Costs	Man Hours
232012	1	1	VDR ASSEMBLY		7026201-803		08095106	U	S			
Comments: DATA LINK COMM FAILED. REMOVED AND REPLACED VDR ASSEMBLY WITH SERVICEABLE UNIT FROM HONEYWELL CRS # LV2R992K PER CE680 M/M CH 23-10-01. GROUND OPERATIONAL CHECK GOOD. Removed Part No: 7026201-804 Removed Serial No: 0805466.												
232004	2	1	COMM MANAGEMENT RADIO ANT	CMF	S65-8282-1		3015	U	N			
Comments: DATA LINK COMM FAILED. REMOVED AND REPLACED CMF ANTENNA PER CE680 M/M CH 23-20-10. GROUND OPERATIONAL CHECK GOOD. Removed Part No: S65-8282-1 Removed Serial No: 2624.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility NEW YORK CITATION SERVICE CENTER	Certified Repair Station Number CNQ6918C	Work Order No. 323294
Work Performed By NEW YORK CITATION SERVICE CENTER	Certificate No. CNQ6918C	Date Nov-03-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by MICHAEL PADDEN <i>[Signature]</i>	Certificate No. CNQ6918C	Date Nov-03-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
03	3

CSNA-1023-W-R-2003-11-07



Scanned with CamScanner

Please Print

Cessna/CITATION®

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706/Wichita, Kansas 67277
Telex: Citatoo 41-7370/FAX: 316-945-9006/Phone 316-941-6291

CESCOM

Maintenance Transaction Report



This Maintenance Transaction Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

Aircraft Identification and Status

A/C Serial Number 680-00237	A/C Unit No.	A/C Registration No. N21NR	Date (Mo.-Day-Yr.) 1 12 09	City Weather TEB	Total A/C Hours 117.1	Total A/C Landings 66	Total Engine Hours No. 1 117.1 No. 2 117.1	Total Engine Cycles No. 1 66 No. 2 66	APU Hours	APU Events
---------------------------------------	--------------	--------------------------------------	--------------------------------------	----------------------------	---------------------------------	---------------------------------	--	---	-----------	------------

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished.

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TBO Installed Part	Material Cost	Man Hours
1	1	#1 MCDU	L	7033700-910	U	07080171	U	R				
2												
3												
4												
5												
6												
7												
8												

- Type Transaction**
- Component Change
 - Inspection Accomplished
 - Service Bulletin Accomplished
 - Airworthiness Directive Accomplished

Detail Method of Compliance Under Comments Below

Removal Reason

- Enter One
- W - Worn to Limits
 - S - Scheduled
 - U - Unscheduled
 - C - Convenience
 - N - Other (Note Below)

Installed Part Status

- Enter One:
- N - New
 - R - Repaired
 - S - Serviceable
 - O - Overhauled
- If Overhauled Part Enter Overhaul Agents Name Under Comments

Ref. No.

This Space For Other Maintenance Comments including Test or Calibration Dates, Removed Serial Numbers, Etc.

1 Removed the Defective #1 MC-850-2 MCDU P/N 7033700-910, S/N 07120271 and replaced with part listed above.
The installed MCDU was repaired by Honeywell, Wichita, Ks., CRS# LV2R992K, WO# 5002143897, dated Nov. 20,2008.
Function tested the #1 and #2 MCDU systems. All tests check good. All work performed I/A/W Cessna 680 maintenance manual chapter 23-80-00.

Repair Facility Duncan Aviation	Certified Repair Station Number XJRR155L	Work Order No. TQ9BA
Work Performed By Steve Jurrens	Certificate No. XJRR155L	Date 1/12/09
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration and the aircraft identified above is presently airworthy and approved for return to service.		
Other (Specify) _____		
Work Inspected By <i>Steve Jurrens</i> Signature	DUNCAN QI 1076	Certificate No. XJRR155L Date 1/12/09



Maintenance Log	
Section	Page
Scheduled Removal Data (STAT)	

Permanent Aircraft Record-File in Maintenance Log

CESNA CITATION

CESCOM
Maintenance Transaction Record

MTR ID: 839114
Page 1 of 1

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Oct-28-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part MCA	TBO Installed Part	Material Costs	Man Hours
36SB-04	1	3	AIR EJECTOR MOD	680	SB680-36-04						
Comments: COMPLIED WITH SB680-36-04 AIR EJECTOR MODIFICATION BY REPOSITIONING AIR EJECTOR PER INSTRUCTIONS.											
27ASL03	2	3	RUDDER LOWER RIB CRACK INSPECT	680R2	ASL680-27-03REV2						
Comments: COMPLIED WITH ASL680-27-03 REV2 RUDDER LOWER RIB CRACK INSPECTION PER INSTRUCTIONS. NO DEFECTS NOTED.											
33SL-02	3	3	WNG POS NAV LT/HONEYWELL SB	680	SL680-33-02						
Comments: SL680-33-02 WING POSITION NAVIGATION LIGHT HONEYWELL SB PREVIOUSLY COMPLIED WITH.											
76SL-01	4	3	EEC/EDU REPLACE/MOD	680	SL680-76-01						
Comments: COMPLIED WITH SL680-76-01 EEC/EDU REPLACE/MODIFICATION BY DATA MIRRORING PROCEDURES PER PW300-72-25342 SERVICE BULLETIN INSTRUCTIONS.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Warn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, M - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	NEW YORK CITATION SERVICE CENTER	Certified Repair Station Number	CNQ6918C	Work Order No.	323294
Work Performed By	NEW YORK CITATION SERVICE CENTER	Certificate No.	CNQ6918C	Date	Oct-28-2009
<input checked="" type="checkbox"/> I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service.					
Work Inspected by	MICHAEL PADDEN	Certificate No.	CNQ6918C	Date	Oct-28-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
04	1

CSNA-1023-W-R-2003-11-07

