

Maintenance Transaction Record



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Till Cycles	Engine 2 Till Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Oct-28-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TBO Installed Part	Material Costs	Man Hours
36SB-04	1	3	AIR EJECTOR MOD	680	SB680-36-04							
Comments: COMPLIED WITH SB680-36-04 AIR EJECTOR MODIFICATION BY REPOSITIONING AIR EJECTOR PER INSTRUCTIONS.												
27ASL03	2	3	RUDDER LOWER RIB CRACK INSPECT	680R2	ASL680-27-03REV2							
Comments: COMPLIED WITH ASL680-27-03 REV2 RUDDER LOWER RIB CRACK INSPECTION PER INSTRUCTIONS. NO DEFECTS NOTED.												
33SL-02	3	3	WNG POS NAV LT/HONEYWELL SB	680	SL680-33-02							
Comments: SL680-33-02 WING POSITION NAVIGATION LIGHT HONEYWELL SB PREVIOUSLY COMPLIED WITH.												
76SL-01	4	3	EEC/EDU REPLACE/MOD	680	SL680-76-01							
Comments: COMPLIED WITH SL680-76-01 EEC/EDU REPLACE/MODIFICATION BY DATA MIRRORING PROCEDURES PER PW300-72-25342 SERVICE BULLETIN INSTRUCTIONS.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility NEW YORK CITATION SERVICE CENTER	Certified Repair Station Number CNQ6918C	Work Order No. 323294
Work Performed By NEW YORK CITATION SERVICE CENTER	Certificate No. CNQ6918C	Date Oct-28-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by MICHAEL PADDEN	Certificate No. CNQ6918C	Date Oct-28-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
04	1

CSNA-1023-W-R-2003-11-07



Maintenance Transaction Record

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
880-0237	0237	N21NR	Nov-03-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
24SB-10	1	3	AFT FAIRING WIRE ROUTING MOD	680	SB680-24-10						

Comments: COMPLIED WITH SB680-24-01 AFT FAIRING WIRE ROUTING MODIFICATION. INSTALLED BRACKET PER ACCOMPLISHMENT INSTRUCTIONS.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Certified Repair Station Number	Work Order No.
NEW YORK CITATION SERVICE CENTER	CNQ6918C	323294
Work Performed By	Certificate No.	Date
NEW YORK CITATION SERVICE CENTER	CNQ6918C	Nov-03-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by	Certificate No.	Date
MICHAEL PADDEN	CNQ6918C	Nov-03-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
04	2

CSNA-1023-W-R-2003-11-07





Maintenance Transaction Record

MTR ID # 1664042

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1664042001	1 3	NLG STRUT SEAL IMPROVEMENT		SL680-32-08						
Comments: Complied with by replacement of NLG strut seals with improved units per Service Letter instructions.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6033632
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	03-Aug-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	03-Aug-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1



MTR ID # 1674071

Maintenance Transaction Record

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791


 Airframe
 Entries

 Eng. #1
 Serial No. _____

 Eng. #2
 Serial No. _____

 APU
 Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	22-Sep-2010	MCO	211.3	124	211.3	211.3	124	124			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-53-04	1 3	FWD PRESSURE BULKHEAD INSPECTION SERVICE BULLETIN								
Comments: Complied with by inspecting forward pressure bulkhead for a missing fastener and found fastener is installed IAW Service Bulletin instructions. No further action required.										
SL680-25-01	2 3	COLLINS-AIRSHOW 4000 MOD B SERVICE LETTER								
Comments: Complied with by inspecting Airshow 4000 and found serial number installed is not in the effectivity range specified in this Service Letter. Please update CESCOM.										
SL680-27-05	3 3	VERTICAL STABILIZER RUDDER HINGE CORROSION INSPECTION SERVICE LETTER								
Comments: Completed SB680-27-05 by inspecting for corrosion and replacing the attachment hardware on the vertical stabilizer rudder attach hinge brackets.										
SL680-27-06 27SL-06	4 3	SPEEDBRAKE CABLE INSTALLATION INSPECTION SERVICE LETTER								
Comments: Complied with by repositioning speedbrake cables followed by rig and operational checks per the SL Instructions.										
680-27-09	5 3	RUDDER CABLE CLEARANCE IMPROVEMENT SERVICE BULLETIN								
Comments: Complied with by installation of pulley bracket rub strips per the SB Instructions.										
680-32-04	6 3	BRAKE METERING VALVE BEARING REPLACEMENT SERVICE BULLETIN								
Comments: Complied with by replacement of brake metering valve bearings and system operational checks per the SB Instructions.										
680-25-01	7 3	PASSENGER BRIEFING CARD UPDATE SERVICE BULLETIN								
Comments: This SB is Not Applicable per the Serial Number of this aircraft. Please remove from Cescom.										
680-34-20	8 3	EPIC PHASE 5 SOFTWARE UPGRADE SERVICE BULLETIN								
Comments: Complied with by modification of wiring, upload of new software, and removal/addition of Flight Manual Supplements per SB instructions. EPIC system operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6033899
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	22-Sep-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL COLLINS	Certificate No.	CNQ8918C	Date	22-Sep-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
4	1



Maintenance Transaction Record

MTR ID # 1871058

Page 5 of 6

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1871058026	26 -	COCKPIT VOICE RECORDER		2100-1020-02		000511357		R		
Comments: Removed Cockpit Voice Recorder P/N 2100-1020-02 S/N 000511357, performed repair and reinstalled, I.A.W. Segvoo 003 #MRL-OF-AV 5355/11, issued by TAM Aviação Executiva e Taxi Aéreo S/A, dated Sep/23/2011 - CMM 165E168900 Rev 7 SB FA2100CVR SB016 (23-70-04-016).										
1871058027	27 2	COMPRESSOR WASH	LH			CG0482				
Comments: Performed Compressor Wash, I.A.W. MM P/N 30B4422 Rev 24										
1871058028	28 -	COMPRESSOR WASH	RH			CG0483				
Comments: Performed Compressor Wash, I.A.W. MM P/N 30B4422 Rev 24.										
1871058029	29 -	400 HOURS INSPECTION	LH			CG0482	SC			
Comments: Performed 400 hours inspection on engine, I.A.W. PW306C MM P/N 30B4422 Rev 24.										
1871058030	30 2	400 HOURS INSPECTION	RH			CG0483				
Comments: Performed 400 hours inspection on engine, I.A.W. PW306C MM P/N 30B4422 Rev 24.										
792030 057102 : E1**L	31 2	NO. 1 ENGINE - CHANGE OIL								
Comments: Performed Change Oil, I.A.W. MM P/N 30B4422 Rev 24.										
792030 057102 : E2**R	32 2	NO. 2 ENGINE - CHANGE OIL								
Comments: Performed Change Oil, I.A.W. MM P/N 30B4422 Rev 24.										
72-25360 R1	33 3	NO. 1 ENGINE - REPLACEMENT OF FUEL WASTE EJECTOR SERVICE BULLETIN								
Comments: Performed swapped of Fuel Waste Ejector LH, removed P/N 8700-011 S/N 20077, installed P/N 8700-011 S/N 00010, I.A.W. PWC MM PW306C chapter 73-10-03 Rev 24.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration					
<input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1952605

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No.

Eng. #2 Serial No.

APU Serial No.

Aircraft Identification and Status

Table with 14 columns: Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 237, 0237, PR-EGS, 08-Mar-2012, SBJD, 444.6, 348, 444.6, 444.6, 320, 320, 273.1, 429.00, 0.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 10 columns: Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

R1 1 3 FORWARD PRESSURE BULKHEAD FASTENER INSPECTION SERVICE BULLETIN

Comments: Accomplished SB680-53-04 R1, in accordance with paragraph 2 of this item A and B, no action is required.

- Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form containing fields for Station Number (CHE # 6905-4 / ANAC), Work Order No. (73067), Formed By (TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A), Certificate No. (CHE # 6905-4 / ANAC), Date (08-Mar-2012), and other administrative details.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2031904

Page 3 of 3

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2031904	13 4	AD 2012-08-07								
Comments: This AD2012-08-07 is not applicable. Verified that AD2012-08-07 is N/A because the aircraft does not have Sicma Passenger Seat Assemblies. The aircraft has installed Ipeco Seat.										
2031904	14 4	AD 2012-11-09								
Comments: This AD2012-11-09 is not applicable. Verified that AD2012-11-09 is N/A because the aircraft does not have Chemical Oxygen Generators.										
SL680-25-10 25SL-10	15 3	TRANSMITTAL OF ROCKWELL COLLINS AIRSHOW 4000 SERVICE BULLETIN 30, CORRECTION OF HARD DRIVE MOUNTING SCREWS - MOD U SERVICE LETTER								
Comments: SL680-25-10, is not applicable Verified SL680-25-10, because the Airshow installed in the aircraft is P/N 925000-100, S/N M03361904.										
680-27-13	16 3	FLAP HANDLE ASSEMBLY SCREW IMPROVEMENT SERVICE BULLETIN								
Comments: Accomplished SB680-27-13, I.A.W. Instructions Paragraph 1 to 9.										
680-34-20 R1	17 3	EPIC PHASE 5.2 SOFTWARE UPGRADE SERVICE BULLETIN								
Comments: Accomplished SB680-34-20 R1. Installed the Software Upgrade of the System Epic Honeywell. The System has been tested, and is OK.										
680-53-06	18 3	FUSELAGE - STINGER DRAIN IMPROVEMENT SERVICE BULLETIN								
Comments: Accomplished SB680-53-06, I.A.W. Instructions Paragraph 1 to 3. Performed Ultrasonic Inspection by CAL - Compoende as Techical Report N° 2012/0458.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC - BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	3



CASCOTM Maintenance Transaction Record

MTR ID # 2031874
Page 4 of 6

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1800, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	22 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W. MM 680 Chapter 5-12-42 Rev. 19.								
2031874023	23 2	VOR CHECK Comments: Performed VOR Check, I.A.W. RBHA 91.171.								
2031874026	24 -	PRE FLIGHT Comments: Performed Pre Flight Inspection, I.A.W. MM 680 PN 680MM19 Rev. 19.								
2031874	25 2	APU HOURS Comments: Verified APU Hours: 304.3 Hours and 468 Cycles.								
2031874	26 2	FIRST AID KIT Comments: Performed First Aid Kit inspection, next item expire "Antiseptic Solution" in Jul/2013.								
D243102 051234 : L	27 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34 Comments: Removed Main Battery PN 023167-000, SN 00091EE0. Performed Recided and reinstalled, I.A.W Cessna 680 Chapter 05-12-34 Rev.19 - Segão 003 # MRL-OF-BT3327/12, dated Aug/06/2012, issued by TAM Aviação Executiva Taxi Aereo S/A.	LEFT	023167-000		00091EE0				
D243102 051234 : R	28 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments: Removed Main Battery PN 023167-000, SN 0008850B. Performed Recided and reinstalled, I.A.W Cessna 680 Chapter 05-12-34 Rev.19 - Segão 003 # MRL-OF-BT3326/12, dated Aug/06/2012, issued by TAM Aviação Executiva Taxi Aereo S/A.	RIGHT	023167-000		0008850B				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A. Certified Repair Station Number: CHE N° 6905-01 / ANAC. Work Order No.: 74524

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A. Certificate No.: CHE N° 6905-01 / ANAC. Date: 22-Aug-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MANOEL JOSÉ BORGES DO NASCIMENTO. Certificate No.: COD. ANAC N° 75438-2. Date: 22-Aug-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2031904

Page 1 of 3

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-53-05	1 3	FUSELAGE - NOSE DRIP CAP BOND INSPECTION SERVICE BULLETIN								
Comments: Accomplished SB680-53-05, Fuselage - Nose Drip Cap Bond Inspection Service Bulletin, I.A.W. Paragraph 3 and Pages 3 and 4.										
680-53-05 R1	2 3	FUSELAGE - NOSE DRIP CAP BOND INSPECTION SERVICE BULLETIN								
Comments: Accomplished SB680-53-05 R1, Fuselage - Nose Drip Cap Bond Inspection Service Bulletin, I.A.W. Paragraph 3 and Pages 3 and 4.										
SL680-30-05	3 3	ICE AND RAIN PROTECTION - WING ANTI-ICE PRESSURE REGULATING SHUTOFF VALVE INSPECTION. SERVICE LETTER								
Comments: Verified SL680-30-05, not applicable because the Shutoff Valve Installed in the aircraft were P/N 9914710-2, LH S/N 6BD63 and RH S/N 6BD62.										
SL680-31-02	4 3	INDICATING/RECORDING SYSTEMS - TRANSMITTAL OF L-3 COMMUNICATIONS ALERT BULLETIN NO. CESSNA SB 001 SERVICE LETTER								
Comments: SL680-31-02, is not applicable Verified SL680-31-02, I.A.W. L3 Alert Bulletin N°. Cessna SB 001 because the CVR installed in the aircraft is P/N 2100102002, S/N 000847138.										
SL680-35-02	5 3	OXYGEN - TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240 SERVICE LETTER								
Comments: Applied SL680-35-02, I.A.W. Part's 1 and 2. No action required because the models of the masks are not listed in the installed boletin MXH-35-240 and will suffer no repair between the 50th week of 2008 and the 8th week of 2011.										
SL680-35-02 R1	6 3	TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240 SERVICE LETTER								
Comments: Applied SL680-35-02 R1, I.A.W. Part's 1 and 2. No action required because the models of the masks are not listed in the installed boletin MXH-35-240 and will suffer no repair between the 50th week of 2008 and the 8th week of 2011.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC - BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1



Maintenance Transaction Record

MTR ID # 2031904

Page 2 of 3

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304,3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1974-08-09 R3	7 4	LAVATORY PAPER OR LINEN WASTE RECEPTACLE FIRE PREVENTION								
Comments: Accomplished AD 1974-08-09 R3, in accordance with Instructions paragraph (F) and (K), the aircraft already has installed placards. For more details see FCDA.										
1974-08-09 R2 053801	8 4	WASTE RECEPTACLE INSPECTION								
Comments: Accomplished AD 1974-08-09 R2, in accordance with Instructions paragraph (F) and (K), the aircraft already has installed placards. For more details see FCDA.										
2012-07-04	9 4	INSTALL A KIT, PART NUMBER (P/N) SB680-24-11, TO THE LEFT AND RIGHT MOTIVE FLOW RELAYS, IN ACCORDANCE WITH THE ACCOMPLISHMENT INSTRUCTIONS OF CESSNA SERVICE BULLETIN SB680-24-11, REVISION 1								
Comments: This AD is applicable. Accomplished AD 2012-07-04 I.A.W Parg (H) 2 (I), (II), (III) through of incorporation of the SB 680-24-11 R.1 as Instructions of the Parg. 04 and 13 (B) 1 of the SB.										
2011-14-08	10 4	CONTINUOUS FLOW PASSENGER OXYGEN MASK ASSEMBLY								
Comments: Verified AD 2011-14-08, not applicable because the Masks Installed in the aircraft were Manufactured by Avox P/N 289-601-228-8. For more details see FCDA.										
680-24-11 R1	11 3	ELECTRICAL POWER - FUEL CROSSFEED IMPROVEMENT SERVICE BULLETIN								
Comments: Accomplished AD 2012-07-04 I.A.W Parg (H) 2 (I), (II), (III) through of incorporation of the SB 680-24-11 R.1 as Instructions of the Parg. 04 and 13 (B) 1 of the SB.										
2031904	12 4	DA 2012-05-01								
Comments: This DA 2012-05-01 is not applicable. Verified that AD 2012-05-01 is N/A because the aircraft has installed a tire Michelin, P/N 14401.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC - BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	2



CASCOT
Maintenance Transaction Record

MTR ID # 2155987
Page 1 of 2

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	20-May-2013	SBJD	523.2	445	523.2	523.2	412	412			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-35	1 2	INSPECTION DOCUMENT 35 Comments: Performed Inspection Document 35, accomplished only item code D262007 - Task 26-20-00-962, I.A.W.M.M 680 chap.5-12-35 Rev.19.								
D262007 051235 : F	2 2	RESTORATION (HYDROSTATIC TEST) FORWARD ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 20-May-2013 Comments: Removed Forward Engine Fire Bottle SN 63246D1, performed Hydrostatic Test and reinstalled, I.A.W.M.M 680 chap.5-12-35 Rev.19 - Segvoo 003 n*MRL-OF-TH793/13, dated May/20/2013, emitted by TAM Aviação Executiva e Taxi Aereo S/A.	FORWARD	3070009-12		63246D1				
D262007 051235 : A	3 2	RESTORATION (HYDROSTATIC TEST) AFT ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 20-May-2013 Comments: Removed Forward Engine Fire Bottle SN 63246D1, performed Hydrostatic Test and reinstalled, I.A.W.M.M 680 chap.5-12-35 Rev.19 - Segvoo 003 n*MRL-OF-TH794/13, dated May/20/2013, emitted by TAM Aviação Executiva e Taxi Aereo S/A.	AFT	3070009-12		63249D1				
5-12-41	4 2	INSPECTION DOCUMENT 41 Comments: Performed Inspection Document 41, I.A.W.M.M 680 chap.5-12-41 Rev.19.								
5-12-42	5 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W.M.M 680 chap.5-12-42 Rev.19.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(rela in comments) Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A
 Certified Repair Station Number: CHE N°. 6905-01/ANAC
 Work Order No.: 76652
 Work Performed By: TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A
 Certificate No.: CHE N°. 6905-01/ANAC
 Date: 20-May-2013
 I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) ANAC / BRAZIL
 and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.
 Work Inspected By: VLADILSON SALDANHA CARDOSO
 Certificate No.: CÔD.ANAC 718304
 Date: 20-May-2013
 Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2170312

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2012-02-08	1 4	AVIATION COMMUNICATION AND SURVEILLANCE SYSTEMS (ACSS) TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) UNITS								
Comments: Complied with AD2012-02-08 effective date March 13, 2012 by upgrading TCAS 2000 software to version 7.0 per Cessna SB680-34-29 Rev.2 and ACSS SB 7517900-34-6040R2.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	1106-41/ANAC	Work Order No.	6043663
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) BRAZIL 1106-41/ANAC and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	GARY DUCHARME	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
4PT3	



Maintenance Transaction Record

MTR ID # 2168776

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries, Eng. #1, Eng. #2, APU Serial No. fields

Aircraft Identification and Status

Table with columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER, Certified Repair Station Number: 1106-41/ANAC, Work Order No.: 6043663, Date: 19-Sep-2013

Maintenance Log table with columns: Section, Page, 4PT2



CASCOT Maintenance Transaction Record

MTR ID # 2109030
Page 3 of 3

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419	337	530.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	14 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Complied with Inspection Document #42 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-42.								
5-12-35	15 2	INSPECTION DOCUMENT 35 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements.								
D262006 051235 : BAGG	16 2	HYDROSTATIC TEST NOSE COMPARTMENT BAGGAGE (UN002) FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 01-Jul-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Unit overhauled by Pacific Scientific, Miami, FL, CRS# P94R580N, and installed IAW 680 M.M. ch. 26-20-30. MFR date 06/2008. Next hydro date due 07/2018.	NOSE COMPARTMENT	34750005-1		10439H1				
D262007 051235 : F	17 2	RESTORATION (HYDROSTATIC TEST) FORWARD ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 26-Jul-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Hydrostatic test completed by S.J. OBrien Ent. CRS# QK3R792L. Bottle manufacture date is 06/2008.	FORWARD	30700009-12		63246D1				
D262007 051235 : A	18 2	RESTORATION (HYDROSTATIC TEST) AFT ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 26-Jul-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Hydrostatic test completed by S.J. OBrien Ent. CRS# QK3R792L. Bottle manufacture date is 06/2008.	AFT	30700009-12		63249D1				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number 1106-41/ANAC Work Order No. 6043663

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. 1106-41/ANAC Date 19-Sep-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the _____ and _____
 Federal Aviation Administration Other (Specify) ANAC/BRAZIL


I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By GARY DUCHARME Certificate No. 1106-41/ANAC Date 19-Sep-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3PT2	3

Scanned with CamScanner



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP
Maintenance Transaction Record
This Maintenance Report is To Be Used Solely For (Check One)

Page 2 of 2

CAMP Systems International
5200 E. 34TH STREET
BUILDING 1800, SUITE 1807
Wichita, KS 67226
Phone: 316-482-2267 Fax: 316-482-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N405JD	05-Nov-2013	MCO	537.8	452	537.8	537.8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	8 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Complied with Inspection Document #42 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-42.										
059048	9 2	- VOR FUNCTIONAL CHECK								
Comments: Accomplished VOR check IAW RBHA 91.171 requirements. Operational check good.										
2205336010	10 -	REGISTRATION CHANGE								
Comments: Complied with registration change from PR-EGS to N405JD by installation of temporary decals, IAW 680 SRM ch. 51-40-09. Transponders and ELT transmitter strapped for new registration IAW 680 M.M. ch. 25-60-10 and 45-40-00. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 8044489

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CRS# CNQ8918C Date 05-Nov-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By GARY DUCHARME  Certificate No. CRS# CNQ8918C Date 05-Nov-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3PT2	



Maintenance Transaction Record

MTR ID # 2205338

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status


A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N405JD	05-Nov-2013	MCO	537,8	452	537,8	537,8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIL-32-02	1 3	NOSE LANDING GEAR ISOLATOR-PIN INSPECTION SERVICE LETTER								
Comments: Complied with SL CIL-32-02 by inspecting nose landing gear isolator pin per SL instructions.										
680-32-05	2 3	MAIN LANDING GEAR SIDE BRACE FITTING INSTALLATION SERVICE BULLETIN								
Comments: Complied with SB 680-32-05 by performing an Eddy Current NDT inspection on LH & RH main landing gear side brace fittings and installing fitting wear plates per SB instructions.										
SL680-52-05	3 3	MAIN CABIN DOOR INSPECTION SERVICE LETTER								
Comments: Complied with SL 680-52-05 by inspecting main cabin door for corrosion and installing added sealant per SL instructions.										
SL680-25-12	4 3	TRANSMITTAL OF GOODRICH SERVICE BULLETIN 1423-25-003 REVISION C LUMBAR ASSEMBLY CABLE WEAR SERVICE LETTER								
Comments: Complied with by routing of adjustment cable and installation of new hardware in accordance with the service letter instructions.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SEVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6044469
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CRS# CNQ8918C	Date	05-Nov-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	GARY DUCHARME 	Certificate No.	CRS# CNQ8918C	Date	05-Nov-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
4PT2	



CESCOM

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

MTR ID # 2329117
Page 7 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBJD	674.1	558	674.1	674.1	525	525	434.1	667	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSNTSO/TSR	Material Costs	Man Hours
5-12-41	32 2	INSPECTION DOCUMENT 41 Comments: Performed Inspection Document 41, I.A.W. MM Cessna 680 chapter 5-12-41 Rev.21.								
5-12-42	33 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W. MM Cessna 680 chapter 5-12-42 Rev.21.								
5-12-MS	34 2	INSPECTION DOCUMENT MS Comments: Performed Inspection Document MS, I.A.W. MM Cessna 680 chapter 5-12-MS Rev.21.								
2329117039	35 2	APU HOURS AND CYCLES Comments: Verified APU Hours and Cycles: 434.1 Hours and 667 Cycles.								
2329117040	36 2	PREFLIGHT INSPECTION Comments: Performed Preflight Inspection, I.A.W. MM Cessna 680 PN 680MM21 Rev.21.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A
 Certified Repair Station Number: CHE # 6905-01 / ANAC
 Work Order No.: 79770
 Date: 21-Aug-2014

Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A
 Certificate No.: CHE # 6905-01/ANAC

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON SALDANHA CARDOSO
 Certificate No.: COD. ANAC # 718304
 Date: 21-Aug-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



CASCOTM Maintenance Transaction Record

MTR ID # 2293673
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0781

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	20-May-2014	SBJD	625.9	518	625.9	625.9	484	484	405.3	621	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSNT/TSO/TSR	Material Costs	Man Hours
5-12-34	1 2	INSPECTION DOCUMENT 34 Comments: Performed Inspection Document 34, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 05-12-34 Rev. 20.								
D243101 051234 : L	2 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - MARATHON): INSPECTION DOCUMENT 34 Comments: Removed Main Battery, P/N 9914058-11 S/N 00091EE0, performed Capacity Test and reinstalled, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 24-31-00 Rev. 20. SEGVOO 003 # MRL-OF-BT 3979/14 issued by TAM Aviação Executiva e Taxi Aereo S.A on 05/19/2014.	LEFT	023167-000		00091EE0				
D243101 051234 : R	3 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - MARATHON): INSPECTION DOCUMENT 34 Comments: Removed Main Battery, P/N 9914058-11 S/N 0008850B, performed Capacity Test and reinstalled, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 24-31-00 Rev. 20. SEGVOO 003 # MRL-OF-BT 3978/14 issued by TAM Aviação Executiva e Taxi Aereo S.A on 05/19/2014.	RIGHT	023167-000		0008850B				
5-12-42	4 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 5-12-42 Rev. 20.								
2293673005	5 -	APU HOURS AND CYCLES Comments: Verified APU Hours and Cycles: 405,3 Hours / Cycles 626.								
2293673008	6 2	PRE-FLIGHT INSPECTION Comments: Performed Pre-Flight Inspection, IAW Cessna Citation Maintenance Manual P/N 680MM Rev. 20. Checked OK.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S.A. Certified Repair Station Number: CHE # 6905-01/ANAC Work Order No. 79202

Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S.A. Certificate No. CHE # 6905-01/ANAC Date 20-May-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC/ BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: VLADILSON SALDANHA CARDOSO Certificate No. CCD ANAC # 71830-4 Date 20-May-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2506232

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-49-09	7 3	AUXILIARY POWER - APU GENERATOR CONTROL PCB IMPROVEMENT, SERVICE BULLETIN Comments: SB680-49-09; APU Generator Control PCB Improvement. Is C/W due to Rev. 1 was accomplished.								
680-49-09 R2	8 3	APU GENERATOR CONTROL PCB IMPROVEMENT, SERVICE BULLETIN Comments: SB680-49-09 Rev. 2; APU Generator Control PCB Improvement. Is C/W due to Rev. 1 was accomplished.								
SL680-49-04 R1	9 3	AUXILIARY POWER - APU FUEL LINE INSPECTION, SERVICE LETTER Comments: SL680-49-04 Rev. 1; APU Fuel Line Inspection. Is C/W due to original issue was accomplished.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CRS# CNQR918C Date 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By MICHAEL THOMAS *mdt* Certificate No. CRS# CNQR918C Date 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	2



Maintenance Transaction Record

MTR ID # 2506232

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
FAA 2015-10-51	1 4	APPLIANCE AD - AVIDYNE INTEGRATED FLIGHT DISPLAY (IFD)- INCORPORATE OPERATIONAL LIMITATIONS INTO LIMITATIONS SECTION OF THE AFM OR AFMS Comments: AD2015-10-51; Avidyne Flight Display. Does not apply due to equipment not installed. Eff. date is 7-1-15. No further action required.								
2506232002	2 -	NOTE TO CESCOM Comments: Note to CESCOM. Remove all EASA AD'S per customer request.								
SL680-25-11	3 3	TRANSMITTAL OF AIRCRAFT BELTS INC. SB-BUC062-A001 INSPECTION OF BUCKLES FOR PROPER OPERATION, SERVICE LETTER Comments: SL680-25-11; Transmittal of Aircraft Belts SB BUC062-A001. Is C/W due to Rev. 1 was accomplished.								
680-27-12	4 3	RUDDER BIAS ACTUATOR IMPROVEMENT, SERVICE BULLETIN Comments: SB680-27-12; Rudder Bias Actuator Improvement. Is C/W due to Rev. 1 was accomplished.								
680-32-05 R1	5 3	MAIN LANDING GEAR SIDE BRACE FITTING INSTALLATION, SERVICE BULLETIN Comments: SB680-32-05 Rev. 1; Main Landing Gear Side Brace Fitting Installation. Is C/W due to original issues was accomplished.								
SL680-35-02 R2	6 3	OXYGEN - TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240, SERVICE LETTER Comments: SL680-35-02 Rev. 2. Transmittal of Intertechnique SB MXH-35-240. Is C/W due to Rev. 1 was accomplished.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CRS# CNQR918C	Date	15-Dec-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MICHAEL THOMAS	Certificate No.	CRS# CNQR918C	Date	15-Dec-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1



Maintenance Transaction Record

MTR ID # 2501633 Page 4 of 6

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-482-2267/ Fax: 316-462-0761

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
245012 245012 : R	23 1	RIGHT B/A MONITOR NF208 PCB ASSY	RIGHT	6918625-26		0604A	UN	R		
Comments: Removed right bleed air monitor PCB assembly, P/N: 6918625-26 S/N: 0604A, due to failure. Unit repaired and reinstalled IAW the CE 680 M/M Chapter 35-20-00. Operational check good. Unit repaired by: Cessna Service Direct, CRS#: CNQR918C.										
B256001	24 2	FUNCTIONAL CHECK EMERGENCY LOCATOR TRANSMITTER (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324):INSPECTION DOCUMENT 21(91.207 ITEMS)		S1821502-02		26195910002				
Comments: Accomplished Inspection Document 21 functional check of emergency locator transmitter IAW the CE 680 M/M Chapter 25-63-01. Operational check good.										
321007 321007 : L	25 1	LEFT MAIN LANDING GEAR TRAILING LINK	LEFT	6941030-2		25129221	UN	N 0 LDG		
Comments: Removed left MLG trailing link, P/N: 6941030-2 S/N: 419, due to corrosion. Replaced with new trailing link IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										
321007 321007 : R	26 1	RIGHT MAIN LANDING GEAR TRAILING LINK	RIGHT	6941030-2		25121602	UN	N 0 LDG		
Comments: Removed right MLG trailing link, P/N: 6941030-2 S/N: 420, due to corrosion. Replaced with new trailing link IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										
321009 321009 : L	27 1	LEFT MAIN LANDING GEAR TRAILING LINK SPACER	LEFT	6941031-16		24633937J	UN	N 0 LDG		
Comments: Removed left MLG trailing link spacer, P/N: 6941031-16 S/N: 419, due to corrosion. Replaced with new unit IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										
321009 321009 : R	28 1	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER	RIGHT	6941031-16		24631146A	UN	N 0 LDG		
Comments: Removed right MLG trailing link spacer, P/N: 6941031-16 S/N: 420, due to corrosion. Replaced with new unit IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Over

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 29216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By SERGIO A. VELEZ  Certificate No. CNQR918C Date 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	4



Maintenance Transaction Record

MTR ID # 2512061

Page 2 of 2



This Maintenance Report is To Be Used Solely For (Check One)

Inputs for Airframe Entries, Eng. #1, Eng. #2, and APU Serial Numbers.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 5 entries for FAA AD 2015-23-09.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: WICHITA CITATION SERVICE CENTER. Certified Repair Station Number: CNQR918C. Work Order No.: 26216. Work Performed By: WICHITA CITATIOIN SERVICE CENTER. Certificate No.: CNQR918C. Date: 15-Dec-2015. Includes signature of Sergio A. Velez.

Maintenance Log table with 2 columns: Section, Page. Row 1: 4, 2.



Maintenance Transaction Record

MTR ID # 2512061

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
FAA 2015-10-02	1	4	EQUIPMENT/FURNISHINGS - ZODIAC SEATS FRANCE - INSPECTION/REPLACEMENT								
Comments: Accomplished FAA AD 2015-10-02. Affected equipment not installed in this aircraft, no further action is required.											
FAA 2015-10-02 (G)	2	4	GENERAL VISUAL INSPECTION FOR CRACKING OF SEAT BACKREST LINKS HAVING PART NUMBER (P/N) 90-000200-104-1, P/N 90-000200-104-2, P/N 90-000202-104-1 AND P/N 90-000202-104-2								
Comments: Accomplished FAA AD 2015-10-02(G). Affected equipment not installed in this aircraft, no further action is required.											
FAA 2015-10-02 (H)	3	4	CORRECTIVE ACTIONS - CRACKING IS FOUND ON THE LINK								
Comments: Accomplished FAA AD 2015-10-02 (H). Affected equipment not installed in this aircraft, no further action is required.											
FAA 2015-10-02 (I)	4	4	REPLACE ALL SEAT BACKREST LINKS, HAVING P/N 90-000200-104-1, P/N 90-000200-104-2, P/N 90-000202-104-1 AND P/N 90-000202-104-2, WITH NEW LINKS								
Comments: Accomplished FAA AD 2015-10-02 (I). Affected equipment not installed in this aircraft, no further action is required.											
FAA 2015-23-09	5	4	OXYGEN - ZODIAC AEROTECHNICS (FORMERLY INTERTECHNIQUE AIRCRAFT SYSTEMS) FLIGHT CREW OXYGEN MASK REGULATORS - INSPECTION / REPLACEMENT OF OXYGEN MASK REGULATORS								
Comments: Accomplished FAA AD 2015-23-09. Affected equipment not installed in this aircraft, no further action is required.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CNQR918C	Date	15-Dec-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SERGIO A. VELEZ	Certificate No.	CNQR918C	Date	15-Dec-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1



CESNA Maintenance Transaction Record

MTR ID # 2486192
Page 3 of 6

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. Eng. #2
Serial No. APU
Serial No.CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TS/N/TSO/TSR	Material Costs	Man Hour
5-12-40 051240	12 2	MSG-3 INSPECTION DOCUMENT 40 (INTERVAL 2A/1C)								
Comments: Performed Inspection Document 40, I.A.W. MM Cessna 680 chapter 5-12-40 Rev.23.										
5-12-41	13 2	INSPECTION DOCUMENT 41								
Comments: Performed Inspection Document 41, I.A.W. MM Cessna 680 chapter 5-12-41 Rev.23.										
5-12-42	14 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Performed Inspection Document 42, I.A.W. MM Cessna 680 chapter 5-12-42 Rev.23.										
A521005	15 2	GENERAL VISUAL INSPECTION (CORROSION INSPECT) CABIN DOOR: INSPECTION DOCUMENT 42								
Comments: Performed Inspection Document 42, I.A.W. MM Cessna 680 chapter 5-12-42 Rev.23.										
256004 256004 : 1	16 1	NO. 1 LIFE JACKET	NO. 1	PO1074-207		227752	SC	S		
Comments: Removed NO. 1 Life Jacket PN PO1074-207 SN 227752. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvdo 003 # MRL-OF-EE 2718/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										
256004 256004 : 2	17 1	NO. 2 LIFE JACKET	NO. 2	PO1074-207		227926	SC	S		
Comments: Removed NO. 2 Life Jacket PN PO1074-207 SN 227926. Performed Inspection and reinstalled, I.A.W. CMM Eastern Aero Marine Component Maintenance Manual With Illustrated Parts List Model XF-35 PN P01074-2XX Series, chapter 25-60-41 Rev.May/22/2014 - Segvdo 003 # MRL-OF-EE 2726/15, dated Aug/14/2015, issued by TAM Aviação Executiva e Taxi Aéreo S/A.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhaul

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	81885
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	25-Aug-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	FRANCISO JOSÉ MACHADO LUCAS	Certificate No.	COD. ANAC # 394528	Date	25-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2582902

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	09-Jun-2016	ICT	785.2	668	785.2	785.2	634	634	505.5	790	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIL-35-05	1 3	OXYGEN - TRANSMITTAL OF ZODIAC AEROSPACE SB MCF-SBU-35-001, SERVICE LETTER MOC. COMPLIED WITH Comments: Accomplished CIL-35-05 Transmittal of Zodiac Service Bulletin MCF-SBU-35-001. Dated January 8, 2016								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CNQR918C	Date	09-Jun-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SHAWN MASON <i>Shawn Mason</i>	Certificate No.	CNQR918C	Date	09-Jun-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	



Maintenance Transaction Record

MTR ID # 2588763

Page 2 of 2



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	20-Jun-2016	KICT	787.6	670	787.6	787.6	636	636	505.5	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
FAA 2016-11-20 PARA (H)(2)	4 4	REPLACEMENT OF A PBE POUCH, FOUND DURING THE INSPECTION IN PARAGRAPH (G) OF THIS AD, WHERE THE VACUUM SEAL IS INTACT. MOC: NOT APPLICABLE								
Comments: FAA 2016-11-20 PARA (H)(2) Does not Apply to this Aircraft per section (c) of this AD and information contained in BE service bulletin No. 119003-35-11, Rev. 000 dated February 4, 2015 part number not installed in this aircraft										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CRS # CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CRS # CNQR918C Date 20-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Mason* Certificate No. CNQR918C Date 20-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	2



Maintenance Transaction Record

MTR ID # 2588763

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	20-Jun-2016	KICT	787.6	670	787.6	787.6	636	636	505.5	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
FAA 2016-11-20	1	4	APPLIANCE AD - OXYGEN - INSPECTION AND REPLACEMENT OF B/E AEROSPACE PROTECTIVE BREATHING EQUIPMENT (PBE), PART NUMBER 119003-11 THAT ARE INSTALLED ON AIRPLANES. MOC: NOT APPLICABLE Comments: FAA 2016-11-20 Does not Apply to this Aircraft per section (c) of this AD and information contained in BE service bulletin No: 119003-35-11, Rev. 000 dated February 4 ,2015 part number not installed in this aircraft									
FAA 2016-11-20 PARA (G)	2	4	PHYSICALLY INSPECT THE PBE POUCH TO DETERMINE IF IT HAS AN INTACT VACUUM SEAL IN ACCORDANCE WITH B/E AEROSPACE SERVICE BULLETIN NO. 119003-35-011, REV .000, DATED FEBRUARY 4, 2015, PARA III.A.1 MOC: NOT APPLICABLE Comments: FAA 2016-11-20 PARA (G) Does not Apply to this Aircraft per section (c) of this AD and information contained in BE service bulletin No: 119003-35-11, Rev. 000 dated February 4 ,2015 part number not installed in this aircraft									
FAA 2016-11-20 PARA (H)(1)	3	4	REPLACEMENT OF A PBE POUCH, FOUND DURING THE INSPECTION IN PARAGRAPH (G) OF THIS AD, THAT DOES NOT HAVE AN INTACT VACUUM SEAL. MOC: NOT APPLICABLE Comments: FAA 2016-11-20 PARA (H)(1)Does not Apply to this Aircraft per section (c) of this AD and information contained in BE service bulletin No: 119003-35-11, Rev. 000 dated February 4 ,2015 part number not installed in this aircraft									

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CRS # CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CRS # CNQR918C	Date	20-Jun-2016
<p>I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the</p> <p><input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and</p> <p>I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.</p> <p>Work Inspected By <u>SHAWN MASON</u> <i>Shawn Mason</i> Certificate No. <u>CNQR918C</u> Date <u>20-Jun-2016</u></p>					
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1

Wichita Citation Service Center AD Review List

Aircraft: 680-0237
CofA Date: 10/09/2008

Airframe hours: 787.6
Landings: 670

Date: 7/8/16

AD Number	Status	Model	Subject description	AD Sign off	Completed By:	Effective Date:	AD sign off Date:
AD74-08-09 R3	Recurring	Various	Waste Receptacle Inpection	Next due at: 1493.0 Hours	BJD	3/28/12	8/22/12
AD98-25-10 R1	N/A	Various	Aircraft Belts Inc	Not Applicable-Equipment not Installed	ICT	1/14/00	10/9/08
AD99-08-21	N/A	Various	Puritan O2 Masks	Not Applicable-Equipment not Installed	ICT	6/2/99	10/9/08
AD2003-26-14	N/A	Various	Kidde Aerospace Hand held BTL	Not Applicable-Equipment not Installed	N/A	2/20/04	N/A
AD2005-08-03	N/A	680	Honeywell Primus Epic Systems	N/A-Apploes to S/N 680-0001 thru 0021	N/A	4/29/05	N/A
AD2007-26-16	N/A	680	Aft Fairing Wire Bundle Clearance	N/A-Apploes to S/N 680-0001 thru 0158	N/A	1/8/08	N/A
AD2010-04-16	N/A	Various	SICLI Halon 1211 Portable Fire Ext	Not Applicable-AMEREX Fire Ext installed	ASH	3/8/10	6/11/10
AD2010-07-02	N/A	Various	Honeywell Primus II RNZ-850/-851 INU	Not Applicable-Equipment not Installed	N/A	5/3/10	N/A
AD2011-14-08	N/A	Various	B/E Aerospace Oxygen Mask Assy.	Not Applicable-Equipment not Installed	N/A	8/19/11	N/A
AD2012-02-08	N/A	Various	ACSS TCAS Units	Accomplished per SB680-34-29	MCO	3/13/12	9/19/13
AD2012-07-04	N/A	680	Fuel Cross Feed	Accomplished per SB680-24-11	BJD	5/15/12	8/22/12
AD2014-18-01	N/A	Various	Rockwell Collins Inc., TDR-94 XPDRS	Not Applicable per P/N & S/N Installed	BJD	10/14/14	3/26/15
AD2015-08-07	N/A	Various	Zodiac Oxygen Mask Regulator	Not Applicable per P/N & S/N Installed	BJD	6/16/15	8/25/15
AD2015-10-02	N/A	Various	Zodiac France Pass Seat Assy	Not Applicable-Equipment not Installed	ICT	6/12/15	12/15/15
AD2015-10-51 E	N/A	Various	Avidyne Corporation IFD's	Not Applicable-Equipment not Installed	BJD	Emergency	8/25/15
AD2015-10-51	N/A	Various	Avidyne Corporation IFD's	Not Applicable-Equipment not Installed	ICT	7/1/15	12/15/15
AD2015-23-09	N/A	Various	Zodiac Oxygen Mask Regulators	Not Applicable-Equipment not Installed	ICT	12/28/15	12/15/15
AD2016-11-20	N/A	Various	B/E Aerospace PBE	Not Applicable per P/N Installed	ICT	7/15/16	6/20/16

AD Biweekly 2016-13, 06/13/2016 - 06/26/2016.

Richard Dietz
 07-08-2016
CESSNA/CITATION SERVICE CENTER
FAA Repair Station
CNQR918C

Wichita Citation Service Center AD Review List

Aircraft: 680-0237
CofA Date: 10/09/2008

Airframe hours: 787.6
Landings: 670

Date: 7/8/16

AD Number	Status	Model	Subject description	AD Sign off	Completed	Effective	AD sign off
					By:	Date:	Date:
AD74-08-09 R3	Recurring	Various	Waste Receptacle Inpection	Next due at: 1493.0 Hours	BJD	3/28/12	8/22/12
AD98-25-10 R1	N/A	Various	Aircraft Belts Inc	Not Applicable-Equipment not Installed	ICT	1/14/00	10/9/08
AD99-08-21	N/A	Various	Puritan O2 Masks	Not Applicable-Equipment not Installed	ICT	6/2/99	10/9/08
AD2003-26-14	N/A	Various	Kidde Aerospace Hand held BTL	Not Applicable-Equipment not Installed	N/A	2/20/04	N/A
AD2005-08-03	N/A	680	Honeywell Primus Epic Systems	N/A-Apploes to S/N 680-0001 thru 0021	N/A	4/29/05	N/A
AD2007-26-16	N/A	680	Aft Fairing Wire Bundle Clearance	N/A-Apploes to S/N 680-0001 thru 0158	N/A	1/8/08	N/A
AD2010-04-16	N/A	Various	SICLI Halon 1211 Portable Fire Ext	Not Applicable-AMEREX Fire Ext installed	ASH	3/8/10	6/11/10
AD2010-07-02	N/A	Various	Honeywell Primus II RNZ-850/-851 INU	Not Applicable-Equipment not Installed	N/A	5/3/10	N/A
AD2011-14-08	N/A	Various	B/E Aerospace Oxygen Mask Assy.	Not Applicable-Equipment not Installed	N/A	8/19/11	N/A
AD2012-02-08	N/A	Various	ACSS TCAS Units	Accomplished per SB680-34-29	MCO	3/13/12	9/19/13
AD2012-07-04	N/A	680	Fuel Cross Feed	Accomplished per SB680-24-11	BJD	5/15/12	8/22/12
AD2014-18-01	N/A	Various	Rockwell Collins Inc., TDR-94 XPDRS	Not Applicable per P/N & S/N Installed	BJD	10/14/14	3/26/15
AD2015-08-07	N/A	Various	Zodiac Oxygen Mask Regulator	Not Applicable per P/N & S/N Installed	BJD	6/16/15	8/25/15
AD2015-10-02	N/A	Various	Zodiac France Pass Seat Assy	Not Applicable-Equipment not Installed	ICT	6/12/15	12/15/15
AD2015-10-51 E	N/A	Various	Avidyne Corporation IFD's	Not Applicable-Equipment not Installed	BJD	Emergency	8/25/15
AD2015-10-51	N/A	Various	Avidyne Corporation IFD's	Not Applicable-Equipment not Installed	ICT	7/1/15	12/15/15
AD2015-23-09	N/A	Various	Zodiac Oxygen Mask Regulators	Not Applicable-Equipment not Installed	ICT	12/28/15	12/15/15
AD2016-11-20	N/A	Various	B/E Aerospace PBE	Not Applicable per P/N Installed	ICT	7/15/16	6/20/16

AD Biweekly 2016-13, 06/13/2016 - 06/26/2016.



CESSNA/CITATION SERVICE CENTER
 FAA Repair Station
 CNQR918C



Maintenance Transaction Record

MTR ID # 2603146

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-34-27	1 3	WIDE AREA AUGMENTATION SYSTEM (WAAS) INSTALLATION, SERVICE BULLETIN MOC: COMPLIED WITH Comments: Complied with SB680-34-27 WAAS Installation.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.


Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility MESA CITATION SERVICE CENTER Certified Repair Station Number CNQD918C Work Order No. 39782

Work Performed By MESA CITATION SERVICE CENTER Certificate No. CNQD918C Date 23-Jul-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By CLARK COLTER  Certificate No. CNQD918C Date 23-Jul-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
4	1



CASCOM Maintenance Transaction Record

MTR ID # 2505612
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Till Cycles	Engine 2 Till Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	05-Jul-2016	ICT	792.8	677	792.8	792.8	643	643	507.9	793	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	1 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								

Comments: Accomplished Inspection Document 42 IAW the CE-680 MM Chapter 5-12-42.

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 05-Jul-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and _____

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Mason* Certificate No. CNQR918C Date 05-Jul-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



Cessna
Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Page 2 of 4

CAMP Systems International
5200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	7	2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Complied with inspection document 42 in accordance with chapter 5-12-42 of the Citation 680 maintenance manual											
340052 340052 : 1	8	1	NO. 1 IRIDIUM/GPS ANTENNA	NO. 1	S67-1575-135		818-5877	SC	N 0 MTH 0 HRS		
Comments: Removed NO. 1 IRIDIUM/GPS ANTENNA part no: S67-1575-132 serial no: 435-1679, and installed new NO. 1 IRIDIUM/GPS ANTENNA part no: S67-1575-135 serial no: 818-5877 in accordance with Cessna 680 Maintenance Manual 34-55-15. Operational check good.											
340052 340052 : 2	9	1	NO. 2 IRIDIUM/GPS ANTENNA	NO. 2	S67-1575-135		818-5872	SC	N 0 MTH 0 HRS		
Comments: Removed NO. 2 IRIDIUM/GPS ANTENNA part no: S67-1575-132 serial no: 435-1680, and installed new NO. 2 IRIDIUM/GPS ANTENNA part no: S67-1575-135 serial no: 818-5872 in accordance with Cessna 680 Maintenance Manual 34-55-15. Operational check good.											
237001	10	1	COCKPIT VOICE RECORDER	COCKPIT	2100-1020-02		000749576	UN	R		
Comments: Removed COCKPIT VOICE RECORDER part no: 2100-1020-02 serial no: 000547138, and installed repaired COCKPIT VOICE RECORDER part no: 2100-1020-02 serial no: 000749576 repaired by Aircraft Instrument and Radio Services Inc. CRS# T12R188L in accordance with Cessna 680 Maintenance Manual 23-70-00. Operational check good.											
237004	11	1	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON	COCKPIT	DK120		SD01118	UN	R		
Comments: Removed COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: SD35740, and installed repaired COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: SD01118 repaired by Aircraft Instrument and Radio Services Inc. CRS# T12R188L in accordance with Cessna 680 Maintenance Manual 23-70-00. Operational check good. ULB battery expires 6/2022.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Over

Repair Facility: MESA SERVICE CENTER Certified Repair Station Number: CNQD918C Work Order No.: 39782

Work Performed By: MESA SERVICE CENTER Certificate No.: CNQD918C Date: 23-Jul-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: CLARK COLTER *Clark Colter* Certificate No.: CNQD918C Date: 23-Jul-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	2



TEXTRON AVIATION

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng.#1 Serial No. _____
 Eng.#2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	06-Dec-2017	KIWA	1057.3	842	1057.3	1057.3	805	805	721.6	1114	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
5-12-21	13	2	INSPECTION DOCUMENT 21(91.207 ITEMS) Comments: Complied with Inspection Document 21 per the 680 MM CH 5-12-21.									
5-12-27	14	2	INSPECTION DOCUMENT 27 (APU) Comments: Complied with Inspection Document 27 per the 680 MM CH 5-12-27.									
5-12-34	15	2	INSPECTION DOCUMENT 34 Comments: Complied with Inspection Document 34 per the 680 MM CH 5-12-34.									
D243102	16	2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments: Complied with Task 24-31-00-721, functional check of the left Saft Ni-Cad Battery, Inspection Document 34, IAW the 680 MM CH 5-12-34.	LEFT	023167-000		0008850B					
D243102	17	2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments: Complied with Task 24-31-00-721, functional check of the right Saft Ni-Cad Battery, Inspection Document 34, IAW the 680 MM CH 5-12-34.	RIGHT	023167-000		00091EE0					
5-12-36	18	2	INSPECTION DOCUMENT 36 (INTERVAL 3A/4C ITEMS) Comments: Complied with Inspection Document 36 per the 680 MM CH 5-12-36.									
5-12-42	19	2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Complied with Inspection Document 42 per the 680 MM CH 5-12-42.									
345008	20	1	LEFT DME ANTENNA Comments: Removed Left DME Antenna p/n: DMNI50-2-2 s/n: 119823 and installed new antenna p/n: DMNI50-2-2 s/n: 141278 IAW Cessna 680 MM 34-52-00. Ops checks good	LEFT	DMNI50-2-2		141278	UN	N	0 MTH 0 HRS		

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility TEXTRON AVIATION SERVICE MESA
 Certified Repair Station Number CNQD918D
 Work Order No. 67859

Work Performed By TEXTRON AVIATION SERVICE MESA
 Certificate No. CRS# CNQD918C
 Date 06-Dec-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.

Work Inspected By TIMOTHY J. ESKER *Timothy J. Esker*
 Certificate No. CRS# CNQD918C
 Date 06-Dec-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	3



TEXTRON AVIATION

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng.#1 Serial No. _____

Eng.#2 Serial No. _____

APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	06-Dec-2017	KIWA	1057.3	842	1057.3	1057.3	805	805	721.6	1114	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
5-12-09	1	2	INSPECTION DOCUMENT 9 (INTERVAL 4C ITEMS)									
Comments: Complied with Inspection Document 9 per the 680 MM CH 5-12-09.												
5-12-13	2	2	INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS)									
Comments: Complied with Inspection Document 13 per the 680 MM CH 5-12-13.												
5-12-14	3	2	INSPECTION DOCUMENT 14 (INTERVAL 2A/2C ITEMS)									
Comments: Complied with Inspection Document 14 per the 680 MM CH 5-12-14.												
5-12-15	4	2	INSPECTION DOCUMENT 15 (INTERVAL 4A/4C ITEMS)									
Comments: Complied with Inspection Document 15 per the 680 MM CH 5-12-15.												
5-12-19	5	2	INSPECTION DOCUMENT 19 (INTERVAL 4C THEN 2C ITEMS)									
Comments: Complied with Inspection Document 19 per the 680 MM CH 5-12-19.												
5-12-20	6	2	INSPECTION DOCUMENT 20									
Comments: Complied with Inspection Document 20 per the 680 MM CH 5-12-20.												
B341001	7	2	CALIBRATION TEST NO. 1 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20	NO. 1	HG1153CA02		08053056					
CALIBRATION Date: 29-Oct-2017 Comments: 14 CFR 91.411 requirements complied with to a test altitude of 47,000 feet, and per the Model 680 Maintenance Manual, Item Code B341001, Task 34-11-00-700 in accordance with CFR 91.411.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility TEXTRON AVIATION SERVICE MESA Certified Repair Station Number CNQD918D Work Order No. 67859

Work Performed By TEXTRON AVIATION SERVICE MESA Certificate No. CRS# CNQD918C Date 06-Dec-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.

Work Inspected By TIMOTHY J. ESKER *Timothy J. Esker* Certificate No. CRS# CNQD918C Date 06-Dec-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2729755

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	06-Jun-2017	SDL	943.3	771	943.3	943.3	734	734	610.6	949	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSNTSO/TSR	Material Costs	Man Hours
FAA 2017-06-13	1 4	PREVENTION OF DISBONDING OF THE HORIZONTAL AND VERTICAL STIFFENERS ON THE AFT CANTED BULKHEAD MOC: NOT APPLICABLE Comments: Not Applicable to Aircraft S/N per Paragraph (c). No further action required.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Lmits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility _____	Certified Repair Station Number _____	Work Order No. _____
Work Performed By <u>SCOTT GUETTI</u>	Certificate No. <u>AP3416789</u>	Date <u>06-Jun-2017</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and I CERTIFY THIS AIRCRAFT HAS BEEN REPAIRED AND INSPECTED IN ACCORDANCE WITH THE CURRENT FEDERAL AVIATION REGULATIONS AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.		
Work Inspected By <u>SCOTT GUETTI</u>	Certificate No. <u>AP3418789</u>	Date <u>06-Jun-2017</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log

Section	Page



Maintenance Transaction Record

MTR ID # 2637250

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Form with checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU, each followed by a Serial No. field.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains two entries for SL680-32-12 and 680-52-05.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form for repair details including fields for Repair Facility (MESA CITATION SERVICE CENTER), Certified Repair Station Number (CNQD918C), Work Order No. (43997), Work Performed By, Certificate No., Date (17-Oct-2016), and signature of Clark Colter.

Maintenance Log table with columns Section and Page. Row 1: Section 4, Page 1.

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
680-0237	0237	N21NR	11/24/08	TEB	34.0	22	No. 1 34.0	No. 2 34.0	No. 1 22	No. 2 22	-	-	-

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours	
1	*	MAINT NOTE											
2													
3													
4													
5													
6													
7													
8													

<p>Type Transaction</p> <ol style="list-style-type: none"> 1. Component Change 2. Inspection Accomplished 3. Service Bulletin Accomplished 4. Airworthiness Directive Accomplished 	<p>Detail Method Of Compliance Under Comments Below</p>	<p>Removal Reason Enter One:</p> <p>W - Worn to Limits S - Scheduled U - Unscheduled C - Convenience N - Other (Note Below)</p>	<p>Installed Part Status Enter One:</p> <p>N - New R - Repaired S - Serviceable O - Overhauled</p> <p><small>If Overhauled Part Enter Overhaul Agents Name Under Comments.</small></p>
---	--	--	--

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

*1/ Crew reports MACH TRIM FAIL on last 2 flights, gained access to mach trim actuator and monitored operation while using Laversab air data tester to actuator. Froze actuator with freeze and monitored travel of elevator trim tab with digital inclinometer. All checks good IAW citation 680 m/m, ch. 27-40-00.

Repair Facility <u>NEW YORK CITATION SVC CTR</u>	Certified Repair Station Number <u>CNQ6918C</u>	Work Order No. <u>321909</u>
Work Performed By <u>NEWBURGH, NY 12550</u>	Certificate No. <u>CNQ6918C</u>	Date <u>11/24/08</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration		
<input type="checkbox"/> Other (Specify) _____		
and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <u>John H. Beagle</u>	Certificate No. <u>CNQ6918C</u>	Date <u>11/24/08</u>

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
03	
Scheduled Removal Due (TAT)	



MAINTENANCE TRANSACTION REPORT

CSNA-1023-A

<input type="checkbox"/> Airframe Entries	<input type="checkbox"/> Eng. #1 Serial No. PCE-CG0482	<input type="checkbox"/> Eng. #2 Serial No. PCE-CG0483	<input type="checkbox"/> APU Serial No. P-432	<input type="checkbox"/> Freon Serial No.
---	---	---	--	---

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours			Total Engine Cycles			APU Hours	APU Events	Freon Hours		
							No1	11.6	No2	11.6	No1	10				No2	10
680-0237	0237	N51042	10/23/2008	ICT	11.6	10	No1	11.6	No2	11.6	No1	10	No2	10	28	66	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Charge Desired	TSO Installed Part	Material Costs	Man Hours
Do Not												
Write												
In This												
Space												

Type Transaction:
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin) Detail Method of Compliance Under Comments Below
 4. Airworthiness Directive Accomplished

Removal Reason:
 W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (plus detail)
 N - New
 R - Required
 S - Serviceable
 O - Overhauled

Ref. No. This Space For Other Maintenance Comments Including, Test, Or Calibration Dates, Removed Serial Numbers, Etc.

Per customer request, FAA registration N51042 has been removed. (US) registration N21NR is now displayed in compliance with (US) regulations.

The assigned "MODE S Code" (50334145) has been embedded into the Transponders and they have been checked for proper operation.

The NAV ELT has been interrogated, checked and reads ID No. ADC6492665D9AA1

Per (US) Aircraft Registry Requirements a "fireproof" aircraft identification plate, engraved with aircraft registration number has been fitted.

An Standard Certificate of Airworthiness has been issued.

Repair Facility:	Certified Repair Station Number	Work Order Number	<p style="font-size: small; margin-top: 10px;">Citation Product Support The Cessna Aircraft Company Post Office Box 7706 Wichita, Kansas 67277</p>	Maintenance Log	
Work Performed By: Cessna Aircraft Company	Certificate No. PC-4	Date: 10/23/2008		Section 3	Page
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify (EASA Part - 145) and the aircraft identified above is presently airworthy and approved for return to service.				Scheduled Removal Due (TAT)	
Work Inspected By: M. A. Miranowski	Certificate No. PC-4	Date: 10/23/08			

Signature

CESNA CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 642597
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-22-2008	ICT	11.0	9	11.0	11.0	9	9	31.6	69	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removed Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
42597001	1	-	Maintenance Note									

Comments: Customer squawks are completed, reviewed and verified by Quality Assurance I.A.W. The maintenance manual and Cessna Aircraft Engineering practices. Copies are on file at Cessna Aircraft Company. Aircraft is Returned To Service.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Cessna Aircraft Company Certified Repair Station Number _____ Work Order No. CC6652N

Work Performed By Cessna Aircraft Company Certificate No. PC-4 Date Oct-22-2008

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
the aircraft identified above is presently approved for return to service

Work Inspected by Richard Broerman Certificate No. PC-4 Date Oct-22-2008

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
	3

CSNA-1023-W-R-2003-11-07



MAINTENANCE TRANSACTION REPORT

CSNA-1023-A

<input checked="" type="checkbox"/> Airframe Entries	<input type="checkbox"/> Eng. #1 Serial No. PCE-CG0482	<input type="checkbox"/> Eng. #2 Serial No. PCE-CG0483	<input type="checkbox"/> APU Serial No. P-423	<input type="checkbox"/> Freon Serial No.
--	--	--	---	---

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours				Total Engine Cycles				APU Hours	APU Events	Freon Hours
							No1	9.3	No 2	9.3	No1	8	No 2	8			
680-0237	0237	N51042	10/09/08	ICT	9.3	8	No1	9.3	No 2	9.3	No1	8	No 2	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

	Transaction		Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Charge Desired	TSO Installed Part	Material Costs	Man Hours
	No.	Type											
	1												
Do Not	2												
Write	3												
In This	4												
Space	5												
	6												
	7												
	8												

Type Transaction:
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin (Detail Method of Compliance)
 4. Airworthiness Directive Accomplished (Under Comments Below)

Removal Reason:
 W-Worn to Limits
 S-Scheduled
 U-Unscheduled
 C-Convenience
 N-Other (Please Specify)
 R-Repaired
 S-Serviced
 O-Overhauled

Ref. No.	This Space For Other Maintenance Comments Including, Test, Or Calibration Dates, Removed Serial Numbers, Etc.
----------	---

Per 14 CFR Part 21, this aircraft has been inspected and found to be in compliance with airworthiness standards, requirements and all mandatory changes. AS of Today the Transponder # 1, S/N 0803D893, and Transponder # 2, S/N 0803D861, meet the requirements of 14CFR Part 91.413 and the Static Pressure System, Incorporating the Air Data Modules, P/N HG1153CA02, # 1 S/N 08053056, # 2 S/N 08043025, and the Standby Altimeter, S/N 1982A, and the Standby Air Data Unit S/N 1947, have been inspected and tested to the aircraft's maximum certified altitude of 47,000 feet and found to meet the requirements of 14 CFR Part 91.217 and 91.411 And are considered to be in service. This aircraft meets RVSM requirements and RVSM equipment is standard equipment for this model aircraft. Per 14 CFR Part 91.409 all life vests are in service as of this date.

Repair Facility:	Certified Repair Station Number	Work Order Number	 Citation Product Support The Cessna Aircraft Company Post Office Box 7706 Wichita, Kansas 67277	Maintenance Log	
Work Performed By:	Certificate No.	Date 10/09/08		Section 3	Page 1
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify ()) and the aircraft identified above is presently airworthy and approved for return to service.				Scheduled Removal Due (TAT)	
Work Inspected By: Roy A. House	Certificate No.	Date 10/09/08			

Signature

CESNA CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 595283
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
28354001	1	-	AOA switch									

Comments: AOA switch settings on ARINC Decoder PC Boards are L/H Switch 1 = E, Switch 2 = 6, R/H Switch 1 = C, Switch 2 = 0.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Cessna Aircraft Company Certified Repair Station Number _____ Work Order No. CC6652N

Work Performed By Cessna Aircraft Company Certificate No. PC-4 Date Oct-08-2008

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) _____ and
the aircraft identified above is presently approved for return to service

Work Inspected by E. RILLORAZA Certificate No. PC-4 Date Oct-08-2008

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07



Cessna CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 595282
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
28352001	1	-	Life Preservers									

Comments: Maintenance Note: The following Eastern Aero Marine Adult/Child Life Preservers, Part #PO1074-207, are installed in this aircraft.
 • The following S/N with MFD/Inspection date of June 2008 are installed at seat positions:
 • #1. 227752; #2. 227926; #3. 227805; #4. 227755; #5. 227000; #6. 227964; #7. 227824; #8. 227808; #9. 227833; #10. 227799; SFS. 227754.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility <u>Cessna Aircraft Company</u>	Certified Repair Station Number _____	Work Order No. <u>CC6652N</u>
Work Performed By <u>Cessna Aircraft Company</u>	Certificate No. <u>PC-4</u>	Date <u>Oct-08-2008</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by <u>E. RILLORAZA</u>	Certificate No. <u>PC-4</u>	Date <u>Oct-08-2008</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07



Cessna Citation

CESCOM

Maintenance Transaction Record

MTR ID: 595284

Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
28360001	1	-	NO Dynamic Rigging									

Comments: This Aircraft Meets All The Requirements Of The 6960010 Roll System Rig Spec And Type Design Requirements.
• No Dynamic Rigging Has Been Implemented.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Cessna Aircraft Company	Certified Repair Station Number _____	Work Order No. CC6652N
Work Performed By Cessna Aircraft Company	Certificate No. PC-4	Date Oct-08-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by E. RILLORAZA	Certificate No. PC-4	Date Oct-08-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07



CESNA/CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 595281
Page 1 of 1

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished:

Transaction	Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
	28343001	1	-	Fire Bottles									

Comments: The following fire bottles are installed at the listed positions.

- Fwd Eng. Bottle P/N 9914513-6 S/N 63246D1, Hydro 06/08, F/T 06/16/08, Squib 1 & 2 F/T 06/08.
- Aft Eng Bottle P/N 9914513-6 S/N 63249D1, Hydro 06/08, F/T 06/16/08, Squib 1 & 2 F/T 06/08.
- APU P/N 9914712-3 S/N 59805B1, Hydro 05/08, F/T 06/12/08, Squib 1 & 2 F/T 06/08.
- Baggage Fire Bottle P/N 9914712-6, S/N 10439H1, Hydro 06/08, F/T 06/26/08, Squib 1 & 2 F/T 06/08.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Cessna Aircraft Company	Certified Repair Station Number		Work Order No.	CC6652N
Work Performed By	Cessna Aircraft Company	Certificate No.	PC-4	Date	Oct-08-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
the aircraft identified above is presently approved for return to service					
Work Inspected by	E. RILLORAZA	Certificate No.	PC-4	Date	Oct-08-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07



CESNA CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 595287
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N51042	Oct-08-2008	ICT	9.3	8	9.3	9.3	8	8	28.0	63	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
11AD-01	1	4	LAV SMOKING PLACARD	680	AD74-08-09REV2							
Comments: AD 74-08-09 R2; Regarding "No Smoking" Placards Installed In Lavatory, Is Complied With.												
25AD-01	2	4	AIRCRAFT BELT INSPECTION	680	AD98-25-10REV1							
Comments: AD98-25-10 R1; Aircraft Belts Inc., AD Does Not Apply. Specified Parts Are Not Installed.												
35AD-01	3	4	PURITAN-BENNETT AERO SYSTEM CO	680	AD99-08-21							
Comments: AD99-08-21; Puritan Bennett Aero-Systems Co. C351-2000 Series Passenger Oxygen Masks and Portable Oxygen Masks. Does Not Apply. Specified Parts Are Not Installed.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.
 Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments)
 Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Cessna Aircraft Company	Certified Repair Station Number		Work Order No.	CC6652N
Work Performed By	Cessna Aircraft Company	Certificate No.	PC-4	Date	Oct-08-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
the aircraft identified above is presently approved for return to service					
Work Inspected by	E. RILLORAZA	Certificate No.	PC-4	Date	Oct-08-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	

CSNA-1023-W-R-2003-11-07



Maintenance Records Service



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Nov-03-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
232012	1	1	VDR ASSEMBLY		7026201-803		08095106		U	S		
Comments: DATA LINK COMM FAILED. REMOVED AND REPLACED VDR ASSEMBLY WITH SERVICEABLE UNIT FROM HONEYWELL CRS # LV2R992K PER CE680 M/M CH 23-10-01. GROUND OPERATIONAL CHECK GOOD. Removed Part No: 7026201-804 Removed Serial No: 0805466.												
232004	2	1	COMM MANAGEMENT RADIO ANT	CMF	S65-8282-1		3015		U	N		
Comments: DATA LINK COMM FAILED. REMOVED AND REPLACED CMF ANTENNA PER CE680 M/M CH 23-20-10. GROUND OPERATIONAL CHECK GOOD. Removed Part No: S65-8282-1 Removed Serial No: 2624.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other(note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility NEW YORK CITATION SERVICE CENTER	Certified Repair Station Number CNQ6918C	Work Order No. 323294
Work Performed By NEW YORK CITATION SERVICE CENTER	Certificate No. CNQ6918C	Date Nov-03-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by MICHAEL PADDEN	Certificate No. CNQ6918C	Date Nov-03-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
03	3

CSNA-1023-W-R-2003-11-07



Maintenance Transaction Record



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____ APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Oct-30-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
42496001	1	-	CESCOM NOTE									
Comments: CUSTOMER REQUEST REMOVAL OF CESCOM ITEM CODES 059921, 059924, AND 059925. THESE WERE CUSTOMER REQUEST ITEMS THAT ARE NO LONGER NEEDED.												
42496002	2	-	CESCOM NOTE									
Comments: CESCOM NOTE: SB680-34-17, SB680-34-07 & SB680-34-19 COMPLETED DURING PRODUCTION PER FACTORY AIRCRAFT ORDER CO68000237. PLEASE CLEAR ITEM CODES 34SB-07880, 34SB-17680R1 & 34SB-19680 FROM CESCOM.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility <u>NEW YORK CITATION SERVICE CENTER</u>	Certified Repair Station Number <u>CNQ6918C</u>	Work Order No. <u>323294</u>
Work Performed By <u>NEW YORK CITATION SERVICE CENTER</u>	Certificate No. <u>CNQ6918C</u>	Date <u>Oct-30-2009</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
I certify that the above maintenance & information contained in the listed work order was performed in accordance with the current FAA regulations & the aircraft /component identified above is presently airworthy & approved for return to service.		
Work Inspected by <u>MICHAEL PADDEN</u>	Certificate No. <u>CNQ6918C</u>	Date <u>Oct-30-2009</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
03	2

CSNA-1023-W-R-2003-11-07





Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Oct-28-2009	SWF	206.7	116	206.7	206.7	116	116			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
051201	1	2	INSP DOCUMENT 1									
Comments: COMPLIED WITH DOCUMENT 1 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-01. OPERATIONAL AND FUNCTIONAL CHECKS ARE GOOD.												
051206	2	2	INSP DOCUMENT 6									
Comments: COMPLIED WITH DOCUMENT 6 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-06. OPERATIONAL CHECKS ARE GOOD.												
051213	3	2	INSP DOCUMENT 13									
Comments: COMPLIED WITH DOCUMENT 13 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-13. FUNCTIONAL CHECKS ARE GOOD.												
051221	4	2	INSP DOCUMENT 21									
Comments: COMPLIED WITH DOCUMENT 21 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-21. FUNCTIONAL CHECK GOOD. ELT BET EXPR DATE: SEP-2014.												
051226	5	2	INSP DOCUMENT 26/MAG CHIP									
Comments: COMPLIED WITH DOCUMENT 26 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-26. NO DEFECTS NOTED.												
051234	6	2	INSP DOCUMENT 34 BATTERY	L			00091EE0					
Comments: COMPLIED WITH DOCUMENT 34 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-34. CAPACITY CHECK GOOD.												
051234	7	2	INSP DOCUMENT 34 BATTERY	R			0008850B					
Comments: COMPLIED WITH DOCUMENT 34 INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-34. CAPACITY CHECK GOOD.												
0512MB	8	2	INSP DOCUMENT MB									
Comments: COMPLIED WITH DOCUMENT MB INSPECTION REQUIREMENTS PER CE680 M/M CH 5-12-MB. OPERATIONAL AND FUNCTIONAL CHECKS ARE GOOD.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	<u>NEW YORK CITATION SERVICE CENTER</u>	Certified Repair Station Number	<u>CNQ6918C</u>	Work Order No.	<u>323294</u>
Work Performed By	<u>NEW YORK CITATION SERVICE CENTER</u>	Certificate No.	<u>CNQ6918C</u>	Date	<u>Oct-28-2009</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
the aircraft identified above is presently approved for return to service					
Work Inspected by	<u>MICHAEL PADDEN</u>	Certificate No.	<u>CNQ6918C</u>	Date	<u>Oct-28-2009</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
03	1

CSNA-1023-W-R-2003-11-07



Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.
 Freon Serial No.

Aircraft Identification and Status											
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Port of Origin	Total A/C Hours	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
680-0237	0237	N21NR	5/15/09	KT6B	1493.8	939					

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1		059039 AD/SB CK.										
2	Do Not											
3	Write											
4	In This											
5	Space											
6												
7												
8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Removal Reason
 Enter One:
 W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status
 Enter One:
 N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

} Detail Method Of Compliance Under Comments Below

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No. This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 NO DISCREPANCIES NOTED AT THIS TIME.

Repair Facility <i>MID CONSTRUCTION T6B</i>	Certificated Repair Station Number <i>CRS JZBA710K</i>	Work Order No. <i>37535</i>
Work Performed By <i>[Signature]</i>	Certificate No. <i>CRS JZBA710K</i>	Date <i>5-15-09</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>[Signature]</i>	Certificate No. <i>CRS JZBA710K</i>	Date <i>5-15-09</i>

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
680-0237	0237	N21NE	4/15/09	TEB	203.9	111	No. 1	No. 2	No. 1	No. 2			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours		
1	051223 (CKPT) Doc 23												
2	051223 (Cabin) Doc 23												
3													
4													
5													
6													
7													
8													

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status
Enter One:

N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1+2 Complied with code 051223 weight check cabin and cockpit portable fire extinguishers. No discrep. noted. Work as per CE680mm 26-20-20

Repair Facility <i>midcoast Aviation</i>	Certificated Repair Station Number <i>CRSSZBR71014</i>	Work Order No. <i>37409</i>
Work Performed By <i>[Signature]</i>	Certificate No. <i>CRSSZBR71014</i>	Date <i>4/15/09</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>[Signature]</i>	Certificate No. <i>CRSSZBR71014</i>	Date <i>4/15/09</i>

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.
 Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
608-0237	0237	N21NR	4/14/09	KTEB	203.9	111	No. 1	No. 2	No. 1	No. 2			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished														
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours		
1		059039 AD/SB CR												
2	Do Not													
3	Write													
4	In This													
5	Space													
6														
7														
8														

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status
Enter One:

N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 complied with A.D + SB check. No discrep. noted as per CEG80man + FAA web site.

Repair Facility <u>midcoast Aviation</u>	Certificated Repair Station Number <u>CRSSZBR701K</u>	Work Order No. <u>37409</u>
Work Performed By <u>Naly</u>	Certificate No. <u>CRSSZBR701K</u>	Date <u>4/15/09</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <u>Naly</u>	Certificate No. <u>CRSSZBR701K</u>	Date <u>4/15/09</u>
Signature		

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.
 Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
080-0237	0237	N21NR	3/3/09	KTEB	172.1	94	No. 1	No. 2	No. 1	No. 2			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours	
1	2	051234 L Insp. Doc	34	4078-14		00091EE0	S	O					
Do Not Write	2	Battery											
In This Space	4	051234 R Insp. Doc	34	4078-14		0008850B	S	O					
	5	Battery											
	6												
	7												
	8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Removal Reason
Enter One:

W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status
Enter One:

N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

Detail Method Of Compliance Under Comments Below

Ref. No. This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Clw cescom Insp. Doc. 34 overhaul main Battery L+R. ops check ok. F/A/W A.M.M. 24-31-00

Repair Facility <u>midcoast Aviation KTEB</u>	Certificated Repair Station Number <u>C2552B2710K</u>	Work Order No. <u>37235</u>
Work Performed By <u>CER. Q</u>	Certificate No. <u>C2552B2710K</u>	Date <u>3/3/09</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <u>CER. Q</u>	Certificate No. <u>C2552B2710K</u>	Date <u>3/3/09</u>

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.
 Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
680-0237	0237	N21NR	3/1/09	KTSD	172.1	94	No. 1	No. 2	No. 1	No. 2			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours	
1		059039. AD/SB CK											
2	Do Not												
3	Write												
4	In This												
5	Space												
6													
7													
8													

Type Transaction

- Component Change
- Inspection Accomplished
- Service Bulletin Accomplished
- Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status
Enter One:

N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 No DISCARTANGLERS NOTED AT THIS TIME

Repair Facility <i>MIDCOURT MAINT</i>	Certificated Repair Station Number <i>CWJ226N710</i>	Work Order No. <i>37235</i>
Work Performed By <i>[Signature]</i>	Certificate No. <i>CWJ226N710</i>	Date <i>3-1-09</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>[Signature]</i>	Certificate No. <i>CWJ226N710</i>	Date <i>3-1-09</i>

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.
 Freon Serial No.

Aircraft Identification and Status											
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
G80-0237	0237	N21NR	2/3/09	KTGB	150.9	86	No. 1	No. 2			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1		059039 AD/SB Check										
2	Do Not											
3	Write											
4	In This											
5	Space											
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status
Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

} **Detail Method Of Compliance Under Comments Below**

Ref. No.	This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.
1	NO DISCREPANCIES NOTED AT THIS TIME

Repair Facility <u>LAID COAST AVIATION</u>	Certificated Repair Station Number <u>CDJ262710K</u>	Work Order No. <u>37161</u>
Work Performed By <u>[Signature]</u>	Certificate No. <u>CDJ262710K</u>	Date <u>2-3-09</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <u>[Signature]</u>	Certificate No. <u>CDJ262710K</u>	Date <u>2-3-09</u>

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.
 Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
80-0237	0237	N21NK	1/15/09	K768	113.2	64	No. 1	No. 2	No. 1	No. 2			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours	
1		059039 AD/SB Check											
2	Do Not												
3	Write												
4	In This												
5	Space												
6													
7													
8													

- Type Transaction**
1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

} **Detail Method Of Compliance Under Comments Below**

Removal Reason
Enter One:

- W - Worn to Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
- R - Repaired
- S - Serviceable
- O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

C.W MONTHLY AD/SB CHECK, NO DISCREPANCIES NOT IN AT THIS TIME

Repair Facility <i>MIDWEST AVIATION</i>	Certificated Repair Station Number <i>CAS22AN710</i>	Work Order No. <i>37076</i>
Work Performed By <i>[Signature]</i>	Certificate No. <i>CAS22AN710</i>	Date <i>1-15-09</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>[Signature]</i>	Certificate No. <i>CAS22AN710</i>	Date <i>1-15-09</i>

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.
 Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
690-0237	0237	N21NR	12/30/08	KTEB			No. 1	No. 2	No. 1	No. 2			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours	
1		059039 AD/SB Check											
2	Do Not												
3	Write												
4	In This												
5	Space												
6													
7													
8													

- Type Transaction**
1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

} **Detail Method Of Compliance Under Comments Below**

Removal Reason
Enter One:

- W - Worn to Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
- R - Repaired
- S - Serviceable
- O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.													
1	QW an AD/SB check I/P/W manufacturer approved website + FAA approved website. No defects noted.													

Repair Facility <u>Midcoast Aviation, KTEB</u>	Certificated Repair Station Number <u>CPSJEBR7WK</u>	Work Order No. <u>37036</u>
Work Performed By <u>Carlos R. Ayala</u>	Certificate No. <u>CPSJEBR7WK</u>	Date <u>12/30/08</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <u>C.R. Ayala</u>	Certificate No. <u>CPSJEBR7WK</u>	Date <u>12/30/08</u>

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Please Print

Cessna/CITATION®

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706/Wichita, Kansas 67277
 Telex: Citation 41-7370/FAX: 316-945-9006/Phone: 316-941-6291

cescom

Maintenance Transaction Report



This Maintenance Transaction Report is To Be Used Solely For (Check One)

Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

Aircraft Identification and Status														
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)			City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events
680-00237		N21NR	1	12	09	TEB	117.1	66	No. 1: 117.1	No. 2: 117.1	No. 1: 66	No. 2: 66		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished.												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod. Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (New # Change Detail)	TSO Installed Part	Material Cost	Man. Hours
1	1	#1 MCDU	L	7033700-910	U	07080171	U	R				
2												
3												
4												
5												
6												
7												
8												

Type Transaction
 1 Component Change
 2 Inspection Accomplished
 3 Service Bulletin Accomplished
 4 Airworthiness Directive Accomplished

Removal Reason
 Enter One
 W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status
 Enter One
 N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

Detail Method of Compliance Under Comments Below

If Overhauled Part Enter Overhaul Agents Name Under Comments

Ref. No.	This Space For Other Maintenance Comments Including, Test or Calibration Dates, Removed Serial Numbers, Etc.
1	Removed the Defective #1 MC-850-2 MCDU P/N 7033700-910, S/N 07120271 and replaced with part listed above. The installed MCDU was repaired by Honeywell, Wichita, Ks., CRS# LV2R992K, WO# 5002143897, dated Nov. 20,2008. Function tested the #1 and #2 MCDU systems. All tests check good. All work performed I/A/W Cessna 680 maintenance manual chapter 23-80-00.

Repair Facility **Duncan Aviation** Certificated Repair Station Number **XJRR155L** Work Order No. **TQ9BA**

Work Performed By **Steve Jurrens** Certificate No. **XJRR155L** Date **1/12/09**

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration and the aircraft identified above is presently airworthy and approved for return to service.
 Other (Specify) _____

Work Inspected By *Steve Jurrens* Signature **DUNCAN 011076** Certificate No. **XJRR155L** Date **1/12/09**



Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File in Maintenance Log



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Jan-06-2009	AUS	99	57	99	99	57	57	55	117	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
243007	1	1	BATTERY-MAIN SHIP	L	023167-000 / 9914058-11		00091EE0	C	S			
Comments: Removed Part No: 023167-000 Removed Serial No: 096837 Due To Convenience. Installed Battery Inspected By Cessna FAA# CNQ5918C, Performed Operational Checked Good I/AW 680 M/M 24-31-00.												
243007	2	1	BATTERY-MAIN SHIP	R	023167-000 / 9914058-11		0008850B	C	S			
Comments: Removed Part No: 023167-000 Removed Serial No: 092600 Due To Convenience. Installed Battery Inspected By Cessna FAA# CNQ5918C, Performed Operational Checked Good I/AW 680 M/M 24-31-00.												
051234	3	2	INSP DOCUMENT 34 BATTERY	L			00091EE0					
Comments: Complied With Inspection Document 34, Left Main Battery, I/AW 680 M/M Chapter 05-12-34.												
051234	4	2	INSP DOCUMENT 34 BATTERY	R			0008850B					
Comments: Complied With Inspection Document 34, Right Main Battery, I/AW 680 M/M Chapter 05-12-34.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility San Antonio Citation Service Center	Certified Repair Station Number CNQ5918C	Work Order No. 1-18711
Work Performed By San Antonio Citation Service Center	Certificate No. CNQ5918C	Date Jan-06-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by Lesley C. Wedding	Certificate No. CNQ5918C	Date Jan-06-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



CESSNA CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 680660

Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)
 Airframe Entries Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____ APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Jan-06-2009	AUS	99	57	99	99	57	57	55	117	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
243007	1	1	BATTERY-MAIN SHIP	L	023167-000 / 9914058-11		00091EE0	C	S			
Comments: Removed Part No: 023167-000 Removed Serial No: 096837 due to convenience. Installed Inspected Battery, performed operational checked good. Worked done IAW 680MM 24-31-00.												
243007	2	1	BATTERY-MAIN SHIP	R	023167-000 / 9914058-11		0008850B	C	S			
Comments: Removed Part No: 023167-000 Removed Serial No: 092600 due to convenience. Installed Inspected Battery, performed operational checked good. Worked done IAW 680MM 24-31-00.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility San Antonio Citation Service Center	Certified Repair Station Number CNQ5918C	Work Order No. 1-18711
Work Performed By San Antonio Citation Service Center	Certificate No. CNQ5918C	Date Jan-06-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by Derrick Broussard <i>[Signature]</i>	Certificate No. CNQ5918C	Date Jan-06-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



Maintenance Transaction Record



Citation Customer Service
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, KS 67277
 Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Jan-05-2009	AUS	99.0	57	99.0	99.0	57	57	55.0	117	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
243007	1	1	BATTERY-MAIN SHIP	L	023167-000 / 9914058-11		096837	C	S			
Comments: Removed Part No: 023167-000 Removed Serial No: 00091EE0 due to convenience. Installed #3 loaner battery by SAN ANTONIO CITATION SERVICE CENTER FAA #CNQ5918C. OPS CHECKS GOOD. IAW 680 MM 24-31-00. Returned Customers original batteries to SACSC for Doc 34 inspection.												
243007	2	1	BATTERY-MAIN SHIP	R	023167-000 / 9914058-11		092600	C	S			
Comments: Removed Part No: 023167-000 Removed Serial No: 0008850B due to convenience. Installed #11 loaner battery by SAN ANTONIO CITATION SERVICE CENTER FAA #CNQ5918C. OPS CHECKS GOOD. IAW 680 MM 24-31-00. Returned Customers original batteries to SACSC for Doc 34 inspection.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.
 Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other(note in comments)
 Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility SAN ANTONIO CITATION SERVICE CENTER	Certified Repair Station Number CNQ5918C	Work Order No. 1-18711
Work Performed By SAN ANTONIO CITATION SERVICE CENTER	Certificate No. CNQ5918C	Date Jan-05-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by Roger Howell <i>[Signature]</i>	Certificate No. CNQ5918C	Date Jan-05-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



CESNA CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 668145
Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Dec-08-2008	LGB	48.3	31	48.3	48.3	31	31	37	69	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
------	----------------------	-----------	----------	-------------------------------------	-----------	-------------	----------------	-----------------------	--------------------	----------------	-----------

68145001 1 - MAINTENANCE NOTE N

Comments: Repacked nose landing gear strut and rigged nose landing gear uplock switch to correct intermittent uplock indication and gear banging noise discrepancy. Work performed i.a.w. chapter 32-20-01 of the Citation 680 C.M.M. and chapters 32-10-00, 32-20-00 and 32-30-05 of the Citation 680 M.M.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Long Beach Citation Service Center	Certified Repair Station Number CNQD918C	Work Order No. 921401
Work Performed By LONG BEACH CITATION SERVICE CENTER	Certificate No. CNQD918C	Date Dec-08-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by GIL G. GUMAYAGAY	Certificate No. CNQD918C	Date Dec-08-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07





Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7708
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Dec-04-2008	MCO	40.1	27	40.1	40.1	27	27			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removed Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
213019	1	1	VALVE-CABIN TEMP	L	27241287-14 / 9912518-2		2BD83A	N	S			
Comments: Removed Part No: 27241287-14 Removed Serial No: 2BD82A. Installed a valve removed from the right hand position for troubleshooting IAW CE680 MM 21-61-00. Leak and operational checks good.												
213019	2	1	VALVE-COCKPIT TEMP	R	27241287-14 / 9912518-2		2BD82A	N	S			
Comments: Removed Part No: 27241287-14 Removed Serial No: 2BD83A. Installed a valve removed from the left hand position for troubleshooting IAW CE680 MM 21-61-00. Leak and operational checks good.												
66469003	3	1	CONDITIONED AIR DUCT ASSY		6915030-62		NSN	N	N			
Comments: Removed P/N: 6915030-25 S/N: NSN. Installed P/N: 6915030-62 IAW Cabin Cold Air Supply Duct with Orifice Modification engineering order 680-0481 drawing #6900056. Leak and operational checks good.												
274002	4	1	LINEAR SERVO ACTUATOR ASSEMBLY		EM4070-8 / 9914558-8		270	U	O			
Comments: Removed Part No: EM4070-8 Removed Serial No: 365. Removed and replaced the Linear Actuator due to a "Mach Trim Fail" EICAS message. Work done IAW Cessna 680 MM Ch. 27-40-00. Operational checks good.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Certified Repair Station Number	Work Order No. 6028337
Orlando Citation Service Center	Certificate No. CNQ8918C	Date Dec-04-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by Kurt W. Dising	Certificate No. CNQ8918C	Date Dec-04-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07





Maintenance Transaction Record

MTR ID # 2169630

Page 1 of 3

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419	337	530.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-06 051206	1 2	MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS)								
Comments: Complied with in accordance with the Cessna 680 Maintenance Manual 05-12-06.										
5-12-13 051213	2 2	MSG-3 INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS)								
Comments: Complied with in accordance with the Cessna 680 Maintenance Manual 05-12-13.										
5-12-21 051221	3 2	INSPECTION DOCUMENT 21(91.207 ITEMS)								
Comments: Complied with in accordance with the Cessna 680 Maintenance Manual 05-12-21.										
5-12-26 051226	4 2	INSPECTION DOCUMENT 26								
Comments: Complied with in accordance with the Cessna 680 Maintenance Manual 05-12-26.										
5-12-34	5 2	INSPECTION DOCUMENT 34								
Comments: Complied with in accordance with the Cessna 680 Maintenance Manual 05-12-34.										
5-12-39	6 2	INSPECTION DOCUMENT 39								
Comments: Complied with in accordance with the Cessna 680 Maintenance Manual 05-12-39.										
5-12-MC	7 2	INSPECTION DOCUMENT MC								
Comments: Complied with in accordance with the Cessna 680 Maintenance Manual 05-12-MC.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WQ - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	1106-41/ANAC	Work Order No.	6043663
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL _____ and _____					
I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	GARY DUCHARME <i>[Signature]</i>	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3PT2	1



Maintenance Transaction Record

MTR ID # 2169630

Page 2 of 3

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419	337	530.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
D262005 051235 : APU	8 2	HYDROSTATIC TEST APU FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 26-Jun-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Hydrostatic test completed by S.J. OBrien Ent. CRS# QK3R792L. Bottle manufacture date is 05/2008.	APU	33100028-2		59805B1				
353003 051235 : O2	9 2	HYDROSTATIC TEST EMERGENCY OXYGEN BOTTLE Hydro Check Date: 01-Jun-2012 Comments: Inspected and determined bottle last tested 06/2012. Next due 06/2017. Bottled manufactured 08/2007.		5500M6W-FF23A N		P07080353				
245009 245009 : RA	10 1	RIGHT AFT APU CONTROL NZ204 PCB ASSY Comments: Removed part no: 6918630-36 Removed serial no: 0319. Installed new PCB for the compliance of SB680-49-09 R1. Ops check good.	RIGHT AFT	6968012-7		0458	SC	N 0 MTH 0 HRS		
282002 282002 : L	11 1	LEFT PRIMARY EJECTOR PUMP Comments: Removed part no: 2000002-101 Removed serial no: 0530. Installed new pump during compliance of SB680-28-02. Ops check good.	LEFT	2000002-101	9914682-1	0987	UN	N 0 MTH 0 HRS		
282002 282002 : R	12 1	RIGHT PRIMARY EJECTOR PUMP Comments: Removed part no: 2000002-101 Removed serial no: 0537. Installed new pump during compliance of SB680-28-02. Ops check good.	RIGHT	2000002-101	9914682-1	1080	UN	N 0 MTH 0 HRS		
5-12-40 051240	13 2	MSG-3 INSPECTION DOCUMENT 40 (INTERVAL 2A/1C) Comments: Complied with In spection Document #40 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-40. Operational check good.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	1106-41/ANAC	Work Order No.	6043663
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
<p>I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the</p> <p><input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC/BRAZIL</u> and</p> <p>I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.</p> <p>Work Inspected By <u>GARY DUCHARME</u> <i>Gary Ducharme</i> Certificate No. <u>1106-41/ANAC</u> Date <u>19-Sep-2013</u></p>					
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3PT2	2



Maintenance Transaction Record

MTR ID # 2169630

Page 3 of 3

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419	337	530.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	14 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Complied with Inspection Document #42 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-42.										
5-12-35	15 2	INSPECTION DOCUMENT 35								
Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements.										
D262006 051235 : BAGG	16 2	HYDROSTATIC TEST NOSE COMPARTMENT BAGGAGE (UN002) FIRE BOTTLE : INSPECTION DOCUMENT 35	NOSE	34750005-1		10439H1				
Hydro Check Date: 01-Jul-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Unit overhauled by Pacific Scientific, Miami, Fl., CRS# P94R580N, and installed IAW 680 M.M. ch. 26-20-30. MFR date 06/2008. Next hydro date due 07/2018.										
D262007 051235 : F	17 2	RESTORATION (HYDROSTATIC TEST) FORWARD ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35	FORWARD	30700009-12		63246D1				
Hydro Check Date: 26-Jul-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Hydrostatic test completed by S.J. OBrien Ent. CRS# QK3R792L. Bottle manufacture date is 06/2008.										
D262007 051235 : A	18 2	RESTORATION (HYDROSTATIC TEST) AFT ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35	AFT	30700009-12		63249D1				
Hydro Check Date: 26-Jul-2013 Comments: Document accomplished, IAW Cessna 680 Maintenance Manual chapter 5-12-35 requirements. Hydrostatic test completed by S.J. OBrien Ent. CRS# QK3R792L. Bottle manufacture date is 06/2008.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	1106-41/ANAC	Work Order No.	6043663
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	GARY DUCHARME <i>Gary Ducharme</i>	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3PT2	3



Maintenance Transaction Record

MTR ID # 2201715

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	24-Sep-2013	MCO	537.8	452	537.8	537.8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements.										
2201715002	2	- AIRCRAFT WEIGHMENT								
Comments: Aircraft weighment accomplished, IAW Cessna 680 Weight & Balance Manual chapter on ground operations, and meets the requirements of the Brazil ANAC, RBHA 91.423.										
2201715003	3	- RBHA 43 APP. D BRAZILIAN ANNUAL								
Comments: Annual inspection accomplished, IAW RBHA 43 app. D. Next annual due September 2014.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number 1106-41/ANAC Work Order No. 6043663

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. 1106-41/ANAC Date 24-Sep-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) BRAZIL ANAC and

I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By GARY DUCHARME *[Signature]* Certificate No. 1106-41/ANAC Date 24-Sep-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3PT2	4



Maintenance Transaction Record

MTR ID # 2179833

Page 4 of 4

This Maintenance Report is To Be Used Solely For (Check One)



Airframe
Entries

Eng. #1

Serial No. _____

Eng. #2

Serial No. _____

APU

Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419	337	530.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
282002 282002 : R	19 1	RIGHT PRIMARY EJECTOR PUMP	RIGHT	2000002-101	9914682-1	1080	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 2000002-101 Removed serial no: 0537. Installed new pump during compliance of SB680-28-02. Ops check good.										
262003 262003 : HIGH	20 1	UPPER NOSE COMPARTMENT FIRE BOTTLE (MAX LIFE) FIRE EXT SQUIB	UPPER	30903871		1525PD	SC	N 3 MTH		
Manufacture Date: 01-Jul-2013 Comments: Removed part no: 30903938 Removed serial no: 0030JF. Installed new squib with bottle SN: 59805B1. Squib service date July 2013.										
262003 262003 : LOW	21 1	LOWER NOSE COMPARTMENT FIRE BOTTLE (MAX LIFE) FIRE EXT SQUIB	LOWER	30903872		1334PE	SC	N 3 MTH		
Manufacture Date: 01-Jul-2013 Comments: Removed part no: 30903937 Removed serial no: 1133JE. Installed new squib with bottle SN: 10439H1. Squib service date July 2013.										
350003 350003 : L	22 1	PILOT OXYGEN MASK	PILOT	MC10-16-150		121690	UN	O 3 MTH		
Comments: Removed part no: MC10-16-150 Removed serial no: SE20512. Installed unit Overhauled by AVOX Systems, CRS# LX1R312K, Lancaster, NY, and operational checked good per the Cessna 680 Maintenance Manual Chap 35-10-00.										
350003 350003 : R	23 1	COPILOT OXYGEN MASK	COPILOT	MC10-16-150		88003	UN	O 3 MTH		
Comments: Removed part no: MC10-16-150 Removed serial no: SE20513. Installed unit Overhauled by AVOX Systems, CRS# LX1R312K, Lancaster, NY, and operational checked good per the Cessna 680 Maintenance Manual Chap 35-10-00.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	1106-41/ANAC	Work Order No.	6043663
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) BRAZIL ANAC and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	GARY DUCHARME <i>[Signature]</i>	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3PT4	



Maintenance Transaction Record

MTR ID # 2179833

Page 1 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419	337	530.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
275012	1 1	HORIZONTAL TRIM ACTUATOR CONTROL UNIT		103000A	9914197-9	270	UN	O 0 MTH 0 HRS		
Comments: Removed part no: 103000 Removed serial no: 376. Unit overhauled by GAR Enterprises Inc., Arcadia, CA., CRS# K3GR925J, and installed IAW 680 M.M. ch. 27-40-00. Operational check good.										
324005 324005 : L	2 1	LEFT NOSE WHEEL TIRE	LEFT	M15601	9914718-1	2006C233	WO	N 0 MTH 0 HRS		
Comments: Removed part no: M15601 Removed serial no: 7345A148. Installed new tire on wheel assembly SN: 1763 as first tire change - no NDT required. Done IAW B.F. Goodrich C.M.M. 32-47-43. leak and balance checks good.										
324005 324005 : R	3 1	RIGHT NOSE WHEEL TIRE	RIGHT	M15601	9914718-1	2006C232	WO	N 0 MTH 0 HRS		
Comments: Removed part no: M15601 Removed serial no: 7338A096. Installed new tire on wheel assembly SN: 1700 as first tire change - no NDT required. Done IAW B.F. Goodrich C.M.M. 32-47-43. leak and balance checks good.										
262004	4 1	NOSE COMPARTMENT BAGGAGE (UN002) FIRE BOTTLE	NOSE COMPARTMENT	34750005-1	9914712-6	10439H1	SC	O 0 MTH 0 HRS		
Comments: Removed part no: 34750005-1 Removed serial no: 10439H1. Unit overhauled by Pacific Scientific, Miami, FL., CRS# P94R580N, and installed IAW 680 M.M. ch. 26-20-30. MFR date 06/2008. Next hydo date due 07/2018.										
262003 262003 : HIGH	5 1	UPPER NOSE COMPARTMENT FIRE BOTTLE (MAX LIFE) FIRE EXT SQUIB	UPPER	30903871		1525PD	SC	N 3 MTH		
Manufacture Date: 01-Jul-2013 Comments: Removed part no: 30903938 Removed serial no: 0030JF. New unit installed with bottle SN: 10439H1. MFG date July 2013.										
262003 262003 : LOW	6 1	LOWER NOSE COMPARTMENT FIRE BOTTLE (MAX LIFE) FIRE EXT SQUIB	LOWER	30903872		1334PE	SC	N 3 MTH		
Manufacture Date: 01-Jul-2013 Comments: Removed part no: 30903937 Removed serial no: 1133JE. New unit installed with bottle SN: 10439H1. MFG date July 2013.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number 1106-41/ANAC Work Order No. 6043663

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. 1106-41/ANAC Date 19-Sep-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) BRAZIL ANAC and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By GARY DUCHARME Certificate No. 1106-41/ANAC Date 19-Sep-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3PT4	



Maintenance Transaction Record

MTR ID # 2179833

Page 2 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entires

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419	337	530.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
262001 262001 : APU	7 1	APU FIRE BOTTLE	APU	33100328-2		59805B1	SC	O 2 MTH 0 HRS		
Comments: Removed part no: 33100028-2 Removed serial no: 59805B1. Re-installed bottle overhauled, hydrostatically tested and returned to service by S.J.O'Brien Ent., Inc., CRS# QK3R792L, of Signal Hill, CA. Bottle manufacture date is 05/2008.										
262001 262001 : F	8 1	FORWARD ENGINE FIRE BOTTLE	FORWARD	30700009-12	9914513-6	63246D1	SC	O 1 MTH 0 HRS		
Comments: Removed part no: 30700009-12 Removed serial no: 63246D1. Re-installed bottle overhauled, hydrostatically tested and returned to service by S.J.O'Brien Ent., Inc., CRS# QK3R792L, of Signal Hill, CA. Bottle manufacture date is 06/2008.										
262001 262001 : A	9 1	AFT ENGINE FIRE BOTTLE	AFT	30700009-12	9914513-6	63249D1	SC	O 1 MTH 0 HRS		
Comments: Removed part no: 30700009-12 Removed serial no: 63249D1. Re-installed bottle overhauled, hydrostatically tested and returned to service by S.J.O'Brien Ent., Inc., CRS# QK3R792L, of Signal Hill, CA. Bottle manufacture date is 06/2008.										
275201 275201 : L4	10 1	LEFT NO. 4 FLEX SHAFT	LEFT NO. 4	140527-5500	9914344-55	0391	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 140527-5500 Removed serial no: 0103. Installed new flex shaft and accomplished flap operational checks per the Cessna 680 Maintenance Manual Chap 27-52-00. Operation and travel checks good.										
275201 275201 : L5	11 1	LEFT NO. 5 FLEX SHAFT	LEFT NO. 5	140527-5400	9914344-54	0796	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 140527-5400 Removed serial no: 0272. Installed new flex shaft and accomplished flap operational checks per the Cessna 680 Maintenance Manual Chap 27-52-00. Operation and travel checks good.										
275201 275201 : R6	12 1	RIGHT NO. 6 FLEX SHAFT	RIGHT NO. 6	140527-5600	9914344-56	0343	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 140527-5600 Removed serial no: 0091. Installed new flex shaft and accomplished flap operational checks per the Cessna 680 Maintenance Manual Chap 27-52-00. Operation and travel checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	1106-41/ANAC	Work Order No.	6043663
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>BRAZIL ANAC</u> and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	GARY DUCHARME	Certificate No.	1106-41/ANAC	Date	19-Sep-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3PT4	



Maintenance Transaction Record

MTR ID # 2179833

Page 3 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	19-Sep-2013	MCO	537.8	452	537.8	537.8	419	419	337	530.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
330005 330005 : 1	13 1	NO. 1 EMERGENCY LIGHTING (UF004) BATTERY PACK	NO. 1	CBS28		2276	UN	R		
Comments: Removed part no: CBS28 Removed serial no: 4162. Unit repaired by Radiant Power Corp., Sarasota, FL., CRS# W9PR345Y, and installed IAW 680 M.M. ch. 24-31-03. Operational check good.										
330005 330005 : 2	14 1	NO. 2 EMERGENCY LIGHTING (UC003) BATTERY PACK	NO. 2	CBS28		2924	UN	R		
Comments: Removed part no: CBS28 Removed serial no: 4164. Unit repaired by Radiant Power Corp., Sarasota, FL., CRS# W9PR345Y, and installed IAW 680 M.M. ch. 24-31-03. Operational check good.										
330005 330005 : 3	15 1	NO. 3 EMERGENCY LIGHTING (UF006) BATTERY PACK	NO. 3	CBS28		2756	UN	R		
Comments: Removed part no: CBS28 Removed serial no: 4165. Unit repaired by Radiant Power Corp., Sarasota, FL., CRS# W9PR345Y, and installed IAW 680 M.M. ch. 24-31-03. Operational check good.										
330005 330005 : 4	16 1	NO. 4 EMERGENCY LIGHTING (UF008) BATTERY PACK	NO. 4	CBS28		2489	UN	R		
Comments: Removed part no: CBS28 Removed serial no: 4166. Unit repaired by Radiant Power Corp., Sarasota, FL., CRS# W9PR345Y, and installed IAW 680 M.M. ch. 24-31-03. Operational check good.										
245009 245009 : RA	17 1	RIGHT AFT APU CONTROL NZ204 PCB ASSY	RIGHT AFT	6968012-7		0458	SC	N 0 MTH 0 HRS		
Comments: Removed part no: 6918630-36 Removed serial no: 0319. Installed new PCB for the compliance of SB680-49-09 R1. Ops check good.										
282002 282002 : L	18 1	LEFT PRIMARY EJECTOR PUMP	LEFT	2000002-101	9914682-1	0987	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 2000002-101 Removed serial no: 0530. Installed new pump during compliance of SB680-28-02. Ops check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	1106-41/ANAC	Work Order No.	6043663
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	1106-41/ANAC	Date	19-Sep-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) BRAZIL ANAC and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	GARY DUCHARME	Certificate No.	1106-41/ANAC	Date	19-Sep-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3PT4	



Maintenance Transaction Record

MTR ID # 2155987

Page 1 of 2

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	20-May-2013	SBJD	523.2	445	523.2	523.2	412	412			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-35	1 2	INSPECTION DOCUMENT 35 Comments: Performed Inspection Document 35, accomplished only item code D262007 - Task 26-20-00-962, I.A.W M.M 680 chap.5-12-35 Rev.19.								
D262007 051235 : F	2 2	RESTORATION (HYDROSTATIC TEST) FORWARD ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 20-May-2013 Comments: Removed Forward Engine Fire Bottle SN 63246D1, performed Hidrostatic Test and reinstalled, I.A.W M.M 680 chap.5-12-35 Rev.19 - Segvoo 003 n°MRL-OF-TH793/13, dated May/20/2013, emitted by TAM Aviação Executiva e Taxi Aereo S/A.	FORWARD	30700009-12		63246D1				
D262007 051235 : A	3 2	RESTORATION (HYDROSTATIC TEST) AFT ENGINE FIRE BOTTLE : INSPECTION DOCUMENT 35 Hydro Check Date: 20-May-2013 Comments: Removed Forward Engine Fire Bottle SN 63246D1, performed Hidrostatic Test and reinstalled, I.A.W M.M 680 chap.5-12-35 Rev.19 - Segvoo 003 n°MRL-OF-TH794/13, dated May/20/2013, emitted by TAM Aviação Executiva e Taxi Aereo S/A.	AFT	30700009-12		63249D1				
5-12-41	4 2	INSPECTION DOCUMENT 41 Comments: Performed Inspection Document 41, I.A.W M.M 680 chap.5-12-41 Rev.19.								
5-12-42	5 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W M.M 680 chap.5-12-42 Rev.19.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certified Repair Station Number	CHE N°. 6905-01/ANAC	Work Order No.	76652
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	CHE N°. 6905-01/ANAC	Date	20-May-2013
<p>I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the</p> <p><input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC / BRAZIL</u> and</p> <p>THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.</p>					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	CÓD.ANAC 718304	Date	20-May-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2155987

Page 2 of 2



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	20-May-2013	SBJD	523.2	445	523.2	523.2	412	412			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
350013 051235 : OXYR	6 2	HYDROSTATIC TEST RIGHT PRIMARY OXYGEN CYLINDER AND REGULATOR ASSEMBLY Hydro Check Date: 20-May-2013 Comments: Removed Oxygen Cylinder, Removed PN 804882-14 SN C08060169, performed Hydrostatic Test and reinstalled, I.A.W M.M 680 chap.35-00-30 Rev.19 - Segvoo 003 n° MRL-OF-TH795/13, dated May/20/2013, emitted by TAM aviação Executiva e Táxi Aéreo S/A.	RIGHT	804882-14		C08060169				
059048	7 2	- VOR FUNCTIONAL CHECK Comments: Performed VOR check, I.A.W RBHA 91.171 Rev. EMD 12.								
2155987008	8 2	PREFLIGHT INSPECTION Comments: Performed Preflight Inspection, I.A.W M.M 680 PN 680MM19 Rev.19.					UN	S		

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certified Repair Station Number	CHE Nº. 6905-01/ANAC	Work Order No.	76652
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	CHE Nº. 6905-01/ANAC	Date	20-May-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	CÓD. ANAC 718304	Date	20-May-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2155977

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	20-May-2013	SBJD	523.2	445	523.2	523.2	412	412			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2155977	1 1	SENSOR FUEL FILTER BYPASS	RH #2	30B3500-03		HE2282	UN	N 0 MTH 0 HRS		
Comments: Replaced Sensor Fuel Filter Bypass RH #2. Removed PN 30B3500-03 SN HE1667. Installed PN 30B3500-03 SN HE2282 (New), I.A.W.M.M PW306C chap.73-10-03 Rev.26 - Form 8130-3 n°3806260, dated Apr/05/2013, emitted by Cessna.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number CHE N°. 6905-01/ANAC Work Order No. 76652

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No. CHE N°. 6905-01/ANAC Date 20-May-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By VLADILSON SALDANHA CARDOSO Certificate No. CÓD.ANAC 718304 Date 20-May-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2108947

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	24-Jan-2013	SBDJ	512.2	431	512.2	512.2	398	398	304.3		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
274001	1 1	STABILIZER TRIM MOTOR		EM440-2 9914257-4		130	N	O		
Comments: Replaced Stabilizer Trim Motor. Removed P/N EM440-1 (9914257-3) S/N 576. Installed P/N EM440-2 (9914257-4) S/N 130 (Overhauled), I.A.W MM Cessna 680, Chapter 27-40-00 Rev.19. Form 8130-3 # 62267, dated Mar/22/2012 issued by Western Ski.										
340027 340027 : L	2 1	LEFT CURSOR CONTROLLER	LEFT	7028610-903 CC-950		08110700	N	R		
Comments: Replaced Left Cursor Controller. Removed P/N 7028610-903 S/N 8020579. Installed P/N 7028610-903 S/N 08110700 (Repaired), I.A.W MM Cessna 680 Chapter 34-24-00 Rev.19. Form 8130-3 # 312274513, dated Jul/23/2012 issued by Honeywell.										
2108947003	3 -	NOTE: RIGHT CURSOR CONTROLLER								
Comments: Verified Cursor Controller installed P/N 7028610-903 S/N 07070495 is installed in the Right position.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number CHE Nº. 6905-01/ANAC Work Order No. 75995

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No. CHE Nº. 6905-01/ANAC Date 24-Jan-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By WANTUIR FELIPPE DA SILVA Certificate No. COD. ANAC # 345793 Date 24-Jan-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page



Maintenance Transaction Record

MTR ID # 2031874

Page 3 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PR-EGS, 22-Aug-2012, SBJD, 493, 404, 493, 493, 376, 376, 304.3, 468.00, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 10 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 8 rows of inspection records.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE N° 6905-01 / ANAC. Work Order No.: 74524. Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE N° 6905-01 / ANAC. Date: 22-Aug-2012. I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the [] Federal Aviation Administration [x] Other (Specify) ANAC - BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE. Work Inspected By: MANOEL JOSÉ BORGES DO NASCIMENTO. Certificate No.: COD. ANAC N° 75438-2. Date: 22-Aug-2012. Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log table with 2 columns: Section, Page. Row 1: 3, 1



Maintenance Transaction Record

MTR ID # 2031874

Page 4 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	22 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W. MM 680 Chapter 5-12-42 Rev. 19.								
2031874023	23 2	VOR CHECK Comments: Performed VOR Check, I.A.W. RBHA 91.171.								
2031874026	24 -	PRE FLIGHT Comments: Performed Pre Flight Inspection, I.A.W. MM 680 PN 680MM19 Rev. 19.								
2031874	25 2	APU HOURS Comments: Verified APU Hours: 304.3 Hours and 468 Cycles.								
2031874	26 2	FIRST AID KIT Comments: Performed First Aid Kit inspection, next item expire "Antiseptic Solution" in Jul/2013.								
D243102 051234 : L	27 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34 Comments: Removed Main Battery PN 023167-000, SN 00091EE0. Performed Recycled and reinstalled, I.A.W Cessna 680 Chapter 05-12-34 Rev.19 - Segão 003 # MRL-OF-BT3327/12, dated Aug/06/2012, issued by TAM Aviação Executiva Taxi Aereo S/A.	LEFT	023167-000		00091EE0				
D243102 051234 : R	28 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34 Comments: Removed Main Battery PN 023167-000, SN 0008850B. Performed Recycled and reinstalled, I.A.W Cessna 680 Chapter 05-12-34 Rev.19 - Segão 003 # MRL-OF-BT3326/12, dated Aug/06/2012, issued by TAM Aviação Executiva Taxi Aereo S/A.	RIGHT	023167-000		0008850B				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number CHE N° 6905-01 / ANAC Work Order No. 74524

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No. CHE N° 6905-01 / ANAC Date 22-Aug-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC - BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By MANOEL JOSÉ BORGES DO NASCIMENTO Certificate No. COD. ANAC N° 75438-2 Date 22-Aug-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2031911
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PR-EGS, 22-Aug-2012, SBJD, 493, 404, 493, 493, 376, 376, 304.3, 468.00, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 10 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Row 1: 353001, 1 1, EMERGENCY OXYGEN BOTTLE, N, 5500M6W-FF23A 9914067-47, N, P07080353, SC, O

Comments: Replaced Emergency Oxygen Bottle. Removed P/N 50-0M6W-FF23AN, S/N P08021511 and Installed P/N 5500M6W-FF23AN, S/N P07080353 (Overhauled), I.A.W. MM 680 Chapter 35-20-00 Rev. 19, FAA Form 8130 #1111502 by AVOX, Inc, dated JUN/06/2012.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number CHE N° 6905-01 / ANAC. Work Order No. 74524

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No. CHE N° 6905-01 / ANAC. Date 22-Aug-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

[] Federal Aviation Administration [x] Other (Specify) ANAC - BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By MANOEL JOSÉ BORGES DO NASCIMENTO. Certificate No. COD. ANAC N° 75438-. Date 22-Aug-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section Page

3 2



Maintenance Transaction Record

MTR ID # 2048192

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. P423

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-27 051227	1 2	INSPECTION DOCUMENT 27 (APU)								
Comments: Performed Inspection Document 27, I.A.W. MM 680 Chapter 5-12-27 Rev. 19.										
5-12-28 051228	2 2	INSPECTION DOCUMENT 28 (APU)								
Comments: Performed Inspection Document 28, I.A.W. MM 680 Chapter 5-12-28 Rev. 19.										
2048192003	3 1	APU HOURS							APUH	
Comments: Verified APU Hours: 304,3 Hours and 468 Cycles.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC - BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2031874

Page 1 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2031874005	1 2	AIRCRAFT - ANNUAL INSPECTION								
Comments: Performed Annual Maintenance Inspection on the Aircraft, IAW (ANAC) RBHA-43, Appendix "D".										
5-12-01 051201	2 2	MSG-3 INSPECTION DOCUMENT 1 (INTERVAL 1A ITEMS)								
Comments: Performed Inspection Document 01, I.A.W. MM 680 Chapter 5-12-01 Rev. 19.										
5-12-06 051206	3 2	MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS)								
Comments: Performed Inspection Document 06, I.A.W. MM 680 Chapter 5-12-06 Rev. 19.										
5-12-07 051207	4 2	MSG-3 INSPECTION DOCUMENT 7 (INTERVAL 2C ITEMS)								
Comments: Performed Inspection Document 07, I.A.W. MM 680 Chapter 5-12-07 Rev. 19.										
5-12-09 051209	5 2	MSG-3 INSPECTION DOCUMENT 9 (INTERVAL 4C ITEMS)								
Comments: Performed Inspection Document 09, I.A.W. MM 680 Chapter 5-12-09 Rev. 19.										
5-12-13 051213	6 2	MSG-3 INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS)								
Comments: Performed Inspection Document 13, I.A.W. MM 680 Chapter 5-12-13 Rev. 19.										
5-12-14 051214	7 2	MSG-3 INSPECTION DOCUMENT 14 (INTERVAL 2A/2C ITEMS)								
Comments: Performed Inspection Document 14, I.A.W. MM 680 Chapter 5-12-14 Rev. 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC - BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2031874

Page 2 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-15 051215	8 2	MSG-3 INSPECTION DOCUMENT 15 (INTERVAL 4A/4C ITEMS)								
Comments: Performed Inspection Document 15, I.A.W. MM 680 Chapter 5-12-15 Rev. 19.										
5-12-17 051217	9 2	MSG-3 INSPECTION DOCUMENT 17 (INTERVAL 8A/4C ITEMS)								
Comments: Performed Inspection Document 17, I.A.W. MM 680 Chapter 5-12-17 Rev. 19.										
5-12-19 051219	10 2	MSG-3 INSPECTION DOCUMENT 19 (INTERVAL 4C THEN 2C ITEMS)								
Comments: Performed Inspection Document 19, I.A.W. MM 680 Chapter 5-12-19 Rev. 19.										
5-12-20	11 2	INSPECTION DOCUMENT 20								
Comments: Performed Inspection Document 20, I.A.W. MM 680 Chapter 5-12-20 Rev. 19.										
5-12-21 051221	12 2	INSPECTION DOCUMENT 21(91.207 ITEMS)								
Comments: Performed Inspection Document 21, I.A.W. MM 680 Chapter 5-12-21 Rev. 19.										
5-12-26 051226	13 2	INSPECTION DOCUMENT 26								
Comments: Performed Inspection Document 26, I.A.W. MM 680 Chapter 5-12-26 Rev. 19.										
5-12-27 051227	14 2	INSPECTION DOCUMENT 27 (APU)								
Comments: Performed Inspection Document 27, I.A.W. MM 680 Chapter 5-12-27 Rev. 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC - BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2031874

Page 5 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B341001 051220 : L-ADC	29 2	CALIBRATION TEST NO. 1 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20 Calibration Date: 27-Jul-2012 Comments: Performed Inspection Document 20, I.A.W. MM 680 Chapter 5-12-20 Rev. 19.	NO. 1	HG1153CA02		08053056				
B341001 051220 : R-ADC	30 2	CALIBRATION TEST NO. 2 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20 Calibration Date: 27-Jul-2012 Comments: Performed Inspection Document 20, I.A.W. MM 680 Chapter 5-12-20 Rev. 19.	NO. 2	HG1153CA02		08043025				
B341001 051220 : RVSM	31 2	FUNCTIONAL CHECK RVSM PITOT STATIC SYSTEM (FAR 91.411, 91.413): INSPECTION DOCUMENT 20 Comments: Performed Inspection Document 20, I.A.W. MM 680 Chapter 5-12-20 Rev. 19.	RVSM							
B341001 051220 : STDBY	32 2	CALIBRATION TEST STANDBY AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20 Calibration Date: 27-Jul-2012 Comments: Performed Inspection Document 20, I.A.W. MM 680 Chapter 5-12-20 Rev. 19.	STANDBY	501-1881-05		1947				
B345301 051220 : LXPDR	33 2	FUNCTIONAL CHECK NO. 1 ATC TRANSPONDER (FAR 91.413): INSPECTION DOCUMENT 20 Calibration Date: 27-Jul-2012 Comments: Performed Inspection Document 20, I.A.W. MM 680 Chapter 5-12-20 Rev. 19.	NO. 1	7517400-950		0803D893				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuild, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC - BRAZIL</u> and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page



Maintenance Transaction Record

MTR ID # 2031874

Page 6 of 6

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	22-Aug-2012	SBJD	493	404	493	493	376	376	304.3	468.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B345301 051220 : RXPDR	34 2	FUNCTIONAL CHECK NO. 2 ATC TRANSPONDER (FAR 91.413): INSPECTION DOCUMENT 20	NO. 2	7517400-950		0803D861				
Calibration Date: 27-Jul-2012 Comments: Performed Inspection Document 20, I.A.W. MM 680 Chapter 5-12-20 Rev. 19.										
B262003 051239 : CABIN	35 2	FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	CABIN	C352		X561534				
Weight Check Date: 27-Jul-2012 Comments: Performed Inspection Document 39, I.A.W. MM 680 Chapter 5-12-39 Rev. 19.										
B262003 051239 : CKPT	36 2	FUNCTIONAL (WEIGHT) CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	COCKPIT	C352TS		X-624311				
Weight Check Date: 27-Jul-2012 Comments: Performed Inspection Document 39, I.A.W. MM 680 Chapter 5-12-39 Rev. 19.										
330004 330004 : R	37 1	RIGHT ANTI-COLLISION LIGHT	RIGHT	GE16846-1		AF0686	UN	O		
Comments: Replaced Right Anti-Collision Light, I.A.W.M.M. 680, Chapter 33-43-00 Rev.19. Removed PN GE16846-1 SN 1376903 and Installed PN GE16846-1 SN AF0686 (Overhauled), Form 8130-3 # 01292794, dated Aug/04/2012 issued by Goodrich Corporation.										
2031874038	38 1	FMS								
Comments: Performed the repositioning of the FMS Database update plug according with the report N° TAM AE RASE 2012-001-680. (Aircraft SN 680-0237). The modification was considered minor.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE N° 6905-01 / ANAC	Work Order No.	74524
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE N° 6905-01 / ANAC	Date	22-Aug-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC - BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MANOEL JOSÉ BORGES DO NASCIMENTO	Certificate No.	COD. ANAC N° 75438-2	Date	22-Aug-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section _____ Page _____



Maintenance Transaction Record

MTR ID # 2023240

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	02-Jul-2012	SBJD	480.3	391	480.3	480.3	363	363			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
211003	1 1	PNEUMATIC SHUTOFF VALVE		2601-31		0133	N	O		
Comments: Replace Pneumatic Shutoff Valve. Removed P/N 2601-31 S/N 0270 and installed P/N 2601-31 S/N 0133 (Overhauled) I.A.W MM Cessna 680 Chapter 21-22-05 Rev.19, Form 8130-3 # 82945, dated Feb/24/2011 issued by Aerospace Systems.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number CHE Nº. 6905-01/ANAC Work Order No. 74332

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No. CHE Nº. 6905-01/ANAC Date 02-Jul-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC-BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By WANTUIR FELIPPE DA SILVA Certificate No. CÓD ANAC 345793 Date 02-Jul-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page



Maintenance Transaction Record

MTR ID # 1952747

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	08-Mar-2012	SBJD	444.6	348	444.6	444.6	320	320	273.1	429.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
726010 712003 : E1**L	1 1	NO. 1 ENGINE - AGB STARTER PAD SEAL		30B5898-01		N/A	SC	N 0 HRS		
Comments: Replaced AGB Starter Pad Seal. Removed P/N 30B5898-01 S/N N/A. Installed P/N 30B5898-01 S/N N/A (New), I.A.W M.M Pratt & Whitney chap.72-60-01 Rev.24 - Form One # 81680515-000001, dated May/29/2011, issued by Pratt & Whitney Canada.										
726010 712003 : E2**R	2 1	NO. 2 ENGINE - AGB STARTER PAD SEAL		30B5898-01		N/A	SC	N 0 HRS		
Comments: Replaced AGB Starter Pad Seal. Removed P/N 30B5898-01 S/N N/A. Installed P/N 30B5898-01 S/N N/A (New), I.A.W M.M Pratt & Whitney chap.72-60-01 Rev.24 - Form 8130-3 # 3111407, dated May/31/2011, issued by Cessna Aircraft Company.										
726012 712004 : E1**L	3 1	NO. 1 ENGINE - ALTERNATOR PAD SEAL		30B5899-01		N/A	SC	N 0 HRS		
Comments: Replaced Alternator Pad Seal. Removed P/N 30B5899-01 S/N N/A. Installed P/N 30B5899-01 S/N N/A (New), I.A.W M.M Pratt & Whitney chap.72-60-01 Rev.24 - Form 8130-3 # 3121336, dated Jun/02/2011, issued by Cessna Aircraft Company.										
726012 712004 : E2**R	4 1	NO. 2 ENGINE - ALTERNATOR PAD SEAL		30B5899-01		N/A	SC	N 0 HRS		
Comments: Replaced Alternator Pad Seal. Removed P/N 30B5899-01 S/N N/A. Installed P/N 30B5899-01 S/N N/A (New), I.A.W M.M Pratt & Whitney chap.72-60-01 Rev.24 - Form 8130-3 # 3111407, dated May/26/2011, issued by Cessna Aircraft Company.										
237004	5 1	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON	COCKPIT	DK120		SC54404	UN	S		
Comments: Replaced ULB. Removed P/N DK120 S/N SC42899. Installed P/N DK120 S/N SC54404 (Inspected), I.A.W M.M 680 chap.23-70-00 Rev.19 - Form 8130-3 # 060629, dated Nov/03/2011, issued by Aircraft Instruments & Radio Services, Inc.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A.	Certified Repair Station Number	CHE # 6905-1 / ANAC	Work Order No.	73067
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A.	Certificate No.	CHE # 6905-1 / ANAC	Date	08-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	08-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1879053

Page 1 of 2

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	08-Mar-2012	SBJD	444.6	348	444.6	444.6	320	320	273.1	429.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	1 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W M.M 680 chap.5-12-42 Rev.19.								
1879053	2 -	APU HOURS AND CYCLES Comments: Verified APU hours: 273,1 and cycles: 429.								
1879053	3 -	WHEEL AND TIRE ASSY - MAIN LANDING GEAR OUTBOARD Comments: Removed Wheel & Tire Assy - Main Landing Gear P/N 6941060-1 S/N 2238 , performed repair and reinstalled, I.A.W MM 680 Chap.P/N 32-41-20 Rev. 19 - Segvoo 003 # MRL-OF-HD 3616/12, dated Feb/16/2012,issued by TAM Aviação Executiva Táxi Aéreo S.A.	LH	3-1621		2238	UN	R		
1879053	4 -	WHEEL AND TIRE ASSY - MAIN LANDING GEAR Comments: Removed Wheel & Tire Assy - Main Landing Gear P/N 6941060-1 S/N 2241, performed repair and reinstalled, I.A.W MM 680 Chap.P/N 32-41-20 Rev. 19 - Segvoo 003 # MRL-OF-HD 3614/12, dated Feb/17/2012,issued by TAM Aviação Executiva Táxi Aéreo S.A.	LH INBOARD	3-1621		2241	UN	R		
1879053	5 -	WHEEL AND TIRE ASSY - MAIN LANDING GEAR Comments: Removed Wheel & Tire Assy - Main Landing Gear P/N 6941060-1 S/N 2237, performed repair and reinstalled, I.A.W MM 680 Chap.P/N 32-41-20 Rev.19 - Segvoo 003 # MRL-OF-HD 3615/12, dated Feb/16/2012,issued by TAM Aviação Executiva Táxi Aéreo S.A.	RH INBOARD	3-1621		2237	UN	R		
1879053	6 -	WHEEL AND TIRE ASSY - MAIN LANDING GEAR OUTBOARD Comments: Removed Wheel & Tire Assy - Main Landing Gear P/N 6941060-1 S/N 2239, performed repair and reinstalled, I.A.W MM 680 Chap.P/N 32-41-20 Rev.19 - Segvoo 003 # MRL-OF-HD 3613/12, dated Feb/17/2012,issued by TAM Aviação Executiva Táxi Aéreo S.A.	RH	3-1621		2239	UN	R		

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A.	Certified Repair Station Number	CHE # 6905-1 / ANAC	Work Order No.	73067
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A.	Certificate No.	CHE # 6905-1 / ANAC	Date	08-Mar-2012
<p>I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the</p> <p><input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and</p> <p>THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.</p>					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	08-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page





Maintenance Transaction Record

MTR ID # 1879053

Page 2 of 2

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	08-Mar-2012	SBJD	444.6	348	444.6	444.6	320	320	273.1	429.00	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
324010 324010 : RO	7 1	RIGHT OUTBOARD MAIN LANDING GEAR TIRE	RIGHT OUTBOARD	M14401 9914661-1		0328J116	UN	N 0 MTH 0 HRS		
Comments: Replaced Tire. Removed P/N M14401 S/N 7195L208, installed P/N M14401 S/N 0328J116(New), I.A.W CMM (BF Goodrich P/N 3-1621) Pub. 32-45-53 Rev. 02 - Form 8130-3 # 400000165939072, dated Dec/03/2010, issued by Michelin North America Inc.										
324010 324010 : RI	8 1	RIGHT INBOARD MAIN LANDING GEAR TIRE	RIGHT INBOARD	M14401 9914661-1		0328J114	UN	N 0 MTH 0 HRS		
Comments: Replaced Tire. Removed P/N M14401 S/N 7195L205, installed P/N M14401 S/N 0328J114(New), I.A.W CMM (BF Goodrich P/N 3-1621) Pub. 32-45-53 Rev. 02 - Form 8130-3 # 400000165939070, dated Dec/03/2010, issued by Michelin North America Inc.										
324010 324010 : LO	9 1	LEFT OUTBOARD MAIN LANDING GEAR TIRE	LEFT OUTBOARD	M14401 9914661-1		0291J120	UN	N 0 MTH 0 HRS		
Comments: Replaced Tire. Removed P/N M14401 S/N 7229L219, installed P/N M14401 S/N 0291J120(New), I.A.W CMM (BF Goodrich P/N 3-1621) Pub. 32-45-53 Rev. 02 - Form 8130-3 # 400000165034027, dated Nov/05/2010, issued by Michelin North America Inc.										
324010 324010 : LI	10 1	LEFT INBOARD MAIN LANDING GEAR TIRE	LEFT INBOARD	M14401 9914661-1		0291J112	UN	N 0 MTH 0 HRS		
Comments: Replaced Tire. Removed P/N M14401 S/N 7195L203, installed P/N M14401 S/N 0291J112(New), I.A.W CMM (BF Goodrich P/N 3-1621) Pub. 32-45-53 Rev. 02 - Form 8130-3 # 400000165034019, dated Nov/05/2010, issued by Michelin North America Inc.										
1879053013	11 -	PREFLIGHT INSPECTION					UN			
Comments: Performed Preflight inspection, I.A.W M.M 680 PN.680MM19, Rev. 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A.	Certified Repair Station Number	CHE # 6905-1 / ANAC	Work Order No.	73067
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A.	Certificate No.	CHE # 6905-1 / ANAC	Date	08-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	08-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page





Maintenance Transaction Record

MTR ID # 1952605

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	08-Mar-2012	SBJD	444.6	348	444.6	444.6	320	320	273.1	429.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	-------------------------	-----------	----------	------------------------------	--------------	-------------	-------------------	--------------------------------------	-------------------	--------------

680-53-04 R1	1 3	FORWARD PRESSURE BULKHEAD FASTENER INSPECTION SERVICE BULLETIN								
--------------	-----	---	--	--	--	--	--	--	--	--

Comments: Accomplished SB680-53-04 R1, in accordance with paragraph 2 of this item A and B, no action is required.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A Certified Repair Station Number CHE # 6905-4 / ANAC Work Order No. 73067

Work Performed By TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S.A Certificate No. CHE # 6905-4 / ANAC Date 08-Mar-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By VLADILSON SALDANHA CARDOSO Certificate No. CHT # 719542 / ANAC Date 08-Mar-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page





Maintenance Transaction Record

MTR ID # 1952611

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	08-Mar-2012	SBJD	444.6	348	444.6	444.6	320	320	273.1	429.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
237001	1 1	COCKPIT VOICE RECORDER	COCKPIT	2100-1020-02		000547138	SC	R		
Comments: Replaced Cockpit Voice Record (CVR). Removed P/N 2100-1020-02 SN 000511357. Installed PN 2100-1020-02 SN 000547138 (Repaired), I.A.W M.M. 680, chap. 23-70-00 Rev 19 - Form 8130-3 # 060628, dated Nov/03/2011 issued by Aircraft Instrument & Radio Service, Inc.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA TAXI AÉREO S.A. Certified Repair Station Number CHE # 6905-1 / ANAC Work Order No. 73067

Work Performed By TAM AVIAÇÃO EXECUTIVA TAXI AÉREO S.A. Certificate No. CHE # 6905-1 / ANAC Date 08-Mar-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By WLADILSON SALDANHA CARDOSO Certificate No. CHT # 718304 / ANAC Date 08-Mar-2012

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page





Maintenance Transaction Record

MTR ID # 1952743

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

[X] Airframe Entries

[] Eng. #1 Serial No. _____

[] Eng. #2 Serial No. _____

[] APU Serial No. _____

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PR-EGS, 08-Mar-2012, SBJD, 444.6, 348, 444.6, 444.6, 320, 320, 273.1, 429.00, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Row 1: 1952743, 1 1, RADOM BOOT, Position, 6713101-201, Mod Level, 058, UN, N 0 MTH 0 HRS, Comments: Replaced Radom Boot P/N 6713101-201 S/N 058 (New), I.A.W.M.M 680 Chap.53-10-10 Rev.19 - Form 8130-3 # 3386211, dated Feb/16/2012, issued by Cessna Aircraft Company.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TAXA AEREO S.A. Certified Repair Station Number: CHE # 6905-1 / ANAC Work Order No.: 73172
Work Performed By: TAM AVIAÇÃO EXECUTIVA E TAXA AEREO S.A. Certificate No.: CHE # 6905-1 / ANAC Date: 08-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
[] Federal Aviation Administration [] Other (Specify) _____ and
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.
Work Inspected By: VLADILSON SALDANHA CARDOSO Certificate No.: CHT # 718304 / ANAC Date: 08-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log table with 2 columns: Section, Page





Maintenance Transaction Record

MTR ID # 1871058

Page 1 of 6

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1871058001	1 2	APU HOURS/ CYCLES								
Comments: Verified Hours and cycles of the APU = 243,2 hours/ 385 cycles.										
1871058002	2 2	JUNGLE SURVIVAL KIT INSPECTION								
Comments: Performed Jungle Survival kit inspection, next item expire "Aspirin" in Nov/2012.										
5-12-21 051221	3 2	INSPECTION DOCUMENT 21(91.207 ITEMS)								
Comments: Performed inspection Document 21, I.A.W. 680 MM chapter 5-12-21 Rev 19.										
5-12-39	4 2	INSPECTION DOCUMENT 39								
Comments: Performed inspection Document 39, I.A.W. 680MM chapter 5-12-39 Rev 19.										
B262003 051239 : CABIN	5 2	FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	CABIN	C352		X561534				
Weight Check Date: 21-Sep-2011 Comments: Performed inspection Document 39, I.A.W. 680MM chapter 5-12-39 Rev 19.										
B262003 051239 : CKPT	6 2	FUNCTIONAL (WEIGHT) CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	COCKPIT	C352TS		X-624311				
Weight Check Date: 21-Sep-2011 Comments: Performed inspection Document 39, I.A.W. 680MM chapter 5-12-39 Rev 19.										
5-12-26 051226	7 2	INSPECTION DOCUMENT 26								
Comments: Performed inspection Document 26, I.A.W.680 MM chapter 5-12-26 Rev 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section _____ Page _____



Maintenance Transaction Record

MTR ID # 1871058

Page 2 of 6

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
A490002 051226	8 2	DETAIL INSPECT APU MAGNETIC CHIP COLLECTOR; INSPECTION DOCUMENT 26 (APU)	APU							
Comments: Performed inspection Document 26, I.A.W.680 MM chapter 5-12-26 Rev 19.										
5-12-22	9 2	INSPECTION DOCUMENT 22								
Comments: Performed inspection Document 22, I.A.W. 680MM chapter 5-12-22 Rev 19.										
D323001 051222	10 2	HYDROSTATIC TEST LANDING GEAR EMERGENCY BLOWDOWN PNEUMATIC BOTTLE : INSPECTION DOCUMENT 22	LANDING GEAR	40005369-2		6182				
Hydro Check Date: 20-Sep-2011 Comments: Removed Emergency Pneumatic P/N 40005369-2 S/N 6182, performed hydrostatic test, overhaul and reinstalled, I.A.W. Segvoo 003 #MRL-OF-TH 305/11, issued by TAM Aviação Executiva e Taxi Aéreo S/A, dated Sep/21/2011 - Pacific Scientific Component MM with Illustrated Part List HTL P/N 40005369-2 CMM 25-60-08 Rev 15/05/2008.										
D324301 051222 : BRAKE	11 2	HYDROSTATIC TEST EMERGENCY BRAKE PNEUMATIC BOTTLE : INSPECTION DOCUMENT 22		40005370-1		6206				
Hydro Check Date: 20-Sep-2011 Comments: Removed Emergency Brake Pneumatic P/N 40005370-1 S/N 6206, performed hydrostatic test, overhaul and reinstalled, I.A.W. Segvoo 003 #MRL-OF-TH 304/11, issued by TAM Aviação Executiva e Taxi Aéreo S/A, dated Sep/21/2011 - Pacific Scientific Component MM with Illustrated Part List HTL P/N 40005369-2 CMM 25-60-08 Rev 15/05/2008.										
5-12-13 051213	12 2	MSG-3 INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS)								
Comments: Performed inspection Document 13, I.A.W. 680 MM chapter 5-12-13 Rev 19.										
5-12-40 051240	13 2	MSG-3 INSPECTION DOCUMENT 40 (INTERVAL 2A/1C)								
Comments: Performed inspection Document 40, I.A.W. 680 MM chapter 5-12-40 Rev 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page



Maintenance Transaction Record

MTR ID # 1871058

Page 3 of 6

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791


 Airframe
 Entries

 Eng. #1
 Serial No. _____

 Eng. #2
 Serial No. _____

 APU
 Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
A324003 051231	14 2	NON DESTRUCTIVE TEST LEFT INBOARD MAIN LANDING GEAR WHEEL	LEFT INBOARD	3-1621		2241				
Comments: Removed MLG Wheel LHI, performed NDT (Eddy Current), inspection and reinstalled, I.A.W. Segvoo 003 #MRL-OF-HD 3375/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/26/2011 - CMM Goodrich P/N 3-1621 Pub.32-45-53 Rev 01. The inspection did not detect anomalies and the testing parts was found airworthy for return to service.										
A324003 051231	15 2	NON DESTRUCTIVE TEST LEFT OUTBOARD MAIN LANDING GEAR WHEEL	LEFT OUTBOARD	3-1621		2238				
Comments: Removed MLG Wheel LHO, performed NDT (Eddy Current), inspection and reinstalled, I.A.W. Segvoo 003 #MRL-OF-HD 3373/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/26/2011 - CMM Goodrich P/N 3-1621 Pub.32-45-53 Rev 01. The inspection did not detect anomalies and the testing parts was found airworthy for return to service.										
A324003 051231	16 2	NON DESTRUCTIVE TEST RIGHT INBOARD MAIN LANDING GEAR WHEEL	RIGHT INBOARD	3-1621		2237				
Comments: Removed MLG Wheel RHI, performed NDT (Eddy Current), inspection and reinstalled, I.A.W. Segvoo 003 #MRL-OF-HD 3372/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/26/2011 - CMM Goodrich P/N 3-1621 Pub.32-45-53 Rev 01. The inspection did not detect anomalies and the testing parts was found airworthy for return to service.										
A324003 051231	17 2	NON DESTRUCTIVE TEST RIGHT OUTBOARD MAIN LANDING GEAR WHEEL	RIGHT OUTBOARD	3-1621		2239				
Comments: Removed MLG Wheel RHO, performed NDT (Eddy Current), inspection and reinstalled, I.A.W. Segvoo 003 #MRL-OF-HD 3374/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/26/2011 - CMM Goodrich P/N 3-1621 Pub.32-45-53 Rev 01. The inspection did not detect anomalies and the testing parts was found airworthy for return to service.										
5-12-08 051208	18 2	MSG-3 INSPECTION DOCUMENT 8 (INTERVAL 3C ITEMS)								
Comments: Performed inspection Document 8, I.A.W. 680 MM chapter 5-12-08 Rev 19.										
5-12-34	19 2	INSPECTION DOCUMENT 34								
Comments: Performed inspection Document 34, I.A.W. 680 MM chapter 5-12-34 Rev 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1871058

Page 4 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
D243102 051234 : L	20 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34	LEFT	023167-000		00091EE0				
Comments: Removed Battery, performed recycling and reinstalled, I.A.W. Segvoo 003 #MRL-OF-BT 2971/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/27/2011 - Technical Publication Used SAFT24-32-07.										
D243102 051234 : R	21 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34	RIGHT	023167-000		0008850B				
Comments: Removed Battery, performed recycling and reinstalled, I.A.W. Segvoo 003 #MRL-OF-BT 2970/11, issued by TAM Aviação Executiva e Taxi Aereo S/A, dated Sep/27/2011 - Technical Publication Used SAFT24-32-07.										
5-12-06 051206	22 2	MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS)								
Comments: Performed inspection Document 6, I.A.W. 680MM chapter 5-12-06 Rev 19.										
5-12-16 051216	23 2	MSG-3 INSPECTION DOCUMENT 16 (INTERVAL 6A/3C ITEMS)								
Comments: Performed inspection Document 16, I.A.W. 680MM chapter 5-12-16 Rev 19.										
1871058024	24 1	FILTER-AIR		9914183-7		N/A	SC	N	0 MTH 0 HRS	
Comments: Replaced Filter-Air installed P/N 9914183-7 S/N N/A (New), I.A.W. FAA Form 8130-3 #3162542, issued by CESSNA Aircraft Company, dated Jul/12/2011 - Document 16 680MM chapter 5-12-16 Rev 19.										
1871058025	25 -	PREFLIGHT INSPECTION								
Comments: Performed Preflight inspection, I.A.W. 680 MM P/N 680MM19 Rev 19.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1871058

Page 5 of 6

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1871058026	26 -	COCKPIT VOICE RECORDER		2100-1020-02		000511357		R		
Comments: Removed Cockpit Voice Recorder P/N 2100-1020-02 S/N 000511357, performed repair and reinstalled, I.A.W. Segvoo 003 #MRL-OF-AV 5355/11, issued by TAM Aviação Executiva e Taxi Aéreo S/A, dated Sep/23/2011 - CMM 165E168900 Rev 7 SB FA2100CVR SB016 (23-70-04-016).										
1871058027	27 2	COMPRESSOR WASH	LH			CG0482				
Comments: Performed Compressor Wash, I.A.W. MM P/N 30B4422 Rev 24										
1871058028	28 -	COMPRESSOR WASH	RH			CG0483				
Comments: Performed Compressor Wash, I.A.W. MM P/N 30B4422 Rev 24.										
1871058029	29 -	400 HOURS INSPECTION	LH			CG0482	SC			
Comments: Performed 400 hours inspection on engine, I.A.W. PW306C MM P/N 30B4422 Rev 24.										
1871058030	30 2	400 HOURS INSPECTION	RH			CG0483				
Comments: Performed 400 hours inspection on engine, I.A.W. PW306C MM P/N 30B4422 Rev 24.										
792030 057102 : E1**L	31 2	NO. 1 ENGINE - CHANGE OIL								
Comments: Performed Change Oil, I.A.W. MM P/N 30B4422 Rev 24.										
792030 057102 : E2**R	32 2	NO. 2 ENGINE - CHANGE OIL								
Comments: Performed Change Oil, I.A.W. MM P/N 30B4422 Rev 24.										
72-25360 R1	33 3	NO. 1 ENGINE - REPLACEMENT OF FUEL WASTE EJECTOR SERVICE BULLETIN								
Comments: Performed swaped of Fuel Waste Ejector LH, removed P/N 8700-011 S/N 20077, installed P/N 8700-011 S/N 00010, I.A.W. PWC MM PW306C chapter 73-10-03 Rev 24.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration					
<input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page



Maintenance Transaction Record

MTR ID # 1871058

Page 6 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
72-25360 R1	34 3	NO. 2 ENGINE - REPLACEMENT OF FUEL WASTE EJECTOR SERVICE BULLETIN								
Comments: Replaced Fuel Waste Ejector RH, removed P/N 8700-011 S/N 00010, installed P/N 8700-015 S/N 30161 (New), I.A.W. FAA Form 8130-3 #993294-1, issued by Woodward Ind., dated Apr/22/2011 - PWC MM PW306C chapter 73-10-03 Rev 24.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP# 0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1871800

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
SL680-25-11 R1	1 3	TRANSMITTAL OF AIRCRAFT BELTS INC. SB-BUC062-A001 INSPECTION OF BUCKLES FOR PROPER OPERATION SERVICE LETTER Comments: Accomplished SL680-25-11 R1, I.A.W. accomplishment instructions 1, 2 page 2.								
680-24-11	2 3	ELECTRICAL POWER - FUEL CROSSFEED IMPROVEMENT SERVICE BULLETIN Comments: Accomplished SB680-24-11, I.A.W. item 8, page 3.								
1871800003	3 3	FA2100CVR SB016 Comments: Verification of compliance, was necessary to modify, I.A.W. page 3 paragraph II accomplishment instructions.								
72-25360 R1	4 3	NO. 1 ENGINE - REPLACEMENT OF FUEL WASTE EJECTOR SERVICE BULLETIN Comments: Performed swapped of the Fuel Waste Ejector, removed P/N 8700-011 S/N 2007, installed 8700-011 S/N 00010, I.A.W. PWC MM PW306C chapter 73-10-03 Rev 24.								
72-25360 R1	5 3	NO. 2 ENGINE - REPLACEMENT OF FUEL WASTE EJECTOR SERVICE BULLETIN Comments: Replaced Fuel Waste Ejector, removed P/N 8700-011 S/N 20077, installed P/N 8700-015 S/N 30161 (New), I.A.W. FAA Form 8130-3 #993294-1, issued by Woodwar Inc., dated Apr/22/2011 - PWC MM PW306C chapter 73-10-03 Rev 24.								
SL680-56-03	6 3	WINDOWS - OPENABLE COCKPIT WINDOW HINGE AND LATCH INSPECTION SERVICE LETTER Comments: Accomplished SL680-56-03, I.A.W. instructions of paragraph 1, 2, 3 A, B, C e D.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration					
<input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP #0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1879022

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PR-EGS	07-Oct-2011	SBJD	379.7	292	379.7	379.7	264	264	243.2	385.00	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2010-01-03	1 4	IDENTIFY AND REMOVE FROM SERVICE ALL AFFECTED FIRE EXTINGUISHERS AND REPLACE WITH SERVICABLE UNITS								
Comments: Verified AD2010-01-03. Not applicable to manufacture of Fire Extinguisher installed. For more details see FCDA.										
2010-11-05	2 4	INSPECT FOR AND REMOVE SUBSTANDARD OXYGEN CYLINDERS FROM AIRPLANE								
Comments: Verified AD2010-11-05. Not applicable to Part Number of Oxygen Cylinder installed. For more details see FCDA.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	CHE 6905-01/ANAC	Work Order No.	71846
Work Performed By	VLADILSON SALDANHA CARDOSO	Certificate No.	ANAC #718304	Date	07-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC/BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MAURO GAGEIRO PINTO	Certificate No.	CREA SP #0681839364	Date	07-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page



Maintenance Transaction Record

MTR ID # 1726213

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	26-Nov-2010	SBBH	225.5	130	225.5	225.5	130	130	164.1	274	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1726213001	1 -	CESCOM NOTE								
Comments: REGISTRATION NUMBER CHANGED TO PR-EGS. NOW THIS AIRPLANE IS REGISTERED IN BRAZIL.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility _____	Certified Repair Station Number _____	Work Order No. _____
Work Performed By <u>WANDERSON LOUIS COSTA</u>	Certificate No. <u>715243</u>	Date <u>26-Nov-2010</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC</u> and _____		
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.		
Work Inspected By _____	Certificate No. _____	Date <u>26-Nov-2010</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 1730146

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Nov-2010	SBJD	223.9	128	223.9	223.9	128	128	164.1	274	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
242050 242050 : R	1 1	RIGHT AC GENERATOR	RIGHT	92589-2 9914435-9		179	N	O 0 MTH 0 HRS		
Comments: Replaced Generator, Removed PN 92589-2 Serial 520 and installed PN 92589-2 serial 179 (Overhauled) FAA FORM 8130-3 N°R0910-0179 emitted by Pacific Scientific EKD dated on August/28/2010 in accordance with AMM 680 Chapter 24-20-10 Revision 17.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reason: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TAXI AÉREO S/A Certified Repair Station Number CHE 6905-1/ANAC Work Order No. 68937

Work Performed By WANTUIR FELIPE DA SILVA Certificate No. ANAC 345793 Date 03-Nov-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) ANAC/BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By MAURO GAGEIRO PINTO Certificate No. CREA SP N°0681839364 Date 03-Nov-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



MTR ID # 1676508

Maintenance Transaction Record

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	22-Sep-2010	MCO	211.3	124	211.3	211.3	124	124	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
1676508	1 1	EXTENDED RANGE O2 SYSTEM INSTALL		6914014				N	0 MTH 0 HRS		
Comments: Complied with post-delivery commitment installation of extended range oxygen system in accordance with Cessna supplied Drawing 6914014-120001 and -120002, IPC 35-00-01. Aircraft equipment list and weight and balance revised. Operational and leak checked good. Components of this installation listed separately below.											
350001	2 1	LEFT EXTENDED RANGE OXYGEN CYLINDER AND REGULATOR ASSEMBLY	LEFT	804882-14		C09040610	N	N	0 MTH 0 HRS		
Comments: This bottle and regulator installed as a part of the extended range O2 system listed above and in accordance with same. Manufacture date of cylinder: 11/2008. Hydro Date : 7/2010											
350005	3 1	EXTERNAL CHARGE VALVE	EXTERNAL	P21010		5634	N	N	0 MTH 0 HRS		
Comments: This valve installed as a part of the extended range O2 system listed above and in accordance with same.											
350002	4 1	LEFT INSIDE OXYGEN PRESSURE GAUGE	LEFT	C668512-0101		E07-10392	N	N	0 MTH 0 HRS		
Comments: This cockpit gauge installed as a part of the extended range O2 system listed above and in accordance with same.											
350002	5 1	FORWARD OXYGEN PRESSURE GAUGE	FORWARD	C668512-0101		D09-10105	N	N	0 MTH 0 HRS		
Comments: This gauge installed as a part of the extended range O2 system listed above and in accordance with same.											
1676508	6 1	LEFT OXYGEN CHECK VALVE	L	P21018		3411	N	N	0 MTH 0 HRS		
Comments: This valve installed as a part of the extended range O2 system listed above and in accordance with same.											
1676508007	7 1	RIGHT OXYGEN CHECK VALVE	R	P21018		3845	N	N	0 MTH 0 HRS		
Comments: This valve installed as a part of the extended range O2 system listed above and in accordance with same.											
B350001	8 2	OPERATIONAL CHECK EXTENDED RANGE OXYGEN SYSTEM: MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS)									
Comments: Complied with in accordance with Task 35-00-20-700 of the CE680 Maintenance Manual during the initial installation of extended oxygen system listed above.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6033899
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	22-Sep-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL COLLINS	Certificate No.	CNQ8918C	Date	22-Sep-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



MTR ID # 1676508

Maintenance Transaction Record

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	22-Sep-2010	MCO	211.3	124	211.3	211.3	124	124	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	----------------------	-----------	----------	------------------------------	-----------	-------------	----------------	-----------------------------------	----------------	-----------

D350004 9 2 HYDROSTATIC TEST LEFT EXTENDED RANGE
OXYGEN CYLINDER AND REGULATOR
ASSEMBLY : INSPECTION DOCUMENT 22

Comments: Complied with in accordance with Task 35-00-20-960 of the CE680 Maintenance Manual during the initial installation of extended oxygen system listed above. Manufacture Date is 11/2008. Hydro date: 7/2010.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6033899
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	22-Sep-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL COLLINS	Certificate No.	CNQ8918C	Date	22-Sep-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Report

Citation Product Support

The Cessna Aircraft Company

Post Office Box 7706 / Wichita, Kansas 67277

Telefax: 316-517-8500 / Phone: 316-517-6291

This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe
Entries

Eng. # 1
Serial No.

Eng. # 2
Serial No.

APU
Serial No.

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	#1 <input type="text"/> #2 <input type="text"/>	#1 <input type="text"/> #2 <input type="text"/>	<input type="text"/>	<input type="text"/>

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Gescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1												
	2												
	3												
	4												
	5												
	6												
	7												
	8												

I have issued an Export Certificate of Airworthiness this date for Cessna Aircraft Co. Model: 680 (sovereign), S/N: 680-0237. The Export Certificate No. is: E458400.
 ---END---

George E. Littlefield III
 DART-832601-SO
 September 01, 2010

alled Part Status
 Vew
 Repaired
 Serviceable
 Overhauled
 etc.

Type Transaction
 1. Component Change
 2. Inspection Accompli
 3. Service Bulletin Acc
 4. Airworthiness Direct

Ref No
1
2
3
4
5
6
7
8

Work Order No. <input type="text"/>	Maintenance Log Section <input type="text"/>	Maintenance Log Page <input type="text"/>
-------------------------------------	--	---

Work Performed By: <input type="text"/>	Certificate No. <input type="text"/>	Date <input type="text"/>	Scheduled Removal Due (TAT) <input type="text"/>
---	--------------------------------------	---------------------------	--

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Work Inspected By: Certificate No. Date

Permanent Aircraft Record - File In Maintenance Log



Maintenance Transaction Record

MTR ID # 1663058

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. P423

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-26 051226	1 2	INSPECTION DOCUMENT 26								
Comments: Complied with IAW Cessna 680 Maintenance Manual CH 05-12-26. Leak checks good.										
5-12-27 051227	2 2	INSPECTION DOCUMENT 27 (APU)								
Comments: Complied with IAW Cessna 680 Maintenance Manual CH 05-12-27. APU serviced with 2380 oil.										
1663058	3 1	FILTER-APU OIL	APU	3882440-1		NSN	SC	N 00		
Comments: Removed time change due Part No: 3882440-1, removed Serial No: NSN. Installed new filter IAW Honeywell RE100 (CS) APU Maintenance Manual CH 49-40-04. Leak checks good.										
801100 801100 - APU	4 1	APU STARTER/GENERATOR	APU	23291-005	9914685-1	P1337	UN	O 0		
Comments: Removed due to brushes worn to limits part no: 23291-005. Removed serial no: P1827. Installed unit overhauled and returned to service by: AMETEK B&S Aircraft Parts & Accessories, Wichita, KS., CRS# NE2R028L IAW Cessna 680 Maintenance Manual CH 49-40-00. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033632

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 03-Aug-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL A. CIAPONI Certificate No. CNQ8918C Date 03-Aug-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
12	1



Maintenance Transaction Record

MTR ID # 1662890

Page 1 of 5

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-06 051206	1 2	MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS)								
Comments: Complied with IAW CE680 Maintenance Manual Chapter 5-12-06. Operational checks good.										
5-12-07 051207	2 2	MSG-3 INSPECTION DOCUMENT 7 (INTERVAL 2C ITEMS)								
Comments: Complied with IAW CE680 Maintenance Manual Chapter 5-12-06. Operational checks good. CVR Battery due date:April,2014.										
5-12-13 051213	3 2	MSG-3 INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS)								
Comments: Complied with IAW CE680 Maintenance Manual Chapter 5-12-13. Left and right windshields are in " Acceptable" condition.										
5-12-14 051214	4 2	MSG-3 INSPECTION DOCUMENT 14 (INTERVAL 2A/2C ITEMS)								
Comments: Complied with IAW CE680 Maintenance Manual Chapter 5-12-14.										
5-12-21 051221	5 2	INSPECTION DOCUMENT 21(91.207 ITEMS)								
Comments: Complied with IAW CE680 Maintenance Manual Chapter 5-12-21. ELT battery due date:9/2014										
5-12-38 051238	6 2	INSPECTION DOCUMENT 38 (INTERVAL 4A/2C ITEMS)								
Comments: Complied with IAW CE680 Maintenance Manual Chapter 5-12-38.										
5-12-40 051240	7 2	MSG-3 INSPECTION DOCUMENT 40 (INTERVAL 2A/1C)								
Comments: Complied with IAW CE680 Maintenance Manual Chapter 5-12-40. Operational checks good.										
5-12-ME 0512ME	8 2	INSPECTION DOCUMENT ME (1250 HR/CH 4 INSP)								
Comments: Complied with IAW CE680 Maintenance Manual Chapter 4 and 5-12-ME. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CTIATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6033632
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	03-Aug-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI <i>[Signature]</i>	Certificate No.	CNQ8918C	Date	03-Aug-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 1662890

Page 2 of 5

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B341001 051220 : L-ADC	9 2	CALIBRATION TEST NO. 1 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20 Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-20, Item Code B341001, Task 34-11-00-700. 14 CFR 91.411/FAR 91.411 requirements complied with to a test altitude of 47,000 feet. Calibration Date : 7/2010.	NO. 1	HG1153CA02		08053056				
B341001 051220 : R-ADC	10 2	CALIBRATION TEST NO. 2 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20 Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-20, Item Code B341001, Task 34-11-00-700. 14 CFR 91.411/FAR 91.411 requirements complied with to a test altitude of 47,000 feet. Calibration Date : 7/2010.	NO. 2	HG1153CA02		08043025				
B341001 051220 : RVSM	11 2	FUNCTIONAL CHECK RVSM PITOT STATIC SYSTEM (FAR 91.411, 91.413): INSPECTION DOCUMENT 20 Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-20, Item Code B341001, Task 34-11-00-700.	RVSM							
B345301 051220 : LXPDR	12 2	FUNCTIONAL CHECK NO. 1 ATC TRANSPONDER (FAR 91.413): INSPECTION DOCUMENT 20 Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-20, Item Code B345301, Task 34-53-00-700, and 14 CFR / FAR 91.413, Part 43, Appendix F. Accomplished satisfactory data correspondence check. Calibration Date : 7/2010.	NO. 1	7517400-950		0803D893				
B345301 051220 : RXPDR	13 2	FUNCTIONAL CHECK NO. 2 ATC TRANSPONDER (FAR 91.413): INSPECTION DOCUMENT 20 Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-20, Item Code B345301, Task 34-53-00-700, and 14 CFR / FAR 91.413, Part 43, Appendix F. Accomplished satisfactory data correspondence check. Calibration Date : 7/2010.	NO. 2	7517400-950		0803D861				
B320001	14 2	FUNCTIONAL TEST NORMAL AND EMERGENCY LANDING GEAR EXTENSION AND RETRACTION: INSPECTION DOCUMENT MF (1600 HR/CH 4 INSP) Comments: Complied with in accordance with the CE680 Maintenance Manual Item Code B320001, Task 32-00-00-700. Operational check good.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6033632
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	03-Aug-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	03-Aug-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	2



Maintenance Transaction Record

MTR ID # 1662890

Page 3 of 5

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	----------------------	-----------	----------	------------------------------	-----------	-------------	----------------	-----------------------------------	----------------	-----------

B320002 15 2 OPERATIONAL CHECK MAIN LANDING GEAR MAIN
SYSTEM UPLOCK SWITCHES: INSPECTION LANDING
DOCUMENT MB (400 HR/CH 4 INSP) GEAR
Comments: Complied with in accordance with the CE680 Maintenance Manual Item Code B320002, Task 32-00-00-701. Operational check good.

B341001 16 2 CALIBRATION TEST STANDBY AIR DATA MODULE STANDBY 501-1881-05 1947
051220 : STDBY (FAR 91.411): INSPECTION DOCUMENT 20
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-20, Item Code B341001, Task 34-11-00-700. 14 CFR 91.411/FAR 91.411 requirements complied with to a test altitude of 47,000 feet. Calibration Date : 7/2010.

B262003 17 2 FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE CABIN C352 X561534
051239 : CABIN FIRE EXTINGUISHER : INSPECTION DOCUMENT 39
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-39. Weight 4.95 Lbs. DOM : 2007.

B262003 18 2 FUNCTIONAL (WEIGHT) CHECK COCKPIT COCKPIT C352TS X-624311
051239 : CKPT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-39. Weight 5.05 Lbs. DOM : 2008.

D243102 19 2 FUNCTIONAL CHECK LEFT MAIN BATTERY LEFT 023167-000 00091EE0
051234 : L (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-34 and battery manufacturers instructions for Continued Airworthiness. Average water added per cell : 0 CC.

D243102 20 2 FUNCTIONAL CHECK RIGHT MAIN BATTERY RIGHT 023167-000 0008850B
051234 : R (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34
Comments: Complied with in accordance with the CE680 Maintenance Manual Chap 5-12-34 and battery manufacturers instructions for Continued Airworthiness. Average water added per cell : 0 CC.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033632

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 03-Aug-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL A. CIAPONI Certificate No. CNQ8918C Date 03-Aug-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	3



Maintenance Transaction Record

MTR ID # 1662890

Page 4 of 5

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1662890021	21 2	STANDBY FLIGHT DISPLAY	STBY							
Comments: Complied with a DOC 20 inspection IAW Cessna 680 Maintenance Manual Ch 05-12-20 and 14 CFR 91.411 requirements complied with to a test altitude of 47,000 feet, and per the Model 680 Maintenance Manual, Item Code B341001, TASK 34-11-00-700 in accordance with 14 CFR 91.411.										
1662890022	22 -	LIFE VEST	1	P01074-207		227752				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
1662890023	23 -	LIFE VEST	2	P01074-207		227926				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
1662890024	24 -	LIFE VEST	3	P01074-207		227805				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
1662890025	25 -	LIFE VEST	4	P01074-207		227755				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
1662890026	26 -	LIFE VEST	5	P01074-207		227000				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
1662890027	27 -	LIFE VEST	6	P01074-207		227964				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
1662890028	28 -	LIFE VEST	7	P01074-207		227824				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
1662890029	29 -	LIFE VEST	8	P01074-207		227808				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
1662890030	30 -	LIFE VEST	9	P01074-207		227833				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
1662890031	31 -	LIFE VEST	10	P01074-207		227799				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033632

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 03-Aug-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL A. CIAPONI Certificate No. CNQ8918C Date 03-Aug-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3	4



Maintenance Transaction Record

MTR ID # 1662890

Page 5 of 5

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	03-Aug-2010	MCO	210.1	123	210.1	210.1	123	123	153.2	206	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1662890032	32 -	LIFE VEST	11	P01074-207		227754				
Comments: Complied with a life vest inspection IAW Cessna 680 Maintenance Manual TASK 25-60-00-222. Life vest was recertified: JUN 2008. Next recertification due: JUN 2012.										
262002 262002 : CKPT	33 1	COCKPIT PORTABLE FIRE EXTINGUISHER	COCKPIT	C352TS		X-624311	UN	N 0 MTH 0 HRS		
Comments: Removed due to underweight part no: C352, Removed serial no: X466377. Installed new unit IAW Cessna 680 Maintenance Manual 26-20-20. Manufacture date: 2008. Bottle weight: 5.05 lbs.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6033632

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 03-Aug-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.

Work Inspected By DANIEL A. CIAPONI Certificate No. CNQ8918C Date 03-Aug-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3	5

Maintenance Transaction Record



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____
 Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N21NR	Mar-08-2010	BED	206.9	117	206.9	206.9	117	117	116	206	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction	Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
	051239	1	2	INSP DOCUMENT 39	CKPT								
Comments: C/W INSPECTION DOCUMENT 39 - 12 MONTH WEIGHT CHECK OF THE COCKPIT FIRE EXTINGUISHER REF AMM 5-12-19 REV 15													
	051239	2	2	INSP DOCUMENT 39	CABIN								
Comments: C/W INSPECTION DOCUMENT 39 - 12 MONTH WEIGHT CHECK OF THE CABIN FIRE EXTINGUISHER REF AMM 5-12-19 REV 15													

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility JET AVIATION	Certified Repair Station Number CRS JAVR120F	Work Order No. 21700
Work Performed By JET AVIATION	Certificate No. CRS JAVR120F	Date Mar-08-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and has been inspected in accordance with a DOCUMENT 39 inspection as required by FAR 91.409(f)(3) and is determined to be in airworthy condition. Pertinent details are on file at this repair station under work order(s) 21700.		
Work Inspected by _____	Certificate No. CRS JAVR120F	Date Mar-08-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page

CSNA-1023-W-R-2003-11-07



JET AVIATION - BEDFORD, MASS



Maintenance Transaction Record

MTR ID # 2488016

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
290006	1 1	MAIN SYSTEM ACCUMULATOR		7550-4 9912644-4		0088	UN	O		
Comments: Replaced Main System Accumulator. Removed PN 7550-4 SN 0118. Installed PN 7550-4 SN 0088 (Overhauled), I.A.W. MM Cessna 680chapter 29-10-02 and 12-12-03 Rev.23 - FAA Form 8130-3 # 60086, dated May/13/2015, issued by PneuDraulics, Inc.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certified Repair Station Number COM # 6905-1 / ANAC Work Order No. 81885

Work Performed By TAM AVIACAO EXECUTIVA E TAXI AEREO S/A Certificate No. COM # 6905-1 / ANAC Date 25-Aug-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By FRANCISCO JOSÉ MACHADO LUCAS  Certificate No. COD. ANAC # 394528 Date 25-Aug-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2488875

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	29-Sep-2015	SBJD	769.3	660	769.3	769.3	626	626	501.3	780	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	----------------------	-----------	----------	------------------------------	-----------	-------------	----------------	-----------------------------------	----------------	-----------

340050	1 1	NO. 1 ATC TRANSPONDER	NO. 1	7517400-950 XS-857A		03106530	UN	S		
--------	-----	-----------------------	-------	---------------------	--	----------	----	---	--	--

340050 : L

Comments: Replaced NO. 1 ATC Transponder. Removed PN 7517400-950 SN 0803D893. Installed PN 7517400-950 SN 03106530 (Modified), I.A.W. MM Cessna 680 chapter 34-13-00 Rev.23 - FAA Form 8130-3 # 321295841, dated Jun/26/2015, issued by Honeywell.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	82110
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	29-Sep-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	29-Sep-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2479287

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	17-Sep-2015	SBSJ	763.5	652	763.5	763.5	618	618	497.2	771	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	SERGIO DEL FORNO	Certificate No.	803932	Date	17-Sep-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SERGIO DEL FORNO	Certificate No.	803932	Date	17-Sep-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2462667

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	12-Aug-2015	SBSV	752.3	638	752.3	752.3	604	604	487	753	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	SERGIO DEL FORNO	Certificate No.	803932	Date	12-Aug-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SERGIO DEL FORNO	Certificate No.	803932	Date	12-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2467026

Page 1 of 1

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIL-35-02	1 3	OXYGEN - TRANSMITTAL OF ZODIAC AEROTECHNICS SERVICE BULLETIN MC10-35-274, SERVICE LETTER Comments: Accomplished SL CIL-35-02, in accordance to paragraph 01 and 02 of this SL. Not applicable the Masks installed because not included in Service Bulletin Zodiac Aerospace MC10-35-274. PN installed MC10-16-150 SN 121690 MFG: 04/2007 Overhaul: 06/2013 and SN 88003 MFG: 11/2000 Overhaul: 06/2013.								
680-32-06	2 3	NOSE LANDING GEAR ISOLATOR-PIN REPLACEMENT, SERVICE BULLETIN Comments: Accomplished SB680-32-06, in accordance to paragraph 1, 2, 3 and 4 of this SB. Applied Kit PN SB680-32-06, (New), I.A.W. SB Instructions - Form 8130-3 # 4683538, dated Aug/13/2015, issued by Cessna Aircraft Company.								
680-53-06 R1	3 3	STINGER DRAIN IMPROVEMENT, SERVICE BULLETIN Comments: Accomplished SB680-53-06 R1, in accordance to paragraph 5, 6 and 7 of this SB. Checked OK.								
680-53-07	4 3	STINGER DRAIN TUBE INSTALLATION, SERVICE BULLETIN Comments: Accomplished SB680-53-07, in accordance paragraph 1, 2, 3, 4, 5 and 6 of this SB. Installed Kit PN SB680-53-07 (New), I.A.W. SB Instructions - Form 8130-3 # 4683538, dated Aug/13/2015, issued by Cessna Aircraft Company.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	81885
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	25-Aug-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	FRANCISCO JOSÉ MACHADO LUCAS	Certificate No.	COD. ANAC # 394528	Date	25-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2466102

Page 1 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
880-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-06 051206	1 2	MSG-3 INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS) Comments: Performed Inspection Document 06, I.A.W. MM Cessna 680 chapter 5-12-06 Rev.23.								
5-12-13 051213	2 2	MSG-3 INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS) Comments: Performed Inspection Document 13, I.A.W. MM Cessna 680 chapter 5-12-13 Rev.23.								
5-12-21 051221	3 2	INSPECTION DOCUMENT 21(91.207 ITEMS) Comments: Performed Inspection Document 21, I.A.W. MM Cessna 680 chapter 5-12-21 Rev.23.								
A256002	4 2	DETAILED INSPECTION EMERGENCY LOCATOR TRANSMITTER ELT, ELT MOUNT AND ANTENNA (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324); INSPECTION DOCUMENT 21(91.207 ITEMS) Comments: Performed Inspection Document 21, I.A.W. MM Cessna 680 chapter 5-12-21 Rev.23.		S1821502-02		26195910002				
B256001	5 2	FUNCTIONAL CHECK EMERGENCY LOCATOR TRANSMITTER (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324);INSPECTION DOCUMENT 21(91.207 ITEMS) Comments: Performed Inspection Document 21, I.A.W. MM Cessna 680 chapter 5-12-21 Rev.23.		S1821502-02		26195910002				
5-12-38 051238	6 2	INSPECTION DOCUMENT 38 (INTERVAL 4A/2C ITEMS) Comments: Performed Inspection Document 38, I.A.W. MM Cessna 680 chapter 5-12-38 Rev.23.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	81885
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	25-Aug-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	FRANCISO JOSÉ MACHADO LUCAS	Certificate No.	COD. ANAC # 394528	Date	25-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2466102

Page 2 of 6

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267 / Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
A561102	7 2	DETAILED INSPECTION (DELAMINATION) COCKPIT WINDSHIELD AND SIDE WINDOWS: INSPECTION DOCUMENT 38 (INTERVAL 4A/2C ITEMS) Comments: Performed Inspection Document 38, I.A.W. MM Cessna 680 chapter 5-12-38 Rev.23.								
B561101	8 2	FUNCTIONAL CHECK (TORQUE INSPECTION) WINDSHIELD RETAINER SCREWS: INSPECTION DOCUMENT 38 (INTERVAL 4A/2C ITEMS) Comments: Performed Inspection Document 38, I.A.W. MM Cessna 680 chapter 5-12-38 Rev.23.								
5-12-39	9 2	INSPECTION DOCUMENT 39 Comments: Performed Inspection Document 39, I.A.W. MM Cessna 680 chapter 5-12-39 Rev.23.								
B262003 051239 : CABIN	10 2	FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39 Weight Check Date: 18-Aug-2015 Comments: Performed Inspection Document 39, I.A.W. MM Cessna 680 chapter 5-12-39 Rev.23.	CABIN	C352TS		Y-650217				
B262003 051239 : CKPT	11 2	FUNCTIONAL (WEIGHT) CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39 Weight Check Date: 18-Aug-2015 Comments: Performed Inspection Document 39, I.A.W. MM Cessna 680 chapter 5-12-39 Rev.23.	COCKPIT	C352TS		Y-548311				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	81885
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	25-Aug-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	FRANCISO JOSÉ MACHADO LUCAS	Certificate No.	COD. ANAC # 394528	Date	25-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2466102

Page 3 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 25-Aug-2015, SBJD, 752.3, 638, 752.3, 752.3, 604, 604, 487, 758, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 5 rows of inspection and repair records.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certified Repair Station Number: COM # 6905-1 / ANAC. Work Order No.: 81885. Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certificate No.: COM # 6905-1 / ANAC. Date: 25-Aug-2015. Work Inspected By: FRANCISO JOSÉ MACHADO LUCAS. Certificate No.: COD. ANAC # 394528. Date: 25-Aug-2015.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2466102

Page 4 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 25-Aug-2015, SBJD, 752.3, 638, 752.3, 752.3, 604, 604, 487, 758, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 8 rows of life jacket removal and inspection records.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certified Repair Station Number: COM # 6905-1 / ANAC. Work Order No.: 81885. Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certificate No.: COM # 6905-1 / ANAC. Date: 25-Aug-2015. Work Inspected By: FRANCISO JOSÉ MACHADO LUCAS. Certificate No.: COD. ANAC # 394528. Date: 25-Aug-2015.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2466102

Page 5 of 6

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 25-Aug-2015, SBJD, 752.3, 638, 752.3, 752.3, 604, 604, 487, 758, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Includes items 256004 (Life Jacket), B243201 (Battery Pack), 2466102028 (APU Hours), 2466102029 (First Aid Kit), 2466102030 (Jungle Survival Kit).

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certified Repair Station Number: COM # 6905-1 / ANAC. Work Order No.: 81885. Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certificate No.: COM # 6905-1 / ANAC. Date: 25-Aug-2015. Work Inspected By: FRANCISO JOSÉ MACHADO LUCAS. Certificate No.: COD. ANAC # 394528. Date: 25-Aug-2015.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2466102

Page 6 of 6



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2466102031	31 2	PREFLIGHT INSPECTION								
Comments: Performed Preflight Inspection, I.A.W. MM Cessna 680 PN 680MM23 Rev.23.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	81885
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	25-Aug-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	FRANCISO JOSÉ MACHADO LUCAS	Certificate No.	COD. ANAC # 394528	Date	25-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2467096

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Aug-2015	SBJD	752.3	638	752.3	752.3	604	604	487	758	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
FAA 2015-08-07 PARA (G)	1 4	INSPECT THE INFLATABLE HARNESS FITTED TO EACH FLIGHTCREW OXYGEN MASK REGULATOR TO DETERMINE IF THE INFLATABLE HARNESS IS INSTALLED WITH A PART NUMBER AND A BATCH NUMBER IDENTIFIED IN APPENDIX I OF ZODIAC AEROSPACE SERVICE BULLETIN MXH-35-240, REVISION 7, DATED SEPTEMBER 1, 2011								
Comments: Verified AD 2015-08-07, in accordance to paragraph (G) of this AD. Not applicable because the Series Numbers of installed not included in Service Bulletin Zodiac Aerospace MXH-35-240R7. PN installed MC10-16-150 SN 121690 MFG: 04/2007 Overhaul: 06/2013 and SN 88003 MFG: 11/2000 Overhaul: 06/2013.										
FAA 2015-10-51-E	2 4	AVIDYNE INTEGRATED FLIGHT DISPLAY (IFD)- INCORPORATE OPERATIONAL LIMITATIONS INTO LIMITATIONS SECTION OF THE AFM OR AFMS.								
Comments: Verified AD 2015-10-51-E, in accordance paragraph instructions (C), not applicable in Displays Installed in the aircraft. Installed Display PN 7037620-811 Manufactured: Honeywell.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	81885
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	25-Aug-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	FRANCISCO JOSÉ MACHADO LUCAS	Certificate No.	COD. ANAC # 394528	Date	25-Aug-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2440692

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



[x] Airframe Entries

[] Eng. #1 Serial No. _____

[] Eng. #2 Serial No. _____

[] APU Serial No. _____

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 30-May-2015, SBSJ, 747.1, 634, 747.1, 747.1, 600, 600, 482.4, 749, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Row 1: 059048, 1 2, - VOR FUNCTIONAL CHECK, Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: UTC ENGENHARIA, Certified Repair Station Number: _____, Work Order No.: _____, Work Performed By: CESAR ALIBONI, Certificate No.: 14493, Date: 30-May-2015. I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the [] Federal Aviation Administration [x] Other (Specify) ANAC and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE. Work Inspected By: CESAR ALIBONI, Certificate No.: 14493, Date: 30-May-2015. Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log table with 2 columns: Section, Page



Maintenance Transaction Record

MTR ID # 2446443

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

[x] Airframe Entries

[] Eng. #1 Serial No. _____

[] Eng. #2 Serial No. _____

[] APU Serial No. _____

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 15-May-2015, SBJD, 740.9, 629, 740.9, 740.9, 595, 595, , ,

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Row 1: 243015 342064, 1 1, STANDBY BATTERY PACK, STANDBY, 100-2410-04, , 0808351, UN, R, , .

Comments: Replaced Standby Battery Pack. Removed P/N 100-2410-04 S/N 1104. Installed P/N 100-2410-04 S/N 0808351 (Repaired - FORM 8130-3 # 2130490 issued by Securaplane Technologies on 03/16/2015). IAW Cessna Citation Maintenance Manual P/N 68MM Rev. 21 chapter: 24-32-00.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certified Repair Station Number: COM # 6905-1 / ANAC. Work Order No.: 81368. Work Performed By: TAM AVIACAO EXECUTIVA E TAXI AEREO S/A. Certificate No.: COM # 6905-01/ANAC. Date: 15-May-2015. Work Inspected By: VLADILSON SALDANHA CARDOSO. Certificate No.: COD. ANAC # 718304. Date: 15-May-2015.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2439722

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	13-May-2015	SBSJ	743.5	631	743.5	743.5	597	597	480.8	746	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	30-May-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC</u> and _____					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	30-May-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2431597

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	24-Apr-2015	SBSJ	735.9	627	735.9	735.9	593	593	476.4	735	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	24-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC</u> and _____					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	24-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2411330

Page 1 of 2



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	26-Mar-2015	SBJD	735.5	626	735.5	735.5	592	592	475.9	734	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-34	1 2	INSPECTION DOCUMENT 34 Comments: Performed Inspection Document 34, I.A.W. MM Cessna 680 chapter 5-12-34 Rev.22.								
D243102 051234 : L	2 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments: Removed Left Main Battery PN 9914058-11 SN 00091EE0. Performed Recycling and reinstalled, I.A.W. MM Cessna 680 chapter 5-12-34 Rev.22 - Segvôo 003 # MRL-OF-BT 4215/15, dated Feb/20/2015, issued by TAM Aviação Executiva e Táxi Aéreo S/A.	LEFT	023167-000		00091EE0				
D243102 051234 : R	3 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments: Removed Right Main Battery PN 9914058-11 SN 0008850B. Performed Recycling and reinstalled, I.A.W. MM Cessna 680 chapter 5-12-34 Rev.22 - Segvôo 003 # MRL-OF-BT 4216/15, dated Feb/20/2015, issued by TAM Aviação Executiva e Táxi Aéreo S/A.	RIGHT	023167-000		0008850B				
5-12-41	4 2	INSPECTION DOCUMENT 41 Comments: Performed Inspection Document 41, I.A.W. MM Cessna 680 chapter 5-12-41 Rev.22.								
5-12-42	5 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W. MM Cessna 680 chapter 5-12-42 Rev.22.								
324009 324009 : LI	6 1	LEFT INBOARD MAIN LANDING GEAR WHEEL Comments: Removed Left Inboard PN (6941060-1) 3-1621 SN 2241. Performed repair, NDT Inspection (Eddy Current) and reinstalled, I.A.W. MM Cessna 32-41-20 Rev.22 - Segvôo # MRL-OF-HD 5340/15, dated Mar/03/2015, issued by TAM Aviação Executiva e Táxi Aéreo S/A.	LEFT INBOARD	6941060-1		2241	UN	R		

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	80897
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	26-Mar-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SAULO LISBOA VIEIRA	Certificate No.	COD. ANAC # 114259	Date	26-Mar-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page



Maintenance Transaction Record

MTR ID # 2411330

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	26-Mar-2015	SBJD	735.5	626	735.5	735.5	592	592	475.9	734	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
324009 324009 : LO	7 1	LEFT OUTBOARD MAIN LANDING GEAR WHEEL	LEFT OUTBOARD	6941060-1		2238	UN	R		
Comments: Removed Left Outboard PN (6941060-1) 3-1621 SN 2238. Performed repair, NDT Inspection (Eddy Current) and reinstalled, I.A.W. MM Cessna 32-41-20 Rev.22 - Segvoo # MRL-OF-HD 5341/15, dated Mar/03/2015, issued by TAM Aviação Executiva e Táxi Aéreo S/A.										
324009 324009 : RI	8 1	RIGHT INBOARD MAIN LANDING GEAR WHEEL	RIGHT INBOARD	6941060-1		2237	UN	R		
Comments: Removed Right Inboard PN (6941060-1) 3-1621 SN 2237. Performed repair, NDT Inspection (Eddy Current) and reinstalled, I.A.W. MM Cessna 32-41-20 Rev.22 - Segvoo # MRL-OF-HD 5339/15, dated Mar/03/2015, issued by TAM Aviação Executiva e Táxi Aéreo S/A.										
324009 324009 : RO	9 1	RIGHT OUTBOARD MAIN LANDING GEAR WHEEL	RIGHT OUTBOARD	6941060-1		2239	UN	R		
Comments: Removed Left Inboard PN (6941060-1) 3-1621 SN 2239. Performed repair, NDT Inspection (Eddy Current) and reinstalled, I.A.W. MM Cessna 32-41-20 Rev.22 - Segvoo # MRL-OF-HD 5338/15, dated Mar/03/2015, issued by TAM Aviação Executiva e Táxi Aéreo S/A.										
350014	10 2	HYDROSTATIC TEST LEFT EXTENDED RANGE OXYGEN CYLINDER AND REGULATOR ASSEMBLY	LEFT	804882-14		C09040610				
Hydro Check Date: 24-Feb-2015 Comments: Removed Oxygen Cylinder PN 804882-14 SN C09040610. Performed Hydrostatic Test and reinstalled, I.A.W. MM Cessna 680 chapter 35-00-10 Rev.22 - Segvoo 003 # MRL-OF-TH 1170/15, dated Feb/20/2015, issued by TAM Aviação executiva e Táxi Aéreo S/A.										
2411330011	11 2	FIRST AID KIT								
Comments: Performed Revalidation and Inspection in First Aid Kit, I.A.W. RBHA 91.513, Next item to win "Analgesic" 02/2016"										
2411330012	12 2	APU HOURS AND CYCLES								
Comments: Verified APU Hours and Cycles: 475.9 Hours and 741 Cycles.										
2411330013	13 2	PREFLIGHT INSPECTION								
Comments: Performed Preflight Inspection, I.A.W. MM Cessna 680 PN 680MM22 Rev.22.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number COM # 6905-1 / ANAC Work Order No. 80897

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No. COM # 6905-1 / ANAC Date 26-Mar-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By SAULO LISBOA VIEIRA Certificate No. COD. ANAC # 114259 Date 26-Mar-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2412107

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	26-Mar-2015	SBJD	735.5	626	735.5	735.5	592	592	475.9	734	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
324010 324010 : LO	1 1	LEFT OUTBOARD MAIN LANDING GEAR TIRE	LEFT OUTBOARD	M14401	9914661-1	4227J112	WO	N	0 MTH 0 HRS		
Comments: Replaced Left Outboard Main Landing Gear Tire. Removed PN M14401 SN 0291J120. Installed PN M14401 SN 4227J112 (New), I.A.W. CMM BF Goodrich PN 3-1621 Pub. 32-45-53 Rev.02 - Form 8130-3 # 4482517, dated Jan/28/2015, issued by Cessna Aircraft Company.											
324010 324010 : RI	2 1	RIGHT INBOARD MAIN LANDING GEAR TIRE	RIGHT INBOARD	M14401	9914661-1	4227J113	WO	N	0 MTH 0 HRS		
Comments: Replaced Right Inboard Main Landing Gear Tire. Removed PN M14401 SN 0328J114. Installed PN M14401 SN 4227J113 (New), I.A.W. CMM BF Goodrich PN 3-1621 Pub. 32-45-53 Rev.02 - Form 8130-3 # 4482517, dated Jan/28/2015, issued by Cessna Aircraft Company.											
324010 324010 : LI	3 1	LEFT INBOARD MAIN LANDING GEAR TIRE	LEFT INBOARD	M14401	9914661-1	4193J111	WO	N	0 MTH 0 HRS		
Comments: Replaced Left Inboard Main Landing Gear Tire. Removed PN M14401 SN 0291J112. Installed PN M14401 SN 4193J111(New), I.A.W. CMM BF Goodrich PN 3-1621 Pub. 32-45-53 Rev.02 - Form 8130-3 # 4482517, dated Jan/28/2015, issued by Cessna Aircraft Company.											
324010 324010 : RO	4 1	RIGHT OUTBOARD MAIN LANDING GEAR TIRE	RIGHT OUTBOARD	M14401	9914661-1	4227J114	WO	N	0 MTH 0 HRS		
Comments: Replaced Right Outboard Main Landing Gear Tire. Removed PN M14401 SN 0328J116. Installed PN M14401 SN 4227J114 (New), I.A.W. CMM BF Goodrich PN 3-1621 Pub. 32-45-53 Rev.02 - Form 8130-3 # 4482517, dated Jan/28/2015, issued by Cessna Aircraft Company.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	80897
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	26-Mar-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SAULO LISBOA VIEIRA	Certificate No.	COD. ANAC # 114259	Date	26-Mar-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2412298

Page 1 of 1

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	26-Mar-2015	SBJD	735.5	626	735.5	735.5	592	592	475.9	734	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	----------------------	-----------	----------	------------------------------	-----------	-------------	----------------	-----------------------------------	----------------	-----------

FAA 2014-18-01 1 4 APPLIANCE AD - NAVIGATION - ROCKWELL
 COLLINS, INC. MODE S TRANSPONDERS -
 INSPECTION / MODIFICATION

Comments: Verified AD 2014-18-01. Not Applicable in according paragraph "Applicability". Installed in the aircraft Transponder Honeywell Model: XS-857A PN 7517400-950 SN 0803D893 and SN 0803D861.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certified Repair Station Number	COM # 6905-1 / ANAC	Work Order No.	80897
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	COM # 6905-1 / ANAC	Date	26-Mar-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SAULO LISBOA VIEIRA	Certificate No.	COD. ANAC # 114259	Date	26-Mar-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2412312

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	26-Mar-2015	SBJD	735.5	626	735.5	735.5	592	592	475.9	734	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
CIL-32-02 R1	1	3	NOSE LANDING GEAR ISOLATOR-PIN INSPECTION, SERVICE LETTER									
Comments: Accomplished SL CIL-32-02, in accordance with paragraphs 3A, 3B ,5 , 6, 7 of this SL. No futher action required.												
SL680-53-05 R1	2	3	AFT CANTED BULKHEAD INSPECTION, SERVICE LETTER									
Comments: Verified SL680-53-05. Not Applicable in Aircraft Serial Number, in accordance paragraph "Effectivity".												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certified Repair Station Number COM # 6905-1 / ANAC Work Order No. 80897

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A Certificate No. COM # 6905-1 / ANAC Date 26-Mar-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By SAULO LISBOA VIEIRA Certificate No. COD. ANAC # 114259 Date 26-Mar-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2393949

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	10-Feb-2015	SBSP	735.5	626	735.5	735.5	592	592	475.9	734	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility UTC ENGENHARIA Certified Repair Station Number _____ Work Order No. _____

Work Performed By CESAR ALIBONI Certificate No. 14493 Date 10-Feb-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC _____ and _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By CESAR ALIBONI Certificate No. 14493 Date 10-Feb-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2386772

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	16-Jan-2015	SBSJ	722	605	722	722	571	571	467.1	713	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	16-Jan-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	16-Jan-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2371250
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	02-Dec-2014	SBSP	713.3	593	713.3	713.3	560	560	459.4	702	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility UTC ENGENHARIA Certified Repair Station Number _____ Work Order No. _____

Work Performed By CESAR ALIBONI Certificate No. 14493 Date 02-Dec-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By CESAR ALIBONI Certificate No. 14493 Date 02-Dec-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2366436

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	06-Nov-2014	SBSP	702.7	586	702.7	702.7	553	553	455	695	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuild, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	06-Nov-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the			
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	06-Nov-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2349217

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	09-Oct-2014	SBSP	691	575	691	691	542	542	448.2	684	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	09-Oct-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC</u> and _____					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	09-Oct-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2345089

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	18-Sep-2014	SBSP	683.8	569	683.8	683.8	536	536	444	678	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	18-Sep-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	18-Sep-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2349913
Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU with Serial No. fields.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 10 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status, Material Costs, Man Hours. Includes entry 270002 for PNEUMATIC BIAS ACTUATOR.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Main maintenance record form containing fields for Repair Facility (TAM AVIACAO EXECUTIVA E TAXI AEREO S.A.), Certified Repair Station Number (COM # 6905-01/ANAC), Work Order No. (79971), Work Performed By, Certificate No., Date (11-Sep-2014), and Work Inspected By (VLADILSON SALDANHA CARDOSO).

Maintenance Log table with columns for Section and Page.



Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	11-Sep-2014	SBJD	681.8	566	681.8	681.8	533	533			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
680-27-12 R1	1 3	FLIGHT CONTROLS - RUDDER BIAS ACTUATOR IMPROVEMENT, SERVICE BULLETIN								
Comments: Accomplished with SB 680-27-12 R1, IAW instructions paragraphs 01 thru 07 of this SB. Replaced Pneumatic Bias Actuator. Removed P/N 6960561-78 S/N 78. Installed P/N 6960561-86 S/N APW355 (Overhauled - FORM 8130-3 # QA 213812-1/ 2029912 issued by APPH Wichita on 06/02/2014). IAW SB 680-27-12 instructions.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIACAO EXECUTIVA E TAXI AEREO S.A.	Certified Repair Station Number	COM # 6905-01/ANAC	Work Order No.	79971
Work Performed By	TAM AVIACAO EXECUTIVA E TAXI AEREO S.A.	Certificate No.	COM # 6905-01/ANAC	Date	11-Sep-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC/ BRAZIL</u> and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	11-Sep-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2345092

Page 1 of 1



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBSP	674	558	674	674	525	525	434.1	668	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
O 59048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	21-Aug-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the			
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	21-Aug-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2331120

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBJD	674	558	674	674	525	525	434.1	667	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
324001	1 1	LANDING GEAR EMERGENCY BLOWDOWN PNEUMATIC BOTTLE Manufacture Date: 30-Nov-2006 Comments: Replaced Landing Gear Emergency Blowdown Pneumatic Bottle. Removed PN 40005369-2 (9914678-3) SN 6182. Installed PN 40005369-2 (9914678-3) SN 5155 (Overhauled), I.A.W. MM Cessna 680 chapter 5-12-22 Rev.21 - FAA Form 8130-3 # W392092-4496420-1, dated May/08/2014, issued by Pacific Scientific.	LANDING GEAR	40005369-2 9914678-3		5155	SC	O 93 MTH		
324013	2 1	EMERGENCY BRAKE PNEUMATIC BOTTLE Manufacture Date: 31-Dec-2010 Comments: Replaced Emergency Brake Pneumatic Bottle. Removed PN 40005370-1 (9914678-2) SN 6182. Installed PN 40005369-2 (9914678-2) SN 7323 (Overhauled), I.A.W. MM Cessna 680 chapter 5-12-22 Rev.21 - FAA Form 8130-3 # W384634-4512529-1, dated Jan/03/2014, issued by Pacific Scientific.		40005370-1 9914678-2		7323	SC	O 44 MTH		
256003	3 1	EMERGENCY LOCATOR TRANSMITTER BATTERY Comments: Replaced Emergency Locator Transmitter Battery. Installed PN S1820516-99 SN 10012019, I.A.W. MM Cessna 680 chapter 25-60-00 Rev.21 - Form 8130-3 # 4105971, dated Jan/28/2014, issued by Cessna Aircraft Company.		S1820516-99 KANNAD 406AF		10012019	SC	N 0 MTH		

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	79770
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE # 6905-01/ANAC	Date	21-Aug-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	21-Aug-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2330108

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBJD	674	558	674	674	525	525	434.1	667	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIL-32-02 R1	1 3	NOSE LANDING GEAR ISOLATOR-PIN INSPECTION, SERVICE LETTER Comments: Accomplished SL CIL 32-02 R.1, in according with Instructions paragraphs 1 (A) (B) (C) (D), 2 (A), 3 (A1), 2, 5A, 6 and 7 (A) (B) (C) of this CIL.								
SL680-32-10	2 3	NOSE WHEEL STEERING CABLE INSPECTION, SERVICE LETTER Comments: Accomplished SL680-32-10 in according with Instructions paragraphs 01(A,B,C,D), 2, 3(A), 9,10,11 (A,B,C) of this SL.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number CHE # 6905-01 / ANAC Work Order No. 79770

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No. CHE # 6905-01 / ANAC Date 21-Aug-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By VLADILSON SALDANHA CARDOSO Certificate No. COD. ANAC # 718304 Date 21-Aug-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2329117
Page 1 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Form with checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU, each followed by a Serial No. field.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains multiple rows of inspection and repair records.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Form for repair details including fields for Repair Facility, Work Performed By, Work Inspected By, Certificate No., and Date. Includes a signature and a statement of airworthiness.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2329117

Page 2 of 7

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBJD	674.1	558	674.1	674.1	525	525	434.1	667	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-14 051214	7 2	MSG-3 INSPECTION DOCUMENT 14 (INTERVAL 2A/2C ITEMS) Comments: Performed Inspection Document 14, I.A.W. MM Cessna 680 chapter 5-12-14 Rev.21.								
5-12-16 051216	8 2	MSG-3 INSPECTION DOCUMENT 16 (INTERVAL 6A/3C ITEMS) Comments: Performed Inspection Document 16, I.A.W. MM Cessna 680 chapter 5-12-16 Rev.21.								
5-12-19 051219	9 2	MSG-3 INSPECTION DOCUMENT 19 (INTERVAL 4C THEN 2C ITEMS) Comments: Performed Inspection Document 19, I.A.W. MM Cessna 680 chapter 5-12-19 Rev.21.								
5-12-20	10 2	INSPECTION DOCUMENT 20 Comments: Performed Inspection Document 20, I.A.W. MM Cessna 680 chapter 5-12-20 Rev.21.								
B341001 051220 : L-ADC	11 2	CALIBRATION TEST NO. 1 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20 Calibration Date: 14-Aug-2014 Comments: Performed Inspection Document 20, I.A.W. MM Cessna 680 chapter 5-12-20 Rev.21.	NO. 1	HG1153CA02		08053056				
B341001 051220 : R-ADC	12 2	CALIBRATION TEST NO. 2 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20 Calibration Date: 14-Aug-2014 Comments: Performed Inspection Document 20, I.A.W. MM Cessna 680 chapter 5-12-20 Rev.21.	NO. 2	HG1153CA02		08043025				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	79770
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	CHE # 6905-01/ANAC	Date	21-Aug-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	21-Aug-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2329117

Page 3 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBJD	674.1	558	674.1	674.1	525	525	434.1	667	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B341001 051220 : RVSM	13 2	FUNCTIONAL CHECK RVSM PITOT STATIC SYSTEM (FAR 91.411, 91.413); INSPECTION DOCUMENT 20 Comments: Performed Inspection Document 20, I.A.W. MM Cessna 680 chapter 5-12-20 Rev.21.	RVSM							
B341001 051220 : STDBY	14 2	CALIBRATION TEST STANDBY AIR DATA MODULE (FAR 91.411); INSPECTION DOCUMENT 20 Calibration Date: 14-Aug-2014 Comments: Performed Inspection Document 20, I.A.W. MM Cessna 680 chapter 5-12-20 Rev.21.	STANDBY	501-1881-05		1947				
B345301 051220 : LXPDR	15 2	FUNCTIONAL CHECK NO. 1 ATC TRANSPONDER (FAR 91.413); INSPECTION DOCUMENT 20 Calibration Date: 14-Aug-2014 Comments: Performed Inspection Document 20, I.A.W. MM Cessna 680 chapter 5-12-20 Rev.21.	NO. 1	7517400-950		0803D893				
B345301 051220 : RXPDR	16 2	FUNCTIONAL CHECK NO. 2 ATC TRANSPONDER (FAR 91.413); INSPECTION DOCUMENT 20 Calibration Date: 14-Aug-2014 Comments: Performed Inspection Document 20, I.A.W. MM Cessna 680 chapter 5-12-20 Rev.21.	NO. 2	7517400-950		0803D861				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	79770
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	CHE # 6905-01/ANAC	Date	21-Aug-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	21-Aug-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2329117

Page 4 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Aug-2014	SBJD	674.1	558	674.1	674.1	525	525	434.1	667	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-21 051221	17 2	INSPECTION DOCUMENT 21(91.207 ITEMS)								
Comments: Removed Emergency Locator Transmitter PN S1821502-02 SN 2619591-0002. Performed Test and reinstalled, I.A.W. MM Cessna 680 chapter 25-60-00 Rev.21 - Segvôo 003 # MRL-OF-AV 7423/14, dated Aug/13/2014, issued by TAM Aviação Executiva e Táxi Aéreo S/A. COUNTRY: 710 BRAZIL BEACON ID: D8C64B6D63C86E5 MSG:6C6325B6B1E4372EF13190 EXPIRATION DATE BATTERY: 11/2019										
B256001	18 2	FUNCTIONAL CHECK EMERGENCY LOCATOR TRANSMITTER (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324):INSPECTION DOCUMENT 21(91.207 ITEMS)		S1821502-02		26195910002				
Comments: Performed Inspection Document 21, I.A.W. MM Cessna 680 chapter 5-12-21 Rev.21.										
A256002	19 2	DETAILED INSPECTION EMERGENCY LOCATOR TRANSMITTER ELT, ELT MOUNT AND ANTENNA (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324): INSPECTION DOCUMENT 21(91.207 ITEMS)		S1821502-02		26195910002				
Comments: Performed Inspection Document 21, I.A.W. MM Cessna 680 chapter 5-12-21 Rev.21.										
5-12-22	20 2	INSPECTION DOCUMENT 22								
Comments: Performed Inspection Document 22, I.A.W. MM Cessna 680 chapter 5-12-22 Rev.21.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	79770
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A	Certificate No.	CHE # 6905-01/ANAC	Date	21-Aug-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC / BRAZIL</u> and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 718304	Date	21-Aug-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2329117
Page 5 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Form with checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU, each followed by a Serial No. field.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table for component changes with columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 79770. Date: 21-Aug-2014. Includes signature of VLADILSON SALDANHA CARDOSO.

Maintenance Log table with columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2329117
Page 6 of 7



This Maintenance Report is To Be Used Solely For (Check One)

Form with checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU, each followed by a Serial No. field.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains multiple entries for inspections and weight checks.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 79770. Date: 21-Aug-2014. Includes signature of VLADILSON SALDANHA CARDOSO.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2329117
Page 7 of 7

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

Aircraft Identification and Status

Table with 14 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, PP-UTC, 21-Aug-2014, SBJD, 674.1, 558, 674.1, 674.1, 525, 525, 434.1, 667, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 10 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 6 rows of inspection and APU hour entries.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number: CHE # 6905-01 / ANAC. Work Order No.: 79770. Work Performed By: TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No.: CHE # 6905-01/ANAC. Date: 21-Aug-2014. Work Inspected By: VLADILSON SALDANHA CARDOSO. Certificate No.: COD. ANAC # 718304. Date: 21-Aug-2014.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2318103

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	21-Jul-2014	SBSP	663.3	548	663.3	663.3	515	515	426.9	649	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										
Trans.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	21-Jul-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	21-Jul-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2315397

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	18-Jun-2014	SBSP	652.9	531	652.9	652.9	498	498	416.6	634	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	18-Jun-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	18-Jun-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2293873

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	20-May-2014	SBJD	625.9	518	625.9	625.9	484	484	405.3	621	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-34	1 2	INSPECTION DOCUMENT 34 Comments: Performed Inspection Document 34, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 05-12-34 Rev. 20.								
D243101 051234 : L	2 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - MARATHON); INSPECTION DOCUMENT 34 Comments: Removed Main Battery, P/N 9914058-11 S/N 00091EE0, performed Capacity Test and reinstalled, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 24-31-00 Rev. 20. SEGVOO 003 # MRL-OF-BT 3979/14 issued by TAM Aviação Executiva e Taxi Aereo S.A on 05/19/2014.	LEFT	023167-000		00091EE0				
D243101 051234 : R	3 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - MARATHON); INSPECTION DOCUMENT 34 Comments: Removed Main Battery, P/N 9914058-11 S/N 0008850B, performed Capacity Test and reinstalled, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 24-31-00 Rev. 20. SEGVOO 003 # MRL-OF-BT 3978/14 issued by TAM Aviação Executiva e Taxi Aereo S.A on 05/19/2014.	RIGHT	023167-000		0008850B				
5-12-42	4 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Performed Inspection Document 42, I.A.W. Cessna Citation Maintenance Manual P/N 680MM Chapter 5-12-42 Rev. 20.								
2293873005	5 -	APU HOURS AND CYCLES Comments: Verified APU Hours and Cycles: 405,3 Hours / Cycles 626.								
2293873006	6 2	PRE-FLIGHT INSPECTION Comments: Performed Pre-Flight Inspection, IAW Cessna Citation Maintenance Manual P/N 680MM Rev. 20. Checked OK.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIACAO EXECUTIVA E TAXI AEREO S.A. Certified Repair Station Number CHE # 6905-01/ANAC Work Order No. 79202

Work Performed By TAM AVIACAO EXECUTIVA E TAXI AEREO S.A. Certificate No. CHE # 6905-01/ANAC Date 20-May-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC/ BRAZIL and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By VLADILSON SALDANHA CARDOSO Certificate No. COD. ANAC # 71830-4 Date 20-May-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2294508
Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Checkboxes for Airframe Entries, Eng. #1, Eng. #2, and APU Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Main table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 5 entries for battery and fire extinguisher replacements.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TAM AVIACAO EXECUTIVA E TAXI AEREO S.A. Certified Repair Station Number: CHE # 6905-01 / ANAC Work Order No.: 79202. Includes work performed by and inspected by fields with signatures and dates.

Maintenance Log table with 2 columns: Section, Page.



12350 North Vistoso Park Road
 Oro Valley, Arizona 85755
 Customer: CESSNA#1

REPAIR STATION DISCREPENCY REWORK RECORD

phone (520) 297-0844
 fax (520) 498-4924

Ship by: 04/07/2014

DESCRIPTION		WORK ORDER	PART NUMBER	PART REV/MOD	PART SER NO.
EBATTS		RMA-049691	100-2410-04	2	1104
MOT/ATP STEP	DISCREPANCY	CORRECTIVE ACTION	TECH DATE	REWORK*	PROD / IN DATE
W01F II	B, Hs due, ECO required	Replace Batts Install ECO #		Rep. Batts OLD D.C 08123 New Batts P/N 362-0003-01 D.C. 14042 P# 029236	
		100616-4 ✓	TEV		
		110927-2	3-25-14	Installed ECO # 100616-4	
				P57 P/N 308-0029-03 P# 020665	
				P57 P/N 308-26K100A2 B# 13604	APR 03
				Jumpers From U6-9 to U4-14	
				U6-9 to U6-14, ECO # 110929-2	
				P49, P50 P/N 308-00K150A2 P# 31738	
				P56 P/N 308-0005-06 P# 020050	
				Re-kitted C.C. on Monitor & C.C.B	
				Installed Thermal Pad	
				P/N 1204394-01 P# 02796	
				Between Back Panel	
				& VicoR Assy	APR 03 21

SHEET 1 OF 2

QC. 026 09/9

*PART DESIGNATOR/PART NUMBER, P.O.# OR S/N



Maintenance Transaction Record

MTR ID # 2290203

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	30-Apr-2014	SBJD	618.2	511	618.2	618.2	478	478			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
801000 801000 : L	1 1	LEFT ENGINE STARTER/GENERATOR	LEFT ENGINE	23291-005 9914685-1		P1664	N	O		
Comments: Replaced Starter Generator LH, IAW MM Cessna 680 Series Rev. 20. Removed PN 23291-005 SN P1853 and Installed PN 23291-005 SN P1664 (Overhauled) FORM 8130-3 nr R13-06919 dated 12/31/2013 issued by Ametek B&S Aircraft Parts & Accessories										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S.A.	Certified Repair Station Number	CHE # 6905-01/ANAC	Work Order No.	79088
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TAXI AEREO S/A.	Certificate No.	CHE # 6905-01 / ANAC	Date	30-Apr-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC BRAZIL and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC # 71830-4	Date	30-Apr-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2301310

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	01-May-2014	SBSP	618.2	512	618.2	618.2	479	479	401.2	615	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	Work Order No.
Work Performed By	CESAR ALIBONI	Certificate No.	14493
		Date	01-May-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the			
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC and			
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	CESAR ALIBONI	Certificate No.	14493
		Date	01-May-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286606

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	25-Apr-2014	SBSP	616.6	509	616.6	616.6	476	476	400.8	613	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility _____	Certified Repair Station Number _____	Work Order No. _____
Work Performed By <u>CESAR ALIBONI</u>	Certificate No. <u>14493</u>	Date <u>25-Apr-2014</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC</u> and		
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.		
Work Inspected By <u>CESAR ALIBONI</u>	Certificate No. <u>14493</u>	Date <u>25-Apr-2014</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286218

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Apr-2014	SBJD	598.1	493	598.1	598.1	460	460			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
237004	1 1	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON	COCKPIT	DK120		SD35740	N	N	0 MTH 0 HRS		
Comments: Replaced CVR. Removed PN DK120 S/N SC54404. Installed PN DK120 S/N SD35740 (New), I.A.W M.M 680 Chapter 23-70-00 Rev.20 - Form 8130-3 N° 4115428, dated Feb 28 / 2014, emitted by Cessna Aircraft Company.											
237004A	2 1	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY	COCKPIT	810-2007/K		SD35740	N	N	0 MTH 0 HRS		
Expiration Date: 01-Apr-2020 Comments: Replaced CVR Battery. Removed PN 810-2007/K S/N 0414. Installed PN 810-2007/K S/N SD35740 (New), I.A.W M.M 680 Chapter 23-70-00 Rev.20 - Form 8130-3 N° 4115428, dated Feb 28 / 2014, emitted by Cessna Aircraft Company. Next due Battery: April / 2020											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number CHE # 6905-01 / ANAC Work Order No. 78991

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No. CHE # 6905-01 / ANAC Date 15-Apr-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By VLADILSON SALDANHA CARDOSO Certificate No. COD. ANAC NO. 718304 Date 15-Apr-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2285232

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	27-Mar-2014	SBSP	602.9	496	602.9	602.9	463	463	388.7	600	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	27-Mar-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC</u> and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	27-Mar-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286199

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	22-Mar-2014	SBSP	598.1	493	598.1	598.1	460	460			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	-------------------------	-----------	----------	------------------------------	--------------	-------------	-------------------	--------------------------------------	-------------------	--------------

221001 221010	1 1	FLIGHT GUIDANCE CONTROL PANEL		7022010-909 GP-400		06120621	N	R		
------------------	-----	-------------------------------	--	-----------------------	--	----------	---	---	--	--

Comments: Replaced Flight Guidance Control Panel. Removed PN 7022010-909 S/N 08060842. Installed PN 7022010-909 S/N 06120621 (Repaired), I.A.W M.M 680 Chapter 22-10-01 Rev. 20 - Form 8130-3 N° 317272743, dated Mar 14 / 2014, emitted by Honeywell.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certified Repair Station Number CHE # 6905-01 / ANAC Work Order No. 78841

Work Performed By TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A. Certificate No. CHE # 6905-01 / ANAC Date 22-Mar-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) ANAC / BRAZIL and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By VLADILSON SALDANHA CARDOSO Certificate No. COD. ANAC NO. 718304 Date 22-Mar-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



MTR ID # 2267563

Page 1 of 1

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

 Airframe
Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	11-Mar-2014	SBSP	592	489	592	592	456	456	383	593	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2267563001	1 - VOR	VOR								
Comments: RBHA 91.171 VOR CHECK										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	11-Mar-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) <u>ANAC</u> and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	11-Mar-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



MTR ID # 2286264 Replaces MTR ID # 2286147

Maintenance Transaction Record

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1
Serial No. _____ Eng. #2
Serial No. _____ APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	10-Mar-2014	SBJD	592	489	592	592	456	456			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
262002 262002 : CABIN	1 1	CABIN PORTABLE FIRE EXTINGUISHER	CABIN	C352TS		Y-650217	N	N 0 MTH 0 HRS		
Comments: Replaced Cabin Portable Fire Ext. Removed PN C352 S/N X-561534. Installed PN C352TS S/N Y-650217 (New), I.A.W.M.M 680 Rev. 20 - Form 8130-3 N° 4089703, dated Jan 13 / 2014, emitted by Cessna Aircraft Company. Manufacture Date: Jan / 2014 Next Hydro Check: Jan / 2026										
262002 262002 : CKPT	2 1	COCKPIT PORTABLE FIRE EXTINGUISHER	COCKPIT	C352TS		Y-548311	N	N 0 MTH 0 HRS		
Comments: Replaced Ckpt Portable Fire Ext. Removed PN C352TS S/N X-624311. Installed PN C352TS S/N Y-548311 (New), I.A.W.M.M 680 Rev. 20 - Form 8130-3 N° 4083368, dated Jan 07 / 2014, emitted by Cessna Aircraft Company. Manufacture Date: Jan / 2014. Next Hydro Check: Jan / 2026										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	78737
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE # 6905-01 / ANAC	Date	10-Mar-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC NO. 718304	Date	10-Mar-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page



Maintenance Transaction Record

MTR ID # 2286158

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	10-Mar-2014	SBJD	592	489	592	592	456	456			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-24	1 2	INSPECTION DOCUMENT 24								
Comments: Performed Inspection Document 24, I.A.W. MM 680 Chapter 05-12-24 Rev. 20.										
5-12-39	2 2	INSPECTION DOCUMENT 39								
Comments: Performed Inspection Document 39, I.A.W. MM 680 Chapter 05-12-39 Rev. 20. Next Weighing date: Jan / 15										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	78737
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE # 6905-01 / ANAC	Date	10-Mar-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC NO. 718304	Date	10-Mar-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2261410

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	06-Feb-2014	SBSP	576.8	478	576.8	576.8	445	445	373.9	582	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	06-Feb-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	06-Feb-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286079

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	05-Feb-2014	SBSP	576	477	576	576	444	444			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	-------------------------	-----------	----------	------------------------------	--------------	-------------	-------------------	--------------------------------------	-------------------	--------------

232011	1 1	RIGHT COMMUNICATION RADIO MODULE	RIGHT	7026201-801		04040661	N	R		
--------	-----	----------------------------------	-------	-------------	--	----------	---	---	--	--

232011 : R

Comments: Replaced RH Communication Radio Module. Removed PN 7026201-801 S/N 08064790. Installed PN 7026201-801 S/N 04040661 (Repaired), I.A.W M.M 680 Chapter 23-10-10 Rev.19 - Form 8130-3 N° 316583678, dated Jan 08 / 2014, emitted by Honeywell.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	78519
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE # 6905-01 / ANAC	Date	05-Feb-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC NO. 718304	Date	05-Feb-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2246084

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	09-Jan-2014	SBSP	556.1	460	556.1	556.1	427	427	356	564	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	UTC ENGENHARIA	Certified Repair Station Number	_____	Work Order No.	_____
Work Performed By	CESAR ALIBONI	Certificate No.	14493	Date	08-Jan-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CESAR ALIBONI	Certificate No.	14493	Date	16-Jan-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2246084

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	08-Jan-2014	SBSP	556.1	460	556.1	556.1	427	427	356	564	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
059048	1 2	- VOR FUNCTIONAL CHECK								
Comments: VOR functional check accomplished, IAW RBHA 91.171 requirements										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility UTC ENGENHARIA	Certified Repair Station Number _____	Work Order No. _____
Work Performed By CESAR ALIBONI	Certificate No. 14493	Date 08-Jan-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.		
Work Inspected By CESAR ALIBONI	Certificate No. 14493	Date 08-Jan-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2286069

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	27-Dec-2013	SBSP	551	457	551	551	424	424			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	-------------------------	-----------	----------	------------------------------	--------------	-------------	-------------------	--------------------------------------	-------------------	--------------

345006	1 1	NO. 4 MULTI FUNCTION DISPLAY	NO. 4	7037620-811	DU-1080	08096724	N	R		
--------	-----	------------------------------	-------	-------------	---------	----------	---	---	--	--

345006 : 4

Comments: Replaced MFD # 4. Removed PN 7037620-811 S/N 08045924. Installed PN 7037620-811 S/N 08096724 (Repaired), I.A.W M.M 680 Chapter 34-23-00 Rev. 19 - Form 8130-3 n° 316488687, dated Dec 13, 2013, emitted by Honeywell.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certified Repair Station Number	CHE # 6905-01 / ANAC	Work Order No.	78247
Work Performed By	TAM AVIAÇÃO EXECUTIVA E TÁXI AÉREO S/A.	Certificate No.	CHE # 6905-01 / ANAC	Date	27-Dec-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input type="checkbox"/> Federal Aviation Administration <input checked="" type="checkbox"/> Other (Specify) ANAC / BRAZIL and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VLADILSON SALDANHA CARDOSO	Certificate No.	COD. ANAC NO. 718304	Date	27-Dec-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2223251

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 TII Cycles, Engine 2 TII Cycles, APU Hrs, APU Events, Freon Hrs.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 11 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: ORLANDO CITATION SERVICE CENTER
Certified Repair Station Number: 1106-41/ANAC
Work Order No.: 6044469

Work Performed By: ORLANDO CITATION SERVICE CENTER
Certificate No.: 1106-41/ANAC
Date: 15-Nov-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

[] Federal Aviation Administration

[x] Other (Specify) BRAZIL ANAC

and

I CERTIFY THAT THE ABOVE MAINTENANCE AND INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT BRAZIL REPAIR STATION OPERATIONS SPECIFICATIONS CERTIFICATE NUMBER 1106-41/ANAC AND THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: MARTIN FREEMAN
Certificate No.: 1106-41/ANAC
Date: 15-Nov-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section Page

CAMP Systems International
 8200 E. 34th St. Bldg. 1600, Suite 1607
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-0791



Maintenance Transaction Report

This Maintenance Transaction Report is To Be Solely For (Check One)

Airframe Entries
 Eng. # 1 Serial No.
 Eng. # 2 Serial No.
 APU Serial No.

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
680-0237	0237	N405JD	11/11/2013	MCO	538.9	453	#1 538.9 #2 538.9	#1 420 #2 420		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1		Date: November 11, 2013										
	2		Registration Number: N405JD Serial Number: 680-0237										
	3		I have inspected this aircraft and found that it meets the requirements for the certificate requested and I have issued an Export Certificate of Airworthiness to Brazil this date.										
	4												
	5												
	6												
	7												
	8												

- Type Transacti
 1. Component C
 2. Inspection Ac
 3. Service Bulle
 4. Airworthiness

Authorized Signature

Fred E. Ware
 Fred E. Ware
 DART200033-SO

Installed Part Status
 N - New
 R - Repaired
 S - Serviceable
 O - Overhauled
 s, Etc.

Ref No	
1	
2	
3	
4	
5	
6	
7	
8	

Work Order No.	<input type="text"/>	Maintenance Log Section	3	Maintenance Log Page	1	Scheduled Removal Due (TAT)	
----------------	----------------------	-------------------------	---	----------------------	---	-----------------------------	--

Work Performed By: Certificate No. Date

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Work Inspected By: Certificate No. Date

Permanent Aircraft Record - File In Maintenance Log



CAMP Systems International
 8200 E. 34th St. Bldg.1600, Suite 1607
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-0791

Maintenance Transaction Report

This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.

Aircraft Identification and Status

A/C Serial No	A/C Unit No	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
680-0237	0237	N405JD	11/11/2013	MCO	538.9	453	#1 538.9 #2 538.9	#1 420 #2 420		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1		MAINTENANCE NOTE										
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Detail Method Of Compliance
 Under Comments Below

W - Worn To Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other(note below)

Enter One
Installed Part Status
N - New
R - Repaired
S - Serviceable
O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

Ref No	1	This aircraft was inspected and found to be current on it's FAA approved inspection program, and to be in a condition for safe operation. AD notes were checked through Bi-Weekly issue 2013-22 for applicability and
2	compliance. The special requirements for Brazil were reviewed and complied with as applicable.	
3		
4		
5		
6		
7		
8		

Work Order No.	6044663	Maintenance Log Section	3	Maintenance Log Page	1
----------------	---------	-------------------------	---	----------------------	---

Work Performed By:	CESSNA ORLANDO CSC	Certificate No.	CNQ8918C	Date	11/11/13	Scheduled Removal Due (TAT)
--------------------	--------------------	-----------------	----------	------	----------	-----------------------------

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Work Inspected By: JOHN M. CARNEY Certificate No. CNQ8918C Date 11/11/2013

Permanent Aircraft Record - File In Maintenance Log

CAMP Systems International
 8200 E. 34th St. Bldg. 1600, Suite 1607
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-0791



Maintenance Transaction Report

This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. # 1 Serial No.
 Eng. # 2 Serial No.
 APU Serial No.

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
680-0237	0237	N405JD	11/5/2013	MCO	537.8	452	#1 537.8 #2 537.8	#1 419 #2 419		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1												
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Date: November 5, 2013

Registration Number: N405JD

Serial Number: 680-0237

I have inspected this aircraft and found that it meets the requirements for the certificate requested and I have issued a Standard (Transport Category) Airworthiness Certificate this date.

- Type Transaction
- Component Chan
 - Inspection Accom
 - Service Bulletin A
 - Airworthiness Dire

Authorized Signature

Fred E. Ware
 Fred E. Ware
 DART200033-SO

- alled Part Status
- New
 - Repaired
 - Serviceable
 - Overhauled
 - Etc.

Ref No	
1	
2	
3	
4	
5	
6	
7	
8	

Work Order No.	<input type="text"/>	Maintenance Log Section	3	Maintenance Log Page	1	Scheduled Removal Due (TAT)	<input type="text"/>
----------------	----------------------	-------------------------	---	----------------------	---	-----------------------------	----------------------

Work Performed By: Certificate No. Date

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Work Inspected By: Certificate No. Date

Permanent Aircraft Record - File In Maintenance Log



CAMP Systems International
 8200 E. 34th St. Bldg. 1600, Suite 1607
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-0791

Maintenance Transaction Report

This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries Eng. # 1 Serial No. Eng. #2 Serial No. APU Serial No.

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
680-0237	0237	N405JD	11/5/2013	MCO	537.8	452	#1 537.8 #2 537.8	#1 419 #2 419		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1		MAINTENANCE NOTE										
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

Detail Method Of Compliance
 Under Comments Below

W - Worn To Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other(note below)

Enter One

Installed Part Status
 N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

Ref No	1	This aircraft was inspected and found to be current on it's FAA approved inspection program, and to be in a condition for safe operation. AD notes were checked through Bi-Weekly issue 2013-21 for applicability and compliance.
Ref No	2	
Ref No	3	
Ref No	4	
Ref No	5	
Ref No	6	
Ref No	7	
Ref No	8	

Work Order No.

Maintenance Log Section **3**

Maintenance Log Page **1**

Work Performed By: Certificate No. Date Scheduled Removal Due (TAT)

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Permanent Aircraft Record - File In Maintenance Log

Work Inspected By:  JOHN M. CARNEY Certificate No. Date



Maintenance Transaction Record

MTR ID # 2205336

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N405JD	05-Nov-2013	MCO	537.8	452	537.8	537.8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-01 051201	1 2	MSG-3 INSPECTION DOCUMENT 1 (INTERVAL 1A ITEMS)								
Comments: Complied with Inspection Document #1 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-01.										
5-12-02 051202	2 2	MSG-3 INSPECTION DOCUMENT 2 (INTERVAL 2A ITEMS)								
Comments: Complied with Inspection Document #2 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-02.										
5-12-03 051203	3 2	MSG-3 INSPECTION DOCUMENT 3 (INTERVAL 3A ITEMS)								
Comments: Complied with Inspection Document #3 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-03.										
5-12-09 051209	4 2	MSG-3 INSPECTION DOCUMENT 9 (INTERVAL 4C ITEMS)								
Comments: Complied with Inspection Document #9 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-09.										
5-12-15 051215	5 2	MSG-3 INSPECTION DOCUMENT 15 (INTERVAL 4A/4C ITEMS)								
Comments: Complied with Inspection Document #15 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-15.										
5-12-36 051236	6 2	INSPECTION DOCUMENT 36 (INTERVAL 3A/4C ITEMS)								
Comments: Complied with Inspection Document #36 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-36.										
5-12-38 051238	7 2	INSPECTION DOCUMENT 38 (INTERVAL 4A/2C ITEMS)								
Comments: Complied with Inspection Document #38 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-38.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SEVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6044469
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CRS# CNQ8918C	Date	05-Nov-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	GARY DUCHARME <i>Gary Ducharme</i>	Certificate No.	CRS# CNQ8918C	Date	05-Nov-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3PT2	



Maintenance Transaction Record

MTR ID # 2205336

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N405JD	05-Nov-2013	MCO	537.8	452	537.8	537.8	419	419			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	8 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Complied with Inspection Document #42 in accordance with Cessna 680 Maintenance Manual Chapter 5-12-42.										
059048	9 2	- VOR FUNCTIONAL CHECK								
Comments: Accomplished VOR check IAW RBHA 91.171 requirements. Operational check good.										
2205336010	10 -	REGISTRATION CHANGE								
Comments: Complied with registration change from PR-EGS to N405JD by installation of temporary decals, IAW 680 SRM ch. 51-40-09. Transponders and ELT transmitter strapped for new registration IAW 680 M.M. ch. 25-60-10 and 45-40-00. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SEVICE CENTER Certified Repair Station Number CNQ8918C Work Order No. 6044469

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CRS# CNQ8918C Date 05-Nov-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By GARY DUCHARME  Certificate No. CRS# CNQ8918C Date 05-Nov-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3PT2	



Maintenance Transaction Record

MTR ID # 2593475

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	08-Jul-2016	KICT	793	678	793	793	644	644	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2593475	1 -	REGISTRATION CHANGE								
Comments: Accomplished registration change from PP-UTC to N101CF. Accomplished re-programming of APM for N101CF, re-strapped transponders and flight ID IAW the CE-680 MM Chapter 34-23-10. Programmed ELT dongle for tail number N101CF per PR550 Manual S7025501 and Kannad CMM 25-63-01. ELT Hex Adress : ADCDE80228C01A5 Installed new call placards.										
321011 321011 R	2 1	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY	RIGHT	6941050-3		478M	SC	R		
Comments: Removed Right Main Gear Oleo P/N 6941050-2 S/N478 due to internal seal leaking. Installed repaired unit P/N 6941050-3 S/N 478M IAW the CE-680 MM Chapter 32-10-10. Unit repaired by Cessna Service Direct LLC/d.b.a. Wichita Citation Service Center CRS# CNQR918C.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER	Certified Repair Station Number CNQR918C	Work Order No. 26216
Work Performed By WICHITA CITATION SERVICE CENTER		
Certificate No. CNQR918C		Date 08-Jul-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and		
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.		
Work Inspected By JESSIE RAY DRYER	Certificate No. CNQR918C	Date 08-Jul-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	



Maintenance Transaction Record

MTR ID # 2595612

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	05-Jul-2016	ICT	792.8	677	792.8	792.8	643	643	507.9	793	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	1 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Accomplished Inspection Document 42 IAW the CE-680 MM Chapter 5-12-42.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CNQR918C	Date	05-Jul-2016
<p>I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the</p> <p><input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and</p> <p>I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.</p>					
Work Inspected By	SHAWN MASON <i>Shawn Mason</i>	Certificate No.	CNQR918C	Date	05-Jul-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	



Maintenance Transaction Record

MTR ID # 2591714

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	27-Jun-2016	ICT	791.9	675	791.9	791.9	641	641	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
276002 276002 LC	1 1	LEFT CENTER ROLL SPOILER POWER CONTROL UNIT	LEFT CENTER	1560800-5	9914651-3	1483	UN	O		
Comments: Replaced Left Center Roll Spoiler PCU due to damaged pushrod locking tab. Removed unit s/n: 1560. Installed unit part no:1560800-5 serial no:1483 IAW the CE-680 M/M chapter 27-10-00 overhauled by Nabtesco Aerospace Inc., CRS# HV6R601N. Operational and leak check good.										
324020 324002	2 1	PARKING BRAKE VALVE		98340-9	9912388-9	0482	UN	O	4 MTH 0 HRS	
Comments: Removed inoperative valve part no: 98340-9, serial no: 0364 and installed valve overhauled by SAF Industries, LLC D/B/A Gar-Kenyon Technologies CRS# GK0R519Y, IAW the CE-680 M/M chapter 32-42-70. Operational and leak check good.										
276002 276002 RC	3 1	RIGHT CENTER ROLL SPOILER POWER CONTROL UNIT	RIGHT CENTER	1560800-5	9914651-3	2943	UN	N	0 MTH 0 HRS	
Comments: Removed inoperative Right Center Spoiler PCU S/N 1435. Installed new PCU S/N 2943 IAW the CE-680 MM Chapter 27-10-00. Operational and leak check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 27-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Mason* Certificate No. CNQR918C Date 27-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



Maintenance Transaction Record

MTR ID # 2592457

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	28-Jun-2016	ICT	792.4	676	792.4	792.4	642	642	507.5	792	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
276002 276002 LC	1 1	LEFT CENTER ROLL SPOILER POWER CONTROL UNIT	LEFT CENTER	1560800-5 9914651-3		2951	UN	N 0 MTH 0 HRS		

Comments: Removed inoperative Left Center Roll Spoiler Power Control Unit S/N 1483. Installed new PCU S/N 2951 IAW the CE-680 MM Chapter 27-12-01. Operational and leak check good.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 28-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Mason* Certificate No. CNQR918C Date 28-Jun-2016

pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3	



Maintenance Transaction Record

MTR ID # 2591053

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	24-Jun-2016	ICT	791.1	673	791.1	791.1	639	639	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2591053001	1 -	LEFT WING MIDDLE FLAP								
Comments: Adjusted Left wing middle flap actuators and accomplished mechanical rigging IAW the CE-680 MM Chapter 27-50-00. Operational check good.										

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 24-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Mason* Certificate No. CNQR918C Date 24-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



MTR ID # 2727806 Replaces MTR ID # 2590693

Maintenance Transaction Record

Page 1 of 1

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	23-Jun-2016	ICT	790.8	672	790.8	790.8	638	638	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
276002 276002 : LO	1 1	LEFT OUTBOARD ROLL SPOILER POWER CONTROL UNIT	LEFT OUTBOARD	1560800-5 9914651-3		1483	UN	O		
Comments: Removed inoperative Left Outboard Roll spoiler power control unit S/N 1569. Installed overhauled actuator S/N 1483 IAW the CE-560XL MM Chapter 27-10-00. Overhaul accomplished by NABTESCO AEROSPACE, INC CRS# HV6R601N. Operational and leak check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CNQR918C	Date	23-Jun-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SHAWN MASON <i>Shawn Mason</i>	Certificate No.	CNQR918C	Date	23-Jun-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	



Maintenance Transaction Record

MTR ID # 2589400

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	22-Jun-2016	ICT	789.1	671	789.1	789.1	637	637	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
330005 330005 : 1	1 1	NO. 1 EMERGENCY LIGHTING (UF004) BATTERY PACK	NO. 1	CBS28-1		2482M	UN	S		
Comments: Removed inoperative NO.1 Emergency Battery Pack S/N 2276. Installed modified battery S/N 2482M IAW the CE-680 MM Chapter 33-50-00. Unit modified by Radiant Power Corp. CRS# W9PR345Y. Operational check good.										
330005 330005 2	2 1	NO. 2 EMERGENCY LIGHTING (UC003) BATTERY PACK	NO. 2	CBS28-1		1935M	UN	S		
Comments: Removed inoperative NO.2 Emergency Battery Pack S/N 2924. Installed modified battery S/N 1935M IAW the CE-680 MM Chapter 33-50-00. Unit modified by Radiant Power Corp. CRS# W9PR345Y. Operational check good.										
330005 330005 3	3 1	NO. 3 EMERGENCY LIGHTING (UF006) BATTERY PACK	NO. 3	CBS28-1		2124M	UN	S		
Comments: Removed inoperative NO.3 Emergency Battery Pack S/N 2756. Installed modified battery S/N 212M IAW the CE-680 MM Chapter 33-50-00. Unit modified by Radiant Power Corp. CRS# W9PR345Y. Operational check good.										
330005 330005 4	4 1	NO. 4 EMERGENCY LIGHTING (UF008) BATTERY PACK	NO. 4	CBS28-1		2008M	UN	S		
Comments: Removed inoperative NO.4 Emergency Battery Pack S/N 2489. Installed modified battery S/N 2008M IAW the CE-680 MM Chapter 33-50-00. Unit modified by Radiant Power Corp. CRS# W9PR345Y. Operational check good.										
2589400005	5 1	AIRCELL HANDSET		P12192-003		1219238925	UN	N 0 MTH 0 HRS		
Comments: Removed inoperative cockpit overhead aircell handset S/N 1219213553. Installed new handset S/N 1219238925 IAW the CE-680 MM Chapter 23-40-00. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CNQR918C	Date	22-Jun-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SHAWN MASON <i>Shawn Mason</i>	Certificate No.	CNQR918C	Date	22-Jun-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	



Maintenance Transaction Record

MTR ID # 2588189

Page 1 of 1



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	20-Jun-2016	ICT	787.6	670	787.6	787.6	636	636	507.3	791	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2588189002	1 1	CONDENSER BAG		83237-12		N/A	UN	N 0 MTH 0 HRS		
Comments: Removed and replaced water separator condenser bag IAW the CE-680 MM Chapter 21-50-00. Leak check good.										
275010	2 1	LEFT AILERON TRIM ACTUATOR	LEFT	2A7211D	9914667-6	D0461	UN	O		
Comments: Removed inoperative Left Aileron Trim Actuator S/N D0481. Installed overhauled actuator S/N D0461 IAW the CE-680 MM Chapter 27-11-01. Overhaul accomplished by Woodward MPC Inc. CRS# M74R907N. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 20-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Mason* Certificate No. CNQR918C Date 20-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	



Maintenance Transaction Record

MTR ID # 2513593

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	16-Jun-2016	ICT	785.2	668	785.2	785.2	634	634	505.5	790	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2513593	1 -	AIRWORTHINESS CERTIFICATE								
Comments: This aircraft meets the requirements for the certificate requested and has been issued a Standard Airworthiness Certificate on December 17, 2015.										
360013 360013: CNTR	2 1	CENTER ENGINE BLEED SHUTOFF VALVE	CENTER	2602-68	9914552-3	0262C	UN	O		
Comments: Removed inoperative cross over valve S/N 0289. Installed overhauled valve S/N 0262C IAW the CE-680 MM Chapter 36-00-13. Overhaul accomplished by Aerospace Systems and Components, INC. CRS# OI2R058L. Operational and leak check good.										
2513593003	3 1	KANNAD ELT DONGLE					UN	S		
Comments: Programmed tail number PP-UTC for ELT IAW the Kannad Component MM Chapter 25-63-01. 15 Digit Hex Code: D8C64B6D63C86E5.										

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 16-Jun-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By SHAWN MASON *Shawn Mason* Certificate No. CNQR918C Date 16-Jun-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2501633

Page 1 of 6

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2501633001	1 2	CESSNA PRE-BUY SURVEY Comments: Accomplished Cessna Aircraft Pre-Buy Survey								
5-12-01 051201	2 2	INSPECTION DOCUMENT 1 (INTERVAL 1A ITEMS) Comments: Accomplished INSPECTION DOCUMENT 1 (INTERVAL 1A ITEMS) IAW the CE-680 M/M chapter 5-12-01								
5-12-02 051202	3 2	INSPECTION DOCUMENT 2 (INTERVAL 2A ITEMS) Comments: Accomplished INSPECTION DOCUMENT 2 (INTERVAL 2A ITEMS) IAW the CE-680 M/M chapter 5-12-02								
5-12-04 051204	4 2	INSPECTION DOCUMENT 4 (INTERVAL 4A ITEMS) Comments: Accomplished INSPECTION DOCUMENT 4 (INTERVAL 4A ITEMS) IAW the CE-680 M/M chapter 5-12-04								
5-12-11 051211	5 2	INSPECTION DOCUMENT 11 (INTERVAL 8C ITEMS) Comments: Accomplished INSPECTION DOCUMENT 11 (INTERVAL 8C ITEMS) IAW the CE-680M/M chapter 5-12-11								
5-12-13 051213	6 2	INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS) Comments: Accomplished INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS) IAW the CE-680 M/M chapter 5-12-13								
5-12-14 051214	7 2	INSPECTION DOCUMENT 14 (INTERVAL 2A/2C ITEMS) Comments: Accomplished INSPECTION DOCUMENT 14 (INTERVAL 2A/2C ITEMS) IAW the CE-680 M/M chapter 5-12-14								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CNQR918C	Date	15-Dec-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SERGIO A. VELEZ	Certificate No.	CNQR918C	Date	15-Dec-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2501633

Page 2 of 6

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-17 051217	8 2	INSPECTION DOCUMENT 17 (INTERVAL 8A/4C ITEMS)								
Comments: Accomplished INSPECTION DOCUMENT 17 (INTERVAL 8A/4C ITEMS) IAW the CE-680 M/M chapter 5-12-17										
5-12-18 051218	9 2	INSPECTION DOCUMENT 18 (INTERVAL 16A/8C ITEMS)								
Comments: Accomplished INSPECTION DOCUMENT 18 (INTERVAL 16A/8C ITEMS) IAW the CE-680 M/M chapter 5-12-18										
5-12-19 051219	10 2	INSPECTION DOCUMENT 19 (INTERVAL 4C THEN 2C ITEMS)								
Comments: Accomplished INSPECTION DOCUMENT 19 (INTERVAL 4C THEN 2C ITEMS) IAW the CE-680 M/M chapter 5-12-19										
5-12-20	11 2	INSPECTION DOCUMENT 20								
Comments: Accomplished INSPECTION DOCUMENT 20 IAW the CE-680 M/M chapter 5-12-20										
5-12-21 051221	12 2	INSPECTION DOCUMENT 21 (91.207 ITEMS)								
Comments: Accomplished INSPECTION DOCUMENT 21(91.207 ITEMS) IAW the CE-680 M/M chapter 5-12-21										
5-12-27 051227	13 2	INSPECTION DOCUMENT 27 (APU)								
Comments: Accomplished INSPECTION DOCUMENT 27 (APU) IAW the CE-680 M/M chapter 5-12-27										
5-12-28 051228	14 2	INSPECTION DOCUMENT 28 (APU)								
Comments: Accomplished INSPECTION DOCUMENT 28 (APU) IAW the CE-680 M/M chapter 5-12-28										
5-12-34	15 2	INSPECTION DOCUMENT 34								
Comments: Accomplished INSPECTION DOCUMENT 34 IAW the CE-680 M/M chapter 5-12-34										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By SERGIO A. VELEZ  Certificate No. CNQR918C Date 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2501633

Page 3 of 6



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	16 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS Comments: Accomplished INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS IAW the CE-680 M/M chapter 5-12-42								
5-12-MC	17 2	INSPECTION DOCUMENT MC Comments: Accomplished INSPECTION DOCUMENT MC IAW the CE-680 M/M chapter 5-12-MC								
5-12-MD 0512MD	18 2	INSPECTION DOCUMENT MD (800 HR/CH 4 INSP) Comments: Accomplished INSPECTION DOCUMENT MD (800 HR/CH 4 INSP) IAW the CE-680 M/M chapter 5-12-MD								
5-12-MG 0512MG	19 2	INSPECTION DOCUMENT MG (800 HRS TWICE THEN 1600 HRS/CH 4 INSP) Comments: Accomplished INSPECTION DOCUMENT MG (800 HRS TWICE THEN 1600 HRS/CH 4 INSP) IAW the CE-680 M/M chapter 5-12-MG								
059048	20 2	- VOR FUNCTIONAL CHECK Comments: Remove Item Code 059048 per customer request.								
D243102 051234 : L	21 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34 Comments: Accomplished Inspection Document 34 functional check of left main battery, S/N: 00091EE0, IAW the CE 680 M/M Chapter 24-31-00. Operational check good.	LEFT	023167-000		00091EE0				
D243102 051234 : R	22 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34 Comments: Accomplished Inspection Document 34 functional check of right main battery, S/N: 0008850B, IAW the CE 680 M/M Chapter 24-31-00. Operational check good.	RIGHT	023167-000		0008850B				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By SERGIO A. VELEZ Certificate No. CNQR918C Date 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	3



Maintenance Transaction Record

MTR ID # 2501633

Page 4 of 6



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
245012 245012 : R	23 1	RIGHT B/A MONITOR NF208 PCB ASSY	RIGHT	6918625-26		0604A	UN	R		
Comments: Removed right bleed air monitor PCB assembly, P/N: 6918625-26 S/N: 0604A, due to failure. Unit repaired and reinstalled IAW the CE 680 M/M Chapter 35-20-00. Operational check good. Unit repaired by: Cessna Service Direct, CRS#: CNQR918C.										
B256001	24 2	FUNCTIONAL CHECK EMERGENCY LOCATOR TRANSMITTER (KANNAD ELT) (AIRPLANES 680-0001 - 680-0324);INSPECTION DOCUMENT 21(91.207 ITEMS)		S1821502-02		26195910002				
Comments: Accomplished Inspection Document 21 functional check of emergency locator transmitter IAW the CE 680 M/M Chapter 25-63-01. Operational check good.										
321007 321007 : L	25 1	LEFT MAIN LANDING GEAR TRAILING LINK	LEFT	6941030-2		25129221	UN	N 0 LDG		
Comments: Removed left MLG trailing link, P/N: 6941030-2 S/N: 419, due to corrosion. Replaced with new trailing link IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										
321007 321007 : R	26 1	RIGHT MAIN LANDING GEAR TRAILING LINK	RIGHT	6941030-2		25121602	UN	N 0 LDG		
Comments: Removed right MLG trailing link, P/N: 6941030-2 S/N: 420, due to corrosion. Replaced with new trailing link IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										
321009 321009 : L	27 1	LEFT MAIN LANDING GEAR TRAILING LINK SPACER	LEFT	6941031-16		24633937J	UN	N 0 LDG		
Comments: Removed left MLG trailing link spacer, P/N: 6941031-16 S/N: 419, due to corrosion. Replaced with new unit IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										
321009 321009 : R	28 1	RIGHT MAIN LANDING GEAR TRAILING LINK SPACER	RIGHT	6941031-16		24631146A	UN	N 0 LDG		
Comments: Removed right MLG trailing link spacer, P/N: 6941031-16 S/N: 420, due to corrosion. Replaced with new unit IAW the CE 680 M/M Chapter 32-10-00. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By SERGIO A. VELEZ  Certificate No. CNQR918C Date 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	4



Maintenance Transaction Record

MTR ID # 2501633

Page 5 of 6

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
340050 340050 : R	29 1	NO. 2 ATC TRANSPONDER	NO. 2	7517400-950 XS-857A		0707D083	N	R		
Comments: Removed p/n 7517400-950, s/n 0803D861 due to failure. Replacement unit was MODIFIED and returned to service by Honeywell International Inc. CRS# LV2R992K. Installed replacement unit IAW the CE-680 M/M chapter 34-53-00. Operational and certification check was accomplished on Inspection Document 20.										
B341001 051220 : L-ADC	30 2	CALIBRATION TEST NO. 1 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20	NO. 1	HG1153CA02		08053056				
Calibration Date: 15-Dec-2015 Comments: 14 CFR 91.411 requirements complied with to a test altitude of 47,000 feet, and per the Model 680 Maintenance Manual, Item Code B341001, Task 34-11-00-700 in accordance with CFR 91.411. New certification date: 12/15/2015.										
B341001 051220 : R-ADC	31 2	CALIBRATION TEST NO. 2 AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20	NO. 2	HG1153CA02		08043025				
Calibration Date: 15-Dec-2015 Comments: 14 CFR 91.411 requirements complied with to a test altitude of 47,000 feet, and per the Model 680 Maintenance Manual, Item Code B341001, Task 34-11-00-700 in accordance with CFR 91.411. New certification date: 12/15/2015.										
B341001 051220 : RVSM	32 2	FUNCTIONAL CHECK RVSM PITOT STATIC SYSTEM (FAR 91.411, 91.413): INSPECTION DOCUMENT 20	RVSM							
Comments: Accomplished Inspection Document 20 RVSM Skin Waviness Inspection per the CE-680 M/M chapter 5-12-20 and Task 34-11-00-700. New certification date: 12/15/2015.										
B341001 051220 : STDBY	33 2	CALIBRATION TEST STANDBY AIR DATA MODULE (FAR 91.411): INSPECTION DOCUMENT 20	STANDBY	501-1881-05		1947				
Calibration Date: 15-Dec-2015 Comments: 14 CFR 91.411 requirements complied with to a test altitude of 47,000 feet, and per the Model 680 Maintenance Manual, Item Code B341001, Task 34-11-00-700 in accordance with CFR 91.411. New certification date: 12/15/2015.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	WICHITA CITATION SERVICE CENTER	Certified Repair Station Number	CNQR918C	Work Order No.	26216
Work Performed By	WICHITA CITATION SERVICE CENTER	Certificate No.	CNQR918C	Date	15-Dec-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	SERGIO A. VELEZ	Certificate No.	CNQR918C	Date	15-Dec-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	5



Maintenance Transaction Record

MTR ID # 2501633

Page 6 of 6

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	PP-UTC	15-Dec-2015	ICT	785.2	668	785.2	785.2	634	634	505.5	790	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B345301 051220 : LXPDR	34 2	FUNCTIONAL CHECK NO. 1 ATC TRANSPONDER (FAR 91.413): INSPECTION DOCUMENT 20 Calibration Date: 15-Dec-2015 Comments: Accomplished Transponder Calibration per FAR 91.413, Part 43, Appendix F per the MSG Item Code B345301 Task 34-53-00-700. New certification date: 12/15/2015.	NO. 1	7517400-950		03106530				
B345301 051220 : RXPDR	35 2	FUNCTIONAL CHECK NO. 2 ATC TRANSPONDER (FAR 91.413): INSPECTION DOCUMENT 20 Calibration Date: 15-Dec-2015 Comments: Accomplished Transponder Calibration per FAR 91.413, Part 43, Appendix F per the MSG Item Code B345301 Task 34-53-00-700. New certification date: 12/15/2015.	NO. 2	7517400-950		0707D083				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER Certified Repair Station Number CNQR918C Work Order No. 26216

Work Performed By WICHITA CITATION SERVICE CENTER Certificate No. CNQR918C Date 15-Dec-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By SERGIO A. VELEZ  Certificate No. CNQR918C Date 15-Dec-2015

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	6



Maintenance Transaction Record

MTR ID # 2667158

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	30-Dec-2016	KSDL	893.7	739	893.7	893.7	706	706	585.2	895	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
D243102 051234 : L	1 2	FUNCTIONAL CHECK LEFT MAIN BATTERY (CAPACITY CHECK - SAFT) : INSPECTION DOCUMENT 34 Comments:	LEFT	023167-000		00091EE0				
D243102 051234 : R	2 2	FUNCTIONAL CHECK RIGHT MAIN BATTERY (CAPACITY CHECK - SAFT): INSPECTION DOCUMENT 34 Comments:	RIGHT	023167-000		0008850B				
5-12-13 051213	3 2	INSPECTION DOCUMENT 13 (INTERVAL 1A/1C ITEMS) Comments:								
5-12-21 051221	4 2	INSPECTION DOCUMENT 21(91.207 ITEMS) Comments:								
5-12-34	5 2	INSPECTION DOCUMENT 34 Comments:								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility SIGNATURE TECHNICAIR Certified Repair Station Number LN3R663L Work Order No. S29-16-09706

Work Performed By KURT FRANCIS Certificate No. CRS#LN3R663L Date 30-Dec-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration Other (Specify) _____ and

I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.

Work Inspected By MIKE BOWEN Certificate No. CRS#LN3R663L Date 30-Dec-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2637256

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	17-Oct-2016	KIWA	868.4	723	868.4	868.4	690	690			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
261002 261002 : R	1 1	RIGHT BLEED AIR CONTROL UNIT	RIGHT	35009-20		D5064	N	S		
Comments: Removed Right Bleed Air Control Unit P/N 35009-20 S/N D5010 and swapped with serviceable control unit (Right Wing Bleed Air Leak Control Unit) P/N 35009-20 S/N D5064 for troubleshooting purposes IAW Cessna 680 AMM 36-20-10, checks good on operational check.										
261003 261003 : R	2 1	RIGHT ANTI-ICE CONTROL UNIT	RIGHT	35009-20		D5010	N	S		
Comments: Removed Right Wing Bleed Air Leak Control Unit P/N 35009-20 S/N D5064 and swapped with serviceable control unit (Right Bleed Air Control Unit) P/N 35009-20 S/N D5010 for troubleshooting purposes IAW Cessna 680 AMM 36-20-10, checks good on operational check.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility MESA CITATION SERVICE CENTER
 Certified Repair Station Number CNQD918C
 Work Order No. 43997

Work Performed By MESA CITATION SERVICE CENTER
 Certificate No. CNQD918C
 Date 17-Oct-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration
 Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By CLARK COLTER *Clark Colter*
 Certificate No. CNQD918C
 Date 17-Oct-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2633083

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	06-Oct-2016	KHOU	862	719	862	862	686	686	558.3	861	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2633083001	1 -	AILRON RATIO CHANGER PROX SWITCH		6908272-12		NSN	UN	N 0 MTH 0 HRS		
Comments: Gained access to aileron changer ratio box inspected gap to prox switch good. Performed ohms check resistance readings high found prox switch defective . Removed aileron ratio prox switch installed new switch performed operational checks good no CAS message present work done IAW CE680 AMM 27-11-10. P/N ON OFF 6908272-12										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	SAN ANTONIO CITATION SERVICE CENTER	Certified Repair Station Number	CRS# CNQ5918C	Work Order No.	REV 44925
Work Performed By	SAN ANTONIO CESSNA CITATION SERVICE CENTER		Certificate No.	CRS# CNQ5918C	Date 06-Oct-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MARK MILINA	<i>Mark Milina</i>	Certificate No.	CRS CNQ5918C	Date 06-Oct-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	



Citation Product Support

The Cessna Aircraft Company

Post Office Box 7706 / Wichita, Kansas 67277

Telefax: 316-945-9006 / Phone: 316-941-6291

Maintenance Transaction Report

This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No.
 Eng. #2 Serial No.
 APU Serial No.
 Freon Serial No.

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
680-0237		N101CF	8-30-2016	KSDL	829.7		#1 <input type="text"/> #2 <input type="text"/>	#1 <input type="text"/> #2 <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter# Change Desired)	TSO Installed Part	Material Costs	Man Hours
1												
2	Do Not											
3	Write											
4	In This											
5	Space											
6												
7												
8												

Type Transaction

- Component Change
- Inspection Accomplished
- Service Bulletin Accomplished
- Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason Enter One:

- W - Worn To Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other(note below)

Installed Part Status

- Enter One:
- N - New
 - R - Repaired
 - S - Serviceable
 - O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

Ref No	Comments
1	Replaced L/H front avionics door gas spring with new P/N 6713117-21 IAW Citation C680 MM 52-30-00 operational check good
2	Serviced R/H MLG strut IAW Citation C680 MM 12-14-00
3	Serviced accumulator IAW Citation C680 MM 29-10-02 and 12-12-03 no leaks noted
4	Adjusted pin hole on emergency exit door IAW Citation C680 MM 52-20-00 operational check good
5	
6	
7	
8	

Repair Facility	Signature TechnicAir	Certificated Repair Number	LN3R663L	Work Order No.	S29-16-09322
Work Performed By		Certificate No.	LN3R663L	Date	
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) <input type="text"/> and the aircraft identified above is presently airworthy and approved for return to service. 					
Work Inspected By:		Certificate No.	LN3R663L	Date	8-30-2016

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2604496
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	27-Jul-2016	KIWA	795	679	795	795	645	645	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
256005	1 1	LIFE RAFT		69FASA-632-1-70 5		6UL-00813	SC	O 0 MTH 0 HRS		
Comments: Life raft PN 69FASA-632-1-705 SN 6UL-00813 was overhauled by Shoreline Marine Inc. FAA# WV1R599K. Next service due by 7/31/2019										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility MESA SERVICE CENTER **Certified Repair Station Number** CNQD918C **Work Order No.** 39782
Work Performed By MESA SERVICE CENTER **Certificate No.** CNQD918C **Date** 27-Jul-2016
 I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.
Work Inspected By DAVID HT WEBSTER **Certificate No.** CNQD918C **Date** 27-Jul-2016
 Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2604711

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	27-Jul-2016	KSDL	802.7	685	802.7	802.7	651	651			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2604711001	1 -	RECONFIGURED AIRCRAFT ARINC SETTINGS								
Comments: Reconfigured Aircraft ARINC Settings due to incorrect settings. Operational checks are satisfactory. Work performed in reference to SB680-34-12 Rev 1.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	MESA CITATION SERVICE CENTER	Certified Repair Station Number	CNQD918C	Work Order No.	41035
Work Performed By	MESA CITATION SERVICE CENTER	Certificate No.	CNQD918C	Date	27-Jul-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE IN RESPECT TO THE WORK PERFORMED.					
Work Inspected By	EDDY BULINSKI	Certificate No.	CNQD918C	Date	27-Jul-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2598042

Page 1 of 4

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-06 051206	1 2	INSPECTION DOCUMENT 6 (INTERVAL 1C ITEMS)								
Comments: Complied with inspection document 6 in accordance with chapter 5-12-06 of the Citation 680 maintenance manual.										
5-12-07 051207	2 2	INSPECTION DOCUMENT 7 (INTERVAL 2C ITEMS)								
Comments: Complied with inspection document 7 in accordance with chapter 5-12-07 of the Citation 680 maintenance manual.										
5-12-39	3 2	INSPECTION DOCUMENT 39								
Comments: Complied with inspection document 39 in accordance with chapter 5-12-39 of the Citation 680 maintenance manual.										
B262003 051239 : CABIN	4 2	FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	CABIN	C352TS		Y-650217				
Weight Check Date: 11-Jul-2016 Comments: Complied with functional check (weight) of the portable fire extinguisher in accordance with task 26-20-20-700 of the Citation 680 maintenance manual.										
B262003 051239 : CKPT	5 2	FUNCTIONAL (WEIGHT) CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 39	COCKPIT	C352TS		Y-548311				
Weight Check Date: 11-Jul-2016 Comments: Complied with functional check (weight) of the portable fire extinguisher in accordance with task 26-20-20-700 of the Citation 680 maintenance manual.										
5-12-40 051240	6 2	INSPECTION DOCUMENT 40 (INTERVAL 2A/1C)								
Comments: Complied with inspection document 40 in accordance with chapter 5-12-40 of the Citation 680 maintenance manual										

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	MESA SERVICE CENTER	Certified Repair Station Number	CNQD918C	Work Order No.	39782
Work Performed By	MESA SERVICE CENTER	Certificate No.	CNQD918C	Date	23-Jul-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CLARK COLTER <i>Clark Colter</i>	Certificate No.	CNQD918C	Date	23-Jul-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2598042

Page 2 of 4

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng. #1 Serial No. _____
 Eng. #2 Serial No. _____
 APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-42	7 2	INSPECTION DOCUMENT 42-AIRCRAFT THAT OPERATE IN MODERATE TO SEVERE CORROSION ENVIRONMENTS								
Comments: Complied with inspection document 42 in accordance with chapter 5-12-42 of the Citation 680 maintenance manual										
340052 340052 : 1	8 1	NO. 1 IRIDIUM/GPS ANTENNA	NO. 1	S67-1575-135		818-5877	SC	N 0 MTH 0 HRS		
Comments: Removed NO. 1 IRIDIUM/GPS ANTENNA part no: S67-1575-132 serial no: 435-1679, and installed new NO. 1 IRIDIUM/GPS ANTENNA part no: S67-1575-135 serial no: 818-5877 in accordance with Cessna 680 Maintenance Manual 34-55-15. Operational check good.										
340052 340052 : 2	9 1	NO. 2 IRIDIUM/GPS ANTENNA	NO. 2	S67-1575-135		818-5872	SC	N 0 MTH 0 HRS		
Comments: Removed NO. 2 IRIDIUM/GPS ANTENNA part no: S67-1575-132 serial no: 435-1680, and installed new NO. 2 IRIDIUM/GPS ANTENNA part no: S67-1575-135 serial no: 818-5872 in accordance with Cessna 680 Maintenance Manual 34-55-15. Operational check good.										
237001	10 1	COCKPIT VOICE RECORDER	COCKPIT	2100-1020-02		000749576	UN	R		
Comments: Removed COCKPIT VOICE RECORDER part no: 2100-1020-02 serial no: 000547138, and installed repaired COCKPIT VOICE RECORDER part no: 2100-1020-02 serial no: 000749576 repaired by Aircraft Instrument and Radio Services Inc. CRS# TI2R188L in accordance with Cessna 680 Maintenance Manual 23-70-00. Operational check good.										
237004	11 1	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON	COCKPIT	DK120		SD01118	UN	R		
Comments: Removed COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: SD35740, and installed repaired COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: SD01118 repaired by Aircraft Instrument and Radio Services Inc. CRS# TI2R188L in accordance with Cessna 680 Maintenance Manual 23-70-00. Operational check good. ULB battery expires 6/2022.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	MESA SERVICE CENTER	Certified Repair Station Number	CNQD918C	Work Order No.	39782
Work Performed By	MESA SERVICE CENTER	Certificate No.	CNQD918C	Date	23-Jul-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CLARK COLTER <i>Clark Colter</i>	Certificate No.	CNQD918C	Date	23-Jul-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2598042

Page 3 of 4

This Maintenance Report is To Be Used Solely For (Check One)



Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
237004A	12 1	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY Expiration Date: 01-Jun-2022 Comments: Removed COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: SD35740, and installed repaired COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON part no: DK120 serial no: SD01118 repaired by Aircraft Instrument and Radio Services Inc. CRS# TI2R188L in accordance with Cessna 680 Maintenance Manual 23-70-00. Operational check good. ULB battery expires 6/2022.	COCKPIT	810-2008/K		NSN	UN	N 0 MTH 0 HRS		
324013	13 1	EMERGENCY BRAKE PNEUMATIC BOTTLE Manufacture Date: 01-Sep-2010 Comments: Removed EMERGENCY BRAKE PNEUMATIC BOTTLE part no: 40005370-1 serial no: 7323 for hydrostatic test, and installed overhauled EMERGENCY BRAKE PNEUMATIC BOTTLE part no: 40005370-1 serial no: 7323 overhauled by S. J. O'Brien Ent. Inc. CRS# QK3R792L in accordance with Cessna 680 Maintenance Manual 32-43-00. Leak and operational checks good.		40005370-1	9914678-2	7323	SC	O 70 MTH		
D324301 051222 : BRAKE	14 2	HYDROSTATIC TEST EMERGENCY BRAKE PNEUMATIC BOTTLE Hydro Check Date: 14-Jul-2016 Comments: Removed EMERGENCY BRAKE PNEUMATIC BOTTLE part no: 40005370-1 serial no: 7323 for hydrostatic test, and installed overhauled EMERGENCY BRAKE PNEUMATIC BOTTLE part no: 40005370-1 serial no: 7323 overhauled by S. J. O'Brien Ent. Inc. CRS# QK3R792L in accordance with Cessna 680 Maintenance Manual 32-43-00. Leak and operational checks good.		40005370-1		7323				
291005	15 1	HYDRAULIC BOOTSTP 700 CI RESERVOIR Comments: Removed HYDRAULIC BOOTSTP 700 CI RESERVOIR part no: 7520-3 serial no: 0281, and installed modified HYDRAULIC BOOTSTP 700 CI RESERVOIR part no: 7520-3 serial no: 0089 modified by Pneudraulics Inc. CRS# PD6R469L in accordance with Cessna 680 Maintenance Manual 29-10-01. Leak and operational checks good.		7520-3	9914648-7	0089	UN	R		
2598042016	16 1	ATG 4000 BROADBAND LRU Comments: Installed new ATG 4000 broadband LRU P/N P13989, S/N 1398914315 as part of GOGO biz internet install. Operational checks passed. Work performed IAW Cessna EO CI009005035 680-0237.		P13989		1398914315				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility MESA SERVICE CENTER Certified Repair Station Number CNQD918C Work Order No. 39782

Work Performed By MESA SERVICE CENTER Certificate No. CNQD918C Date 23-Jul-2016

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By CLARK COLTER *Clark Colter* Certificate No. CNQD918C Date 23-Jul-2016

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	3



MTR ID # 2603149 Replaces MTR ID # 2598042

Maintenance Transaction Record

Page 4 of 4

This Maintenance Report is To Be Used Solely For (Check One)

 Airframe Entries Eng. #1 Serial No. _____ Eng. #2 Serial No. _____ APU Serial No. _____

CAMP Systems International
 8200 E. 34TH STREET
 BUILDING 1600, SUITE 1607
 Wichita, KS 67226
 Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	23-Jul-2016	KIWA	795	679	795	795	645	645	509.5	812	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2598042	17 1	AIRCELL-AIR TO GROUND ANTENNA	AFT	P12949		448629	SC	N 0 MTH 0 HRS		
Comments: Installed new aircell antenna P/N P12949, S/N 448629 as part of GOGO BIZ internet install. Operational checks passed. Work performed IAW Cessna EO CI009005035 680-0237.										
2598042	18 1	AIRCELL-AIR TO GROUND ANTENNA	FORWARD	P12949		462345	SC	N 0 MTH 0 HRS		
Comments: Installed new aircell antenna P/N P12949, S/N 462345 as part of GOGO BIZ internet install. Operational checks passed. Work performed IAW Cessna EO CI009005035 680-0237.										
2598042	19 1	AIRCELL CONFIGURATION MODULE	FS 495.00	P14126		1412614523	SC	N 0 MTH 0 HRS		
Comments: Installed Aircell Configuration Module part no: P14126 serial no: 1412614523 as part of GOGO BIZ internet install in accordance with Cessna EO CI009005035 680-0237. Operational check good.										
340051 340051 : L	20 1	LEFT GPS MODULE	LEFT	245-604067-100		07012001	SC	S		
Comments: Removed part no: 245-604067-001 Removed serial no: 08032982. Installed module modified by CMC Electronics Inc., CRS# 3-73, WO# 3501288485E, dated August 11, 2015 IAW the Cessna 680 MM 34-55-10. Operational check good.										
340051 340051 : R	21 1	RIGHT GPS MODULE	RIGHT	245-604067-100		08032983	SC	S		
Comments: Removed part no: 245-604067-001 Removed serial no: 08032983. Installed module modified by CMC Electronics Inc., CRS# 3-73, WO# 3501805827E, dated July 21, 2015 IAW the Cessna 680 MM 34-55-10. Operational check good.										
2603149022	22 1	LIFE RAFT	AFT	69FASA-632-1-70 5		6UL-00814	SC	O		
Comments: Removed P/N 69FASA-632-1-705 S/N 6UL-00814. Installed same S/N raft overhauled by Shoreline Marine, INC., CRS# WV1R599K, WO# 2379190, dated July 20, 2016 IAW the Cessna 680 MM 25-60-00. ELT S/N: 133464. ELT Battery date: 11/2019. Cylinder Hydro. due: 07/2021. Next service 07/2019.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	MESA SERVICE CENTER	Certified Repair Station Number	CNQD918C	Work Order No.	39782
Work Performed By	MESA SERVICE CENTER	Certificate No.	CNQD918C	Date	23-Jul-2016
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY WITH REGARD TO THE WORK PERFORMED AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CLARK COLTER	Certificate No.	CNQD918C	Date	23-Jul-2016
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	4



CAMP Systems International
 8201 E. 34th St. North, Bldg. 1100, Suite 1101
 Wichita, KS 67226
 Phone: 316-462-2267 Fax: 316-462-2443

Maintenance Transaction Report

This Maintenance Transaction Report Is To Be Solely For (Check One)

Airframe Entries
 Eng. # 1
 Eng. # 2
 APU
 Serial No. Serial No. Serial No.

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
680-0237	0237	N101CF	3/1/2017	KSDL	911.3	755	#1 911.3 #2 718	#1 911.3 #2 718	597.5	917

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1												
	2												
	3												
	4												
	5												
	6												
	7												
	8												

- Type Transaction
- Component Change
 - Inspection Accomplished
 - Service Bulletin Accomplished
 - Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

- W - Worn To Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (note below)

Enter One

- Installed Part Status
 N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

Ref No	1	SL680-32-14 C/W- LANDING GEAR - MAIN LANDING GEAR BRAKE VERIFICATION, SERVICE LETTER	Not applicable per serial number for brakes.
2			
3			
4			
5			
6			
7			
8			

Work Order No.

Maintenance Log Section

Maintenance Log Page

Work Performed By:

Certificate No. CRS# LN3R663L

Date 03/01/17

Scheduled Removal Due (TAT)

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Permanent Aircraft Record - File In Maintenance Log

Work Inspected By:

Certificate No. CRS# LN3R663L

Date 3/1/2017



Maintenance Transaction Record

MTR ID # 2671968

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	12-Jan-2017	KIWA	899.2	746	899.2	899.2	713	713	585.2	895	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	----------------------	-----------	----------	------------------------------	-----------	-------------	----------------	-----------------------------------	----------------	-----------

321011	1 1	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY	RIGHT	6941050-3		398M	UN	R 1286 LDG		
--------	-----	---------------------------------------	-------	-----------	--	------	----	------------	--	--


321011 : R

Comments: Removed part no: 6941050-3 Removed serial no: 478M. Due to leakage. Rental "Repaired" unit installed was certified by Cessna Service Direct CNQR918C. Operational checked good. Work performed I.A.W. chapter 32-10-00 of the Citation 680 Maintenance Manual. Rental unit has 1286 cycles at time of installation.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TEXTRON AVIATION SERVICE (MESA AZ.)	Certified Repair Station Number	CNQD918C	Work Order No.	50181
Work Performed By	TEXTRON AVIATION SERVICE (MESA AZ.)	Certificate No.	CNQD918C	Date	12-Jan-2017
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	LOREN MAIZE 	Certificate No.	CNQD918C	Date	12-Jan-2017
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2693312

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	09-Mar-2017	KIWA	916.5	758	916.5	916.5	721	721			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
321011 321011 : R	1 1	RIGHT MAIN LANDING GEAR OLEO ASSEMBLY	RIGHT	6941050-3		478M	UN	R			
Comments: Removed Rental part no: 6941050-3 Removed serial no: 398M. Original "Repaired" Strut installed was certified by Textron Aviation, Inc. CRS# CNQR918C. Operational checked good. Work performed I.A.W. chapters 32-10-00 & 12-14-00 of the Citation 750 Maintenance Manual. (899.2 Hours / 746 cycles)											
2693312002	2 1	SENSOR	SPEEDBRAK E/SPOILER	9914584-1		1753	UN	N	0 MTH 0 HRS		
Comments: Removed part no: 9914584-1 Removed serial no: 1753. Installed new sensor IAW the Cessna 680 MM 27-10-00. Operational check good.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.


Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TEXTRON AVIATION SERVICE MESA Certified Repair Station Number CNQD918C Work Order No. 53200

Work Performed By TEXTRON AVIATION SERVICE MESA Certificate No. CNQD918C Date 09-Mar-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By CLARK COLTER  Certificate No. CNQD918C Date 09-Mar-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2731272

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	09-Jun-2017	KSDL	943.3	771	943.3	943.3	734	734	610.6	949	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	----------------------	-----------	----------	------------------------------	-----------	-------------	----------------	-----------------------------------	----------------	-----------


080001 1 2 PERFORM AIRCRAFT WEIGHT AND BALANCE

Comments: C/W weight and balance IAW Cessna 680 MM 8-20-00, 8-10-00 and 6-110-54.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	TECHNICAIR SDL	Certified Repair Station Number	LN3R663L	Work Order No.	S29-17-10161
Work Performed By	RICHARD PETTY	Certificate No.	CRS#LN3R663L	Date	09-Jun-2017
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
<input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and					
I CERTIFY THIS AIRCRAFT HAS BEEN REPAIRED AND INSPECTED IN ACCORDANCE WITH THE CURRENT FEDERAL AVIATION REGULATIONS AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DAVID FUNK 	Certificate No.	CRS#LN3R663L	Date	09-Jun-2017
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2720777
Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



[x] Airframe Entries

[] Eng. #1 Serial No.

[] Eng. #2 Serial No.

[] APU Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

Table with 13 columns: A/C Serial #, A/C Unit #, A/C Registration #, Date, City ID, Total A/C Hours, Total A/C Landings, Engine 1 Total Hrs, Engine 2 Total Hrs, Engine 1 Ttl Cycles, Engine 2 Ttl Cycles, APU Hrs, APU Events, Freon Hrs. Row 1: 680-0237, 0237, N101CF, 12-May-2017, KSDL, 943.3, 771, 943.3, 943.3, 734, 734, 615.6, 949, 0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Table with 12 columns: Item, Transaction No. Type, Item Name, Position, Part Number / Alternate Part, Mod Level, Part Serial, Removal Reason, Installed Part Status TSN/TSO/TSR, Material Costs, Man Hours. Contains 5 rows of maintenance transactions.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TECHNICAIR SDL, Certified Repair Station Number: LN3R663L, Work Order No.: S29-17-09915, Work Performed By: BRYAN BIEROD, Certificate No.: LN3R663L, Date: 12-May-2017. Includes certification text and signature.

Maintenance Log table with 2 columns: Section, Page.



Maintenance Transaction Record

MTR ID # 2706656

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287/ Fax: 316-462-0791

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____



Aircraft Identification and Status

Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
30-0237	0237	N101CF	06-Apr-2017	SDL	932.8	765							0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
3656001	1 -	RIGHT HAND MLG OLEO								
Comments: Adjusted nitrogen service in right hand MLG oleo to within spec in reference to the Citation 680 AMM Chpt 12-14-03. Leak checks are good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility: TEXTRON AVIATION SERVICE CENTER Certified Repair Station Number: CNQD918C Work Order No.: 55493

Work Performed By: TEXTRON AVIATION SERVICE CENTER Certificate No.: CNQD918C Date: 06-Apr-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration Other (Specify) _____ and
 THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By: BRETT BOOKER Certificate No.: CNQD918C Date: 06-Apr-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2702499

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe
Entries

Eng. #1
Serial No. _____

Eng. #2
Serial No. _____

APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
0237	0237	N101CF	28-Mar-2017	KTEB	926.7	763	926.7	926.7	726	726	597.5	917	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
01	1 -	T/R LOCK SWITCH		07ND78311-13		N/A	UN			

Comments: Right T/R light flashes when stowed - Removed and replaced right upper outboard lock switch on right hand T/R- performed ops check all checks good.
The work done I/A/W 680 W/M Chapter 78-30-02

- Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

NEW YORK CITATION SERVICE CENTER
 Certified Repair Station Number CNQ6918C Work Order No. 54891
 Performed By NEW YORK CITATION SERVICE CENTER Certificate No. CRS#CNQ6918C Date 28-Mar-2017
 that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Aviation Administration Other (Specify) _____ and
 CRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.
 Performed By BENNY COHEN Certificate No. CRS#CNQ6918C Date 28-Mar-2017
 Details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page



Maintenance Transaction Record

MTR ID # 2695244

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries

Eng. #1 Serial No. _____

Eng. #2 Serial No. _____

APU Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N101CF	10-Mar-2017	KSDL	916.5	758	916.5	916.5	721	721			0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	----------------------	-----------	----------	------------------------------	-----------	-------------	----------------	-----------------------------------	----------------	-----------

2695244001 1 - MAINTENANCE NOTE

Comments: Adjusted nitrogen level in both MLG oleo struts IAW Citation 680 MM Chpt 12-40-00.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility TEXTRON AVIATION SERVICE CENTER Certified Repair Station Number CNQD918C Work Order No. 53882

Work Performed By TEXTRON AVIATION SERVICE CENTER Certificate No. CNQD918C Date 10-Mar-2017

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

Federal Aviation Administration Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By BRETT BOOKER Certificate No. CNQD918C Date 10-Mar-2017

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
3	1

Watford AeroService LLC. N101CF TT 923..5 Cycles 762 3/26/17
SN 680-0237

RT's INOP at this time, will be fixed at next maintenance hub. RT Lock pins installed on both Right and Left Engines, Red Access panel doors installed to display pins installed, All breakers for RT Left and Right have been zip tied to not allow use during flight ops. I certify that this aircraft is in flight worthy condition.

Rob McCree

^{A/P} 3677284



3/26/17

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for airframe serial no. 680-0237

Aircraft Identification and Status																			
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs	Total Engine Cycles	APU Hours	APU Events									
680-0237		N680SA	1/18/2018	BTL	1061.3	844	#1 1061.3 #2 1061.3	#1 807 #2 807											
Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished																			
Item Code	Transaction No.	Transaction Type	Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #							
	1	5	Maintenance Note									1A							
Performed P-Static check of radome and bonding checks.																			
	2	5	Maintenance Note									4A							
Changed registration number from N101CF to N680SA. Performed reprogramming of ELT P/N S1821502-02 S/N 2619591-0002 IAW Citation 680 AMM, Chapter 25-60-10. HEX ID: ADCDEA4132001A5. Battery expiration date 11/30/2019. Function test passed.																			
	3	5	Maintenance Note									4A							
Reprogrammed transponders for new registration number N680SA and updated Flight ID and the WiFi sign. ICAO code 52202310.																			
	4	5	Maintenance Note									11A							
Repaired corrosion on right side upper wing skin in accordance with Cessna Repair Definition report number S-680-0237/01RD revision (-) dated 21 December 2017 approved by FAA form 8110-3 (ODA-100129-CE) dated 22 December 2017. This is a major repair, see FAA form 337 dated 16 January, 2018																			
	5	5	Maintenance Note									1A							
RVSM Airworthiness Requirements. Aircraft was tested and inspected IAW Cessna 680 Maintenance Manual (34-11-00-6) REV. 25																			
	6	1	VHF Antenna	Aft Belly	S65-8282-1		3850	S	N			18A							
Removed aft belly VHF Antenna P/N S65-8282-1 S/N 3015 and installed new IAW Cessna Model 680 MM (Rev 25), Task 23-20-10-2 (Rev 23).																			
	7	1	Registration Placards	Cockpit				S	N			4A							
Removed old cockpit registration placards and installed new placards "N680SA" IAW Duncan INT-4008.																			
	8	1	Registration Change					S	N			4A							
Registration changed from N101CF to N680SA per form FAA 8050-64.																			
<small>Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance. Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled. Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified</small>																			
Repair Facility	Duncan Aviation Battle Creek, MI			Certified Repair Station Number	EBVR450D		Work Order Number	ZLWQ		<table border="1" style="float: right; border-collapse: collapse;"> <tr> <th colspan="2" style="background-color: #4F81BD; color: white;">Maintenance Log</th> </tr> <tr> <th style="width: 50%;">Section</th> <th style="width: 50%;">Page</th> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </table>				Maintenance Log		Section	Page	3	2
Maintenance Log																			
Section	Page																		
3	2																		
Work Performed By:	Duncan Aviation Battle Creek, MI			Certificate No.	EBVR450D		Date	1/18/2018		Permanent Aircraft Record - File in Maintenance Log									
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.																			
Work Inspected By:	DUNCAN RII 241			For Duncan Aviation	Certificate No.	EBVR450D		Date	1/18/2018										

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation Maintenance Transaction Report

**DUNCAN
 AVIATION**



This Maintenance Transaction Report is to be solely for airframe serial no. 680-0237

Aircraft Identification and Status													
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events	
680-0237		N680SA	1/18/2018	BTL	1061.3	844	#1 1061.3	#2 1061.3	#1 807	#2 807			
Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #	
	No.	Type											
	1	5	Overall Paint									1A,3A,7A	
Performed overall strip & paint of aircraft in accordance with Duncan Aviation Approved Procedures Manual AP-34-002-96 using the following colors: Base Color: PPG Matterhorn White (CA8800/1050) Second Base Color: Axalta Med. Concorde Blue Metallic (742662) Avionics, Baggage and Access Doors: Sherwin Williams Acry-Glo Beige (00364) Engine Cowl Logo: Axalta Platinum Metallic (499588) Stripe: Axalta Phantom Gray (748864) Stripe: Axalta Platinum (499588)													
	2	5	Maintenance Note									1A	
Ailerons, Flaps, Elevators and Rudders were removed, painted, balanced.													
	3	5	Maintenance Note									5A	
Removed #1, 2, 3, 4 MLG wheel assemblies and painted outboard face of MLG wheel assembly with Jet Glo Matterhorn White CM0570535 in accordance with Duncan Approved Paint Procedure AP-34-002-96 and reinstalled wheel assemblies.													
	4	5	Maintenance Note									1A	
Performed Ultrasonic Thickness Inspection of paint on required composite surfaces and composite flight controls in accordance with Cessna 680 Maintenance Manual 20-31-01.													
	5	1	Lightning Diverter Strips		LDS10-01-64-1-OV-03-W-160			C	N			1A	
Installed (4 ea) new lightning diverter strips on radome.													
	6	1	Erosion Boot		PM-53			C	N			1A	
Installed new clear vinyl radome erosion boot.													
	7	1	Placards									1A	
Installed required external placards.													
	8	5	Lube Gear / Perform Gear Swing									1A	
Performed Landing Gear Lubrication/Performed Gear Swing IAW C680 MM 12-20-00.													
<small>Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified</small>													
Repair Facility	Duncan Aviation Battle Creek, MI			Certified Repair Station Number	EBVR450D		Work Order Number	ZLWQ		Maintenance Log			
Work Performed By:	Duncan Aviation Battle Creek, MI			Certificate No.	EBVR450D		Date	1/18/2018		Permanent Aircraft Record - File In Maintenance Log			
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.													
Work Inspected By:	DUNCAN RI 241 For Duncan Aviation			Certificate No.	EBVR450D		Date	1/18/2018					

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for Eng. #2 serial no. PCE-CG0483

Aircraft Identification and Status												
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events
680-0237		N680SA	1/18/2018	BTL	1061.3	844	#1	#2	#1	#2	807	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #
	No.	Type										
	1	5	Engine Preservation									10A
Complied with regular operation as alternative to preservation of inactive engine S/N PCE-CG0483 IAW Pratt and Whitney PW306C EMM 72-00-00 chapter 7.D.												
	2											
	3											
	4											
	5											
	6											
	7											
	8											

Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified

Repair Facility	Duncan Aviation Battle Creek, MI	Certified Repair Station Number	EBVR450D	Work Order Number	ZLWQ	Maintenance Log
						Section 8 Page 1

Work Performed By: **Duncan Aviation Battle Creek, MI** Certificate No. **EBVR450D** Date **1/18/2018** Permanent Aircraft Record - File In Maintenance Log

I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.

Work Inspected By:	DUNCAN RII 241	For Duncan Aviation	Certificate No. EBVR450D	Date 1/18/2018
--------------------	--	---------------------	---------------------------------	-----------------------

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for Eng. #1 serial no. PCE-CG0482

Aircraft Identification and Status												
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events
680-0237		N680SA	1/18/2018	BTL	1061.3	844	#1 1061.3	#2	#1 807	#2		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #
	No.	Type										
	1	5	Engine Preservation									10A
	Complied with regular operation as alternative to preservation of inactive engine S/N PCE-CG0482 IAW Pratt and Whitney PW306C EMM 72-00-00 chapter 7.D.											
	2											
	3											
	4											
	5											
	6											
	7											
	8											

Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified

Repair Facility: Duncan Aviation Battle Creek, MI	Certified Repair Station Number: EBVR450D	Work Order Number: ZLWQ	Maintenance Log
			Section 6 Page 1

Work Performed By: **Duncan Aviation Battle Creek, MI** Certificate No. **EBVR450D** Date **1/18/2018**

I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.

Work Inspected By: *Eir AP* **DUNCAN R11 241** For Duncan Aviation Certificate No. **EBVR450D** Date **1/18/2018**

Permanent Aircraft Record - File In Maintenance Log

Maintenance Transaction Record

CAMP MTR ID # 2870700 Replaces MTR ID # 2858577



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng.#1 Serial No. _____
 Eng.#2 Serial No. PCE-CG0483
 APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N680SA	02-May-2018	KMCO	1096.6	882		1096.6		837			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
792030	1	2	NO. 2 ENGINE - CHANGE OIL									
Comments: Complied with IAW P & W 306C Maintenance Manual Chap. 5-20-00. Serviced with Eastman 2380 Oil.												
2870700002	2	-	COMPRESSOR WASH									
Comments: Complied with a Compressor Wash IAW P & W 306C Maintenance Manual Chap. 72-00-00.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility TEXTRON AVIATION SERVICE - ORLANDO
 Certified Repair Station Number _____
 Work Order No. 80592

Work Performed By TEXTRON AVIATION SERVICE - ORLANDO
 Certificate No. CNQ8918C
 Date 02-May-2018

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the
 Federal Aviation Administration
 Other (Specify) _____ and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By RONALD E. CARNER
 Certificate No. CNQ8918C
 Date 02-May-2018

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page
8	1

Maintenance Transaction Record

CAMP MTR ID # 2870695 Replaces MTR ID # 2858573



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng.#1 Serial No. PCE-CG0482
 Eng.#2 Serial No. _____
 APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N680SA	02-May-2018	KMCO	1096.6	882	1096.6		837		736		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
792030	1	2	NO. 1 ENGINE - CHANGE OIL									
Comments: Complied with IAW P & W 306C Maintenance Manual Chap. 5-20-00. Serviced with Eastman 2380 Oil.												
2870695002	2	-	COMPRESSOR WASH									
Comments: Complied with a Compressor Wash IAW P & W 306C Maintenance Manual Chap. 72-00-00.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	<u>TEXTRON AVIATION SERVICE - ORLANDO</u>	Certified Repair Station Number	<u>CNQ8919C</u>	Work Order No.	<u>80592</u>
Work Performed By	<u>TEXTRON AVIATION SERVICE - ORLANDO</u>	Certificate No.	<u>CNQ8918C</u>	Date	<u>02-May-2018</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	<u>RONALD E. CARNER</u>	Certificate No.	<u>CNQ8918C</u>	Date	<u>02-May-2018</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
6	1



Maintenance Transaction Record

CAMP MTR ID # 2857372



This Maintenance Report is To Be Used Solely For (Check One)

Airframe Entries
 Eng.#1 Serial No. _____
 Eng.#2 Serial No. _____
 APU Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
680-0237	0237	N680SA	02-May-2018	KMCO	1096.6	882	1096.6	1096.6	837	837	736	1178	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
SL680-32-15	5	3	LANDING GEAR - TRANSMIT GOODRICH SERVICE BULLETIN 2-1675-32-2 LANDING GEAR - MAIN BRAKE ASSEMBLY, - INTRODUCTION OF AN INSPECTION PROCEDURE TO MAKE SURE THE WEAR INDICATOR PINS WERE SET CORRECTLY, SERVICE LETTER MOC: COMPLIED WITH Comments: SL680-32-15 was complied with by verifying the installed brake serial numbers are not effected per Goodrich SB 2-1675-32-2 R1 Instructions . S/N installed: 1087,1134,1136, & 1133. No further action required.									
CIL-99-03 R01	6	3	CORROSION PREVENTION AND CONTROL PROGRAM (CPCP), SERVICE LETTER MOC: COMPLIED WITH Comments: Complied with by applying Corban to Well Wells, Vertical and Horizontal Stab and Wing Spars per SL CIL-99-03-R1.									

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	TEXTRON AVIATION SERVICE - ORLANDO	Certified Repair Station Number	CNQ8919C	Work Order No.	80592
Work Performed By	TEXTRON AVIATION SERVICE - ORLANDO	Certificate No.	CNQ8918C	Date	02-May-2018
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the <input checked="" type="checkbox"/> Federal Aviation Administration <input type="checkbox"/> Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RONALD E. CARNER <i>RC</i>	Certificate No.	CNQ8918C	Date	02-May-2018
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	2

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation
Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for Eng. #1 serial no. PCE-CG0482

Aircraft Identification and Status													
A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events	
680-0237		N680SA	9/26/2018	BTL	1161.6	941	#1 1161.6	#2	#1 892	#2			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #
	No.	Type										
	1	1	Oil Filter		30B6070-01			S	N			10A,30A
Complied with oil filter replacement. Removed oil filter P/N 30B6070-01 and installed new filter IAW PW306C EMM 79-20-01. Took oil analysis sample.												
	2	2	Bearing Scavenge Oil Tube	#2 Right								11A
Complied with engine visual check for leakage on No 3 Bearing Scavenge Oil Tube IAW PW306C 79-20-03. No defects noted.												
	3	5	Desalination Compressor Wash									28A
Performed desalination compressor wash IAW PW306C MM 71-00-00.												
	4	1	Alternator drive pad seal		30B7406-01		N/A	S	N			26A
Removed engine alternator drive pad seal P/N 30B5899-01 S/N N/A and installed new seal. Partially complied with P&WC S.B. No. 25433R1 Dated: Revision No. 1: Jun 07/2018 by replacing alternator drive pad seal (for full compliance of this service bulletin replacement of starter generator drive pad seal will need to be performed). Alternator drive pad seal next due for replacement at 1561.6 hours (+/-30).												
	5											
	6											
	7											
	8											

Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified

Repair Facility	Duncan Aviation Battle Creek, MI	Certified Repair Station Number	EBVR450D	Work Order Number	W1PAA	<table border="1"> <tr> <th colspan="2">Maintenance Log</th> </tr> <tr> <th>Section</th> <th>Page</th> </tr> <tr> <td>6</td> <td>1</td> </tr> </table>	Maintenance Log		Section	Page	6	1
Maintenance Log												
Section	Page											
6	1											
Work Performed By:	Duncan Aviation Battle Creek, MI	Certificate No.	EBVR450D	Date	9/26/2018	Permanent Aircraft Record - File In Maintenance Log						
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.												
Work Inspected By:	<i>Eric Hoff</i> DUNCAN RII 241 For Duncan Aviation	Certificate No.	EBVR450D	Date	9/26/2018							

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation
Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for Eng. #2 serial no. PCE-CG0483


Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events	
680-0237		N680SA	9/26/2018	BTL	1161.6	941	#1	#2	1161.6	#1	#2	892	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #
	No.	Type										
	1	1	Oil Filter		30B6070-01			S	N			10A,29A
Complied with oil filter replacement. Removed oil filter P/N 30B6070-01 and installed new filter IAW PW306C EMM 79-20-01. Took oil analysis sample.												
	2	2	Bearing Scavenge Oil Tube	#1 Left								11A
Complied with engine visual check for leakage on No 3 Bearing Scavenge Oil Tube IAW PW306C 79-20-03. No defects noted.												
	3	5	Desalination Compressor Wash									27A
Performed desalinization compressor wash IAW PW306C MM 71-00-00.												
	4	1	Alternator drive pad seal		30B7406-01		N/A	S	N			25A
Removed engine alternator drive pad seal P/N 30B5899-01 S/N N/A and installed new seal. Alternator drive pad seal next due for replacement at 1561.6 hours (+/-30).												
	5	1	Starter generator pad seal		30B7405-01		N/A	S	N			49A
Removed engine starter generator pad seal P/N 30B5898-01 S/N N/A and installed new seal. starter generator pad seal next due for replacement at 1561.6 hours (+/-30).												
	6											
	7											
	8											

Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified

Repair Facility	Duncan Aviation Battle Creek, MI	Certified Repair Station Number	EBVR450D	Work Order Number	W1PAA	<table border="1"> <tr> <th colspan="2">Maintenance Log</th> </tr> <tr> <td>Section</td> <td>Page</td> </tr> <tr> <td>8</td> <td>1</td> </tr> </table>	Maintenance Log		Section	Page	8	1
Maintenance Log												
Section	Page											
8	1											
Work Performed By:	Duncan Aviation Battle Creek, MI	Certificate No.	EBVR450D	Date	9/26/2018	Permanent Aircraft Record - File In Maintenance Log						
I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.												
Work Inspected By:	 DUNCAN RII 241 For Duncan Aviation	Certificate No.	EBVR450D	Date	9/26/2018							

Duncan Aviation, Inc.
 15745 S. Airport Rd Battle Creek, MI 49015
 Fax: (269) 969-8432 Phone: 800-525-2376

Duncan Aviation Maintenance Transaction Report

DUNCAN
 AVIATION



This Maintenance Transaction Report is to be solely for airframe serial no. 680-0237

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (M-D-Y)	CITY	Total A/C HRS	Total A/C LNDG	Total Engine Hrs		Total Engine Cycles		APU Hours	APU Events				
680-0237		N680SA	9/26/2018	BTL	1161.6	941	#1	1161.6	#2	1161.6	#1	892	#2	892		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item Code	Transaction		Item Name	Position	Installed P/N	Mod Level	Installed S/N	Removal Reason	Installed Part Status	Installed Part TBO	Installed Part TSO	SQK #
	No.	Type										
4-12-MC	1	2	Inspection Document MC									8A
Complied with Airworthiness Limitations Inspection Document MC IAW Cessna 680 MM												
4-12-MJ	2	2	Inspection Document MJ									9A
Complied with Airworthiness Limitations Inspection Document MJ IAW Cessna 680 MM												
5-12-01	3	2	Document 1 Inspection									6A
Complied with Inspection Document 1 IAW Cessna 680 MM												
5-12-15	4	2	Document 15 Inspection									7A
Complied with Inspection Document 15 IAW Cessna 680 MM												
5-12-20	5	2	Document 20 Inspection									1A
Complied with Inspection Document 20 IAW Cessna 680 MM.												
	6	1	Cockpit Display Unit	#1	7037620-811		08096724	C	S			32A
Removed #1 display unit P/N 7037620-811 S/N 06104065 and installed display from #4 position.												
	7	1	Cockpit Display Unit	#4	7037620-811		06104065	C	S			32A
Removed #4 display unit P/N 7037620-811 S/N 08096724 and installed display from #1 position.												
	8	1	Engine Fire Bottle	#1	30700009-12		63652D1	S	O		0.0	3A
Removed #1 engine fire bottle P/N 30700009-12 S/N 63246D1 and installed bottle overhauled by Pacific Scientific Company, CRS P94R580N on work order 2756427 dated 25 Jul 2018 IAW Cessna 680 AMM 26-20-00-2 (Rev 26). Bottle Manufacture Date: 09/08 Current Hydrostatic Date: 07/18. Both Cartridge P/N: 30903824-1 S/N-LOT: ESD18G284-001 Service Date: 07/18												

Trans Type: 1 - Component Chg, 2 - Inspection, 3 - SB, 4 - AD, 5 - Other Maintenance Removal Reasons: W - Worn To Limits, C - Convenience, S - Scheduled, N - Other (note below), U - Unscheduled Installed Part Status: N - New, R - Repaired, S - Serviceable, O - Overhauled, T - Tested, I - Inspected, M - Modified

Repair Facility: Duncan Aviation Battle Creek, MI	Certified Repair Station Number: EBVR450D	Work Order Number: W1PAA	Maintenance Log
			Section: 3 Page: 1
Work Performed By: Duncan Aviation Battle Creek, MI		Certificate No. EBVR450D	
		Date 9/26/2018	
<p>I certify that the above maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft/component identified above is approved for return to service with respect to work performed. Additional details on file under above listed work order.</p>			
Work Inspected By: DUNCAN RII 241 For Duncan Aviation		Certificate No. EBVR450D	
		Date 9/26/2018	

Permanent Aircraft Record - File In Maintenance Log