



Status Report

CITATION X (MSG)

S/N 750-0272 N772XJ

OWNER: RED WING AEROPLANE COMPANY ADDRESS: PO BOX 68 BAY CITY WA 5723 OFFICE: FAX:	OPERATOR: RED WING AEROPLANE COMPANY ADDRESS: PO BOX 68 BAY CITY WA 5723 OFFICE: FAX:	OPERATOR: BELL AIR ADDRESS: 1122 OBERLIN ROAD RALEIGH NC 27605 OFFICE: 954-253-5982 FAX:	ANALYST: PATRICK EMERSON EMAIL: PEMERSON@CAMPSYSTEMS.COM	+1-316-462-2475 (DIRECT) +1-631-588-3200 (MAIN) WWW.CAMPSYSTEMS.COM	800-787-9749 (EFAX-CARDS) 631-980-4222 (EFAX-CARDS)	PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).
--	---	--	---	---	--	---

FILTER CRITERIA : C/W Date:DATE RANGE;Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 750-0272/N772XJ	MODEL: CITATION X (MSG)	MANUFACTURER: TEXTRON AVIATION INC.
	CERTIFICATION DATE: 28-JUL-2007	LAST ACTUALS: 16189.3 A/C HRS as of 14-JAN-2026 7720 AFL as of 14-JAN-2026 9886 APH as of 14-JAN-2026	

APU	SERIAL/PART: P-349/3800576-1	MODEL: GTCP36-150(CX)	MANUFACTURER: HONEYWELL
	INSTALLED ON: 25-MAR-2021 8365 APU HRS 13809.67 A/C HRS 0 APUS	LAST ACTUALS: 9886 APU HRS as of 14-JAN-2026 7983 APUS as of 14-JAN-2026	

ENGINE NO. 1	SERIAL/PART: CAE330571/23074408	MODEL: AE 3007C/C1/C2	MANUFACTURER: ROLLS-ROYCE DERBY PLC
	INSTALLED ON: 15-FEB-2019 11884.88 ENG. HRS 0 A/C HRS 5725 ENC	LAST ACTUALS: 15327.52 ENG. HRS as of 14-JAN-2026 7278 ENC as of 14-JAN-2026	

ENGINE NO. 2	SERIAL/PART: CAE330568/23074408	MODEL: AE 3007C/C1/C2	MANUFACTURER: ROLLS-ROYCE DERBY PLC
	INSTALLED ON: 03-AUG-2018 11887.18 ENG. HRS 12205.13 A/C HRS 5761 ENC	LAST ACTUALS: 15871.8 ENG. HRS as of 14-JAN-2026 8055 ENC as of 14-JAN-2026	



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
XJ-CARPET-EXT ^U	PERFORM CARPET EXTRACTION							Service	ATA:--
	MOS/MSC	21-Oct-23	A/R					CLEAN	
	HRS	15598.83							
	AFL	7444							
<hr/>									
XJ-EXT-L2 ^U	LEVEL 2 EXTERIOR DETAILING (COMPLETE)							Service	ATA:--
	MOS/MSC	07-Sep-24	A/R					CLEAN	
	HRS	15919.67							
	AFL	7587							
<hr/>									
XJ-INT-L2 ^U	LEVEL 2 INTERIOR DETAILING (DEEP)							Service	ATA:--
	MOS/MSC	07-Sep-24	A/R					CLEAN	
	HRS	15919.67							
	AFL	7587							
<hr/>									
ATA 00 - INFORMATION									
JE-FLEET DIRECTIVE-00 ^U	***NOAA/ELT/RAFT COMPLIANCE***							Service	ATA:00
	DAYS/MSC	23-Dec-25	-		15-Jan-26 (M)		0 d		
	HRS	16136.9							
	AFL	7696							
<hr/>									
ATA 04 - LIMITATIONS									
4-12-MC	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MC							Package	ATA:04
	MOS	29-Feb-24							
	HRS	15838.07	500		16338.07		148.8		
	AFL	7548							
<hr/>									
PROC. REF: ALS 4-12-00, ALS 4-12-MC PROC. REF: ALS 4-12-00, ALS 4-12-MC									

PKG:65
WO#: N772XJ-022326-001

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 04 - LIMITATIONS									
4-12-MD	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MD							Package	ATA:04
	MOS	29-Feb-24			RTS-OVD				
	HRS	15838.07	800						
	AFL	7548							
								PKG:66 WO#: N772XJ-042726-001	
PROC. REF: ALS 4-12-00, ALS 4-12-MDPROC. REF: ALS 4-12-00, ALS 4-12-MD									
4-12-MF	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MF							Package	ATA:04
	MOS	05-Aug-25	12		31-Aug-26		228 d		
	HRS	15922.67							
	AFL	7589							
								PKG:68 WO#: N772XJ-081726-001	
PROC. REF: ALS 4-12-00, ALS 4-12-MFPROC. REF: ALS 4-12-00, ALS 4-12-MF									
4-12-MG	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MG							Package	ATA:04
	MOS	13-May-25	24		31-May-27		501 d		
	HRS	15922.67							
	AFL	7589							
								PKG:69	
PROC. REF: ALS 4-12-00, ALS 4-12-MGPROC. REF: ALS 4-12-00, ALS 4-12-MG									
4-12-MN	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MN							Package	ATA:04
	MOS	07-Jun-23							
	HRS	15414.62	1500		16914.62		725.3		
	AFL	7359							
								PKG:83 WO#: N772XJ-081726-001	
PROC. REF: ALS 4-12-00, ALS 4-12-MN, - NDI 5-92-MNPROC. REF: ALS 4-12-00, ALS 4-12-MN, - NDI 5-92-MN									
4-12-MT	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MT							Package	ATA:04
	MOS	07-Jun-23							
	HRS	15414.62	1000		16414.62		225.3		
	AFL	7359							
								PKG:89 WO#: N772XJ-022326-001	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 04 - LIMITATIONS									
PROC. REF: ALS 4-12-00, ALS 4-12-MT PROC. REF: ALS 4-12-00, ALS 4-12-MT									
4-12-MV	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MV							Package	ATA:04
	MOS	07-Jun-23							
	HRS	15414.62	3000		18414.62		2225.3		
	AFL	7359							
								PKG:91	
PROC. REF: ALS 4-12-00, ALS 4-12-MV PROC. REF: ALS 4-12-00, ALS 4-12-MV									
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050-0-XOJET U	* * * XOJET SERVICE REQUEST * * * (PLEASE REVIEW THE FORM 501 (ATTACHED) & COMPLY WITH THE INDIVIDUAL SUB-TASKS BELOW)							Package	ATA:05
	MOS/MSC	13-May-25	A/R					INFORMATIONAL	
	HRS	15922.67							
	AFL	7589							
								PKG:501	
PROC. REF: - FORM 501: SERVICE REQUEST PROC. REF: - FORM 501: SERVICE REQUEST									
050-2-PREF U	* * * PREFERRED VENDOR TASKS * * * (GSO, LNK, VNY, IWA, TEB)							Package	ATA:05
	MOS/MSC	24-Oct-25	A/R					INFORMATIONAL	
	HRS	15971.6							
	AFL	7611							
								PKG:503	
050-5-APPEARANCE U	APPEARANCE - THE INTERIOR/PAINT SHOP IS AUTHORIZED UP TO 10 MAN HOURS FOR CORRECTION OF MINOR INTERIOR/EXTERIOR APPEARANCE ITEMS. ALL ITEMS ARE TO BE DOCUMENTED ON THE LOG ENTRY. THIS COSMETIC MAINTENANCE IS NOT ALLOWED TO ALTER THE MAINTENANCE RTS DATE/TIME.							Service	ATA:05
	MOS/MSC	24-Oct-25	A/R					CUSTOMER CODE	
	HRS	15971.6							
	AFL	7611							
								PKG:503	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050-5-APU ^U	***REQUIRED*** APU HR UPDATE - TASK # WITH CURRENT APU HRS MUST BE ENTERED ON THE LBE (PLEASE INCLUDE A CLEAR PICTURE OF THE HOBBS / MDC) TO ACCOUNT FOR ANY APU RUNS THAT WERE PERFORMED DURING THIS MAINTENANCE EVENT, AND TO ENSURE THE AIRCRAFT DEPARTS WITH UPDATED / VERIFIED TIMES. ***THIS IS MANDATORY - TIMES MUST BE INCLUDED REGARDLESS OF WHETHER APU RUNS WERE PERFORMED OR NOT***						Service	ATA:05
	MOS/MSC	13-May-25	APU/R					INFORMATIONAL
	HRS	15922.67						
	AFL	7589						
PKG:501								
050-5-ESTIMATE ^U	ESTIMATE - THE VENDOR WILL PROVIDE AN INITIAL ESTIMATE FOR THE REQUESTED MAINTENANCE IN DOLLAR AMOUNT. ANY TIME REQUIRED TO COMPLETE MAINTENANCE THAT IS OVER THE INITIAL ESTIMATE MUST BE APPROVED BY XOJET MAINTENANCE CONTROL.						Service	ATA:05
	MOS/MSC	13-May-25	A/R					CUSTOMER CODE
	HRS	15922.67						
	AFL	7589						
PKG:501								
050-5-PARTS ^U	PARTS - ENSURE UNUSED PARTS AND CORES ARE COMMUNICATED TO THE PROCUREMENT TEAM. A LIST OF PARTS, LOCATION, AND VENDOR CONTACT INFORMATION SHOULD BE PROVIDED VIA EMAIL TO XOJETCORES@XOJETAVIATION.COM & PARTS@XOJETAVIATION.COM TO ENSURE CORES AND UNUSED PARTS ARE RETURNED IN A TIMELY MANNER.						Service	ATA:05
	MOS/MSC	13-May-25	A/R					CUSTOMER CODE
	HRS	15922.67						
	AFL	7589						
PKG:501								
050-5-RTS ^U	RTS - BY APPROVING THE WORK ORDER CONTENTS YOU ARE ACCEPTING THE ATTACHED XOJET TERMS AND CONDITIONS. RTS SET FOR _____ PRINT NAME _____ SIGN NAME _____						Service	ATA:05
	MOS/MSC	13-May-25	A/R					CUSTOMER CODE
	HRS	15922.67						
	AFL	7589						
PKG:501								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050-7-FORM518 ^U	COMPLY WITH FORM 518: INTERIOR INSPECTION CHECKLIST							Service	ATA:05
	MOS/MSC	24-Oct-25	A/R					CUSTOMER CODE	
	HRS	15971.6							
	AFL	7611							
PROC. REF: - 050-7-FORM518PROC. REF: - 050-7-FORM518								PKG:503	
052103 ^U	NO. 1 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 60 MONTH							Service	ATA:05
	MOS	29-Feb-24	60 (+1m)		28-Feb-29	31-Mar-29	1140 d (+31)	INSPECT	
	HRS	14976.02							
	ENC	7105							
PROC. REF: MM 05-21-00-800-801, MM 05-21-00-800-801PROC. REF: MM 05-21-00-800-801, MM 05-21-00-800-801									
052103 ^U	NO. 2 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 60 MONTH							Service	ATA:05
	MOS	07-Jun-23	60 (+1m)		30-Jun-28	31-Jul-28	897 d (+31)	INSPECT	
	HRS	15096.83							
	ENC	7215							
PROC. REF: MM 05-21-00-800-801, MM 05-21-00-800-801PROC. REF: MM 05-21-00-800-801, MM 05-21-00-800-801									
052106 ^U	NO. 1 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 600 FLIGHT HOUR/36 MONTH							Service	ATA:05
	MOS	29-Feb-24	36 (+1m)		28-Feb-27	31-Mar-27	409 d (+31)	INSPECT	
	HRS	14976.02	600 (+50)		(15576.02) 16437.8	15626.02	248.5 (+50)		
	ENC	7105							
PROC. REF: MM 72-00-00-200-801, MM 73-11-10-400-801, MM 73-30-00-200-801, MM 73-11-10-000-801, MM 05-21-00-800-801, MM 79-30-00-200-802PROC. REF: MM 72-00-00-200-801, MM 73-11-10-400-801, MM 73-30-00-200-801, MM 73-11-10-000-801, MM 05-21-00-800-801, MM 79-30-00-200-802								WO#: N772XJ-022326-001	
052106 ^U	NO. 2 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 600 FLIGHT HOUR/36 MONTH							Service	ATA:05
	MOS	29-Feb-24	36 (+1m)		28-Feb-27	31-Mar-27	409 d (+31)	INSPECT	
	HRS	15520.28	600 (+50)		(16120.28) 16437.78	16170.28	248.5 (+50)		
	ENC	7404							
PROC. REF: MM 72-00-00-200-801, MM 73-11-10-400-801, MM 73-30-00-200-801, MM 73-11-10-000-801, MM 05-21-00-800-801, MM 79-30-00-200-802PROC. REF: MM 72-00-00-200-801, MM 73-11-10-400-801, MM 73-30-00-200-801, MM 73-11-10-000-801, MM 05-21-00-800-801, MM 79-30-00-200-802								WO#: N772XJ-022326-001	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052110 ^U	NO. 1 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 1000 FLIGHT HOUR/60 MONTH							Service	ATA:05
	MOS	07-Jun-23	60 (+1m)		30-Jun-28	31-Jul-28	897 d (+31)	INSPECT	
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801, MM 05-21-00-800-801PROC. REF: MM 72-00-00-200-801, MM 05-21-00-800-801									
052110 ^U	NO. 2 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 1000 FLIGHT HOUR/60 MONTH							Service	ATA:05
	MOS	07-Jun-23	60 (+1m)		30-Jun-28	31-Jul-28	897 d (+31)	INSPECT	
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801, MM 05-21-00-800-801PROC. REF: MM 72-00-00-200-801, MM 05-21-00-800-801									
052112 ^U	NO. 1 ENGINE - REMOVE AND REPLACE (4 EACH) HP BLEED SEALS ILLUSTRATED AS ITEM #4 IN FIGURE 01 (IPC 36-11-00) IAW THE CITATION 750 MM CH 36-11-00.							Service	ATA:05
	MOS	07-Jun-23						CUSTOMER CODE	
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MSC 36-11-00, MSC 052112PROC. REF: MSC 36-11-00, MSC 052112									
052112 ^U	NO. 2 ENGINE - REMOVE AND REPLACE (4 EACH) HP BLEED SEALS ILLUSTRATED AS ITEM #4 IN FIGURE 01 (IPC 36-11-00) IAW THE CITATION 750 MM CH 36-11-00.							Service	ATA:05
	MOS	07-Jun-23						CUSTOMER CODE	
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MSC 36-11-00, MSC 052112PROC. REF: MSC 36-11-00, MSC 052112									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052505E ^U	REPLACE FIRST AID KIT (MEDAIRE)							Service	ATA:05
PN:500097	MOS/MSC	13-May-25	DUE		30-Apr-26 (M)		105 d	CUSTOMER CODE	
SN:032725011	HRS	15922.67							
	AFL	7589							
		Expiry Date: : 30-Apr-26							WO#: N772XJ-042726-001
<hr/>									
5-12-01	INSPECTION DOCUMENT 1							Package	ATA:05
	MOS	13-May-25	12 (+1m/-1m)	Adj -13d	30-Apr-26	31-May-26	105 d (+31)		
	HRS	15922.67							
	AFL	7589							
								PKG:4507	
								WO#: N772XJ-042726-001	
PROC. REF: TLMC 5-12-00, TLMC 5-12-01PROC. REF: TLMC 5-12-00, TLMC 5-12-01									
<hr/>									
5-12-02	INSPECTION DOCUMENT 2							Package	ATA:05
	MOS	13-May-25	24 (+1m/-1m)		31-May-27	30-Jun-27	501 d (+30)		
	HRS	15922.67							
	AFL	7589							
								PKG:102	
PROC. REF: TLMC 5-12-00, TLMC 5-12-02PROC. REF: TLMC 5-12-00, TLMC 5-12-02									
<hr/>									
5-12-03	INSPECTION DOCUMENT 3							Package	ATA:05
	MOS	16-Aug-24	36 (+1m/-1m)	Adj -138d	31-Mar-27	30-Apr-27	440 d (+30)		
	HRS	15918.85							
	AFL	7586							
								PKG:103	
PROC. REF: TLMC 5-12-00, TLMC 5-12-03PROC. REF: TLMC 5-12-00, TLMC 5-12-03									
<hr/>									
5-12-05	INSPECTION DOCUMENT 5							Package	ATA:05
	MOS	13-May-25	72 (+1m/-1m)	Adj -102d	31-Jan-31	28-Feb-31	1842 d (+28)		
	HRS	15922.67							
	AFL	7589							
								PKG:105	
PROC. REF: TLMC 5-12-00, TLMC 5-12-05PROC. REF: TLMC 5-12-00, TLMC 5-12-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-07	INSPECTION DOCUMENT 7							Package	ATA:05
	MOS	16-Aug-24	120 (+1m/-1m)		31-Aug-34	30-Sep-34	3150 d (+30)		
	HRS	15918.85							
	AFL	7586							
								PKG:4513	
PROC. REF: TLMC 5-12-00, TLMC 5-12-07PROC. REF: TLMC 5-12-00, TLMC 5-12-07									
5-12-08	INSPECTION DOCUMENT 8							Package	ATA:05
	MOS	13-May-25	12 (+1m/-1m)	Adj -74d	28-Feb-26	31-Mar-26	44 d (+31)		
	HRS	15922.67	500 (+25/-25)		16422.67	16447.67	233.4 (+25)		
	AFL	7589							
								PKG:4509 WO#: N772XJ-022326-001	
PROC. REF: TLMC 5-12-00, TLMC 5-12-08PROC. REF: TLMC 5-12-00, TLMC 5-12-08									
5-12-09	INSPECTION DOCUMENT 9							Package	ATA:05
	MOS	13-May-25	12 (+1m/-1m)	Adj -13d	30-Apr-26	31-May-26	105 d (+31)		
	HRS	15922.67	1000 (+25/-25)		16922.67	16947.67	733.4 (+25)		
	AFL	7589							
								PKG:4510 WO#: N772XJ-042726-001	
PROC. REF: TLMC 5-12-00, TLMC 5-12-09PROC. REF: TLMC 5-12-00, TLMC 5-12-09									
5-12-10	INSPECTION DOCUMENT 10							Package	ATA:05
	MOS	13-May-25	24 (+1m/-1m)		13-May-27	13-Jun-27	483 d (+31)		
	HRS	15922.67	1000 (+25/-25)		16922.67	16947.67	733.4 (+25)		
	AFL	7589							
								PKG:4511 WO#: N772XJ-081726-001	
PROC. REF: TLMC 5-12-00, TLMC 5-12-10PROC. REF: TLMC 5-12-00, TLMC 5-12-10									
5-12-12	INSPECTION DOCUMENT 12							Package	ATA:05
	MOS	13-May-25	24 (+1m/-1m)	Adj 18d	31-May-27	30-Jun-27	501 d (+30)		
	HRS	15922.67	2000 (+25/-25)		17922.67	17947.67	1733.4 (+25)		
	AFL	7589							
								PKG:112	
PROC. REF: TLMC 5-12-00, TLMC 5-12-12PROC. REF: TLMC 5-12-00, TLMC 5-12-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-14	INSPECTION DOCUMENT 14							Package	ATA:05
	MOS	16-Aug-24	36 (+1m/-1m)	Adj -138d	31-Mar-27	30-Apr-27	440 d (+30)		
	HRS	15918.85	3000 (+25/-25)		18918.85	18943.85	2729.6 (+25)		
	AFL	7586							
PROC. REF: TLMC 5-12-00, TLMC 5-12-14								PKG:114	
5-12-28	INSPECTION DOCUMENT 28							Package	ATA:05
	MOS	13-May-25	108 (+1m/-1m)		13-May-34	13-Jun-34	3040 d (+31)		
	HRS	15922.67							
	AFL	7589							
PROC. REF: TLMC 5-12-00, TLMC 5-12-28								PKG:128	
MX-01A ^U	BELLAIR SERVICE TURN CHECK							Service	ATA:05
	DAYS	04-Jan-26	7 (+3)		11-Jan-26	14-Jan-26	OVD	MANDATORY	
	HRS	16156.7							
	AFL	7707							
ATA 08 - LEVELING AND WEIGHING									
XJ-08-10-00 ^U	PERFORM WEIGHT AND BALANCE (EMPTY) PER FAR 135.185 (ADVISE MX CONTROL OF LARGE WEIGHT GAINS FOR RESOLUTION WHEN AIRCRAFT ON SCALES)							Service	ATA:08
	MOS	07-Jun-23	36		30-Jun-26		166 d	CUSTOMER CODE	
	HRS	15414.62							
	AFL	7359							
								WO#: N772XJ-042726-001	
ATA 12 - SERVICING									
12-10-01-1600 ^S	WATER SEPARATOR (CLEANING) RESTORATION							Service	ATA:12
	MOS	13-May-25	24 (+1m/-1m)					RESTORE	
	HRS	15922.67	1000 (+25/-25)						
	AFL	7589							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
PROC. REF: AMM 12-10-01PROC. REF: AMM 12-10-01								PKG:4511 WO#: N772XJ-081726-001	
12-10-01-1602	S	ISOLATION VALVE AIR FILTER (CLEANING) RESTORATION					Service	ATA:12	
	MOS	13-May-25	12 (+1m/-1m)					RESTORE	
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 12-10-01PROC. REF: AMM 12-10-01								PKG:4507 WO#: N772XJ-042726-001	
12-10-01-6400	S	ENVIRONMENTAL CONTROL UNIT OIL SUMP SERVICING (AIRPLANES -0001 THRU -0500 NOT INCORPORATING SL750-21-02 LATEST REVISION)					Service	ATA:12	
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67	1000 (+25/-25)						
	AFL	7589							
PROC. REF: AMM 12-10-01PROC. REF: AMM 12-10-01								PKG:4510 WO#: N772XJ-042726-001	
12-10-01-7200	S	ENVIRONMENTAL CONTROL UNIT OIL USAGE FUNCTIONAL CHECK (AIRPLANES -0001 THRU -0500 NOT INCORPORATING SL750-21-02 LATEST REVISION)					Service	ATA:12	
	MOS/MSC	13-May-25	12 (+1m/-1m) / N/A						
	HRS	15922.67	5002 (+25/-25)						
	AFL	7589							
PROC. REF: AMM 12-10-01PROC. REF: AMM 12-10-01								PKG:4509 WO#: N772XJ-022326-001	
12-10-38-6100	S	NOSE LANDING GEAR STRUT SERVICING					Service	ATA:12	
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 12-10-38PROC. REF: AMM 12-10-38								PKG:4507 WO#: N772XJ-042726-001	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-10-64-6100 ^S	AIR TURBINE STARTER (OIL LEVEL CHECK) SERVICING							Service	ATA:12
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 12-10-64PROC. REF: AMM 12-10-64									
12-10-66-6400	APU - 3882400-1 AUXILIARY POWER UNIT FUEL FILTER ELEMENT DISCARD							Component	ATA:12
PN:3882440-1	MOS	16-Aug-24	24 (+1m)	TSN 1	31-Jul-26	31-Aug-26	197 d (+31)		
SN:N/A	HRS	9866	1000 (+45)	TSN 0	10866	10911	980 (+45)		
	APUS	7924		TSN 0					
								WO#: N772XJ-042726-001,N772XJ-022326-001	
PROC. REF: MM 49-30-52PROC. REF: MM 49-30-52									
12-10-66-6401	APU - AUXILIARY POWER UNIT OIL AND FILTER ASSEMBLY SERVICING							Component	ATA:12
PN:3608765-1	MOS	12-Feb-24		TSN 0					
SN:NSN	HRS	9764	500	TSN 0	10264		378		
	APUS			TSN 0					
								WO#: N772XJ-042726-001,N772XJ-022326-001	
PROC. REF: MM 49-90-47, SIL APU-49PROC. REF: MM 49-90-47, SIL APU-49									
12-20-05-6100 ^S	UPPER RUDDER ELECTROMECHANICAL ACTUATOR SERVICING							Service	ATA:12
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 12-20-05PROC. REF: AMM 12-20-05									
12-20-05-6400 ^S	HORIZONTAL STABILIZER AFT HINGE BOLTS AND LINK ASSEMBLY LUBRICATION							Service	ATA:12
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 12-20-05PROC. REF: AMM 12-20-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-20-05-6401 ^S	FLAP ACTUATOR LUBRICATION							Service	ATA:12
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 12-20-05PROC. REF: AMM 12-20-05									
12-20-05-6402 ^S	FLAP SYSTEM LUBRICATION							Service	ATA:12
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67	1000 (+25/-25)						
	AFL	7589							
								PKG:4511 WO#: N772XJ-081726-001	
PROC. REF: AMM 12-20-05PROC. REF: AMM 12-20-05									
12-20-05-6403 ^S	LEFT AND RIGHT WING AILERON OUTBOARD SECTOR CHAIN LUBRICATION							Service	ATA:12
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 12-20-05PROC. REF: AMM 12-20-05									
12-20-05-6409 ^S	HORIZONTAL STABILIZER TRIM ACTUATOR LUBRICATION							Service	ATA:12
PN:9914509-17	MOS	05-Aug-25	12						
SN:365	HRS	15922.67							
	AFL	7589							
								PKG:68,4507 WO#: N772XJ-042726-001,N772XJ-081726-001	
PROC. REF: AMM 12-20-05PROC. REF: AMM 12-20-05									
12-20-05-6410 ^S	ELEVATOR POWER CONTROL UNIT (PCU) AND INPUT CONTROL PUSHROD ROD END BEARING LUBRICATION							Service	ATA:12
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 12-20-05PROC. REF: AMM 12-20-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-20-15-6400	S	CABIN DOOR HINGE AND LATCH PIN LUBRICATION						Service	ATA:12
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 12-20-15								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 12-20-15									
12-20-17-6400	S	KEY LOCK LUBRICATION						Service	ATA:12
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 12-20-17								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 12-20-17									
121005	U S	PERFORM LUBRICATION OF NOSE WHEEL TORQUE LINKS AND PILLOW BLOCKS PER AMM 32-90-10-640 (ITEMS A THROUGH C ONLY)						Service	ATA:12
	MOS	29-Feb-24	12		RTS-OVD				
	HRS	15838.07	400						
	AFL	7548							
VA-12-COLD WEATHER	U	PERFORM PRE-COLD WEATHER SEASON PREPERATION CHECKLIST (SMX).						Service	ATA:12
	DAYS/MS	29-Feb-24	A/R						
	HRS	15838.07							
	AFL	7548							
PROC. REF: - COLD WEATHER SEASON PREPARATION									
XJ-12-RON SERVICE	U	CITATION X RON SERVICE CHECKLIST						Service	ATA:12
	MOS/MS	25-Jul-24	A/R					XOJET CODE	
	HRS	15917.1							
	AFL	7585							
PROC. REF: - FORM: XJ-12- RON SERVICE									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
XOJ-12-SERVICE ^U	SERVICE APU OIL (TO CENTER OF SIGHT GAUGE) & ENGINE OILS (TO THE 2 QUART LOW LEVEL) USING MOBIL 254, AND AIRCRAFT HYDRAULIC, OXYGEN, & NITROGEN (ACCUMULATOR) SYSTEMS TO FULL LEVELS (PER THE ASSOCIATED PLACARDS) AS REQUIRED							Service	ATA:12
	MOS/MSC	15-Nov-24	A/R					CUSTOMER CODE	
	HRS	15922.67							
	AFL	7589							
ATA 21 - AIR CONDITIONING									
21-20-00-7100 ^S	CABIN AIR DISTRIBUTION CHECK VALVE OPERATIONAL CHECK							Service	ATA:21
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 21-20-00PROC. REF: AMM 21-20-00									
21-30-00-7102 ^S	CABIN PRESSURIZATION DUMP OPERATIONAL CHECK							Service	ATA:21
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00									
21-30-00-7200 ^S	CABIN ALTITUDE EICAS MESSAGE FUNCTIONAL CHECK							Service	ATA:21
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00									
21-31-01-1600 ^S	PRIMARY AND SECONDARY OUTFLOW VALVES (CLEANING) RESTORATION							Service	ATA:21
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-31-01-7200 ^S	OUTFLOW VALVES ALTITUDE LIMITER AND DELTA P LIMITER FUNCTIONAL CHECK							Service	ATA:21
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01									
21-31-01-9600	9914183-7 PRIMARY OUTFLOW VALVE AIR FILTER DISCARD							Service	ATA:21
PN:9914183-7	MOS	29-Feb-24	36 (+1m/-1m)		28-Feb-27	31-Mar-27	409 d (+31)	DISCARD	
SN:N/A	HRS	15838.07	3000 (+25/-25)		18838.07	18863.07	2648.8 (+25)		
	AFL	7548							
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01									
213102A	PRIMARY OUTFLOW VALVE AIR FILTER							Component	ATA:21
PN:9914183-7	MOS/MSC	29-Feb-24	H/T	TSN 0	RTS-OVD				
SN:N/A	HRS	15838.07		TSN 0					
	AFL	7548		TSN 0					
213103	SECONDARY OUTFLOW VALVE							Component	ATA:21
PN:103676-3	MOS/MSC	27-Mar-23	O/C	TSR 0					
SN:34-A0260	HRS	15352.7		TSR 0					
WC#: 21.060	AFL	7331		TSR 0					
PROC. REF: AMM 21-31-01PROC. REF: AMM 21-31-01									
215002	COCKPIT TURBO COMPRESSOR							Component	ATA:21
PN:1013561-1	MOS/MSC	08-Jan-26	O/C						
SN:2015010013	HRS	16158.4		TSO 1134.55					
WC#: 21.080	AFL	7709		TSO 653					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
216130 ^{US}	CLEAN AND INSPECT BOTH COALESCER SOCKS PER AMM TASK 12-10-01-160.							Service	ATA:21
	MOS	29-Feb-24	12		RTS-OVD			CUSTOMER CODE	
	HRS	15838.07	500						
	AFL	7548							
PROC. REF: - 12-10-01-160(216130)PROC. REF: - 12-10-01-160(216130)									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216131	U ^S	INSPECT CABIN AND COCKPIT COALESCER EJECTOR FOR PROPER OPERATION (AMM REFERENCE CH 21-52-00)							Service ATA:21
	MOS	29-Feb-24	12					CUSTOMER CODE	
	HRS	15838.07	500						
	AFL	7548							
PROC. REF: - 216131PROC. REF: - 216131									
ATA 22 - AUTO FLIGHT									
225001		BOTTOM YAW STAB COMPUTER							Component ATA:22
PN:7022090-901	MOS/MSC	02-Mar-23	O/C						
SN:07010717	HRS	15310.27							
WC#: 22.040	AFL	7315							
PROC. REF: AMM 27-24-01, AMM 22-10-02PROC. REF: AMM 27-24-01, AMM 22-10-02									
225001		TOP YAW STAB COMPUTER							Component ATA:22
PN:7022090-901	MOS/MSC	02-Mar-23	O/C						
SN:07030721	HRS	15310.27							
WC#: 22.040	AFL	7315							
PROC. REF: AMM 27-24-01, AMM 22-10-02PROC. REF: AMM 27-24-01, AMM 22-10-02									
ATA 23 - COMMUNICATIONS									
23-60-00-7200	S	STATIC DISCHARGE FUNCTIONAL CHECK							Service ATA:23
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67	2000 (+25/-25)						
	AFL	7589							
PROC. REF: AMM 23-60-00PROC. REF: AMM 23-60-00									
23-70-00-7100	S	FAIRCHILD A200S OR FA2100 COCKPIT VOICE RECORDER SYSTEM OPERATIONAL CHECK							Service ATA:23
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									

PKG:112

PKG:102

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-70-00-7200 ^S	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON FUNCTIONAL CHECK							Service	ATA:23
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:102	
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
23-70-00-9600	DK120 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Service	ATA:23
PN:810-2008/K	MOS/MSC	16-Aug-24	DUE		31-Aug-29 (M)		1324 d	DISCARD	
SN:N/A	HRS	15918.85							
	AFL	7586							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
23-70-00-9601	DK120/90 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Service	ATA:23
PN:810-2008/K	MOS/MSC	16-Aug-24	DUE		31-Aug-29 (M)		1324 d	DISCARD	
SN:N/A	HRS	15918.85							
	AFL	7586							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
23-80-01-7100 ^S	STANDBY NAV/COM CONTROL UNIT OPERATIONAL TEST							Service	ATA:23
	MOS	29-Feb-24							
	HRS	15838.07	500						
WC#: 23.175	AFL	7548							
								PKG:65 WO#: N772XJ-022326-001	
PROC. REF: AMM 23-80-01PROC. REF: AMM 23-80-01									
230005A	CVR ACOUSTIC BEACON BATTERY							Component	ATA:23
PN:810-2008/K	MOS/MSC	16-Aug-24	H/T	TSN 10					
SN:N/A	HRS	15918.85		TSN 0					
WC#: 23.020	AFL	7586		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231103	NO. 2 VHF COMM ANTENNA							Component	ATA:23
PN:565-8280-18	MOS/MSC	07-Jun-23	O/C	TSN 14					
SN:312-4970	HRS	15414.62		TSN 0					
WC#: 23.035	AFL	7359		TSN 0					
PROC. REF: AMM 23-13-00PROC. REF: AMM 23-13-00									
<hr/>									
232012 ^U	AFT ATG ANTENNA							Component	ATA:23
PN:P12949	MOS/MSC	07-Jun-23	O/C	TSN 7				CUSTOMER CODE	
SN:706882	HRS	15414.62		TSN 0					
	AFL	7359		TSN 0					
<hr/>									
232050 ^U	INSPECT AIRCELL LAN EQUIPMENT INSTALLED UNDER STC ST01582WI-D. (24 MONTHS)							Service	ATA:23
	MOS	13-May-25	24		31-May-27		501 d	CUSTOMER CODE	
	HRS	15922.67							
	AFL	7589							
<hr/>									
235001	NO. 2 AUDIO CONTROL PANEL							Component	ATA:23
PN:7511001-917	MOS/MSC	22-Nov-23	O/C						
SN:99124699	HRS	15639.32							
WC#: 23.080	AFL	7460							
PROC. REF: AMM 23-50-00PROC. REF: AMM 23-50-00									
<hr/>									
236002	AIRSHOW UNIT							Component	ATA:23
PN:PN	MOS/MSC	07-Jun-23	O/C						
SN:NOT INSTALLED	HRS	15414.62							
WC#: 23.200	AFL	7359							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
236003	AIRSHOW COCKPIT CONTROLLER							Component	ATA:23
PN:PN	MOS/MSC	07-Jun-23	O/C						
SN:NOT INSTALLED	HRS	15414.62							
WC#: 23.200	AFL	7359							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
236004	COCKPIT AIRSHOW MONITOR-							Component	ATA:23
PN:PN	MOS/MSC	07-Jun-23	O/C						
SN:NOT INSTALLED	HRS	15414.62							
WC#: 23.630	AFL	7359							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 24 - ELECTRICAL POWER									
24-34-00-7200	LEFT MAIN MARATHON NI-CAD BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:9914058-6	MOS	13-May-25	12 (+1m/-1m)	Adj -74d	28-Feb-26	31-Mar-26	44 d (+31)		
SN:10303921	HRS	15922.67	500 (+25/-25)		16422.67	16447.67	233.4 (+25)		
	AFL	7589							
PROC. REF: AMM 24-34-00PROC. REF: AMM 24-34-00									
WO#: N772XJ-022326-001									
24-34-00-7200	RIGHT MAIN MARATHON NI-CAD BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:9914058-6	MOS	13-May-25	12 (+1m/-1m)	Adj -74d	28-Feb-26	31-Mar-26	44 d (+31)		
SN:12201769	HRS	15922.67	500 (+25/-25)		16422.67	16447.67	233.4 (+25)		
	AFL	7589							
PROC. REF: AMM 24-34-00PROC. REF: AMM 24-34-00									
WO#: N772XJ-022326-001									
243001	APU 400 AMP GENERATOR							Component	ATA:24
PN:9914752-1	MOS/MSC	11-Mar-24	O/C						
SN:263C	HRS	15848.52		TSO 231.62					
WC#: 24.025	AFL	7554		TSO 157					
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									
243002	APU DC GENERATOR CONTROL							Component	ATA:24
PN:92746-3	MOS/MSC	20-Nov-23	O/C						
SN:337-M	HRS	15636.95							
WC#: 24.025	AFL	7459							
PROC. REF: AMM 24-32-00PROC. REF: AMM 24-32-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243401	LEFT MAIN SHIP BATTERY							Component	ATA:24
PN:9914058-6	MOS/MSC	29-Feb-24	O/C	TSR 0	RTS-OVD				
SN:10303921	HRS	15838.07		TSR 0					
WC#: 24.035	AFL	7548		TSR 0					
PROC. REF: AMM 24-34-00PROC. REF: AMM 24-34-00									
<hr/>									
243401	RIGHT MAIN SHIP BATTERY							Component	ATA:24
PN:9914058-6	MOS/MSC	29-Feb-24	O/C	TSR 0	RTS-OVD				
SN:12201769	HRS	15838.07		TSR 0					
WC#: 24.035	AFL	7548		TSR 0					
PROC. REF: AMM 24-34-00PROC. REF: AMM 24-34-00									
<hr/>									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-00-2200 ^S	CREW SEAT DETAILED INSPECTION							Service	ATA:25
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 25-11-00PROC. REF: AMM 25-11-00									
<hr/>									
25-60-00-2200	EMERGENCY LOCATOR TRANSMITTER DETAILED INSPECTION							Service	ATA:25
PN:453-5060	MOS	13-May-25	12 (+1m/-1m)		13-May-26 (M)	13-Jun-26	118 d (+31)		
SN:02916	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
<hr/>									
25-60-00-7100 ^S	EMERGENCY LOCATOR TRANSMITTER SYSTEM OPERATIONAL CHECK							Service	ATA:25
PN:453-5060	MOS	13-May-25	12 (+1m/-1m)						
SN:02916	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
<hr/>									

PKG:114

PKG:4507
WO#: N772XJ-042726-001

PKG:4507
WO#: N772XJ-042726-001

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60-00-9600	S1820516-99 SEXTANT/KANNAD OR 452-0133 ARTEX EMERGENCY LOCATOR TRANSMITTER BATTERY DISCARD							Service	ATA:25
PN:452-0133	MOS/MSC	05-Aug-25	DUE		30-Jun-30 (M)		1627 d	DISCARD	
SN:1019179-005	HRS	15922.67							
	AFL	7589							
Expiry Date: : 30-Jun-30									
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00									
25-65-00-2100 ^S	WATER BARRIER ASSEMBLY DETAILED INSPECTION							Service	ATA:25
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PKG:4507 WO#: N772XJ-042726-001									
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-2200 ^S	FIRST AID KIT DETAILED INSPECTION							Service	ATA:25
PN:500097	MOS	13-May-25	12 (+1m/-1m)						
SN:032725011	HRS	15922.67							
	AFL	7589							
PKG:4507 WO#: N772XJ-042726-001									
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-2201 ^S	LIFE RAFT DETAILED INSPECTION							Service	ATA:25
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PKG:4507 WO#: N772XJ-042726-001									
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
25-65-00-2202 ^S	SMOKE GOGGLES DETAILED INSPECTION							Service	ATA:25
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PKG:4507 WO#: N772XJ-042726-001									
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-65-00-2203 ^S	OVER WATER PASSENGER LIFE VEST DETAILED INSPECTION							Service	ATA:25
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 25-65-00PROC. REF: AMM 25-65-00									
250006 ^U	INFANT NO. 2 LIFE VEST							Component	ATA:25
PN:P0640-101	MOS	13-May-25	60	TSO 3	28-Feb-30		1505 d		
SN:10100380016	HRS	15922.67		TSO 0					
	AFL	7589		TSO 0					
250006(10) ^U	#10 LIFE VEST							Component	ATA:25
PN:P01074--207	MOS	25-Sep-23	120	TSN 1	31-Aug-33		2785 d	CUSTOMER CODE	
SN:23060180400	HRS	15519.58		TSN 0					
	AFL	7406		TSN 0					
250006(CP) ^U	COPILOT LIFE VEST							Component	ATA:25
PN:P01074-103	MOS	29-Feb-24	120	TSN 0	02-Oct-28 (M)		991 d	CUSTOMER CODE	
SN:23090730098	HRS	15838.07		TSN 0					
	AFL	7548		TSN 0					
250006(P) ^U	PILOT LIFE VEST							Component	ATA:25
PN:P01074-201WC	MOS	29-Feb-24	120	TSN 34	RTS-OVD			CUSTOMER CODE	
SN:21070190017	HRS	15838.07		TSN 0					
	AFL	7548		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
251000	FORWARD 10.4 LCD MONITOR-							Component	ATA:25
PN:PN	MOS/MSC	07-Jun-23	O/C						
SN:NOT INSTALLED	HRS	15414.62							
	AFL	7359							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002	NO. 1 CABIN MONITOR-							Component	ATA:25
PN:PN	MOS/MSC	07-Jun-23	O/C						
SN:NOT INSTALLED	HRS	15414.62							
WC#: 25.080	AFL	7359							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002	NO. 2 CABIN MONITOR-							Component	ATA:25
PN:PN	MOS/MSC	07-Jun-23	O/C						
SN:NOT INSTALLED	HRS	15414.62							
WC#: 25.080	AFL	7359							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002	NO. 3 CABIN MONITOR-							Component	ATA:25
PN:PN	MOS/MSC	07-Jun-23	O/C						
SN:NOT INSTALLED	HRS	15414.62							
WC#: 25.085	AFL	7359							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251002	NO. 4 CABIN MONITOR-							Component	ATA:25
PN:PN	MOS/MSC	07-Jun-23	O/C						
SN:NOT INSTALLED	HRS	15414.62							
WC#: 25.085	AFL	7359							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256004	ELT LOCATOR BEACON BATTERY							Component	ATA:25
PN:452-0133	MOS/MSC	05-Aug-25	H/T	TSN 0					
SN:1019179-005	HRS	15922.67		TSN 0					
WC#: 25.030	AFL	7589							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256009	NO. 1 LIFE RAFT							Component	ATA:25
PN:46FASA-632-1-303	MOS/MSC	16-Aug-24	O/C	TSN 35, TSO 0				REPLACE	
SN:4SA-00681	HRS	15918.85		TSN 1089.27, TSO 0					
WC#: 25.045	AFL	7586		TSN 481, TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256009	NO. 2 LIFE RAFT							Component	ATA:25
PN:46FASA-632-1-303	MOS/MSC	16-Aug-24	O/C	TSO 0					
SN:4UL-03938	HRS	15918.85		TSO 0					
WC#: 25.050	AFL	7586		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256018 ^U	INSPECT NO. 1 LIFE RAFT							Service	ATA:25
PN:46FASA-632-1-303	MOS/MSC	16-Aug-24	DUE	31-Aug-27 (M)			593 d		
SN:4SA-00681	HRS	15918.85							
WC#: 25.045	AFL	7586							
256020 ^U	INSPECT NO. 2 LIFE RAFT							Service	ATA:25
PN:46FASA-632-1-303	MOS/MSC	16-Aug-24	DUE	31-Aug-27 (M)			593 d		
SN:4UL-03938	HRS	15918.85							
WC#: 25.050	AFL	7586							
256020-8000 ^U	PHILIPS AED RESISTOR URGENT RECALL - PH18006R/FSN86100186 - FEB 27, 2018							Service	ATA:25
	MOS/MSC	08-Dec-23	O/C						
	HRS	15708.98							
	AFL	7487							
PROC. REF: - 25-1PROC. REF: - 25-1									
256500	FIRST AID KIT							Component	ATA:25
PN:500097	MOS/MSC	13-May-25	O/C						
SN:032725011	HRS	15922.67							
WC#: 25.070	AFL	7589							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								WO#: N772XJ-042726-001	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256500A ^U	DEFIBRILLATOR (AED)							Component	ATA:25
PN:PN	MOS/MSC	08-Dec-23	O/C					CUSTOMER CODE	
SN:NOT INSTALLED	HRS	15708.98							
	AFL	7487							
<hr/>									
256500B ^U	ANNUAL INSPECTION OF DEFIBRILLATOR (AED) & APPLICATION OF NEW EXPIRATION DATE TAG							Service	ATA:25
PN:PN	MOS/MSC	08-Dec-23	-					N/A EQUIPMENT NOT INSTALLED	
SN:NOT INSTALLED	HRS	15708.98							
	AFL	7487							
PROC. REF: - FORM 599: 12 MON AED INSPECTION CHECKLISTPROC. REF: - FORM 599: 12 MON AED INSPECTION CHECKLIST									
<hr/>									
256500C ^U	***LINE MX*** AED BATTERY							Component	ATA:25
PN:PN	MOS/MSC	08-Dec-23	-					N/A EQUIPMENT NOT INSTALLED	
SN:NOT INSTALLED	HRS	15708.98							
	AFL	7487							
<hr/>									
256500D ^U	***LINE MX*** REPLACE SPARE BATTERY DEFIBRILLATOR (AED)							Component	ATA:25
PN:PN	MOS/MSC	08-Dec-23	-					N/A EQUIPMENT NOT INSTALLED	
SN:NOT INSTALLED	HRS	15708.98							
	AFL	7487							
<hr/>									
256500E ^U	***LINE MX*** REPLACE PAD #1 DEFIBRILLATOR (AED)							Component	ATA:25
PN:PN	MOS/MSC	08-Dec-23	-					N/A EQUIPMENT NOT INSTALLED	
SN:NOT INSTALLED	HRS	15708.98							
	AFL	7487							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256500F ^U	***LINE MX*** REPLACE PAD #2 DEFIBRILLATOR (AED)							Component	ATA:25
PN:PN	MOS/MSC	08-Dec-23	-					N/A EQUIPMENT NOT INSTALLED	
SN:NOT INSTALLED	HRS	15708.98							
	AFL	7487							
<hr/>									
CAMPAIGN-024 ^U	REMOVAL OF AUTOMATED EXTERNAL DEFIBULATOR (AED), COMPLIANCE LOCATIONS: TEB, VNY, GSO OR LNK.							Service	ATA:25
	DAYS/MSC	21-Jan-24	-						
	HRS	15768.4							
	AFL	7513							
PROC. REF: - REMOVAL OF AUTOMATED EXTERNAL (AED)PROC. REF: - REMOVAL OF AUTOMATED EXTERNAL (AED)									
<hr/>									
ATA 26 - FIRE PROTECTION									
26-00-00-2100 ^S	LEFT ENGINE, RIGHT ENGINE, AND AUXILIARY POWER UNIT FIRE DETECTOR ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:26
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 26-00-00PROC. REF: AMM 26-00-00									
<hr/>									
26-14-00-2100 ^S	BAGGAGE COMPARTMENT SMOKE DETECTOR GENERAL VISUAL INSPECTION							Service	ATA:26
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 26-14-00PROC. REF: AMM 26-14-00									
<hr/>									
26-14-00-7100 ^S	BAGGAGE COMPARTMENT SMOKE DETECTION SYSTEM OPERATIONAL CHECK							Service	ATA:26
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 26-14-00PROC. REF: AMM 26-14-00									

PKG:114

PKG:114

PKG:114

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20-01-2100	S	ENGINE FIRE CONTAINMENT GENERAL VISUAL INSPECTION						Service	ATA:26
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
								PKG:103	
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01									
26-20-01-7100	S	FUEL SHUT-OFF VALVE OPERATIONAL CHECK						Service	ATA:26
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01									
26-20-01-7101	S	HYDRAULIC SHUTOFF VALVE OPERATIONAL CHECK						Service	ATA:26
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01									
26-20-01-7102	S	AUXILIARY POWER UNIT FUEL SHUTOFF VALVE OPERATIONAL CHECK						Service	ATA:26
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67	2000 (+25/-25)						
	AFL	7589							
								PKG:112	
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01									
26-20-01-7200	S	ENGINE FIRE EXTINGUISHING SYSTEM FUNCTIONAL CHECK						Service	ATA:26
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-00-7200 A352GS OR A352TS OR C352TS COPILOT PORTABLE FIRE EXTINGUISHER (WEIGHT) FUNCTIONAL CHECK Service ATA:26								
PN:C352TS	MOS	10-Feb-25	12		28-Feb-26		44 d	WEIGHT CHECK
SN:I-48488815	HRS	15922.67						
	AFL	7589						
WeightCheck Date : : 05-Feb-25								WO#: N772XJ-022326-001
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
26-21-00-7200 A352GS OR A352TS OR C352TS FORWARD CLOSET PORTABLE FIRE EXTINGUISHER (WEIGHT) FUNCTIONAL CHECK Service ATA:26								
PN:C352TS	MOS	10-Feb-25	12		28-Feb-26		44 d	WEIGHT CHECK
SN:I-48488814	HRS	15922.67						
	AFL	7589						
WeightCheck Date : : 05-Feb-25								WO#: N772XJ-022326-001
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
26-21-00-7800 A352GS OR A352TS OR C352TS COPILOT PORTABLE FIRE EXTINGUISHER (HYDROSTATIC) RESTORATION Service ATA:26								
PN:C352TS	MOS	10-Feb-25	144		28-Feb-37		4062 d	HYDROSTATIC TEST
SN:I-48488815	HRS	15922.67						
	AFL	7589						
HydroCheck Date: : 05-Feb-25								
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
26-21-00-7800 A352GS OR A352TS OR C352TS FORWARD CLOSET PORTABLE FIRE EXTINGUISHER (HYDROSTATIC) RESTORATION Service ATA:26								
PN:C352TS	MOS	10-Feb-25	144		28-Feb-37		4062 d	HYDROSTATIC TEST
SN:I-48488814	HRS	15922.67						
	AFL	7589						
HydroCheck Date: : 05-Feb-25								
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
26-21-00-7801 A352GS OR A352TS OR C352TS COPILOT PORTABLE FIRE EXTINGUISHER (INTERNAL INSPECTION) RESTORATION Service ATA:26								
PN:C352TS	MOS	05-Feb-25	72		28-Feb-31		1870 d	OVERHAUL
SN:I-48488815	HRS							
	AFL							
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-21-00-7801	A352GS OR A352TS OR C352TS FORWARD CLOSET PORTABLE FIRE EXTINGUISHER (INTERNAL INSPECTION) RESTORATION							Service	ATA:26
PN:C352TS	MOS	05-Feb-25	72		28-Feb-31		1870 d	OVERHAUL	
SN:I-48488814	HRS								
	AFL								
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00									
<hr/>									
26-22-00-2100 ^S	AUXILIARY POWER UNIT FIRE CONTAINMNET GENERAL VISUAL INSPECTION							Service	ATA:26
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00									
<hr/>									
26-22-00-7200 ^S	AUXILIARY POWER UNIT FIRE EXTINGUISHING SYSTEM FUNCTIONAL CHECK							Service	ATA:26
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 26-22-00PROC. REF: AMM 26-22-00									
<hr/>									
262003	COPILOT PORTABLE FIRE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	10-Feb-25	H/T	TSN 0					
SN:I-48488815	HRS	15922.67		TSN 0					
WC#: 26.035	AFL	7589		TSN 0					
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00									
<hr/>									
262003	FORWARD CLOSET PORTABLE FIRE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	10-Feb-25	H/T	TSN 0					
SN:I-48488814	HRS	15922.67		TSN 0					
WC#: 26.035	AFL	7589		TSN 0					
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00									
<hr/>									
263006	LEFT NO. 1 FORWARD FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:AE30903824	MOS/MSC	02-Mar-23	H/T	Adj -5					
SN:288	HRS	15310.27							
WC#: 26.030	AFL	7315							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 26 - FIRE PROTECTION

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

263008	LEFT NO. 2 AFT FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903824-1	MOS/MSC	29-Feb-24	H/T		RTS-OVD				
SN:NSN	HRS	15838.07		TSN 0					
WC#: 26.040	AFL	7548		TSN 0					
		Manufacture Date:: 01-Nov-23							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

263010	RIGHT NO. 1 FORWARD FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:AE30903824	MOS/MSC	02-Mar-23	H/T						
SN:262	HRS	15310.27							
WC#: 26.030	AFL	7315							
		Manufacture Date:: 01-May-19							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

263012	RIGHT NO. 2 AFT FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903824-1	MOS/MSC	29-Feb-24	H/T		RTS-OVD				
SN:NSN	HRS	15838.07		TSN 0					
WC#: 26.040	AFL	7548		TSN 0					
		Manufacture Date:: 01-Nov-23							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

ATA 27 - FLIGHT CONTROLS

27-10-00-2200 ^S	AILERON/SPOILER ROLL AND LEVATOR/PITCH DISCONNECT DETAILED INSPECTION							Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									

27-10-00-2201 ^S	AILERON CONTROL SYSTEM SUPPORT STRUCTURE DETAILED INSPECTION							Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
PKG:103									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
27-10-00-7100	^S	AILERON/SPOILER ROLL AND ELEVATOR/PITCH DISCONNECT OPERATIONAL CHECK							Service ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
27-10-00-7200	^S	AILERON, SPOILER AND SPEED BRAKE CABLE SYSTEM (TENSION) FUNCTIONAL CHECK (AIRPLANES -0001 THRU -0149 NOT INCORPORATING SB750-27-44)							Service ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
27-10-00-7201	^S	AILERON, SPOILER AND SPEED BRAKE CABLE SYSTEM (TENSION) FUNCTIONAL CHECK (AIRPLANES -0150 AND ON AND AIRPLANES -0001 THRU -0149 AND INCORPORATING SB750-27-44)							Service ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
27-11-01-2200	^S	FUSELAGE/FAIRING AILERON CABLES DETAILED INSPECTION (AIRPLANES -0001 THRU -0149 NOT INCORPORATING SB750-27-44)							Service ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 27-11-01PROC. REF: AMM 27-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-11-01-2201 ^S	FUSELAGE/FAIRING AILERON CABLES DETAILED INSPECTION (AIRPLANES -0150 AND ON AND AIRPLANES -0001 THRU -0149 INCORPORATING SB750-27-44)							Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-11-01PROC. REF: AMM 27-11-01									
27-11-03-2201 ^S	WING AILERON CABLES DETAILED INSPECTION (AIRPLANES -0150 AND ON AND AIRPLANES -0001 THRU -0149 INCORPORATING SB750-27-44)							Service	ATA:27
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67	2000 (+25/-25)						
	AFL	7589							
								PKG:112	
PROC. REF: AMM 27-11-03PROC. REF: AMM 27-11-03									
27-11-05-2200 ^S	AILERON POWER CONTROL UNIT DETAILED INSPECTION							Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-11-05PROC. REF: AMM 27-11-05									
27-11-05-7100 ^S	AILERON RATIO AND AILERON POWER CONTROL UNIT OPERATIONAL CHECK							Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-11-05PROC. REF: AMM 27-11-05									
27-12-03-2200 ^S	SPOILER CABLES AND SPEED BRAKE CONTROL DETAILED INSPECTION							Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-12-03PROC. REF: AMM 27-12-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20-00-2200	^S	VERTICAL STABILIZER RUDDER CONTROL SYSTEM INSTALLATION DETAILED INSPECTION							Service ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
27-20-00-2201	^S	RUDDER CONTROL SYSTEM SUPPORT STRUCTURE DETAILED INSPECTION							Service ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
27-20-00-7200	^S	RUDDER CABLE SYSTEM (TENSION) FUNCTIONAL CHECK							Service ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
27-21-00-2200	^S	RUDDER CONTROL CABLES DETAILED INSPECTION							Service ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-21-00PROC. REF: AMM 27-21-00									
27-24-01-7200	^S	UPPER RUDDER SYSTEM FUNCTIONAL CHECK							Service ATA:27
	MOS	05-Aug-25	12						
	HRS	15922.67							
WC#: 27.495	AFL	7589							
								PKG:68	
								WO#: N772XJ-081726-001	
PROC. REF: AMM 27-24-01PROC. REF: AMM 27-24-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30-00-2200	S	ELEVATOR CONTROL SYSTEM DETAILED INSPECTION						Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
27-30-00-2201	S	ELEVATOR CONTROL SYSTEM SUPPORT STRUCTURE DETAILED INSPECTION						Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
27-30-00-7200	S	ELEVATOR FEEL ACTUATOR ASSEMBLY LINEAR SERVO FUNCTIONAL CHECK						Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
27-30-00-7201	S	ELEVATOR CABLE SYSTEM (TENSION) FUNCTIONAL CHECK						Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
27-34-00-2100	S	ELEVATOR CONTROL SYSTEM (LOCATED IN HORIZONTAL STABILIZER) GENERAL VISUAL INSPECTION						Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-34-00PROC. REF: AMM 27-34-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-34-00-7100	S	ELEVATOR POWER CONTROL UNIT OPERATIONAL CHECK						Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-34-00PROC. REF: AMM 27-34-00									
27-40-00-7200	S	HORIZONTAL STABILIZER TRIM ACTUATOR NO-BACK BRAKE FUNCTIONAL CHECK						Service	ATA:27
	MOS	13-May-25	24						
	HRS	15922.67							
WC#: 27.520	AFL	7589							
								PKG:69	
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00									
27-40-00-7201	S	HORIZONTAL STABILIZER PITCH TRIM SWITCHES FUNCTIONAL CHECK						Service	ATA:27
	MOS	05-Aug-25	12						
	HRS	15922.67							
WC#: 27.530	AFL	7589							
								PKG:68 WO#: N772XJ-081726-001	
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00									
27-50-00-2100	S	FLAP ASSEMBLY GENERAL VISUAL INSPECTION						Service	ATA:27
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67	1000 (+25/-25)						
	AFL	7589							
								PKG:4510 WO#: N772XJ-042726-001	
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00									
27-50-00-2200	S	FLAP SYSTEM DETAILED INSPECTION						Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50-00-7200	S	FLAP CONTROLLER FUNCTIONAL TEST						Service	ATA:27
	MOS	29-Feb-24			RTS-OVD				
	HRS	15838.07	800						
WC#: 27.555	AFL	7548							
								PKG:66 WO#: N772XJ-042726-001	
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00									
<hr/>									
27-80-00-2200	S	SLATS DETAILED INSPECTION						Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-80-00PROC. REF: AMM 27-80-00									
<hr/>									
27-80-00-7100	S	SLAT SYSTEM OPERATIONAL CHECK						Service	ATA:27
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 27-80-00PROC. REF: AMM 27-80-00									
<hr/>									
271001	RIGHT AILERON/AFT PCU						Component	ATA:27	
PN:9914440-15	MOS/MSC	07-Jun-23	O/C		TSO 7				
SN:0463	HRS	15414.62			TSO 0				
WC#: 27.010	AFL	7359			TSO 0				
PROC. REF: AMM 27-11-05PROC. REF: AMM 27-11-05									
<hr/>									
271204	RIGHT SPOILER SR020 SWITCH						Component	ATA:27	
PN:8-405-04	MOS/MSC	21-Jan-24	O/C		TSN 6				
SN:B86958	HRS	15768.4			TSN 0				
WC#: 27.030	AFL	7513			TSN 0				
PROC. REF: AMM 27-12-04PROC. REF: AMM 27-12-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272005 UPPER RUDDER ACTUATOR Component ATA:27								
PN:9914600-3	MOS/MSC	14-Mar-23	O/C	TSR 1				
SN:0192	HRS	15324.95		TSR 0				
WC#: 27.080	AFL	7319		TSR 0				
PROC. REF: AMM 27-24-01PROC. REF: AMM 27-24-01								
272401 NO. 1 LINEAR ACTUATOR Component ATA:27								
PN:7002800-901	MOS/MSC	08-Apr-24	O/C	TSO 22				
SN:01061704	HRS	15893.52		TSO 0				
WC#: 27.125	AFL	7575		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
272401 NO. 2 LINEAR ACTUATOR Component ATA:27								
PN:7002800-901	MOS/MSC	27-Apr-24	O/C	TSR 1				
SN:98091188	HRS	15914.07		TSR 0				
WC#: 27.125	AFL	7583		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275004 FLAP POWER DRIVE UNIT Component ATA:27								
PN:MP50G4	MOS/MSC	23-Dec-25	O/C	TSO 6				
SN:0910B	HRS	16136.9		TSO 0				
WC#: 27.250	AFL	7696		TSO 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00								
275005 ^{U S} INSPECT FLAP CONTROL HANDLE FOR DEBRIS AND REMOVE ALL DEBRIS FOUND Service ATA:27								
	MOS	29-Feb-24			RTS-OVD			CUSTOMER CODE
	HRS	15838.07	800					
	AFL	7548						
PKG:66 WO#: N772XJ-042726-001								
275217 LEFT NO. 1 FLEX SHAFT Component ATA:27								
PN:9914344-47	MOS/MSC	07-Jun-23	O/C	TSN 2				
SN:22120254	HRS	15414.62		TSN 0				
WC#: 27.325	AFL	7359		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00									
275217	LEFT NO. 2 FLEX SHAFT							Component	ATA:27
PN:9914344-42	MOS/MSC		13-May-25	O/C	TSN 1				
SN:0383	HRS		15922.67		TSN 0				
WC#: 27.330	AFL		7589		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00									
275217	LEFT NO. 5 FLEX SHAFT							Component	ATA:27
PN:9914344-46	MOS/MSC		07-Jun-23	O/C	TSN 2				
SN:0552	HRS		15414.62		TSN 0				
WC#: 27.345	AFL		7359		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00									
275318	RIGHT NO. 2 FLEX SHAFT							Component	ATA:27
PN:9914344-42	MOS/MSC		13-May-25	O/C	TSN 1				
SN:0376	HRS		15922.67		TSN 0				
WC#: 27.330	AFL		7589		TSN 0				
PROC. REF: AMM 27-52-00PROC. REF: AMM 27-52-00									
278013	LEFT ASSEMBLY SLAT							Component	ATA:27
PN:6725400-5	MOS/MSC		08-Jan-26	O/C					
SN:0284P	HRS		16158.4		TSR 4401.58				
WC#: 27.400	AFL		7709		TSR 2089				
PROC. REF: AMM 57-41-00PROC. REF: AMM 57-41-00									
278013	RIGHT ASSEMBLY SLAT							Component	ATA:27
PN:6725400-6	MOS/MSC		28-Apr-24	O/C					
SN:0187P	HRS		15914.07						
WC#: 27.400	AFL		7583						
PROC. REF: AMM 57-41-00PROC. REF: AMM 57-41-00									
ATA 28 - FUEL									
28-20-49-CUS ^{U S}	SWAP THE RH AND LH ELECTRIC FUEL BOOST PUMP CARTRIDGES							Service	ATA:28
	MOS		07-Jun-23	24 (+1m/-1m)				CUSTOMER CODE	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
	HRS	15414.62	2000 (+20/-20)						
	AFL	7359							
<hr/>									
281004	RIGHT OUTBOARD OUTER WING VALVE							Component	ATA:28
PN:9914505-1	MOS/MSC	07-Jun-23	O/C	TSN 1					
SN:1446	HRS	15414.62		TSN 0					
WC#: 28.025	AFL	7359		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
282001	LEFT ELECTRIC FUEL BOOST PUMP							Component	ATA:28
PN:RR55395	MOS/MSC	07-Jun-23	O/C	TSR 47					
SN:B-594	HRS	15414.62		TSR 2246.92					
WC#: 28.050	AFL	7359		TSR 995					
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									
<hr/>									
282001	RIGHT ELECTRIC FUEL BOOST PUMP							Component	ATA:28
PN:RR55395	MOS/MSC	07-Jun-23	O/C	TSO 27					
SN:B-401	HRS	15414.62		TSO 1355.08					
WC#: 28.050	AFL	7359		TSO 578					
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									
<hr/>									
282049	LEFT BOOST PUMP CARTRIDGE							Component	ATA:28
PN:LR55385-3	MOS/MSC	07-Jun-23	O/C						
SN:B-461	HRS	15414.62							
WC#: 28.165	AFL	7359							
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									
<hr/>									
282049	RIGHT BOOST PUMP CARTRIDGE							Component	ATA:28
PN:LR55385-3	MOS/MSC	07-Jun-23	O/C						
SN:B-359	HRS	15414.62							
WC#: 28.165	AFL	7359							
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284009	LEFT FUEL QUANTITY W5 PROBE							Component	ATA:28
PN:10478T15Y00	MOS/MSC	01-Nov-23	O/C	TSO 1					
SN:MN18910	HRS	15598.83		TSO 0					
WC#: 28.210	AFL	7444		TSO 0					
PROC. REF: AMM 28-41-01PROC. REF: AMM 28-41-01									
ATA 28 - FUEL									
284019	FUEL QUANTITY SIGNAL PROCESSER							Component	ATA:28
PN:9914422-12	MOS/MSC	12-Aug-23	O/C	TSO 2					
SN:0425	HRS	15448.03		TSO 0					
WC#: 28.245	AFL	7376		TSO 0					
PROC. REF: AMM 28-41-03PROC. REF: AMM 28-41-03									
ATA 29 - HYDRAULIC POWER									
29-10-01-7200 ^S	MAIN HYDRAULIC SYSTEM FUNCTIONAL CHECK							Service	ATA:29
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01									
PKG:114									
29-10-08-2100 ^S	HYDRAULIC FILTER ASSEMBLY BYPASS INDICATOR GENERAL VISUAL INSPECTION							Service	ATA:29
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 29-10-08PROC. REF: AMM 29-10-08									
PKG:4507 WO#: N772XJ-042726-001									
29-10-08-9600	9914465-3, -4, -8 HYDRAULIC FILTERS ELEMENT DISCARD							Service	ATA:29
PN:9914465-3	MOS	16-Aug-24	36 (+1m/-1m)	31-Aug-27	30-Sep-27	593 d (+30)			
SN:N/A	HRS	15918.85	3000 (+25/-25)	18918.85	18943.85	2729.6 (+25)			
	AFL	7586							
PROC. REF: AMM 29-10-08PROC. REF: AMM 29-10-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-20-05-2200 ^S	RUDDER STANDBY SYSTEM DETAILED INSPECTION							Service	ATA:29
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 29-20-05PROC. REF: AMM 29-20-05									
<hr/>									
29-20-05-7200 ^S	RUDDER STANDBY SYSTEM FUNCTIONAL CHECK							Service	ATA:29
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 29-20-05PROC. REF: AMM 29-20-05									
<hr/>									
291000	HYDRAULIC FILTERS							Component	ATA:29
PN:9914465-3	MOS/MSC	16-Aug-24	H/T	TSN 0					
SN:N/A	HRS	15918.85		TSN 0					
WC#: 29.245	AFL	7586		TSN 0					
<hr/>									
ATA 30 - ICE AND RAIN PROTECTION									
30-10-00-2100 ^S	OVERWING ANTI-ICE RESISTIVE TEMPERATURE DEVICE (TL019, TR020, TL021, TR022) GENERAL VISUAL INSPECTION							Service	ATA:30
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00									
<hr/>									
30-10-00-2200 ^S	WING ANTI-ICE CHECK VALVE DETAILED INSPECTION							Service	ATA:30
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-10-00-7100	S	AIRFOIL ANTI-ICE SYSTEM OPERATIONAL CHECK						Service	ATA:30
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67	1000 (+25/-25)						
	AFL	7589							
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								PKG:4510 WO#: N772XJ-042726-001	
30-12-00-2100	S	WING ANTI-ICE SYSTEM GENERAL VISUAL INSPECTION						Service	ATA:30
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 30-12-00PROC. REF: AMM 30-12-00								PKG:114	
30-14-00-2200	S	HORIZONTAL STABILIZER ANTI-ICE SYSTEM DETAILED INSPECTION						Service	ATA:30
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 30-14-00PROC. REF: AMM 30-14-00								PKG:114	
30-16-10-CUS	U S	INSPECT LEFT AND RIGHT OUTBOARD SLAT TEMP SENOR TL 31 AND TL 32						Service	ATA:30
	MOS	07-Jun-23	24 (+1m/-1m)						
	HRS	15414.62	2000 (+20/-20)						
	AFL	7359							
PROC. REF: - 30-16-10-CUSPROC. REF: - 30-16-10-CUS									
302017		INBOARD WING LEADING EDGE TL003 SENSOR						Component	ATA:30
PN:S101817PG	MOS/MSC	26-Mar-24	O/C		TSN 0				
SN:899	HRS	15880.27			TSN 0				
WC#: 30.110	AFL	7568			TSN 0				
PROC. REF: AMM 30-12-00PROC. REF: AMM 30-12-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
302018	INBOARD WING LEADING EDGE TR004 SENSOR							Component	ATA:30
PN:S101817PG	MOS/MSC	30-Oct-25	O/C	TSN 0					
SN:1152	HRS	15983		TSN 0					
WC#: 30.110	AFL	7618		TSN 0					
PROC. REF: AMM 30-12-00PROC. REF: AMM 30-12-00									
302031	FORWARD HORIZONTAL STABILIZER TH002 SENSOR							Component	ATA:30
PN:S101816PG	MOS/MSC	03-Jan-24	O/C	TSN 0					
SN:6230	HRS	15761.08		TSN 0					
WC#: 30.160	AFL	7510		TSN 0					
PROC. REF: AMM 30-14-00PROC. REF: AMM 30-14-00									
302036	WING LEADING EDGE SLAT TR030 SENSOR							Component	ATA:30
PN:S101813PG	MOS/MSC	12-Jan-24	O/C	TSN 76					
SN:2785	HRS	15766		TSN 0					
WC#: 30.180	AFL	7512		TSN 0					
PROC. REF: AMM 30-12-00PROC. REF: AMM 30-12-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-31-00-7200 ^S	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON FUNCTIONAL CHECK							Service	ATA:31
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:105	
PROC. REF: AMM 31-31-00PROC. REF: AMM 31-31-00									
314101	LEFT EICAS DATA AQUISITION UNIT							Component	ATA:31
PN:7013348-943	MOS/MSC	30-Dec-25	O/C						
SN:02115276	HRS	16151		TSR 614.98					
WC#: 31.020	AFL	7704		TSR 311					
PROC. REF: AMM 31-41-00PROC. REF: AMM 31-41-00									
315001	NO. 3 EICAS DISPLAY							Component	ATA:31
PN:7014300-901	MOS/MSC	30-Oct-25	O/C						
SN:0204B310	HRS	15983							
WC#: 31.030	AFL	7618							
								WO#: (RTS-UPDATE OVERDUE)N772XJ-102525-001	
PROC. REF: AMM 31-50-01PROC. REF: AMM 31-50-01									
315010	EICAS CONTROLLER							Component	ATA:31
PN:7016882-915	MOS/MSC	29-Feb-24	O/C	TSR 1	RTS-OVD				
SN:05090558	HRS	15838.07		TSR 0					
WC#: 31.050	AFL	7548		TSR 0					
PROC. REF: AMM 31-50-01PROC. REF: AMM 31-50-01									
ATA 32 - LANDING GEAR									
32-00-00-2101 ^S	LANDING GEAR WHEEL WELLS ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:32
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
								PKG:103	
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-00-00-6400	S	LANDING GEAR SYSTEM LUBRICATION						Service	ATA:32
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									
32-00-01-7200	S	LANDING GEAR SYSTEM OPERATIONAL CHECK						Service	ATA:32
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 32-00-01PROC. REF: AMM 32-00-01									
32-10-00-2100	S	LEFT AND RIGHT MAIN LANDING GEAR ASSEMBLY GENERAL VISUAL INSPECTION						Service	ATA:32
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
								PKG:103	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-2200	S	MAIN LANDING GEAR WEAR PLATES FUNCTIONAL CHECK						Service	ATA:32
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
32-10-00-2201	S	MAIN LANDING GEAR ASSEMBLY STRUCTURAL AND CORROSION DETAILED INSPECTION						Service	ATA:32
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10-00-2202	S	MAIN LANDING GEAR DETAILED INSPECTION						Service	ATA:32
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:114	
<hr/>									
32-10-00-2900	S	MAIN LANDING GEAR TRAILING LINK (BORESCOPE) SPECIAL DETAILED INSPECTION						Service	ATA:32
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:4507 WO#: N772XJ-042726-001	
<hr/>									
32-20-00-2200	S	NOSE LANDING GEAR ASSEMBLY STRUCTURAL AND CORROSION DETAILED INSPECTION						Service	ATA:32
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:4507 WO#: N772XJ-042726-001	
<hr/>									
32-20-00-2201	S	NOSE LANDING GEAR WHEEL AND TIRE ASSEMBLY STRUCTURAL AND CORROSION DETAILED INSPECTION						Service	ATA:32
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:4507 WO#: N772XJ-042726-001	
<hr/>									
32-20-00-2202	S	NOSE LANDING GEAR DETAILED INSPECTION						Service	ATA:32
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:114	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30-06-7800	40005338-4, 40005338-5 LANDING GEAR EMERGENCY PNEUMATIC STORAGE BOTTLE (HYDROSTATIC) RESTORATION							Service ATA:32
	MOS	01-Aug-23	36		31-Aug-26		228 d	HYDRO CHECK
	HRS							
	AFL							
		HydroCheck Date: : 01-Aug-23						WO#: N772XJ-081726-001
PROC. REF: AMM 32-30-06, TLMC 5-13-00PROC. REF: AMM 32-30-06, TLMC 5-13-00								
32-30-06-9600	40005338-4, 40005338-5 LANDING GEAR EMERGENCY PNEUMATIC STORAGE BOTTLE DISCARD							Service ATA:32
PN:40005338-5	MOS	29-Feb-24	288		31-Dec-31		2176 d	DISCARD
SN:5793	HRS	15838.07						
	AFL	7548						
		Manufacture Date:: 01-Dec-07						WO#: N772XJ-081726-001
PROC. REF: AMM 32-30-06, TLMC 5-13-00PROC. REF: AMM 32-30-06, TLMC 5-13-00								
32-41-00-2100 ^S	LEFT NOSE WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service ATA:32
PN:3-1538-1	MOS/MSC	16-Aug-24	24 (+1m/-1m) / T/C					
SN:0952	HRS	15918.85						
	AFL	7586						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2100 ^S	LEFT OUTBOARD WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service ATA:32
PN:3-1537-2	MOS/MSC	16-Aug-24	24 (+1m/-1m) / T/C					
SN:1855	HRS	15918.85						
	AFL	7586						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2100 ^S	RIGHT INBOARD WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service ATA:32
PN:3-1537-2	MOS/MSC	13-May-25	24 (+1m/-1m) / T/C					
SN:2073	HRS	15922.67						
	AFL	7589						
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00								
32-41-00-2100 ^S	RIGHT NOSE WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service ATA:32
PN:3-1538-1	MOS/MSC	16-Aug-24	24 (+1m/-1m) / T/C					
SN:1752	HRS	15918.85						
	AFL	7586						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
<hr/>									
32-41-00-2800	LEFT OUTBOARD WHEEL LANDING GEAR WHEELS (EDDY CURRENT AND PENETRANT) SPECIAL DETAILED INSPECTION							Service	ATA:32
PN:3-1537-2	MOS/MSC	16-Aug-24	O/C						
SN:1855	HRS	15918.85							
	AFL	7586							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
<hr/>									
32-41-00-2800	RIGHT INBOARD WHEEL LANDING GEAR WHEELS (EDDY CURRENT AND PENETRANT) SPECIAL DETAILED INSPECTION							Service	ATA:32
PN:3-1537-2	MOS/MSC	13-May-25	O/C						
SN:2073	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
<hr/>									
32-41-00-2901 ^S	MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY STRUCTURAL AND CORROSION DETAILED INSPECTION							Service	ATA:32
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 32-41-00PROC. REF: AMM 32-41-00									
PKG:4507 WO#: N772XJ-042726-001									
<hr/>									
32-43-00-7200 ^S	LANDING GEAR BRAKING SYSTEM FUNCTIONAL CHECK							Service	ATA:32
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00									
PKG:114									
<hr/>									
32-43-00-7800.1 ^U	AFT EMERGENCY PNEUMATIC BRAKING BOTTLE EMERGENCY PNEUMATIC BRAKING BOTTLE DISCARD (TOTAL LIFE)							Service	ATA:32
PN:40005355-1	MOS	29-Feb-24	288		29-Feb-48		8080 d	LIFE LIMIT	
SN:1745	HRS	15838.07							
	AFL	7548							
WO#: N772XJ-081726-001									
<hr/>									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-50-00-2200 ^S NOSE WHEEL STEERING CABLES DETAILED INSPECTION Service ATA:32								
	MOS	16-Aug-24	36 (+1m/-1m)					
	HRS	15918.85	3000 (+25/-25)					
	AFL	7586						
								PKG:114
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
32-50-00-7200 ^S NOSE WHEEL STEERING SYSTEM FUNCTIONAL CHECK Service ATA:32								
	MOS	16-Aug-24	36 (+1m/-1m)					
	HRS	15918.85	3000 (+25/-25)					
	AFL	7586						
								PKG:114
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
32-50-00-7201 ^S NOSE WHEEL STEERING ACCUMULATOR FUNCTIONAL CHECK Service ATA:32								
	MOS	13-May-25	12 (+1m/-1m)					
	HRS	15922.67	1000 (+25/-25)					
	AFL	7589						
								PKG:4510 WO#: N772XJ-042726-001
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								
323003 LANDING GEAR EMERGENCY PNEUMATIC EXTEND BOTTLE Component ATA:32								
PN:40005338-5	MOS/MSC	29-Feb-24	H/T					
SN:5793	HRS	15838.07						
WC#: 32.200	AFL	7548						
								WO#: N772XJ-081726-001
PROC. REF: AMM 32-30-06PROC. REF: AMM 32-30-06								
323005 ^U OVERHAUL LANDING GEAR EMERGENCY PNEUMATIC EXTEND BOTTLE VALVE (REFERENCE: PACIFIC SCIENTIFIC CMM 36-10-03) Service ATA:32								
PN:40005338-5	MOS/MSC	29-Feb-24	O/C					OVERHAUL
SN:5793	HRS	15838.07						
	AFL	7548						
								WO#: N772XJ-081726-001

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323041 U	PERFORM NOSE WHEEL SHIMMY TROUBLESHOOTING							Service	ATA:32
	MOS/MSC	05-Aug-23	O/C					CUSTOMER CODE	
	HRS	15444.03							
	AFL	7374							
PROC. REF: - 323041PROC. REF: - 323041									
324001 LEFT NOSE WHEEL									
PN:3-1538-1	MOS/MSC	16-Aug-24	O/C	TSR 1				Component	
SN:0952	HRS	15918.85		TSR 0				ATA:32	
WC#: 32.240	AFL	7586		TSR 0					
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01									
324001 RIGHT NOSE WHEEL									
PN:3-1538-1	MOS/MSC	16-Aug-24	O/C	TSR 3				Component	
SN:1752	HRS	15918.85		TSR 0				ATA:32	
WC#: 32.250	AFL	7586		TSR 0					
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01									
324003 LEFT NOSE GEAR TIRE									
PN:M15601	MOS/MSC	16-Aug-24	O/C	TSN 13				Component	
SN:3189T171	HRS	15918.85		TSN 0				ATA:32	
WC#: 32.240	AFL	7586		TSN 0					
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01									
324003 RIGHT NOSE GEAR TIRE									
PN:M15601	MOS/MSC	16-Aug-24	O/C	TSN 13				Component	
SN:3188T189	HRS	15918.85		TSN 0				ATA:32	
WC#: 32.250	AFL	7586		TSN 0					
PROC. REF: AMM 32-41-01PROC. REF: AMM 32-41-01									
324005 LEFT INBOARD WHEEL									
PN:3-1537-2	MOS/MSC	29-Feb-24	O/C	TSR 0				Component	
SN:1388	HRS	15838.07		TSR 0				ATA:32	
WC#: 32.260	AFL	7548		TSR 0					
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324005 LEFT OUTBOARD WHEEL Component ATA:32								
PN:3-1537-2	MOS/MSC	16-Aug-24	O/C	TSR 1				
SN:1855	HRS	15918.85		TSR 0				
WC#: 32.270	AFL	7586		TSR 0				
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
324005 RIGHT INBOARD WHEEL Component ATA:32								
PN:3-1537-2	MOS/MSC	13-May-25	O/C	TSO 2				
SN:2073	HRS	15922.67		TSO 0				
WC#: 32.280	AFL	7589		TSO 0				
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
324005 RIGHT OUTBOARD WHEEL Component ATA:32								
PN:3-1537-2	MOS/MSC	08-Dec-23	O/C	TSO 0				
SN:1861	HRS	15708.98		TSO 0				
WC#: 32.290	AFL	7487		TSO 0				
PROC. REF: AMM 32-41-02PROC. REF: AMM 32-41-02								
324009 LEFT INBOARD TIRE Component ATA:32								
PN:M14401	MOS/MSC	29-Feb-24	O/C	TSN 3				
SN:3298K127	HRS	15838.07		TSN 0				
WC#: 32.260	AFL	7548		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324009 LEFT OUTBOARD TIRE Component ATA:32								
PN:M08401	MOS/MSC	16-Aug-24	O/C	TSN 13				
SN:3182T146	HRS	15918.85		TSN 0				
WC#: 32.270	AFL	7586		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324009 RIGHT INBOARD TIRE Component ATA:32								
PN:M14401	MOS/MSC	13-May-25	O/C	TSN 18				
SN:3309K106	HRS	15922.67		TSN 0				
WC#: 32.280	AFL	7589		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324009	RIGHT OUTBOARD TIRE							Component	ATA:32
PN:M14401	MOS/MSC	08-Dec-23	O/C	TSN 0					
SN:3284K115	HRS	15708.98		TSN 0					
WC#: 32.290	AFL	7487		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
324301	AFT EMERGENCY PNEUMATIC BRAKING BOTTLE							Component	ATA:32
PN:40005355-1	MOS/MSC	29-Feb-24	H/T	TSN 0					
SN:1745	HRS	15838.07							
WC#: 32.370	AFL	7548							
								WO#: N772XJ-081726-001	
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00									
<hr/>									
325002	POWER STEERING UNIT							Component	ATA:32
PN:71487-9	MOS/MSC	05-Aug-23	O/C	TSO 5					
SN:0366	HRS	15444.03		TSO 0					
WC#: 32.400	AFL	7374		TSO 0					
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00									
<hr/>									
D323000 ^U	HYDROSTATIC TEST LANDING GEAR EMERGENCY PNEUMATIC EXTEND BOTTLE EMERGENCY GEAR EXTENSION BOTTLE ASSY							Service	ATA:32
PN:40005338-5	MOS	01-Aug-23	36		31-Aug-26		228 d		
SN:5793	HRS								
WC#: 32.200	AFL								
HydroCheck Date: : 01-Aug-23								WO#: N772XJ-081726-001	
<hr/>									
D324000 ^U	HYDROSTATIC TEST AFT EMERGENCY PNEUMATIC BRAKING BOTTLE							Service	ATA:32
PN:40005355-1	MOS	26-Oct-23	36		31-Oct-26		289 d		
SN:1745	HRS								
WC#: 32.690	AFL								
HydroCheck Date: : 26-Oct-23								WO#: N772XJ-081726-001	
<hr/>									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-40-00-9601 ^S	01-0770966-00 LED TAIL LIGHT DISCARD (AIRPLANES -0239 THRU -0500 AND AIRPLANES -0001 THRU -0225 INCORPORATING SB750-33-20)							Service	ATA:33
PN:01-0770966-00	MOS/MSC	21-Jan-24	N/A					DISCARD	
SN:420182	HRS	15768.4							
	AFL	7513							
PROC. REF: AMM 33-40-00PROC. REF: AMM 33-40-00									
33-50-00-7100 ^S	RECHARGEABLE LED FLASHLIGHT OPERATIONAL CHECK (IF INSTALLED)							Service	ATA:33
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									
33-50-00-7200 ^S	EMERGENCY LIGHTING BATTERY PACK(S) (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:33
	MOS	25-Feb-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									
33-50-00-7201 ^S	EMERGENCY LIGHTING FUNCTIONAL CHECK							Service	ATA:33
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									
33-50-00-9601	9913-1 NO. 1 FORWARD EMERGENCY LIGHTING BATTERY PACK(S) RESTORATION							Service	ATA:33
PN:9913-1	MOS	15-Dec-25	48 (+1m/-1m)		31-Dec-29	31-Jan-30	1446 d (+31)	RESTORE	
SN:1138	HRS								
	AFL								
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									

PKG:4507
WO#: N772XJ-042726-001

PKG:4507
WO#: N772XJ-042726-001

PKG:102

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-50-00-9601 9913-1 NO. 2 AFT EMERGENCY LIGHTING BATTERY PACK(S) RESTORATION Service ATA:33								
PN:9913-1	MOS	15-Dec-25	48 (+1m/-1m)		31-Dec-29	31-Jan-30	1446 d (+31)	RESTORE
SN:2522	HRS							
	AFL							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
334001 UPPER STROBE LIGHT Component ATA:33								
PN:01-0790088-03	MOS/MSC	16-Aug-24	O/C	TSN 0				
SN:18343780001	HRS	15918.85		TSN 0				
WC#: 33.190	AFL	7586		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334002 BELLY STROBE LIGHT Component ATA:33								
PN:01-0790724-03	MOS/MSC	16-Aug-24	O/C	TSN 0				
SN:18343780002	HRS	15918.85		TSN 0				
WC#: 33.200	AFL	7586		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334005 TAIL LIGHT ASSEMBLY Component ATA:33								
PN:01-0770966-00	MOS/MSC	21-Jan-24	H/T	TSN 6				
SN:420182	HRS	15768.4		TSN 0				
WC#: 33.330	AFL	7513		TSN 0				
PROC. REF: AMM 33-40-01PROC. REF: AMM 33-40-01								
335001 NO. 1 FORWARD EMERGENCY BATTERY PACK Component ATA:33								
PN:9913-1	MOS/MSC	04-Jan-26	H/T	TSO 1				
SN:1138	HRS	16156.7		TSO 0				
WC#: 33.220	AFL	7707		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
335001 NO. 2 AFT EMERGENCY BATTERY PACK Component ATA:33								
PN:9913-1	MOS/MSC	04-Jan-26	H/T	TSO 1				
SN:2522	HRS	16156.7		TSO 0				
WC#: 33.230	AFL	7707		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11-01-7200	PITOT/STATIC SYSTEM FUNCTIONAL CHECK							Service	ATA:34
	MOS	13-May-25	24		31-May-27		501 d		
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 34-11-01, TLMC 5-13-00PROC. REF: AMM 34-11-01, TLMC 5-13-00									
34-22-01-7200	EMERGENCY POWER SUPPLY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:34
PN:501-1228-03	MOS	05-Aug-25	12 (+1m/-1m)	Adj 11d	31-Aug-26	30-Sep-26	228 d (+30)		
SN:10262	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 34-22-01PROC. REF: AMM 34-22-01								WO#: N772XJ-081726-001	
34-53-20-7200	TRANSPONDER SYSTEM FUNCTIONAL CHECK							Service	ATA:34
	MOS	13-May-25	24		31-May-27		501 d		
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 34-53-20, TLMC 5-13-00PROC. REF: AMM 34-53-20, TLMC 5-13-00									
3401XJ ^U	EGPWS TERRAIN DATABASE UPDATE							Component	ATA:34
PN:PN-UNKNOWN	MOS/MSC	27-Mar-23	O/C					CUSTOMER CODE	
SN:632	HRS	15352.7							
	AFL	7331							
341001	LEFT PITOT TUBE							Component	ATA:34
PN:6708303-9	MOS/MSC	19-Aug-25	O/C	TSN 0					
SN:AS05250221	HRS	15922.67		TSN 0					
WC#: 34.100	AFL	7589							
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01									
341001	RIGHT PITOT TUBE							Component	ATA:34
PN:2800-493	MOS/MSC	19-Aug-25	O/C	TSN 0					
SN:AS06250845	HRS	15922.67		TSN 0					
WC#: 34.100	AFL	7589							
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341003	STANDBY PITOT TUBE							Component	ATA:34
PN:PH1100-1-RCJW	MOS/MSC	27-Sep-23	O/C	TSN 0					
SN:AS09212511	HRS	15519.58		TSN 0					
WC#: 34.110	AFL	7406		TSN 0					
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01									
341101	LEFT AIR DATA COMPUTER							Component	ATA:34
PN:7030700-70706	MOS/MSC	07-Jun-23	O/C	TSR 0					
SN:06091143	HRS	15414.62		TSR 0					
WC#: 34.010	AFL	7359		TSR 0					
PROC. REF: AMM 34-11-07PROC. REF: AMM 34-11-07									
341101	RIGHT AIR DATA COMPUTER							Component	ATA:34
PN:7030700-70706	MOS/MSC	07-Jun-23	O/C						
SN:97101456	HRS	15414.62							
WC#: 34.010	AFL	7359							
PROC. REF: AMM 34-11-07PROC. REF: AMM 34-11-07									
341103	STANDBY ALTIMETER/ AIRSPEED							Component	ATA:34
PN:WL102AMS6	MOS/MSC	13-May-25	O/C						
SN:AP809	HRS	15922.67							
WC#: 34.120	AFL	7589							
PROC. REF: AMM 34-11-04PROC. REF: AMM 34-11-04									
342202	STANDBY GYRO CONVERTER							Component	ATA:34
PN:501-1318-01	MOS/MSC	07-Jun-23	O/C						
SN:4683	HRS	15414.62							
WC#: 34.200	AFL	7359							
PROC. REF: AMM 34-22-01PROC. REF: AMM 34-22-01									
342204	NO. 1 JET GYRO EMERGENCY POWER SUPPLY							Component	ATA:34
PN:501-1228-03	MOS/MSC	16-Aug-24	O/C	TSO 16					
SN:10262	HRS	15918.85		TSO 504.23					
WC#: 34.210	AFL	7586		TSO 227					
PROC. REF: AMM 34-22-01PROC. REF: AMM 34-22-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342512 5 PRIMARY FLIGHT DISPLAY Component ATA:34								
PN:7014300-901	MOS/MSC	26-Oct-25	O/C					
SN:01038800	HRS	15975.4						
WC#: 34.275	AFL	7613						
PROC. REF: AMM 31-50-01PROC. REF: AMM 31-50-01								
344101 RADAR TRANSCEIVER Component ATA:34								
PN:7021450-801	MOS/MSC	13-Feb-23	O/C					
SN:01043047	HRS	15307.27						
WC#: 34.320	AFL	7312						
PROC. REF: AMM 34-41-02PROC. REF: AMM 34-41-02								
344401 BOTTOM TCAS ANTENNA Component ATA:34								
PN:7514081-902	MOS/MSC	07-Jun-23	O/C	TSN 2				
SN:ANE60927	HRS	15414.62		TSN 0				
WC#: 34.340	AFL	7359		TSN 0				
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								
346015 NO. 1 AVIONICS COMPUTER Component ATA:34								
PN:7017300-31494	MOS/MSC	19-Nov-25	O/C	TSR 55				
SN:06033431	HRS	16060.6		TSN 13965.42, TSR 2250.93				
WC#: 34.500	AFL	7653		TSN 6509, TSR 972				
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01								
346015 NO. 2 AVIONICS COMPUTER Component ATA:34								
PN:7017300-31494	MOS/MSC	19-Nov-25	O/C					
SN:98071198	HRS	16060.6		TSN 9879.15				
WC#: 34.510	AFL	7653		TSN 4669				
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01								
346017 RIGHT FMS CONTROL UNIT Component ATA:34								
PN:G7830-03	MOS/MSC	19-Nov-25	O/C					
SN:74141	HRS	16060.6						
WC#: 34.520	AFL	7653						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 34-60-01PROC. REF: AMM 34-60-01									
ATA 35 - OXYGEN									
35-10-00-2100	S	CREW OXYGEN MASKS AND STOWAGE BOXES DETAILED INSPECTION						Service	ATA:35
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35-10-00-7100	S	CREW OXYGEN MASK OPERATIONAL CHECK						Service	ATA:35
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35-10-00-9600		MC10-16-100, MC10-16-150, MLD20-505 PILOT CREW OXYGEN MASK (REPLACE ELASTOMER PARTS AND TESTING OF REGULATOR) RESTORATION						Service	ATA:35
PN:MC10-16-100	MOS	29-Feb-24	72 (+1m/-1m)		28-Feb-30	31-Mar-30	1505 d (+31)	RESTORE	
SN:115359	HRS	15838.07							
	AFL	7548							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35-20-02-2200	S	PASSENGER OXYGEN MASKS AND DROPOUT BOXES DETAILED INSPECTION						Service	ATA:35
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 35-20-02PROC. REF: AMM 35-20-02									
35-20-03-2100	S	SUPPLEMENTAL/THERAPEUTIC OXYGEN CYLINDER GENERAL VISUAL INSPECTION						Service	ATA:35
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 35-20-03PROC. REF: AMM 35-20-03									

PKG:114

PKG:4507

WO#: N772XJ-042726-001

PKG:114

PKG:105

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-20-03PROC. REF: AMM 35-20-03								
35-20-03-7100^S SUPPLEMENTAL/THERAPEUTIC OXYGEN SYSTEM OPERATIONAL CHECK Service ATA:35								
	MOS	16-Aug-24	36 (+1m/-1m)					
	HRS	15918.85	3000 (+25/-25)					
	AFL	7586						
PKG:114								
PROC. REF: AMM 35-20-03PROC. REF: AMM 35-20-03								
35-20-03-7200^S PASSENGER OXYGEN SYSTEM FUNCTIONAL CHECK Service ATA:35								
	MOS	16-Aug-24	36 (+1m/-1m)					
	HRS	15918.85	3000 (+25/-25)					
	AFL	7586						
PKG:114								
PROC. REF: AMM 35-20-03PROC. REF: AMM 35-20-03								
35-30-00-2200^S PROTECTIVE BREATHING EQUIPMENT DETAILED INSPECTION Service ATA:35								
	MOS	13-May-25	12 (+1m/-1m)					
	HRS	15922.67						
	AFL	7589						
PKG:4507 WO#: N772XJ-042726-001								
PROC. REF: AMM 35-30-00PROC. REF: AMM 35-30-00								
35-30-00-2201^S WALK AROUND OXYGEN BOTTLE (W/EROS) DETAILED INSPECTION Service ATA:35								
	MOS	13-May-25	12 (+1m/-1m)					
	HRS	15922.67						
	AFL	7589						
PKG:4507 WO#: N772XJ-042726-001								
PROC. REF: AMM 35-30-00PROC. REF: AMM 35-30-00								
351005 PILOT CREW OXYGEN MASK Component ATA:35								
PN:MC10-16-100	MOS/MSC	29-Feb-24	H/T	TSO 0	RTS-OVD			
SN:115359	HRS	15838.07		TSO 0				
WC#: 35.040	AFL	7548		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351010	PILOT OXYGEN MASK STOWAGE BOX ASSEMBLY							Component	ATA:35
PN:MXP326-1	MOS/MSC	07-Jun-23	O/C	TSO 4					
SN:40085	HRS	15414.62		TSO 0					
	AFL	7359		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-12-00-2200	S	AUXILIARY POWER UNIT BLEED AIR CHECK VALVE DETAILED INSPECTION						Service	ATA:36
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 36-12-00PROC. REF: AMM 36-12-00									
36-15-00-1600 S PARTICULATE TRAP (CLEANING) RESTORATION									
PN:6614051-29	MOS	16-Aug-24	36 (+1m/-1m)						
SN:UNKNOWN	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 36-15-00PROC. REF: AMM 36-15-00									
36-15-00-1601 S SERVICE AIR WATER SEPARATORS (CLEANING) RESTORATION									
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 36-15-00PROC. REF: AMM 36-15-00									
36-15-00-1602 S SERVICE AIR IN-LINE FILTERS (CLEANING) RESTORATION (AIRPLANES -0001 THRU -0309 NOT INCORPORATING SL750-36-03)									
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 36-15-00PROC. REF: AMM 36-15-00									
361021 ENGINE SOLENOID VALVE									
PN:5035-00-1	MOS/MSC	19-Mar-24	O/C	TSN 0				Component ATA:36	
SN:3589	HRS	15872.32		TSN 0					
WC#: 36.080	AFL	7565		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
38-30-01-2100 ^S	TOILET SYSTEM GENERAL VISUAL INSPECTION							Service	ATA:38
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 38-30-01PROC. REF: AMM 38-30-01									
<hr/>									
38-30-01-7100 ^S	TOILET OPERATIONAL CHECK							Service	ATA:38
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 38-30-01PROC. REF: AMM 38-30-01									
<hr/>									
ATA 49 - AIRBORNE AUXILIARY POWER									
49-10-00-2100 ^S	APU DRAINS GENERAL VISUAL INSPECTION							Service	ATA:49
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:105	
PROC. REF: AMM 49-10-00PROC. REF: AMM 49-10-00									
<hr/>									
49-10-00-2200	APU - APU MAGNETIC CHIP COLLECTOR DETAILED INSPECTION							Service	ATA:49
	MOS	05-Aug-25	12 (+1m)	Adj -17d	31-Jul-26	31-Aug-26	197 d (+31)		
	HRS	9886	500 (+45)		10386	10431	500 (+45)		
	APUS	7924							
								WO#: N772XJ-022326-001,N772XJ-042726-001	
PROC. REF: MM 49-90-46, AMM 49-10-00PROC. REF: MM 49-90-46, AMM 49-10-00									
<hr/>									
49-40-00-2200	APU - APU IGNITER PLUG DETAILED INSPECTION							Service	ATA:49
PN:3888002-2	MOS	10-Feb-25	24 (+1m)	Adj -45d	31-Dec-26	31-Jan-27	350 d (+31)		
SN:N/A	HRS	9884	1000 (+45)		10884	10929	998 (+45)		
	APUS								
								WO#: N772XJ-081726-001,N772XJ-022326-001	
PROC. REF: MM 49-40-33, AMM 49-40-00PROC. REF: MM 49-40-33, AMM 49-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
490011 U	APU - ***LINE MX*** REPLACE APU LOAD CONTROL VALVE AIR FILTER							Service	ATA:49
	MOS	20-Sep-23						CUSTOMER CODE	
	HRS	9561	1000 (+45)		10561	10606	675 (+45)		
	APUS								
								WO#: N772XJ-022326-001	
PROC. REF: - 490011PROC. REF: - 490011									
494005 APU - APU IGNITOR PLUG Component ATA:49									
PN:3888002-2	MOS/MSC	10-Feb-25	O/C	TSN 0					
SN:N/A	HRS	9884		TSN 544					
	APUS			TSN 0					
								WO#: N772XJ-081726-001	
PROC. REF: MM 49-40-33PROC. REF: MM 49-40-33									
494008 APU - APU STARTER MOTOR Component ATA:49									
PN:519892-6-3	MOS/MSC	20-Oct-23	O/C	TSO 4					
SN:6416	HRS	9612		TSO 0					
	APUS			TSO 0					
PROC. REF: MM 49-40-35PROC. REF: MM 49-40-35									
499110 APU - SOAP CHECK Service ATA:49									
	MOS	12-Feb-24							
	HRS	9764	500 (+45)		10264	10309	378 (+45)		
	APUS								
								WO#: N772XJ-042726-001,N772XJ-022326-001	
PROC. REF: SIL APU-49, - 499110PROC. REF: SIL APU-49, - 499110									
80-11-00-2200 APU - AUXILIARY POWER UNIT STARTER DETAILED INSPECTION Service ATA:49									
PN:519892-6-3	MOS	20-Oct-23							
SN:6416	HRS	9612	2500 (+45)		12112	12157	2226 (+45)		
	APUS								
								WO#: N772XJ-022326-001	
PROC. REF: AMM 80-13-00, MM 49-40-35, AMM 80-11-00PROC. REF: AMM 80-13-00, MM 49-40-35, AMM 80-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-00-7100	S	EMERGENCY EXIT DOOR OPERATIONAL CHECK						Service	ATA:52
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								PKG:4507 WO#: N772XJ-042726-001	
52-80-00-2100	S	LANDING GEAR DOORS ZONAL GENERAL VISUAL INSPECTION						Service	ATA:52
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
PROC. REF: AMM 52-80-00PROC. REF: AMM 52-80-00								PKG:103	
521005	ACOUSTIC UPPER SEAL						Component	ATA:52	
PN:9522-11	MOS/MSC	07-Jun-23	O/C	TSN 13					
SN:1512	HRS	15414.62		TSN 0					
WC#: 52.040	AFL	7359		TSN 0					
PROC. REF: AMM 52-10-04PROC. REF: AMM 52-10-04									
521006	ACOUSTIC FORWARD LOWER SEAL						Component	ATA:52	
PN:9522-17	MOS/MSC	07-Jun-23	O/C	TSN 12					
SN:0159	HRS	15414.62		TSN 0					
WC#: 52.050	AFL	7359		TSN 0					
PROC. REF: AMM 52-10-04PROC. REF: AMM 52-10-04									
521007	ACOUSTIC AFT LOWER SEAL						Component	ATA:52	
PN:9522-13	MOS/MSC	07-Jun-23	O/C	TSN 6					
SN:1090	HRS	15414.62		TSN 0					
WC#: 52.060	AFL	7359		TSN 0					
PROC. REF: AMM 52-10-04PROC. REF: AMM 52-10-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
521020 ^{US}	INSPECT INNER DOOR HANDLE SET SCREW AND ROLL PIN (NOTE: IF SEALED WITH SEALANT IT WILL NOT BE VISIBLE) FOR CONDITION AND SECURITY (ITEMS 157 AND 159 ON IPC 52-10-01 FIGURE 5 SHEET 3). IF THE SET SCREW AND/ OR ROLL PIN ARE NOT SECURE, INSPECT DOOR FRAME FOR ANY DAMAGE CAUSED BY CONTACT WITH THESE SET SCREWS.							Service	ATA:52
	MOS	29-Feb-24	12		RTS-OVD			CUSTOMER CODE	
	HRS	15838.07	500						
	AFL	7548							
PROC. REF: - 52-10-01 PROC. REF: - 52-10-01									
521025^{US}									
	PERFORM PRESSURE CHECK OF THE MAIN CABIN ACOUSTIC DOOR SEAL (SEE AMM 36-15-00)							Service	ATA:52
	MOS	29-Feb-24	12		RTS-OVD			CUSTOMER CODE	
	HRS	15838.07	500						
	AFL	7548							
521030^{US}									
	PERFORM A PURGE AND EVACUATION OF THE MAIN CABIN PRIMARY DOOR SEAL SYSTEM (SEE AMM 52-10-04)							Service	ATA:52
	MOS	29-Feb-24	12		RTS-OVD			CUSTOMER CODE	
	HRS	15838.07	500						
	AFL	7548							
521035^{US}									
	PERFORM A PURGE AND EVACUATION OF THE BAGGAGE PRIMARY DOOR SEAL SYSTEM (SEE AMM 52-31-01)							Service	ATA:52
	MOS	29-Feb-24	12		RTS-OVD			CUSTOMER CODE	
	HRS	15838.07	500						
	AFL	7548							
ATA 53 - FUSELAGE									
53-00-00-2102 ^S	FAIRING ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	13-May-25	108 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 53-00-00 PROC. REF: AMM 53-00-00									
PKG:128									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-2103	S	FUSELAGE ZONAL EXTERNAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	13-May-25	72 (+1m/-1m)					
	HRS	15922.67						
	AFL	7589						
								PKG:105
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2200	S	NOSE WHEEL WELL EXTERNAL DETAILED INSPECTION						Service ATA:53
	MOS	13-May-25	12 (+1m/-1m)					
	HRS	15922.67						
	AFL	7589						
								PKG:4507 WO#: N772XJ-042726-001
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-40-2101	S	TAIL SECTION SKIN ZONAL EXTERNAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	13-May-25	72 (+1m/-1m)					
	HRS	15922.67						
	AFL	7589						
								PKG:105
PROC. REF: AMM 53-00-40PROC. REF: AMM 53-00-40								
53-00-40-2102	S	TAIL SECTION STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	13-May-25	108 (+1m/-1m)					
	HRS	15922.67						
	AFL	7589						
								PKG:128
PROC. REF: AMM 53-00-40PROC. REF: AMM 53-00-40								
53-10-00-2101	S	NOSE SECTION ZONAL INTERNAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	13-May-25	72 (+1m/-1m)					
	HRS	15922.67						
	AFL	7589						
								PKG:105
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-10-2100	S	RADOME ZONAL EXTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:105	
PROC. REF: AMM 53-10-10PROC. REF: AMM 53-10-10									
<hr/>									
53-20-00-2100	S	COCKPIT BELLY SKIN ZONAL EXTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:105	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									
<hr/>									
53-20-00-2102	S	COCKPIT BELOW FLOOR ZONAL INTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:105	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									
<hr/>									
53-20-00-2103	S	COCKPIT ABOVE FLOOR ZONAL INTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	16-Aug-24	120 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
								PKG:4513	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									
<hr/>									
53-20-00-2104	S	CABIN ZONAL INTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	16-Aug-24	120 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
								PKG:4513	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-2105	S	COCKPIT BELOW FLOOR STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:105	
<hr/>									
53-20-00-2107		CABIN SKIN ZONAL EXTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	13-May-25	72 (+1m/-1m)	Adj -102d	31-Jan-31	28-Feb-31	1842 d (+28)		
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:105	
<hr/>									
53-30-00-2102	S	AFT CABIN WING ATTACH FRAMES AND FITTINGS GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	16-Aug-24	120 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:4513	
<hr/>									
53-30-00-2103	S	BAGGAGE SECTION STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	13-May-25	108 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:128	
<hr/>									
53-40-10-2100	S	TAILCONE STINGER ZONAL INTERNAL GENERAL VISUAL INSPECTION						Service	ATA:53
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 53-40-10PROC. REF: AMM 53-40-10								PKG:105	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-40-30-2100	S	FORWARD TAILCONE ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	13-May-25	108 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:128	
PROC. REF: AMM 53-40-30PROC. REF: AMM 53-40-30									
<hr/>									
53-40-30-2101	S	AFT TAILCONE ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	13-May-25	108 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:128	
PROC. REF: AMM 53-40-30PROC. REF: AMM 53-40-30									
<hr/>									
53-40-30-2102	S	TAILCONE DOORS ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:105	
PROC. REF: AMM 53-40-30PROC. REF: AMM 53-40-30									
<hr/>									
53-50-00-2102	S	CANTED FRAME AND BULKHEAD - EMPENNAGE ATTACH GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	13-May-25	108 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:128	
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00									
<hr/>									
53-50-00-2104	S	CABIN SECTION FAIRING STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	13-May-25	108 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:128	
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-50-00-2105 ^S	TAIL SECTION FAIRING STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	13-May-25	108 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:128	
PROC. REF: AMM 53-50-00PROC. REF: AMM 53-50-00									
531001	LEFT TRUNNION ATTACH SUPPORT ASSEMBLY							Component	ATA:53
PN:6713052-13	MOS	05-Aug-23		TSN 1				LIFE LIMIT	
SN:NSN	HRS	15444.03		TSN 0					
WC#: 53.120	AFL	7374	33300	TSN 0	40674		32954		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
54-00-00-2100 ^S	PYLON	ZONAL EXTERNAL GENERAL VISUAL INSPECTION						Service ATA:54
	MOS	13-May-25	72 (+1m/-1m)					
	HRS	15922.67						
	AFL	7589						
								PKG:105
PROC. REF: AMM 54-00-00PROC. REF: AMM 54-00-00								
54-00-00-2101 ^S	PYLON	ZONAL INTERNAL GENERAL VISUAL INSPECTION						Service ATA:54
	MOS	16-Aug-24	36 (+1m/-1m)					
	HRS	15918.85						
	AFL	7586						
								PKG:103
PROC. REF: AMM 54-00-00PROC. REF: AMM 54-00-00								
54-00-00-2201 ^S	PYLONS	STANDALONE EZAP DETAILED INSPECTION						Service ATA:54
	MOS	16-Aug-24	36 (+1m/-1m)					
	HRS	15918.85						
	AFL	7586						
								PKG:103
PROC. REF: AMM 54-00-00PROC. REF: AMM 54-00-00								
54-50-00-2500	FORWARD ENGINE BEAM, UPPER AFT CAP AND UPPER STRAP, INBOARD REGION (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:54
	MOS	07-Jun-23						
	HRS	15414.62	1500		16914.62		725.3	
	AFL	7359						
								PKG:83 WO#: N772XJ-081726-001
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								
54-50-00-2501	FORWARD ENGINE BEAM, UPPER AFT CAP, MIDDLE REGION (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:54
	MOS	07-Jun-23						
	HRS	15414.62	1000		16414.62		225.3	
	AFL	7359						
								PKG:89 WO#: N772XJ-022326-001
PROC. REF: AMM 54-50-00PROC. REF: AMM 54-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-00-2100	S	TAIL SECTION HORIZONTAL STABILIZER ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service ATA:55
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:105	
55-10-00-2200	S	HORIZONTAL STABILIZER REAR SPAR STRUCTURAL AND CORROSION DETAILED INSPECTION							Service ATA:55
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:4507 WO#: N772XJ-042726-001	
55-20-00-2201	S	LEFT AND RIGHT ELEVATOR ASSEMBLY DETAILED INSPECTION							Service ATA:55
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 55-20-00PROC. REF: AMM 55-20-00								PKG:105	
55-20-00-2202	S	ELEVATOR METAL PARTS STRUCTURAL AND CORROSION DETAILED INSPECTION							Service ATA:55
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 55-20-00PROC. REF: AMM 55-20-00								PKG:105	
55-20-00-2800	S	ELEVATOR SURFACES (COIN TAP) SPECIAL DETAILED INSPECTION							Service ATA:55
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 55-20-00PROC. REF: AMM 55-20-00								PKG:105	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-00-2100 ^S	TAIL SECTION VERTICAL STABILIZER EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:55
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:105	
55-30-00-2800 ^S	VERTICAL STABILIZER REAR SPAR AND TRAILING EDGE STRUCTURAL AND CORROSION EXTERNAL DETAILED INSPECTION							Service	ATA:55
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:4507 WO#: N772XJ-042726-001	
55-30-00-2900 ^S	VERTICAL STABILIZER (BORESCOPE) INTERNAL SPECIAL DETAILED INSPECTION							Service	ATA:55
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:114	
55-40-00-2100 ^S	UPPER AND LOWER RUDDER ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:55
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 55-40-00PROC. REF: AMM 55-40-00								PKG:114	
55-40-00-2201 ^S	LOWER RUDDER METAL PARTS STRUCTURAL AND CORROSION EXTERNAL DETAILED INSPECTION							Service	ATA:55
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 55-40-00PROC. REF: AMM 55-40-00								PKG:4507 WO#: N772XJ-042726-001	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40-00-2202 ^S	UPPER RUDDER HINGES AND METAL PARTS STRUCTURAL AND CORROSION EXTERNAL DETAILED INSPECTION							Service	ATA:55
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 55-40-00PROC. REF: AMM 55-40-00								PKG:105	
55-40-00-2800 ^S	UPPER AND LOWER RUDDER SKIN (COIN TAP) EXTERNAL SPECIAL DETAILED INSPECTION							Service	ATA:55
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PROC. REF: AMM 55-40-00PROC. REF: AMM 55-40-00								PKG:114	
ATA 56 - WINDOWS									
56-11-00-209 ^U	RE-APPLY COCKPIT WINDSHIELD RAIN REPELLENT AS PER PPG DOCUMENT DSS 1042 REV. K INSTRUCTIONS TO INCLUDE HEAT BLANKET APPLICATION							Service	ATA:56
	MOS/MSC	07-Jun-23	A/R					CUSTOMER CODE	
	HRS	15414.62							
	AFL	7359							
PROC. REF: - 750 WINDSHIELD COATINGSPROC. REF: - 750 WINDSHIELD COATINGS									
56-11-00-2100 ^S	COCKPIT WINDSHIELDS GENERAL VISUAL INSPECTION							Service	ATA:56
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:102	
56-11-00-2200 ^S	ELECTRIC HEATED WINDSHIELD AND ELECTRIC HEATED GLASS FORWARD SIDE WINDOW DELAMINATION DETAILED INSPECTION							Service	ATA:56
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67	2000 (+25/-25)						
	AFL	7589							
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00								PKG:112	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11-00-2201	S	COCKPIT WINDSHIELDS (HUMP SEAL) DETAILED INSPECTION							Service ATA:56
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67	500 (+25/-25)						
	AFL	7589							
								PKG:4509 WO#: N772XJ-022326-001	
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									
56-11-00-2202	S	WINDSHIELD ATTACH SCREWS DETAILED INSPECTION							Service ATA:56
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67	2000 (+25/-25)						
	AFL	7589							
								PKG:112	
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									
56-11-00-7200	S	WINDSHIELD SURFACE SEAL (MIST SPRAY) FUNCTIONAL CHECK							Service ATA:56
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67	500 (+25/-25)						
	AFL	7589							
								PKG:4509 WO#: N772XJ-022326-001	
PROC. REF: AMM 56-11-00PROC. REF: AMM 56-11-00									
ATA 57 - WINGS									
57-00-00-2103	S	WING FAIRING ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:105	
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
57-00-00-2200	S	INBOARD WING REAR SPAR AND TRAILING EDGE STRUCTURAL AN DCORROSION DETAILED INSPECTION							Service ATA:57
	MOS	13-May-25	12 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
								PKG:4507 WO#: N772XJ-042726-001	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
57-00-00-2201	S	FUSELAGE AND WING ATTACH STRUCTURE DETAILED INSPECTION					Service	ATA:57	
	MOS	13-May-25	108 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PKG:128									
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
57-10-00-2201	S	MAIN LANDING GEAR TRUNNION SUPPORTS DETAILED INSPECTION					Service	ATA:57	
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 57-10-00PROC. REF: AMM 57-10-00									
57-20-01-2500	S	FUEL ACCESS PANEL AND ACCESS DOOR LAND AREAS ON THE BOTTOM SKIN OF THE WING (EDDY CURRENT) SPECIAL DETAILED INSPECTION					Service	ATA:57	
	MOS	13-May-25	24 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PKG:102									
PROC. REF: AMM 57-20-01PROC. REF: AMM 57-20-01									
57-51-00-2200	S	LEFT AND RIGHT INBOARD, CENTER, OUTBOARD FLAPS DETAILED INSPECTION					Service	ATA:57	
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
PKG:103									
PROC. REF: AMM 57-51-00PROC. REF: AMM 57-51-00									
57-51-00-2202	S	FLAP TRACKS DETAILED INSPECTION					Service	ATA:57	
	MOS	13-May-25	72 (+1m/-1m)						
	HRS	15922.67							
	AFL	7589							
PKG:105									
PROC. REF: AMM 57-51-00PROC. REF: AMM 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-00-2800 ^S	UPPER AND LOWER FLAP SURFACE (COIN TAP) SPECIAL DETAILED INSPECTION							Service	ATA:57
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 57-51-00PROC. REF: AMM 57-51-00									
57-70-00-2200 ^S	SPOILERS AND SPEED BRAKE INSTALLATION DETAILED INSPECTION							Service	ATA:57
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
								PKG:103	
PROC. REF: AMM 57-70-00PROC. REF: AMM 57-70-00									
57-70-00-2800 ^S	SPOILERS AND SPEED BRAKE (COIN TAP) SPECIAL DETAILED INSPECTION							Service	ATA:57
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
								PKG:114	
PROC. REF: AMM 57-70-00PROC. REF: AMM 57-70-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-00-2200 ^S	ENGINE FIRE DETECTION AND SUPPRESSION SYSTEM EZAP DETAILED INSPECTION							Service	ATA:71
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00								PKG:103	
71-11-00-2100 ^S	ENGINE PYLON AND COWLING ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:71
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
PROC. REF: AMM 71-11-00PROC. REF: AMM 71-11-00								PKG:103	
71-11-00-2101 ^S	ENGINE PYLON AND COWLING ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:71
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85							
	AFL	7586							
PROC. REF: AMM 71-11-00PROC. REF: AMM 71-11-00								PKG:103	
71-20-00-2503	FORWARD MOUNT AFT, UPPER BANANA MOUNT INBOARD FLANGE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	07-Jun-23							
	HRS	15414.62	3000		18414.62		2225.3		
	AFL	7359							
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								PKG:91	
71-20-00-2510	INSPECT FORWARD MOUNT AFT, UPPER BANANA MOUNT INBOARD FLANGE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	07-Jun-23							
	HRS	15414.62	3000		18414.62		2225.3		
	AFL	7359							
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								PKG:91	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-01	NO. 1 ENGINE - LEFT IGNITION EXCITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-01	NO. 1 ENGINE - RIGHT IGNITION EXCITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-01	NO. 2 ENGINE - LEFT IGNITION EXCITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-01	NO. 2 ENGINE - RIGHT IGNITION EXCITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-02	NO. 1 ENGINE - LEFT ENGINE IGNITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-02	NO. 1 ENGINE - RIGHT ENGINE IGNITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-02	NO. 2 ENGINE - LEFT ENGINE IGNITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-02	NO. 2 ENGINE - RIGHT ENGINE IGNITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-03	NO. 1 ENGINE - LEFT IGNITER A LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23							
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-03	NO. 1 ENGINE - RIGHT IGNITER A LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23							
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-03	NO. 2 ENGINE - LEFT IGNITER A LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23							
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-03	NO. 2 ENGINE - RIGHT IGNITER A LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23							
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-04	NO. 1 ENGINE - STATOR PERMANENT MAGNET ALTERNATOR GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-04	NO. 2 ENGINE - STATOR PERMANENT MAGNET ALTERNATOR GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-05	NO. 1 ENGINE - LEFT IGNITER B LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-05	NO. 1 ENGINE - RIGHT IGNITER B LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-05	NO. 2 ENGINE - LEFT IGNITER B LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-05	NO. 2 ENGINE - RIGHT IGNITER B LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-06	NO. 1 ENGINE - LEFT HARNESS THERMOCOUPLE WIRING GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-06	NO. 1 ENGINE - RIGHT HARNESS THERMOCOUPLE WIRING GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-06	NO. 2 ENGINE - LEFT HARNESS THERMOCOUPLE WIRING GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-06	NO. 2 ENGINE - RIGHT HARNESS THERMOCOUPLE WIRING GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-07	NO. 1 ENGINE - FORCED CORE TO BYPASS MIXER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-07	NO. 2 ENGINE - FORCED CORE TO BYPASS MIXER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-08	NO. 1 ENGINE - EXHAUST CONE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-08	NO. 2 ENGINE - EXHAUST CONE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-09	NO. 1 ENGINE - ENGINE OIL SYSTEM GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
72-00-00-200-801-09	NO. 2 ENGINE - ENGINE OIL SYSTEM GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-10	NO. 1 ENGINE - ENGINE OIL FILTER BY-PASS GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801								WO#: N772XJ-022326-001	
72-00-00-200-801-10	NO. 2 ENGINE - ENGINE OIL FILTER BY-PASS GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801								WO#: N772XJ-022326-001	
72-00-00-200-801-11	NO. 1 ENGINE - ENGINE AIR INLET SECTION GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	29-Feb-24	36 (+1m)		28-Feb-27	31-Mar-27	409 d (+31)		
	HRS	14976.02	600 (+50)		(15576.02) 16437.8	15626.02	248.5 (+50)		
	ENC	7105							
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801								WO#: N772XJ-022326-001	
72-00-00-200-801-11	NO. 2 ENGINE - ENGINE AIR INLET SECTION GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	29-Feb-24	36 (+1m)		28-Feb-27	31-Mar-27	409 d (+31)		
	HRS	15520.28	600 (+50)		(16120.28) 16437.78	16170.28	248.5 (+50)		
	ENC	7404							
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801								WO#: N772XJ-022326-001	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-12	NO. 1 ENGINE - FUEL NOZZLES GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	14552.57	1000 (+50)		(15552.57) 16414.35	15602.57	225.1 (+50)		
	ENC	6916							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
ATA 72 - ENGINE									
72-00-00-200-801-12	NO. 2 ENGINE - FUEL NOZZLES GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	07-Jun-23	60 (+1m)		07-Jun-28	07-Jul-28	874 d (+30)		
	HRS	15096.83	1000 (+50)		(16096.83) 16414.33	16146.83	225 (+50)		
	ENC	7215							
								WO#: N772XJ-022326-001	
PROC. REF: MM 72-00-00-200-801PROC. REF: MM 72-00-00-200-801									
ATA 73 - ENGINE FUEL AND CONTROL									
73-25-10-200-801	NO. 1 ENGINE - FADEC OPERATIONAL CHECK							Service	ATA:73
	MOS	29-Feb-24						MANDATORY	
	HRS	14976.02	500 (+25)		(15476.02) 16337.8	15501.02	148.5 (+25)		
	ENC	7105							
								WO#: N772XJ-022326-001	
PROC. REF: MM 73-25-10-200-801PROC. REF: MM 73-25-10-200-801									
ATA 73 - ENGINE FUEL AND CONTROL									
73-25-10-200-801	NO. 2 ENGINE - FADEC OPERATIONAL CHECK							Service	ATA:73
	MOS	29-Feb-24						MANDATORY	
	HRS	15520.28	500 (+25)		(16020.28) 16337.78	16045.28	148.5 (+25)		
	ENC	7404							
								WO#: N772XJ-022326-001	
PROC. REF: MM 73-25-10-200-801PROC. REF: MM 73-25-10-200-801									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-30-00-200-801	NO. 1 ENGINE - FUEL FILTER BYPASS INDICATORS VISUAL INSPECTION							
	MOS	29-Feb-24	36 (+1m)		28-Feb-27	31-Mar-27	409 d (+31)	Service ATA:73
	HRS	14976.02	600 (+50)		(15576.02) 16437.8	15626.02	248.5 (+50)	
	ENC	7105						
								WO#: N772XJ-022326-001
PROC. REF: MM 73-30-00-200-801PROC. REF: MM 73-30-00-200-801								
73-30-00-200-801	NO. 2 ENGINE - FUEL FILTER BYPASS INDICATORS VISUAL INSPECTION							
	MOS	29-Feb-24	36 (+1m)		28-Feb-27	31-Mar-27	409 d (+31)	Service ATA:73
	HRS	15520.28	600 (+50)		(16120.28) 16437.78	16170.28	248.5 (+50)	
	ENC	7404						
								WO#: N772XJ-022326-001
PROC. REF: MM 73-30-00-200-801PROC. REF: MM 73-30-00-200-801								
732110	NO. 1 ENGINE - REPLACE FUEL FILTER							
	MOS	16-Aug-24						Service ATA:73
	HRS	15056.8	2000		(17056.8) 17918.58		1729.3	
	ENC	7143						
PROC. REF: MM 73-21-10-000-802, MM 73-21-10-400-802PROC. REF: MM 73-21-10-000-802, MM 73-21-10-400-802								
732110	NO. 2 ENGINE - REPLACE FUEL FILTER							
	MOS	16-Aug-24						Service ATA:73
	HRS	15601.07	2000		(17601.07) 17918.57		1729.3	
	ENC	7442						
PROC. REF: MM 73-21-10-000-802, MM 73-21-10-400-802PROC. REF: MM 73-21-10-000-802, MM 73-21-10-400-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
754315 ^U	NO. 1 ENGINE - PERFORM DOWNLOAD ENGINE TREND AND EXCEEDANCE DATA							Service	ATA:75
	MOS	30-Dec-25	1 (+19%)		31-Jan-26	05-Feb-26	16 d (+5)	CUSTOMER CODE	
	HRS	15289.23							
	ENC	7262							
PKG:502									
754315 ^U	NO. 2 ENGINE - PERFORM DOWNLOAD ENGINE TREND AND EXCEEDANCE DATA							Service	ATA:75
	MOS	30-Dec-25	1 (+19%)		31-Jan-26	05-Feb-26	16 d (+5)	CUSTOMER CODE	
	HRS	15833.5							
	ENC	8039							
PKG:502									
ATA 77 - ENGINE INDICATING									
770003	STANDBY ENGINE INDICATOR							Component	ATA:77
PN:10485N05M03	MOS/MSC	29-Mar-23	O/C		TSO 0				
SN:0710	HRS	15352.7			TSO 0				
WC#: 77.010	AFL	7331			TSO 0				
PROC. REF: AMM 77-41-00PROC. REF: AMM 77-41-00									
ATA 78 - EXHAUST									
78-11-00-6400 ^S	THRUST REVERSER LATCH BOX ASSEMBLY LUBRICATION							Service	ATA:78
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 78-11-00PROC. REF: AMM 78-11-00									
78-30-01-2200 ^S	THRUST REVERSER ASSEMBLY DETAILED INSPECTION							Service	ATA:78
	MOS	16-Aug-24	36 (+1m/-1m)						
	HRS	15918.85	3000 (+25/-25)						
	AFL	7586							
PKG:114									
PROC. REF: AMM 78-30-01PROC. REF: AMM 78-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0272 RegNo: N772XJ HRS: 16189.3 AFL: 7720 As Of: 14-Jan-2026

15-Jan-2026 03:07 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783007	RIGHT OUTBOARD T/R PRIMARY ACTUATOR							Component	ATA:78
PN:CX7833001-7	MOS/MSC	10-Oct-25	O/C						
SN:A30040744	HRS	15936.1		TSN 14442.3, TSO 1143.78					
WC#: 78.060	AFL	7596		TSN 7240, TSO 503					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
783015	LEFT T/R NK117 MODULE							Component	ATA:78
PN:9914431-11	MOS/MSC	10-Feb-24	O/C	TSN 0					
SN:01069	HRS	15790.5		TSN 0					
WC#: 78.090	AFL	7523		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
783015	RIGHT T/R NK118 MODULE							Component	ATA:78
PN:9914431-11	MOS/MSC	17-Feb-23	O/C	TSN 81					
SN:00941	HRS	15309.67		TSN 5567.77					
WC#: 78.090	AFL	7314		TSN 2525					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
783020	LEFT T/R INTERLOCK SOLENOID							Component	ATA:78
PN:183238-001	MOS/MSC	02-Mar-23	O/C	TSN 0					
SN:N/A	HRS	15310.27		TSN 0					
	AFL	7315		TSN 0					
PROC. REF: AMM 78-13-00PROC. REF: AMM 78-13-00									
<hr/>									
ATA 80 - STARTING									
801001	RIGHT AIR TURBINE STARTER							Component	ATA:80
PN:3505972-5	MOS/MSC	16-Aug-24	O/C	TSO 11					
SN:115C	HRS	15918.85		TSO 0					
WC#: 80.010	AFL	7586		TSO 0					
PROC. REF: AMM 80-10-00PROC. REF: AMM 80-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task