



Status Report

CITATION X (MSG)

S/N 750-0236 N818EZ

OWNER: SUN AIR JETS, LLC
ADDRESS: 855 AVIATION DRIVE
CAMARILLO CA 93010-8569
OFFICE: 8053899308
FAX: 8059874720

OPERATOR: SUN AIR JETS, LLC
ADDRESS: 855 AVIATION DRIVE
CAMARILLO CA 93010-8569
OFFICE: 8053899308
FAX: 8059874720

ANALYST: PATRICK EMERSON
EMAIL: PEMERSON@CAMPSYSTEMS.COM

+1-316-462-2475 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

Table with 4 columns: AIRCRAFT, SERIAL/REGNO: 750-0236/N818EZ, MODEL: CITATION X (MSG), MANUFACTURER: TEXTRON AVIATION INC. Includes certification date and last actuals for various components.

Table with 4 columns: APU, SERIAL/PART: P-359/3800576-1, MODEL: GTCP36-150(CX), MANUFACTURER: HONEYWELL. Includes installed on date and last actuals.

Table with 4 columns: ENGINE NO. 1, SERIAL/PART: CAE330493/23074408, MODEL: AE3007C1, MANUFACTURER: ROLLS-ROYCE DERBY PLC. Includes installed on date and last actuals.

Table with 4 columns: ENGINE NO. 2, SERIAL/PART: CAE330496/23074408, MODEL: AE3007C1, MANUFACTURER: ROLLS-ROYCE DERBY PLC. Includes installed on date and last actuals.



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00FO190P	U.S. CERTIFICATION/WITH MAX ALLOWABLE JAA ITEMS FACTORY OPTION							Component	ATA:00
PN:190P	MOS/MSC	21-Dec-04	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
ATA 04 - LIMITATIONS									
4-12-MC	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MC							Package	ATA:04
	MOS	21-Nov-23							
	HRS	5610.1	500		6110.1		402.1		
	AFL	3053							
PROC. REF: ALS 4-12-00, ALS 4-12-MC									
4-12-MD	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MD							Package	ATA:04
	MOS	12-Jan-22							
	HRS	5128.1	800		5928.1		220.1		
	AFL	2849							
PROC. REF: ALS 4-12-00, ALS 4-12-MD									
4-12-MF	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MF							Package	ATA:04
	MOS	26-Feb-24	12		28-Feb-25		102 d		
	HRS	5618.4							
	AFL	3059							
PROC. REF: ALS 4-12-00, ALS 4-12-MF									
4-12-MG	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MG							Package	ATA:04
	MOS	04-Dec-22	24		31-Dec-24		43 d		
	HRS	5441.8							
	AFL	2978							
PROC. REF: ALS 4-12-00, ALS 4-12-MG									
4-12-MH	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MH							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:13000		13000		7292		
	AFL	0							
PROC. REF: ALS 4-12-00, ALS 4-12-MH									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 04 - LIMITATIONS									
4-12-MI	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MI							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:9000		9000		3292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MI							PKG:78	
4-12-MN	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MN							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:8800		8800		3092		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MN							PKG:83	
4-12-MO	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MO							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:9500		9500		3792		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MO							PKG:84	
4-12-MP	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MP							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:12500		12500		6792		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MP							PKG:85	
4-12-MQ	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MQ							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:12500		12500		6792		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MQ							PKG:86	
4-12-MR	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MR							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:13500		13500		7792		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MR							PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 04 - LIMITATIONS									
4-12-MS	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MS							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MS								PKG:88
4-12-MT	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MT							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MT								PKG:89
4-12-MU	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MU							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MU								PKG:90
4-12-MV	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MV							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MV								PKG:91
4-12-MW	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MW							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MW								PKG:92
4-12-MY	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MY							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MY								PKG:94

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 04 - LIMITATIONS									
4-12-MZ	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT MZ							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-MZ								PKG:95
4-12-NA	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT NA							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-NA								PKG:96
4-12-NB	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT NB							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-NB								PKG:97
4-12-NC	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT NC							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-NC								PKG:98
4-12-ND	AIRWORTHINESS LIMITATIONS INSPECTION DOCUMENT ND							Package	ATA:04
	MOS	21-Dec-04							
	HRS	0	T:15000		15000		9292		
	AFL	0							
	PROC. REF: ALS 4-12-00, ALS 4-12-ND								PKG:99
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
051010 ^U	INSPECTION CABIN AND COCKPIT MONTHLY FIRE EXTINGUISHER							Service	ATA:05
	MOS	27-Sep-24	1		31-Oct-24		OVD		
	HRS	5702.1							
	AFL	3117							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052006 ^U	FMS 1&2 DATABASE UPDATE							Service	ATA:05
	MOS/MSC	27-Sep-24	DUE		30-Oct-24 (M)		OVD		
	HRS	5702.1							
	AFL	3117							
	Expiry Date: : 30-Oct-24								
052007 ^U	CHARTS DATABASE UPDATE							Service	ATA:05
	MOS/MSC	24-Sep-24	DUE		10-Oct-24 (M)		OVD		
	HRS	5702.1							
	AFL	3117							
	Expiry Date: : 10-Oct-24								
052103	NO. 1 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 60 MONTH							Service	ATA:05
	MOS	23-Jul-21	60 (+1m)		31-Jul-26	31-Aug-26	620 d (+31)	INSPECT	
	HRS	4546							
	ENC	2595							
	PROC. REF: MM 05-21-00-800-801								
052103	NO. 2 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 60 MONTH							Service	ATA:05
	MOS	29-Jul-20	60 (+1m)		31-Jul-25	31-Aug-25	255 d (+31)	INSPECT	
	HRS	3663.8							
	ENC	2204							
	PROC. REF: MM 05-21-00-800-801								
052106	NO. 1 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 600 FLIGHT HOUR/36 MONTH							Service	ATA:05
	MOS	12-Apr-22	36 (+1m)		30-Apr-25	31-May-25	163 d (+31)	INSPECT	
	HRS	5133	600 (+50)		(5733) 5914.5	5783	206.5 (+50)		
	ENC	2849							
	PROC. REF: MM 72-00-00, MM 73-11-10, MM 73-11-10, MM 73-30-00, MM 79-30-00, MM 05-21-00-800-801								
052106	NO. 2 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 600 FLIGHT HOUR/36 MONTH							Service	ATA:05
	MOS	30-May-24	36 (+1m)		31-May-27	30-Jun-27	924 d (+30)	INSPECT	
	HRS	5604.6	600 (+50)		(6204.6) 6237.2	6254.6	529.2 (+50)		
	ENC	3006							
	PROC. REF: MM 72-00-00, MM 73-11-10, MM 73-11-10, MM 73-30-00, MM 79-30-00, MM 05-21-00-800-801								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052110	NO. 1 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 1000 FLIGHT HOUR/60 MONTH							Service	ATA:05
	MOS	30-May-24	60 (+1m)		31-May-29	30-Jun-29	1655 d (+30)	INSPECT	
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
	PROC. REF: MM 72-00-00, MM 05-21-00-800-801								
052110	NO. 2 ENGINE - INSPECT (GENERAL VISUAL) ENGINE 1000 FLIGHT HOUR/60 MONTH							Service	ATA:05
	MOS	30-May-24	60 (+1m)		31-May-29	30-Jun-29	1655 d (+30)	INSPECT	
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
	PROC. REF: MM 72-00-00, MM 05-21-00-800-801								
052120	NO. 1 ENGINE - INSPECT/CLEAN OR REPLACE ENGINE (FUEL NOZZLES)							Service	ATA:05
	MOS	23-Jul-21							
	HRS	4546	2500 (+50/-50)		(7046) 7227.5	7096	1519.5 (+50)		
	ENC	2595							
	PROC. REF: MM 73-11-10, MM 73-11-10, MM 05-21-00-800-801, MM 05-21-00-800-801, MM 05-21-00-800-801, MM 05-21-00								
052120	NO. 2 ENGINE - INSPECT/CLEAN OR REPLACE ENGINE (FUEL NOZZLES)							Service	ATA:05
	MOS	16-Mar-20							
	HRS	3655.7	2500 (+50/-50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
	PROC. REF: MM 73-11-10, MM 73-11-10, MM 05-21-00-800-801, MM 05-21-00-800-801, MM 05-21-00-800-801, MM 05-21-00								
052150	NO. 1 ENGINE - INSPECT ENGINE 4500 FLIGHT HOUR (IGNITERS)							Service	ATA:05
	MOS	23-Jul-21							
	HRS	4546	4500 (+50)		(9046) 9227.5	9096	3519.5 (+50)		
	ENC	2595							
	PROC. REF: MM 05-21-00-800-801, MM 74-21-10, MM 74-21-10, MM 74-21-10, MM 74-21-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052150	NO. 2 ENGINE - INSPECT ENGINE 4500 FLIGHT HOUR (IGNITERS)							Service	ATA:05
	MOS	29-Jul-20							
	HRS	3663.8	4500 (+50)		(8163.8) 8998.9	8213.8	2488.4 (+50)		
	ENC	2204							
				PROC. REF: MM 05-21-00-800-801, MM 74-21-10, MM 74-21-10, MM 74-21-10, MM 74-21-10					
052410 ^U	CHECK TERRAIN DATA BASE OR EGPWS							Service	ATA:05
	MOS	03-Jul-24	6		31-Jan-25		74 d		
	HRS	5655.1							
	AFL	3089							
052499 ^U	ATG 5000 BATTERY REPLACEMENT							Service	ATA:05
	MOS	26-Apr-18	171		31-Jul-32		2812 d		
	HRS								
	AFL								
052505 ^U	INSPECT FIRST AID KIT INSPECTION FOR CONDITION, & SECURITY. RECORD EXPIRATION DATE.							Service	ATA:05
	MOS	24-Apr-24	12		28-Feb-25 (M)		102 d		
	HRS	5631.9							
	AFL	3071							
053249LI ^U	LEFT INBOARD TIRE DECRANE TPS INSPECTION PER TPS CMM 32-49-06 PARAGRAPH 3.3.4							Service	ATA:05
PN:M14401	MOS/MSC	16-Apr-22	A/R						
SN:1223K123	HRS	5326.9							
	AFL	2935							
053249LN ^U	LEFT NOSE GEAR TIRE DECRANE TPS INSPECTION PER TPS CMM 32-49-06 PARAGRAPH 3.3.4							Service	ATA:05
PN:M15601	MOS/MSC		A/R						
SN:1076T170	HRS								
	AFL								
053249LO ^U	LEFT OUTBOARD TIRE DECRANE TPS INSPECTION PER TPS CMM 32-49-06 PARAGRAPH 3.3.4							Service	ATA:05
PN:M14401	MOS/MSC	21-Jul-22	A/R						
SN:2018K112	HRS	5441.8							
	AFL	2978							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
053249R1 ^U	RIGHT INBOARD TIRE DECRANE TPS INSPECTION PER TPS CMM 32-49-06 PARAGRAPH 3.3.4							Service	ATA:05
PN:M14401	MOS/MSC		A/R						
SN:3110K115	HRS								
	AFL								
053249RN ^U	RIGHT NOSE GEAR TIRE DECRANE TPS INSPECTION PER TPS CMM 32-49-06 PARAGRAPH 3.3.4							Service	ATA:05
PN:M15601	MOS/MSC		A/R						
SN:1035T135	HRS								
	AFL								
053249RO ^U	RIGHT OUTBOARD TIRE DECRANE TPS INSPECTION PER TPS CMM 32-49-06 PARAGRAPH 3.3.4							Service	ATA:05
PN:M14401	MOS/MSC		A/R						
SN:3184T167	HRS								
	AFL								
055010	NO. 1 ENGINE - DO THE INSPECTION FOR AN ENGINE INVOLVED IN AN ACCIDENT OR INCIDENT							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-801								
055010	NO. 2 ENGINE - DO THE INSPECTION FOR AN ENGINE INVOLVED IN AN ACCIDENT OR INCIDENT							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-801								
055012	ACCOMPLISH CHECK EXPOSURE TO HIGH WINDS WHILE THE AIRCRAFT IS PARKED CHECK							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: TLMC 5-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055013	ACCOMPLISH CHECK INTERIOR CABIN/TAILCONE FLUID SPILL							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: TLMC 5-50-00								
055020	NO. 1 ENGINE - DO THE INSPECTION AFTER A FIRE IN OR NEAR THE ENGINE OR THE NACELLE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-802								
055020	NO. 2 ENGINE - DO THE INSPECTION AFTER A FIRE IN OR NEAR THE ENGINE OR THE NACELLE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-802								
055030	NO. 1 ENGINE - DO THE INSPECTION OF THE ENGINE AFTER OPERATION WITH VOLCANIC ASH IN THE AIR							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-803								
055030	NO. 2 ENGINE - DO THE INSPECTION OF THE ENGINE AFTER OPERATION WITH VOLCANIC ASH IN THE AIR							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-803								
055040	NO. 1 ENGINE - DO THE INSPECTION FOR FOREIGN OBJECT DAMAGE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-804								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055040	NO. 2 ENGINE - DO THE INSPECTION FOR FOREIGN OBJECT DAMAGE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-804								
055050	NO. 1 ENGINE - DO THE INSPECTION FOR HARD LANDING, SIDE LOAD LANDING, OR OVERWEIGHT LANDING							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-805								
055050	NO. 2 ENGINE - DO THE INSPECTION FOR HARD LANDING, SIDE LOAD LANDING, OR OVERWEIGHT LANDING							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-805								
055060	NO. 1 ENGINE - DO THE INSPECTION FOR LIGHTNING STRIKE DAMAGE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-806								
055060	NO. 2 ENGINE - DO THE INSPECTION FOR LIGHTNING STRIKE DAMAGE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-806								
055070	NO. 1 ENGINE - DO THE INSPECTION OF THE ENGINE AFTER A SUDDEN STOP							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-807								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055070	NO. 2 ENGINE - DO THE INSPECTION OF THE ENGINE AFTER A SUDDEN STOP							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-807								
055080	NO. 1 ENGINE - DO THE INSPECTION OF THE ENGINE THAT HAS SMOKE ON SHUTDOWN							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-808								
055080	NO. 2 ENGINE - DO THE INSPECTION OF THE ENGINE THAT HAS SMOKE ON SHUTDOWN							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-808								
055090	NO. 1 ENGINE - DO THE INSPECTION OF THE ENGINE AFTER EXCEEDING THE MAXIMUM OPERATING SPEED ENVELOPE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-809								
055090	NO. 2 ENGINE - DO THE INSPECTION OF THE ENGINE AFTER EXCEEDING THE MAXIMUM OPERATING SPEED ENVELOPE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-809								
055100	NO. 1 ENGINE - DO THE INSPECTION FOR SEVERE TURBULENCE, BUFFETING ON THE GROUND, OR GALE-FORCE WIND							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-810								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055100	NO. 2 ENGINE - DO THE INSPECTION FOR SEVERE TURBULENCE, BUFFETING ON THE GROUND, OR GALE-FORCE WIND							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-810								
055110	NO. 1 ENGINE - DO THE INSPECTION OF THE ENGINE AFTER SUDDEN ENTRANCE INTO WATER							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-811								
055110	NO. 2 ENGINE - DO THE INSPECTION OF THE ENGINE AFTER SUDDEN ENTRANCE INTO WATER							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-811								
055120	NO. 1 ENGINE - DO THE INSPECTION OF THE ENGINE COMPONENTS OR PARTS DAMAGED IN TRANSPORTATION							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-812								
055120	NO. 2 ENGINE - DO THE INSPECTION OF THE ENGINE COMPONENTS OR PARTS DAMAGED IN TRANSPORTATION							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-200-812								
055140	NO. 1 ENGINE - FLUSH THE ENGINE AFTER A FIRE-EXTINGUISHING AGENT DISCHARGE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-100-802								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055140	NO. 2 ENGINE - FLUSH THE ENGINE AFTER A FIRE-EXTINGUISHING AGENT DISCHARGE							Service	ATA:05
	MOS/MSC	21-Dec-04	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: MM 05-50-00-100-802								
055601 ^U	INSPECT WINDSHIELD SURFACE RE-SEAL							Service	ATA:05
	MOS/MSC	22-Mar-06	O/C						
	HRS	846		TAC 0					
	AFL								
055602 ^U	INSPECT HUMP SEAL REPAIR							Service	ATA:05
	MOS/MSC	21-Dec-04	O/C						
	HRS	0		TAC 11					
	AFL	0							
055700 : A ^U	INSPECT A FRONT SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
055700 : B ^U	INSPECT B FRONT SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
055700 : C ^U	INSPECT C FRONT SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
055700 : D ^U	INSPECT D FRONT SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	12500		14941.2		9233.2		
	AFL	1619							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055700 : E ^U	INSPECT E FRONT SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
055701 ^U	INSPECT A MAIN SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
055701 : B ^U	INSPECT B MAIN SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
055701 : C ^U	INSPECT C MAIN SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
055701 : D ^U	INSPECT D MAIN SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
055702 : A ^U	INSPECT A REAR SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
055702 : B ^U	INSPECT B REAR SPAR EDDY CURRENT INSP							Service	ATA:05
	MOS	27-Jan-13							
	HRS	2441.2	15000		17441.2		11733.2		
	AFL	1619							
059900 ^U	LOPRESTI BOOM BEAM LIGHTS- EQUIPMENT/COMPONENTS MECHANICAL AND ELECTRICAL INTEGRITY INSPECTION IAW LOPRESTI DOC. NO. LSM-500-200 REV. H, 02-07-17							Service	ATA:05
	MOS	25-Jan-24	12		31-Jan-25		74 d		
	HRS	5618.4	600		6218.4		510.4		
	AFL	3059							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
059913 ^U	CHECK BRAKE WEAR AND RECORD RESULTS							Service	ATA:05
	MOS	03-Jul-24							
	HRS	5655.1							
	AFL	3089	50		3139		18		
059915 ^U	RENEW FAA AIRCRAFT REGISTRATION							Service	ATA:05
	MOS	18-Mar-20	84		31-Mar-27		863 d		
	HRS								
	AFL								
059916 ^U	INSPECT CREW AND PASSENGER LIFE VESTS FOR CONDITION, SECURITY, VERIFY EXPIRATION DATE							Service	ATA:05
	MOS	29-Dec-23	12		31-Dec-24		43 d		
	HRS	5618.4							
	AFL	3059							
059917 ^U	VISUAL INSPECTION OF FIRST AID KIT FOR CONDITION, SECURITY. VERIFY EXPIRATION DATE							Service	ATA:05
	MOS	27-Sep-24	1		31-Oct-24		OVD		
	HRS	5702.1							
	AFL	3117							
059918 ^U	VISUAL INSPECTION OF INTERIOR AND EXTERIOR PLACARDS FOR CONDITION & SECURITY							Service	ATA:05
	MOS	24-Apr-24	6		31-Oct-24		OVD		
	HRS	5631.9							
	AFL	3071							
059919 ^U	AIRCARE FIRESOCK LITHIUM BATT. CONTAINMENT ASSY FOR INTEGRITY, CHANGE WATER IN PLASTIC WATER BOTTLE							Service	ATA:05
	MOS	27-Sep-24	12		30-Sep-25		316 d		
	HRS	5702.1							
	AFL	3117							
05CRASHAXE ^U	VISUAL INSPECTION OF COCKPIT CRASH AXE FOR CONDITION & SECURITY							Service	ATA:05
	MOS	04-Oct-23	12		31-Oct-24		OVD		
	HRS	5588.9							
	AFL	3041							
05FLASHLIGHT ^U	PILOT & COPILOT FLASHLIGHT OPERATIONAL CHECK							Service	ATA:05
	MOS	27-Sep-24	1		31-Oct-24		OVD		
	HRS	5702.1							
	AFL	3117							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-01	INSPECTION DOCUMENT 1							Package ATA:05	
	MOS		12 (+1m/-1m)		31-Dec-24 (M)		43 d		
	HRS								
	AFL								
			PROC. REF: TLMC 5-12-01, TLMC 5-12-00						PKG:101
5-12-02	INSPECTION DOCUMENT 2							Package ATA:05	
	MOS		24 (+1m/-1m)		31-Jan-26 (M)		439 d		
	HRS								
	AFL								
			PROC. REF: TLMC 5-12-02, TLMC 5-12-00						PKG:102
5-12-03	INSPECTION DOCUMENT 3							Package ATA:05	
	MOS		36 (+1m/-1m)		31-Oct-25 (M)		347 d		
	HRS								
	AFL								
			PROC. REF: TLMC 5-12-03, TLMC 5-12-00						PKG:103
5-12-04	INSPECTION DOCUMENT 4							Package ATA:05	
	MOS		48 (+1m/-1m)		31-May-26 (M)		559 d		
	HRS								
	AFL								
			PROC. REF: TLMC 5-12-04, TLMC 5-12-00						PKG:104
5-12-05	INSPECTION DOCUMENT 5							Package ATA:05	
	MOS		72 (+1m/-1m)		31-Oct-28 (M)		1443 d		
	HRS								
	AFL								
			PROC. REF: TLMC 5-12-05, TLMC 5-12-00						PKG:105
5-12-07	INSPECTION DOCUMENT 7							Package ATA:05	
	MOS	11-Jan-23	120 (+1m/-1m)		31-Jan-33	28-Feb-33	2996 d (+28)		
	HRS	5443.3							
	AFL	2979							
			PROC. REF: TLMC 5-12-07, TLMC 5-12-00						PKG:107

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-08	INSPECTION DOCUMENT 8							Package	ATA:05
	MOS		12 (+1m/-1m)		31-Dec-24 (M)		43 d		
	HRS		500 (+25/-25)		6118.4 (M)		410.4		
	AFL								
	PROC. REF: TLMC 5-12-08, TLMC 5-12-00								PKG:108
5-12-09	INSPECTION DOCUMENT 9							Package	ATA:05
	MOS		12 (+1m/-1m)		31-Dec-24 (M)		43 d		
	HRS		1000 (+25/-25)		6618.4 (M)		910.4		
	AFL								
	PROC. REF: TLMC 5-12-09, TLMC 5-12-00								PKG:109
5-12-10	INSPECTION DOCUMENT 10							Package	ATA:05
	MOS		24 (+1m/-1m)		28-Feb-26 (M)		467 d		
	HRS		1000 (+25/-25)		6620.5 (M)		912.5		
	AFL								
	PROC. REF: TLMC 5-12-10, TLMC 5-12-00								PKG:110
5-12-11	INSPECTION DOCUMENT 11							Package	ATA:05
	MOS								
	HRS		2000 (+25/-25)		7268.1 (M)		1560.1		
	AFL								
	PROC. REF: TLMC 5-12-11, TLMC 5-12-00								PKG:111
5-12-12	INSPECTION DOCUMENT 12							Package	ATA:05
	MOS		24 (+1m/-1m)		31-Jan-26 (M)		439 d		
	HRS		2000 (+25/-25)		7618.4 (M)		1910.4		
	AFL								
	PROC. REF: TLMC 5-12-12, TLMC 5-12-00								PKG:112
5-12-14	INSPECTION DOCUMENT 14							Package	ATA:05
	MOS		36 (+1m/-1m)		31-Oct-25 (M)		347 d		
	HRS		3000 (+25/-25)		8443.3 (M)		2735.3		
	AFL								
	PROC. REF: TLMC 5-12-14, TLMC 5-12-00								PKG:114

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-15	INSPECTION DOCUMENT 15							Package	ATA:05
	MOS		72 (+1m/-1m)		31-Oct-28 (M)		1443 d		
	HRS		3000 (+25/-25)		8441.8 (M)		2733.8		
	AFL								
	PROC. REF: TLMC 5-12-15, TLMC 5-12-00								PKG:115
5-12-19	INSPECTION DOCUMENT 19							Package	ATA:05
	MOS								
	HRS								
	AFL								
	APH		1000		4531 (M)		888		
	PROC. REF: TLMC 5-12-19, TLMC 5-12-00								PKG:119
5-12-21	INSPECTION DOCUMENT 21							Package	ATA:05
	MOS								
	HRS		800 (+25/-25)		6003.7 (M)		295.7		
	AFL								
	PROC. REF: TLMC 5-12-21, TLMC 5-12-00								PKG:121
5-12-22	INSPECTION DOCUMENT 22							Package	ATA:05
	MOS								
	HRS		500 (+25/-25)		5943.3 (M)		235.3		
	AFL								
	PROC. REF: TLMC 5-12-22, TLMC 5-12-00								PKG:122
5-12-25	INSPECTION DOCUMENT 25							Package	ATA:05
	MOS	EFF							
	HRS	EFF	7200 (+25/-25)		12818.4 *	12843.4	7110.4 (+25)		
	AFL								
	PROC. REF: TLMC 5-12-25, TLMC 5-12-00								PKG:125
5-12-26	INSPECTION DOCUMENT 26							Package	ATA:05
	MOS	EFF	144 (+1m/-1m)		01-May-36 *	01-Jun-36	4182 d (+31)		
	HRS								
	AFL								
	PROC. REF: TLMC 5-12-26, TLMC 5-12-00								PKG:126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-27	INSPECTION DOCUMENT 27							Package	ATA:05
	MOS	EFF	96 (+1m/-1m)		01-May-32 *	01-Jun-32	2721 d (+31)		
	HRS								
	AFL								
	PROC. REF: TLMC 5-12-27, TLMC 5-12-00								PKG:127
5-12-28	INSPECTION DOCUMENT 28							Package	ATA:05
	MOS		108 (+1m/-1m)		31-Oct-31 (M)		2538 d		
	HRS								
	AFL								
	PROC. REF: TLMC 5-12-28, TLMC 5-12-00								PKG:128
5-12-31	INSPECTION DOCUMENT 31							Package	ATA:05
	MOS	EFF	48 (+1m/-1m)		01-May-28 *	01-Jun-28	1260 d (+31)		
	HRS	EFF	3000 (+25/-25)		8618.4 *	8643.4	2910.4 (+25)		
	AFL								
	PROC. REF: TLMC 5-12-31, TLMC 5-12-00								PKG:131
ATA 08 - LEVELING AND WEIGHING									
081002 ^U	AIRCRAFT WEIGHT AND BALANCE							Service	ATA:08
	MOS	30-May-24	36		31-May-27		924 d		
	HRS	5637.2							
	AFL	3078							
	APH								
ATA 12 - SERVICING									
12-10-01-1600 ^S	WATER SEPARATOR (CLEANING) RESTORATION							Service	ATA:12
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0	1000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-10-01								PKG:110
12-10-01-1601 ^S	OZONE CONVERTER (CLEANING) RESTORATION							Service	ATA:12
	MOS	21-Dec-04		TAC 0					
	HRS	0	2000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-10-01								PKG:111

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-10-01-1602 ^S	ISOLATION VALVE AIR FILTER (CLEANING) RESTORATION							Service	ATA:12
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-10-01							PKG:101	
12-10-01-6400 ^S	ENVIRONMENTAL CONTROL UNIT OIL SUMP SERVICING (AIRPLANES -0001 THRU -0500 NOT INCORPORATING SL750-21-02 LATEST REVISION)							Service	ATA:12
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0	1000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-10-01							PKG:109	
12-10-01-7200 ^S	ENVIRONMENTAL CONTROL UNIT OIL USAGE FUNCTIONAL CHECK (AIRPLANES -0001 THRU -0500 NOT INCORPORATING SL750-21-02 LATEST REVISION)							Service	ATA:12
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0	500 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-10-01							PKG:108	
12-10-38-6100 ^S	NOSE LANDING GEAR STRUT SERVICING							Service	ATA:12
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-10-38							PKG:101	
12-10-64-6100 ^S	3505918-3, -4 AIR TURBINE STARTER (OIL LEVEL CHECK) SERVICING							Service	ATA:12
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-10-64							PKG:101	
12-10-64-6400 ^S	3505972-1, -2, -3, -4, -5 AIR TURBINE STARTER OIL CHANGE SERVICING							Service	ATA:12
	MOS	21-Dec-04		TAC 0					
	HRS	0	800 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-10-64							PKG:121	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-10-66-6400	APU - 3882400-1 AUXILIARY POWER UNIT FUEL FILTER ELEMENT DISCARD							Component	ATA:12
PN:3882440-1	MOS	21-Nov-23	24 (+1m)	TSN 0, Adj -38d	31-Oct-25	30-Nov-25	347 d (+30)		
SN:NSN	HRS	3519	1000 (+45)	TSN 0	4519	4564	876 (+45)		
	APUS								
PROC. REF: MM 49-30-52									
12-10-66-6401	APU - AUXILIARY POWER UNIT OIL AND FILTER ASSEMBLY SERVICING							Component	ATA:12
PN:3608765-1	MOS	30-May-24	24 (+1m)	TSN 0, Adj -48d	30-Apr-26	31-May-26	528 d (+31)		
SN:NSN	HRS	3564	1000 (+45)	TSN 0	4564	4609	921 (+45)		
	APUS	0		TSN 0					
PROC. REF: MM 49-90-47, SIL APU-49									
12-20-05-6100 ^S	UPPER RUDDER ELECTROMECHANICAL ACTUATOR SERVICING							Service	ATA:12
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 12-20-05									
12-20-05-6400 ^S	HORIZONTAL STABILIZER AFT HINGE BOLTS AND LINK ASSEMBLY LUBRICATION							Service	ATA:12
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 12-20-05									
12-20-05-6401 ^S	FLAP ACTUATOR LUBRICATION							Service	ATA:12
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 12-20-05									
12-20-05-6402 ^S	FLAP SYSTEM LUBRICATION							Service	ATA:12
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0	1000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 12-20-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-20-05-6403 ^S	LEFT AND RIGHT OUTBOARD SECTOR AND CHAINS AILERON SYSTEM INSTALLATION WING LUBRICATION							Service	ATA:12
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-20-05								PKG:114
12-20-05-6409 ^S	HORIZONTAL STABILIZER TRIM ACTUATOR LUBRICATION							Service	ATA:12
PN:0009-0073-20	MOS	21-Dec-04	12	TAC 0					
SN:0330	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-20-05								PKG:75,101
12-20-05-6410 ^S	ELEVATOR POWER CONTROL UNIT (PCU) AND INPUT CONTROL PUSHROD ROD END BEARING LUBRICATION							Service	ATA:12
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-20-05								PKG:114
12-20-15-6400 ^S	CABIN DOOR HINGE AND LATCH PIN LUBRICATION							Service	ATA:12
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-20-15								PKG:101
12-20-15-6401 ^S	INNER CABIN DOOR COMPONENTS LUBRICATION							Service	ATA:12
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-20-15								PKG:104
12-20-15-6402 ^S	SPADE DOOR BUSHING LUBRICATION							Service	ATA:12
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-20-15								PKG:104
12-20-17-6400 ^S	KEY LOCK LUBRICATION							Service	ATA:12
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-20-17								PKG:101

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-26-00-601	15 DAY HIGH EXPOSURE AREA WASH							Service	ATA:12
	DAYS/MSC	21-Dec-04	A/R	TAC 0				OPERATOR REQUEST	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-26-00								
12-26-00-602	45 DAY MEDIUM EXPOSURE AREA WASH							Service	ATA:12
	DAYS/MSC	21-Dec-04	A/R	TAC 0				OPERATOR REQUEST	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-26-00								
12-26-00-603	90 DAY LOW EXPOSURE AREA WASH							Service	ATA:12
	DAYS/MSC	21-Dec-04	A/R	TAC 0				OPERATOR REQUEST	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 12-26-00								
ATA 21 - AIR CONDITIONING									
21-20-00-7100 ^S	CABIN AIR DISTRIBUTION CHECK VALVE OPERATIONAL CHECK							Service	ATA:21
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-20-00								
	PKG:114								
21-22-00-9600	WARM AIR DISTRIBUTION PNEUMATIC FILTER (PART NUMBER 4301-1) (AIRPLANES -0150 AND ON) DISCARD							Service	ATA:21
PN:PN	MOS	EFF		TAC 0				DISCARD	
SN:UNKNOWN	HRS	EFF	3000	TAC 0	8618.4 *		2910.4		
	AFL			TAC 0					
	PROC. REF: AMM 21-22-00								
21-30-00-7100 ^S	MANUAL CABIN PRESSURE CONTROL SYSTEM OPERATIONAL CHECK							Service	ATA:21
	MOS	21-Dec-04		TAC 0					
	HRS	0	500 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-30-00								
	PKG:122								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-30-00-7101 ^S	BAGGAGE COMPARTMENT ISOLATION SYSTEM FUNCTIONAL CHECK							Service	ATA:21
	MOS	21-Dec-04		TAC 0					
	HRS	0	500 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-30-00							PKG:122	
21-30-00-7102 ^S	CABIN PRESSURIZATION DUMP OPERATIONAL CHECK							Service	ATA:21
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-30-00							PKG:114	
21-30-00-7200 ^S	CABIN ALTITUDE EICAS MESSAGE FUNCTIONAL CHECK							Service	ATA:21
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-30-00							PKG:114	
21-31-01-1600 ^S	PRIMARY AND SECONDARY OUTFLOW VALVES (CLEANING) RESTORATION							Service	ATA:21
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-31-01							PKG:114	
21-31-01-7200 ^S	OUTFLOW VALVES ALTITUDE LIMITER AND DELTA P LIMITER FUNCTIONAL CHECK							Service	ATA:21
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-31-01							PKG:114	
21-31-01-9600	9914183-7 PRIMARY OUTFLOW VALVE AIR FILTER DISCARD							Service	ATA:21
PN:9914183-7	MOS	EFF	36 (+1m/-1m)	TAC 0	31-Dec-25 * (M)	31-Jan-26	408 d (+31)	DISCARD	
SN:NSN	HRS	EFF	3000 (+25/-25)	TAC 0	8441.8 * (M)	8466.8	2733.8 (+25)		
	AFL	EFF		TAC 0					
	PROC. REF: AMM 21-31-01								
21-51-00-2200 ^S	ENVIRONMENTAL CONTROL UNIT HEAT EXCHANGER DETAILED INSPECTION							Service	ATA:21
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-51-00							PKG:115	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210032	MAX COOL VT023 VALVE							Component	ATA:21
PN:4714-30	MOS/MSC	28-Jun-23	O/C	TSO 4					
SN:10102	HRS	5517.8		TSO 0					
WC#: 21.005	AFL	3004		TSO 0					
PROC. REF: AMM 21-11-00									
210101	LEFT OZONE CONVERTER ASSEMBLY							Component	ATA:21
PN:31A435-1	MOS/MSC	21-Dec-04	O/C						
SN:253	HRS	0		TSN 0					
WC#: 21.010	AFL	0		TSN 0					
PROC. REF: AMM 21-71-00									
210101	RIGHT OZONE CONVERTER ASSEMBLY							Component	ATA:21
PN:31A435-1	MOS/MSC	21-Dec-04	O/C						
SN:237	HRS	0		TSN 0					
WC#: 21.010	AFL	0		TSN 0					
PROC. REF: AMM 21-71-00									
211113	LEFT BI LEVEL VALVE ASSEMBLY							Component	ATA:21
PN:5118-00-3	MOS/MSC	05-Oct-06	O/C						
SN:0488	HRS	1257		TSO 0					
WC#: 21.020	AFL								
PROC. REF: AMM 21-11-00									
211113	RIGHT BI LEVEL VALVE ASSEMBLY							Component	ATA:21
PN:5118-00-3	MOS/MSC	16-Dec-19	O/C	TSO 2					
SN:0220	HRS	3634.9		TSO 0					
WC#: 21.020	AFL	2166		TSO 0					
PROC. REF: AMM 21-11-00									
212001	WEMAC BOOST FAN							Component	ATA:21
PN:1250270-25	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.025	AFL	0		TSN 0					
PROC. REF: AMM 21-21-00									
212203	WARM AIR DISTRIBUTION PNEUMATIC FILTER							Component	ATA:21
PN:PN	MOS/MSC	EFF	H/T	TSN 0					
SN:UNKNOWN	HRS			TSN 0					
	AFL			TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212501	LEFT AHRS FAN							Component	ATA:21
PN:26012423-105	MOS/MSC	21-Dec-04	O/C						
SN:7299	HRS	0		TSN 0					
WC#: 21.030	AFL	0		TSN 0					
PROC. REF: AMM 21-25-00									
212501	RIGHT AHRS FAN							Component	ATA:21
PN:26012423-105	MOS/MSC	21-Dec-04	O/C						
SN:7310	HRS	0		TSN 0					
WC#: 21.030	AFL	0		TSN 0					
PROC. REF: AMM 21-25-00									
213001	LEFT TLA DECODER NK109 MODULE							Component	ATA:21
PN:9907-30	MOS/MSC	21-Dec-04	O/C						
SN:598	HRS	0		TSN 0					
WC#: 21.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
213001	RIGHT TLA DECODER NK110 MODULE							Component	ATA:21
PN:9907-30	MOS/MSC	21-Dec-04	O/C						
SN:599	HRS	0		TSN 0					
WC#: 21.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
213007	VACUUM JET EJECTOR							Component	ATA:21
PN:131410-1	MOS/MSC	21-Dec-04	O/C						
SN:641933	HRS	0		TSN 0					
WC#: 21.015	AFL	0		TSN 0					
PROC. REF: AMM 37-10-00									
213008	SOLENOID PRESSURE VALVE							Component	ATA:21
PN:5060-00-1	MOS/MSC	16-Jun-10	O/C	TSN 0					
SN:3568	HRS	2008		TSN 0					
WC#: 21.040	AFL	1322							
PROC. REF: AMM 21-32-00									
213012	PRESSURE CONTROLLER							Component	ATA:21
PN:2119862-3	MOS/MSC	21-Dec-04	O/C						
SN:54C0279	HRS	0		TSN 0					
WC#: 21.045	AFL	0		TSN 0					
PROC. REF: AMM 21-31-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213013		ALTITUDE/DIFFERENTIAL INDICATOR						Component	ATA:21
PN:3003J17	MOS/MSC	21-Dec-04	O/C						
SN:22801	HRS	0		TSN 0					
WC#: 21.050	AFL	0		TSN 0					
PROC. REF: AMM 21-31-00									
213014		RATE OF CLIMB INDICATOR						Component	ATA:21
PN:37060-1113	MOS/MSC	21-Dec-04	O/C						
SN:360128	HRS	0		TSN 0					
WC#: 21.055	AFL	0		TSN 0					
PROC. REF: AMM 21-31-00									
213101		PRESSURE VACUUM REGULATOR						Component	ATA:21
PN:131402-1	MOS/MSC	21-Dec-04	O/C						
SN:320D	HRS	0		TSN 0					
WC#: 21.045	AFL	0		TSN 0					
PROC. REF: AMM 21-31-00									
213102		PRIMARY OUTFLOW VALVE						Component	ATA:21
PN:103678-3	MOS/MSC	14-Oct-19	O/C						
SN:46-A0014	HRS	3601.9							
WC#: 21.060	AFL	2145							
PROC. REF: AMM 21-31-01									
213102A		PRIMARY OUTFLOW VALVE AIR FILTER						Component	ATA:21
PN:9914183-7	MOS/MSC	04-Dec-22	H/T	TSN 0					
SN:NSN	HRS	5441.8		TSN 0					
WC#: 21.240	AFL	2978		TSN 0					
213103		SECONDARY OUTFLOW VALVE						Component	ATA:21
PN:103676-3	MOS/MSC	21-Dec-04	O/C						
SN:73A0241	HRS	0		TSN 0					
WC#: 21.060	AFL	0		TSN 0					
PROC. REF: AMM 21-31-01									
213104		MANUAL PRESSURE VALVE						Component	ATA:21
PN:131400-4	MOS/MSC	21-Dec-04	O/C						
SN:541000	HRS	0		TSN 0					
WC#: 21.065	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213105	PRESSURE ISOLATION VALVE							Component	ATA:21
PN:103790-2	MOS/MSC	16-May-11	O/C	TSN 0					
SN:118-B0319	HRS	2199		TSN 0					
WC#: 21.065	AFL	1451							
PROC. REF: AMM 21-32-00									
213111	PRESSURE SELECTOR							Component	ATA:21
PN:2119886-3	MOS/MSC	21-Dec-04	O/C						
SN:74C0288	HRS	0		TSN 0					
WC#: 21.075	AFL	0		TSN 0					
PROC. REF: AMM 21-31-00									
213210	PRESSURE ANEROID VALVE							Component	ATA:21
PN:2119848-3	MOS/MSC	21-Dec-04	O/C						
SN:63C0208	HRS	0		TSN 0					
WC#: 21.065	AFL	0		TSN 0					
PROC. REF: AMM 21-32-00									
215002	CABIN TURBO COMPRESSOR							Component	ATA:21
PN:1013561-1	MOS/MSC	21-Apr-22	O/C						
SN:2014010010	HRS	5334.8							
WC#: 21.080	AFL	2938							
PROC. REF: GENERIC NO REF									
215002	COCKPIT TURBO COMPRESSOR							Component	ATA:21
PN:9914497-1	MOS/MSC	13-Jun-18	O/C	TSN 0					
SN:2016092041	HRS	3421		TSN 0					
WC#: 21.080	AFL	1992							
PROC. REF: GENERIC NO REF									
215004	CABIN REFRIGERATION PACKAGE							Component	ATA:21
PN:738443-25	MOS/MSC	21-Dec-04	O/C						
SN:F200209022	HRS	0		TSN 0					
WC#: 21.085	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
215004	COCKPIT REFRIGERATION PACKAGE							Component	ATA:21
PN:738443-25	MOS/MSC	21-Dec-04	O/C						
SN:A200403151	HRS	0		TSN 0					
WC#: 21.085	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215012	CABIN DUAL HEAT EXCHANGER							Component	ATA:21
PN:744205-10	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.090	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
215012	COCKPIT DUAL HEAT EXCHANGER							Component	ATA:21
PN:744205-10	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.090	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
215014	CABIN COMPRESSOR OVERTEMP SWITCH							Component	ATA:21
PN:746833-2	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.095	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
215014	COCKPIT COMPRESSOR OVERTEMP SWITCH							Component	ATA:21
PN:746833-2	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.095	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
215106	CABIN WATER SEPARATOR							Component	ATA:21
PN:790301-3	MOS/MSC	21-Dec-04	O/C						
SN:L2004050071	HRS	0		TSN 0					
WC#: 21.100	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
215106	COCKPIT WATER SEPARATOR							Component	ATA:21
PN:790301-3	MOS/MSC	21-Dec-04	O/C						
SN:R2004050072	HRS	0		TSN 0					
WC#: 21.100	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
215110	ECU DIAGNOSTIC INTERFACE							Component	ATA:21
PN:F5-95-1	MOS/MSC	21-Dec-04	O/C						
SN:7AW4	HRS	0		TSN 0					
WC#: 21.105	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215114	TT011 ENVIRONMENT CONTROL SENSOR							Component	ATA:21
PN:S101813PG	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.110	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
215114	TT013 ENVIRONMENT CONTROL SENSOR							Component	ATA:21
PN:S101813PG	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.110	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
215114	TT017 ENVIRONMENT CONTROL SENSOR							Component	ATA:21
PN:S101816PG	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.110	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
216001	TEMPERATURE CONTROL SELECTOR							Component	ATA:21
PN:1E45-13	MOS/MSC	11-Aug-18	O/C						
SN:9AT29	HRS	3448.9							
WC#: 21.115	AFL	2016							
PROC. REF: AMM 21-61-00									
216005	LEFT B/A NK115 MODULE							Component	ATA:21
PN:6718473-5	MOS/MSC	07-Jun-06	O/C						
SN:0556	HRS	1012		TSO 0					
WC#: 21.120	AFL								
PROC. REF: GENERIC NO REF									
216005	RIGHT B/A NK116 MODULE							Component	ATA:21
PN:6718473-5	MOS/MSC	07-Jun-06	O/C						
SN:0616	HRS	1012		TSO 1012					
WC#: 21.120	AFL								
PROC. REF: GENERIC NO REF									
216007	LEFT B/A NK113 MODULE							Component	ATA:21
PN:6718459-19	MOS/MSC	21-Dec-04	O/C						
SN:0214	HRS	0		TSN 0					
WC#: 21.125	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216007	RIGHT B/A NK114 MODULE							Component	ATA:21
PN:6718459-19	MOS/MSC	21-Dec-04	O/C						
SN:0212	HRS	0		TSN 0					
WC#: 21.125	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
216009	LEFT CABIN TEMPERATURE SWITCH							Component	ATA:21
PN:1173T42	MOS/MSC	21-Dec-04	O/C						
SN:2707	HRS	0		TSN 0					
WC#: 21.130	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00									
216009	RIGHT CABIN TEMPERATURE SWITCH							Component	ATA:21
PN:1173T42	MOS/MSC	21-Dec-04	O/C						
SN:2708	HRS	0		TSN 0					
WC#: 21.130	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00									
216021	WARM AIR BAGGAGE FAN							Component	ATA:21
PN:011599-501	MOS/MSC	21-Dec-04	O/C						
SN:C04080165	HRS	0		TSN 0					
WC#: 21.140	AFL	0		TSN 0					
PROC. REF: AMM 21-22-01									
216105	LEFT TEMP CONTROL							Component	ATA:21
PN:1E48-1	MOS/MSC	16-Oct-08	O/C						
SN:7BC22	HRS	1766		TSN 0					
WC#: 21.145	AFL								
PROC. REF: AMM 21-61-00									
216105	RIGHT TEMP CONTROL							Component	ATA:21
PN:1E48-1	MOS/MSC	16-Oct-08	O/C						
SN:7BC21	HRS	1766		TSN 0					
WC#: 21.145	AFL								
PROC. REF: AMM 21-61-00									
216108	CABIN TEMP CONTROLLER							Component	ATA:21
PN:754866-1	MOS/MSC	21-Dec-04	O/C						
SN:04067095	HRS	0		TSN 0					
WC#: 21.150	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216108	COCKPIT TEMP CONTROLLER							Component	ATA:21
PN:754866-1	MOS/MSC	21-Dec-04	O/C						
SN:04067096	HRS	0		TSN 0					
WC#: 21.150	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00									
216115	LEFT CABIN DUCT SENSOR							Component	ATA:21
PN:1E47-1	MOS/MSC	21-Dec-04	O/C						
SN:7AY134	HRS	0		TSN 0					
WC#: 21.155	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00									
216115	RIGHT COCKPIT DUCT SENSOR							Component	ATA:21
PN:1E47-1	MOS/MSC	21-Dec-04	O/C						
SN:7AY132	HRS	0		TSN 0					
WC#: 21.155	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00									
216117	LEFT ACM TEMPERATURE SENSOR							Component	ATA:21
PN:754691-3	MOS/MSC	21-Dec-04	O/C						
SN:04051966	HRS	0		TSN 0					
WC#: 21.160	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
216117	RIGHT ACM TEMPERATURE SENSOR							Component	ATA:21
PN:754691-3	MOS/MSC	21-Dec-04	O/C						
SN:04041277	HRS	0		TSN 0					
WC#: 21.160	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
216121	LEFT TEMPERATURE CONTROL VALVE							Component	ATA:21
PN:27241287-10	MOS/MSC	21-Dec-04	O/C						
SN:5AY13	HRS	0		TSN 0					
WC#: 21.165	AFL	0		TSN 0					
PROC. REF: AMM 21-61-00									
216121	RIGHT TEMPERATURE CONTROL VALVE							Component	ATA:21
PN:27241287-10	MOS/MSC	29-Jun-05	O/C						
SN:3BA18	HRS	364		TSO 0					
WC#: 21.165	AFL								
PROC. REF: AMM 21-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221001	AILERON /ROLL SERVO							Component	ATA:22
PN:4006719-903	MOS/MSC	21-Dec-04	O/C						
SN:04068680	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-10-01, AMM 22-10-01									
221002	ELEVATOR SERVO							Component	ATA:22
PN:4006719-906	MOS/MSC	21-Dec-04	O/C						
SN:04036406	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-10-01, AMM 22-10-01									
221005	FLIGHT GUIDANCE CONTROLLER							Component	ATA:22
PN:7011702-929	MOS/MSC	26-Aug-21	O/C						
SN:96080597	HRS	4747.9							
WC#: 22.015	AFL	2686							
PROC. REF: AMM 22-10-03									
221007	NO. 1 CONFIGURATION MODULE							Component	ATA:22
PN:7014940-901	MOS/MSC	21-Dec-04	O/C						
SN:04056500	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
221007	NO. 2 CONFIGURATION MODULE							Component	ATA:22
PN:7014940-901	MOS/MSC	21-Dec-04	O/C						
SN:04056500	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
221011	NO. 1 LEFT AILERON SENSOR							Component	ATA:22
PN:3A1-276A	MOS/MSC	21-Dec-04	O/C						
SN:A1268	HRS	0		TSN 0					
WC#: 22.025	AFL	0		TSN 0					
PROC. REF: AMM 22-10-02									
221011	NO. 2 RIGHT AILERON SENSOR							Component	ATA:22
PN:3A1-276A	MOS/MSC	21-Dec-04	O/C						
SN:A1270	HRS	0		TSN 0					
WC#: 22.025	AFL	0		TSN 0					
PROC. REF: AMM 22-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221013	NO. 3 LEFT ELEVATOR SENSOR							Component	ATA:22
PN:3A1-276A	MOS/MSC	21-Dec-04	O/C						
SN:1266	HRS	0		TSN 0					
WC#: 22.030	AFL	0		TSN 0					
PROC. REF: AMM 22-10-02									
221013	NO. 4 RIGHT ELEVATOR SENSOR							Component	ATA:22
PN:3A1-276A	MOS/MSC	21-Dec-04	O/C						
SN:1269	HRS	0		TSN 0					
WC#: 22.030	AFL	0		TSN 0					
PROC. REF: AMM 22-10-02									
221015	RUDDER SENSOR							Component	ATA:22
PN:3A1-276A	MOS/MSC	21-Dec-04	O/C						
SN:A1267	HRS	0		TSN 0					
WC#: 22.035	AFL	0		TSN 0					
PROC. REF: AMM 55-40-00, AMM 55-40-00, AMM 22-10-02, AMM 22-10-02									
225001	BOTTOM YAW STAB COMPUTER							Component	ATA:22
PN:7022090-901	MOS/MSC	21-Dec-04	O/C						
SN:04080645	HRS	0		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
PROC. REF: AMM 27-24-01, AMM 22-10-02									
225001	TOP YAW STAB COMPUTER							Component	ATA:22
PN:7022090-901	MOS/MSC	21-Dec-04	O/C						
SN:04080646	HRS	0		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
PROC. REF: AMM 27-24-01, AMM 22-10-02									
ATA 23 - COMMUNICATIONS									
23-60-00-7200 ^S	STATIC DISCHARGE FUNCTIONAL CHECK							Service	ATA:23
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0	2000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 23-60-00									

PKG:112

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-70-00-7100 ^S	FAIRCHILD A200S OR FA2100 COCKPIT VOICE RECORDER SYSTEM OPERATIONAL CHECK							Service	ATA:23
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 23-70-00							PKG:102	
23-70-00-7200 ^S	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON FUNCTIONAL CHECK							Service	ATA:23
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 23-70-00							PKG:102	
23-70-00-9600	DK120 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Service	ATA:23
PN:PN-UNKNOWN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
	PROC. REF: AMM 23-70-00								
23-70-00-9601	DK120/90 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY DISCARD							Service	ATA:23
	MOS/MSC	EFF	DUE	TAC 0	01-Dec-27 * (M)		1108 d	DISCARD	
	HRS	EFF		TAC 0					
	AFL	EFF		TAC 0					
	PROC. REF: AMM 23-70-00								
23-80-01-7100 ^S	STANDBY NAV/COM CONTROL UNIT OPERATIONAL TEST							Service	ATA:23
	MOS	21-Nov-23							
	HRS	5610.1	500						
WC#: 23.175	AFL	3053							
	PROC. REF: AMM 23-80-01							PKG:71	
230000	CVR RECORDER							Component	ATA:23
PN:2100-1020-02	MOS/MSC	26-Apr-18	O/C						
SN:000590597	HRS	3402.2							
WC#: 23.010	AFL	1977							
	PROC. REF: AMM 23-70-00								
230001	CVR MICROPHONE							Component	ATA:23
PN:S055-0065-00	MOS/MSC	21-Dec-04	O/C						
SN:000219476	HRS	0		TSN 0					
WC#: 23.015	AFL	0		TSN 0					
	PROC. REF: AMM 23-70-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
230003	CVR CONTROLLER							Component	ATA:23
PN:S251-1120-00	MOS/MSC	21-Dec-04	O/C						
SN:000289420	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
PROC. REF: AMM 23-70-00									
230005	CVR UNDERWATER LOCATOR BEACON							Component	ATA:23
PN:DK120/90	MOS/MSC	18-Nov-20	O/C	TSN 1					
SN:AT154221	HRS	4028.8		TSN 0					
WC#: 23.020	AFL	2381		TSN 0					
230005A	CVR ACOUSTIC BEACON BATTERY							Component	ATA:23
PN:PN-UNKNOWN	MOS/MSC	18-Nov-20	H/T	TSN 0	01-Dec-27 (M)		1108 d		
SN:UNKNOWN	HRS	4028.8		TSN 0					
WC#: 23.020	AFL	2381		TSN 0					
PROC. REF: GENERIC NO REF									
231103	NO. 1 TOP VHF COMM ANTENNA							Component	ATA:23
PN:S65-8282	MOS/MSC	26-Oct-12	O/C	TSN 0					
SN:2442	HRS	2404.7		TSN 0					
WC#: 23.035	AFL	1597							
PROC. REF: AMM 23-13-00									
231103	NO. 2 VHF COMM ANTENNA							Component	ATA:23
PN:S65-8282	MOS/MSC	21-Dec-04	O/C						
SN:2086	HRS	0		TSN 0					
WC#: 23.035	AFL	0		TSN 0					
PROC. REF: AMM 23-13-00									
231105	NO. 1 HF CONTROLLER							Component	ATA:23
PN:071-01274-0002	MOS/MSC	21-Dec-04	O/C						
SN:5789	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: AMM 23-12-00									
231105	NO. 2 HF CONTROLLER							Component	ATA:23
PN:071-01274-0002	MOS/MSC	21-Dec-04	O/C						
SN:5641	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: AMM 23-12-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231106	NO. 1 POWER AMPLIFIER COUPLER							Component	ATA:23
PN:064-01017-0001	MOS/MSC	21-Dec-04	O/C						
SN:18866	HRS	0		TSN 0					
WC#: 23.045	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00									
231106	NO. 2 POWER AMPLIFIER COUPLER							Component	ATA:23
PN:064-01017-0001	MOS/MSC	21-Dec-04	O/C						
SN:18884	HRS	0		TSN 0					
WC#: 23.045	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00									
231107	NO. 1 HF RECEIVER/EXCITER							Component	ATA:23
PN:064-01015-0001	MOS/MSC	21-Dec-04	O/C						
SN:33385	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00, AMM 23-12-00									
231107	NO. 2 HF RECEIVER-EXCITER							Component	ATA:23
PN:064-01015-0001	MOS/MSC	21-Dec-04	O/C						
SN:33867	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00, AMM 23-12-00									
231108	NO. 1 BUS ADAPTER							Component	ATA:23
PN:071-01268-0001	MOS/MSC	21-Dec-04	O/C						
SN:4966	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00									
231108	NO. 2 BUS ADAPTER							Component	ATA:23
PN:071-01268-0001	MOS/MSC	21-Dec-04	O/C						
SN:4983	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00									
231111	LEFT COUPLER AMPLIFIER							Component	ATA:23
PN:071-00019-0000	MOS/MSC	21-Dec-04	O/C						
SN:4297	HRS	0		TSN 0					
WC#: 23.055	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231111	RIGHT COUPLER AMPLIFIER							Component	ATA:23
PN:071-00019-0000	MOS/MSC	21-Dec-04	O/C						
SN:4296	HRS	0		TSN 0					
WC#: 23.055	AFL	0		TSN 0					
PROC. REF: AMM 23-11-00									
231122 ^U	AIRCELL ANTENNA							Component	ATA:23
PN:CI5000-1-L	MOS/MSC	21-Dec-04	O/C						
SN:4075160	HRS	0		TSN 0					
	AFL	0		TSN 0					
231124	AIR CELL TRANSCEIVER							Component	ATA:23
PN:400-10680-001	MOS/MSC	23-Jul-10	O/C		TSO 0				
SN:1068014445	HRS	2029			TSO 0				
WC#: 23.060	AFL	1337							
PROC. REF: AMM 23-15-10									
231504	LEFT CABIN FLITEPHONE HANDSET							Component	ATA:23
PN:P12192-002	MOS/MSC	26-Apr-18	O/C						
SN:1219225875	HRS	3402.2							
WC#: 23.205	AFL	1977							
PROC. REF: GENERIC NO REF									
231505	COCKPIT FLITEPHONE HANDSET							Component	ATA:23
PN:P12192-002	MOS/MSC	26-Apr-18	O/C						
SN:1219236388	HRS	3402.2							
WC#: 23.165	AFL	1977							
PROC. REF: AMM 23-15-10									
231506	SATCOM ANTENNA							Component	ATA:23
PN:S67-1575-365	MOS/MSC	26-Apr-18	O/C		TSN 0				
SN:915-0363	HRS	3402.2			TSN 0				
WC#: 23.062	AFL	1977							
PROC. REF: AMM 23-20-01									
232001	SELCAL TRANSCEIVER							Component	ATA:23
PN:1200008-000	MOS/MSC	21-Dec-04	O/C						
SN:4161	HRS	0		TSN 0					
WC#: 23.065	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
232002	CONF AFIS MODULE							Component	ATA:23
PN:31990-1	MOS/MSC	21-Dec-04	O/C						
SN:11162	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: AMM 23-20-01									
232003	AFIS ANTENNA							Component	ATA:23
PN:S65-8282-1	MOS/MSC	21-Dec-04	O/C						
SN:1368	HRS	0		TSN 0					
WC#: 23.072	AFL	0		TSN 0					
PROC. REF: AMM 23-20-01									
235001	NO. 1 AUDIO CONTROL PANEL							Component	ATA:23
PN:7511001-917	MOS/MSC	08-Jan-22	O/C	TSO 4					
SN:0804C810	HRS	5113.7							
WC#: 23.080	AFL	2845							
PROC. REF: AMM 23-50-00									
235001	NO. 2 AUDIO CONTROL PANEL							Component	ATA:23
PN:7511001-917	MOS/MSC	07-Dec-06	O/C						
SN:04089418	HRS	1293		TSO 1293					
WC#: 23.080	AFL								
PROC. REF: AMM 23-50-00									
235014	LEFT TONE AUDIO WARNING							Component	ATA:23
PN:9915001-1	MOS/MSC	11-Mar-22	O/C						
SN:001000803	HRS	5211.7							
WC#: 23.085	AFL	2881							
PROC. REF: AMM 31-53-00									
235014	RIGHT TONE AUDIO WARNING							Component	ATA:23
PN:9915001-1	MOS/MSC	11-Aug-18	O/C						
SN:001000355	HRS	3448.9							
WC#: 23.085	AFL	2016							
PROC. REF: AMM 31-53-00									
236002	AIRSHOW UNIT							Component	ATA:23
PN:920092	MOS/MSC	01-Jun-07	O/C						
SN:257	HRS	1441		TSO 2234					
WC#: 23.200	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
236003	AIRSHOW COCKPIT CONTROLLER							Component	ATA:23
PN:922000-2	MOS/MSC	21-Dec-04	O/C						
SN:G03543418	HRS	0		TSN 0					
WC#: 23.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
237004	CVR GRAVITY SWITCH							Component	ATA:23
PN:6895D1-X-5-5	MOS/MSC	21-Dec-04	O/C						
SN:4895	HRS	0		TSN 0					
WC#: 23.095	AFL	0		TSN 0					
PROC. REF: AMM 23-70-00									
238001	CLEARANCE DEL CONTROL							Component	ATA:23
PN:7513000-835	MOS/MSC	21-Dec-04	O/C						
SN:04072749	HRS	0		TSN 0					
WC#: 23.105	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
238003	NO. 1 RADIO MANAGEMENT UNIT							Component	ATA:23
PN:7013270-973	MOS/MSC	26-Apr-18	O/C						
SN:04084424	HRS	3402.2							
WC#: 23.110	AFL	1977							
PROC. REF: AMM 23-80-01									
238003	NO. 2 RADIO MANAGEMENT UNIT							Component	ATA:23
PN:7013270-973	MOS/MSC	26-Apr-18	O/C						
SN:97090755	HRS	3402.2							
WC#: 23.110	AFL	1977							
PROC. REF: AMM 23-80-01									
238005	NO. 1 INTEGRATED COMM UNIT							Component	ATA:23
PN:7510733-666	MOS/MSC	26-Apr-18	O/C						
SN:04108955	HRS	3402.2							
WC#: 23.115	AFL	1977							
PROC. REF: AMM 23-80-01									
238005	NO. 2 INTEGRATED COMM UNIT							Component	ATA:23
PN:7510733-666	MOS/MSC	26-Apr-18	O/C						
SN:05039215	HRS	3402.2							
WC#: 23.115	AFL	1977							
PROC. REF: AMM 23-80-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
238007	NO. 1 VHF COMM TRANSCEIVER							Component	ATA:23
PN:7510763-901	MOS/MSC	07-Dec-06	O/C						
SN:0001212311	HRS	1293		TSO 0					
WC#: 23.120	AFL								
PROC. REF: AMM 23-13-00									
238007	NO. 2 VHF COMM TRANSCEIVER							Component	ATA:23
PN:7510763-901	MOS/MSC	07-Dec-06	O/C						
SN:05056741	HRS	1293		TSO 0					
WC#: 23.120	AFL								
PROC. REF: AMM 23-13-00									
238009	NO. 1 COMM CLUSTER MODULE							Component	ATA:23
PN:7510784-839	MOS/MSC	26-Apr-18	O/C						
SN:00025293	HRS	3402.2							
WC#: 23.125	AFL	1977							
PROC. REF: GENERIC NO REF									
238009	NO. 2 COMM CLUSTER MODULE							Component	ATA:23
PN:7510784-839	MOS/MSC	26-Apr-18	O/C						
SN:129340647	HRS	3402.2							
WC#: 23.125	AFL	1977							
PROC. REF: GENERIC NO REF									
238011	NO. 1 TRANSPONDER							Component	ATA:23
PN:7517400-932	MOS/MSC	26-Apr-18	O/C						
SN:00023864	HRS	3402.2							
WC#: 23.130	AFL	1977							
PROC. REF: GENERIC NO REF									
238011	NO. 2 TRANSPONDER							Component	ATA:23
PN:7517400-932	MOS/MSC	26-Apr-18	O/C						
SN:05028918	HRS	3402.2							
WC#: 23.130	AFL	1977							
PROC. REF: GENERIC NO REF									
238015	NO. 1 ADF RECEIVER							Component	ATA:23
PN:7510114-901	MOS/MSC	21-Dec-04	O/C						
SN:04086768	HRS	0		TSN 0					
WC#: 23.137	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
238015	NO. 2 ADF RECEIVER							Component	ATA:23
PN:7510114-901	MOS/MSC	21-Dec-04	O/C						
SN:04086761	HRS	0		TSN 0					
WC#: 23.635	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01									
238017	NO. 1 NAV RECEIVER							Component	ATA:23
PN:7510134-731	MOS/MSC	21-Dec-04	O/C						
SN:04047934	HRS	0		TSN 0					
WC#: 23.140	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
238017	NO. 2 NAV RECEIVER							Component	ATA:23
PN:7510134-731	MOS/MSC	21-Dec-04	O/C						
SN:04078137	HRS	0		TSN 0					
WC#: 23.140	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01									
238019	NO. 1 NAV CLUSTER MODULE							Component	ATA:23
PN:7510164-921	MOS/MSC	21-Dec-04	O/C						
SN:04037591	HRS	0		TSN 0					
WC#: 23.145	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
238019	NO. 2 NAV CLUSTER MODULE							Component	ATA:23
PN:7510164-921	MOS/MSC	21-Dec-04	O/C						
SN:04077789	HRS	0		TSN 0					
WC#: 23.145	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
238021	NO. 1 DME MODULE							Component	ATA:23
PN:7510184-902	MOS/MSC	21-Dec-04	O/C						
SN:04047734	HRS	0		TSN 0					
WC#: 23.150	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									
238021	NO. 2 DME MODULE							Component	ATA:23
PN:7510184-902	MOS/MSC	21-Dec-04	O/C						
SN:04078018	HRS	0		TSN 0					
WC#: 23.150	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-30-00-9600	9914429-1 AND -8 400 AMP BRUSHLESS APU DC GENERATOR (BEARINGS AND ARMATURE FUNCTIONAL CHECK) RESTORATION (AIRPLANES -0001 THRU -0211 NOT INCORPORATING SB750-24-11)							Service	ATA:24
PN:92841-1	MOS/MSC	21-Dec-04	N/A	TAC 0					
SN:163C	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 24-30-00									
24-30-00-9600	9914429-1 AND -8 400 AMP BRUSHLESS NO. 1 DC GENERATOR (BEARINGS AND ARMATURE FUNCTIONAL CHECK) RESTORATION (AIRPLANES -0001 THRU -0211 NOT INCORPORATING SB750-24-11)							Service	ATA:24
PN:92841-1	MOS/MSC		N/A	TAC 0					
SN:409B	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 24-30-00									
24-30-00-9600	9914429-1 AND -8 400 AMP BRUSHLESS NO. 2 DC GENERATOR (BEARINGS AND ARMATURE FUNCTIONAL CHECK) RESTORATION (AIRPLANES -0001 THRU -0211 NOT INCORPORATING SB750-24-11)							Service	ATA:24
PN:92841-1	MOS/MSC	21-Dec-04	N/A	TAC 0					
SN:48	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 24-30-00									
24-30-00-9601	9914429-10 400 AMP BRUSHLESS APU DC GENERATOR (BEARINGS AND ARMATURE FUNCTIONAL CHECK) RESTORATION (AIRPLANES -0212 THRU -0500 AND AIRPLANES -0001 THRU -0211 INCORPORATING SB750-24-11)							Service	ATA:24
	MOS/MSC	21-Dec-04	N/A	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 24-30-00									
24-30-00-9601	9914429-10 400 AMP BRUSHLESS NO. 1 DC GENERATOR (BEARINGS AND ARMATURE FUNCTIONAL CHECK) RESTORATION (AIRPLANES -0212 THRU -0500 AND AIRPLANES -0001 THRU -0211 INCORPORATING SB750-24-11)							Service	ATA:24
	MOS/MSC		N/A	TAC 0					
	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 24-30-00									
24-30-00-9601	9914429-10 400 AMP BRUSHLESS NO. 2 DC GENERATOR (BEARINGS AND ARMATURE FUNCTIONAL CHECK) RESTORATION (AIRPLANES -0212 THRU -0500 AND AIRPLANES -0001 THRU -0211 INCORPORATING SB750-24-11)							Service	ATA:24
PN:92841-1	MOS/MSC	21-Dec-04	N/A						
SN:48	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 24-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-34-00-7200	LEFT MAIN MARATHON NI-CAD BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:RG-380E/44LA2	MOS/MSC		N/A						
SN:41114025	HRS								
	AFL								
PROC. REF: AMM 24-34-00									
24-34-00-7200	RIGHT MAIN MARATHON NI-CAD BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:RG-380E/44LA2	MOS/MSC		N/A						
SN:41114026	HRS								
	AFL								
PROC. REF: AMM 24-34-00									
24-34-00-7201	LEFT MAIN SAFT NI-CAD BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:RG-380E/44LA2	MOS/MSC		N/A						
SN:41114025	HRS								
	AFL								
PROC. REF: AMM 24-34-00									
24-34-00-7201	RIGHT MAIN SAFT NI-CAD BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:RG-380E/44LA2	MOS/MSC		N/A						
SN:41114026	HRS								
	AFL								
PROC. REF: AMM 24-34-00									
24-34-00-7202	9914058-11 LEFT MAIN SAFT NI-CAD BATTERY (DEEP CYCLE) RESTORATION							Service	ATA:24
PN:RG-380E/44LA2	MOS/MSC		N/A						
SN:41114025	HRS								
	AFL								
PROC. REF: AMM 24-34-00									
24-34-00-7202	9914058-11 RIGHT MAIN SAFT NI-CAD BATTERY (DEEP CYCLE) RESTORATION							Service	ATA:24
PN:RG-380E/44LA2	MOS/MSC		N/A						
SN:41114026	HRS								
	AFL								
PROC. REF: AMM 24-34-00									
24-35-00-7200	LEFT MAIN LEAD ACID BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:24
PN:RG-380E/44LA2	MOS	30-May-24	24 (+1m/-1m)		31-May-26	30-Jun-26	559 d (+30)		
SN:41114025	HRS	5637.2	1200 (+25/-25)		6837.2	6862.2	1129.2 (+25)		
	AFL	3078							
PROC. REF: AMM 24-35-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-35-00-7200		RIGHT MAIN LEAD AC BATTERY (CAPACITY CHECK) FUNCTIONAL CHECK							Service ATA:24
PN:RG-380E/44LA2	MOS	30-May-24	24 (+1m/-1m)		31-May-26	30-Jun-26	559 d (+30)		
SN:41114026	HRS	5637.2	1200 (+25/-25)		6837.2	6862.2	1129.2 (+25)		
	AFL	3078							
PROC. REF: AMM 24-35-00									
242001		NO. 1 AC POWER CONTROL UNIT							Component ATA:24
PN:83096-1	MOS/MSC	21-Dec-04	O/C						
SN:1483	HRS	0		TSN 0					
WC#: 24.015	AFL	0		TSN 0					
PROC. REF: AMM 24-20-01									
242001		NO. 2 AC POWER CONTROL UNIT							Component ATA:24
PN:83096-1	MOS/MSC	21-Dec-04	O/C						
SN:1482	HRS	0		TSN 0					
WC#: 24.015	AFL	0		TSN 0					
PROC. REF: AMM 24-20-01									
242003		NO. 1 ALT CURRENT GENERATOR							Component ATA:24
PN:90032-2	MOS/MSC	07-Sep-23	O/C	TSO 1					
SN:737B	HRS	5579.9		TSO 0					
WC#: 24.020	AFL	3035		TSO 0					
PROC. REF: AMM 24-20-01									
242003		NO. 2 ALT CURRENT GENERATOR							Component ATA:24
PN:90032-2	MOS/MSC	21-Dec-04	O/C						
SN:518	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: AMM 24-20-01									
243001		APU 400 AMP GENERATOR							Component ATA:24
PN:92841-1	MOS/MSC	11-May-22	H/T	TSN 0					
SN:163C	HRS	5395.9							
WC#: 24.025	AFL	2961							
PROC. REF: AMM 24-32-00									
243002		APU DC GENERATOR CONTROL							Component ATA:24
PN:92746-3	MOS/MSC	24-Sep-24	O/C	TSO 37					
SN:115-M	HRS	5702.1		TSO 954					
WC#: 24.025	AFL	3117							
PROC. REF: AMM 24-32-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243003	NO. 1 DC GENERATOR							Component	ATA:24
PN:92841-1	MOS/MSC	26-May-21	H/T	TSN 0					
SN:409B	HRS	4499							
WC#: 24.130	AFL	2578							
PROC. REF: AMM 24-32-00									
243003	NO. 2 DC GENERATOR							Component	ATA:24
PN:92841-1	MOS/MSC	21-Dec-04	H/T	TSN 0					
SN:48	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: AMM 24-32-00									
243005	LEFT DC GENERATOR CONTROL							Component	ATA:24
PN:92746-3	MOS/MSC	21-Aug-21	O/C	TSO 0					
SN:282-M	HRS	4737.2		TSO 0					
WC#: 24.145	AFL	2681		TSO 0					
PROC. REF: GENERIC NO REF									
243005	RIGHT DC GENERATOR CONTROL							Component	ATA:24
PN:92746-3	MOS/MSC	24-Sep-24	O/C	TSO 33					
SN:223-M	HRS	5702.1		TSO 647					
WC#: 24.145	AFL	3117							
PROC. REF: GENERIC NO REF									
243401	LEFT MAIN SHIP BATTERY							Component	ATA:24
PN:RG-380E/44LA2	MOS/MSC	30-May-24	H/T	TSO 29					
SN:41114025	HRS	5637.2		TSO 1307					
WC#: 24.035	AFL	3078							
PROC. REF: AMM 24-34-00									
243401	RIGHT MAIN SHIP BATTERY							Component	ATA:24
PN:RG-380E/44LA2	MOS/MSC	30-May-24	H/T	TSO 29					
SN:41114026	HRS	5637.2		TSO 1307					
WC#: 24.035	AFL	3078							
PROC. REF: AMM 24-34-00									
244001	OVERVOLTAGE DETECTOR							Component	ATA:24
PN:1645-1-3	MOS/MSC	21-Dec-04	O/C						
SN:3465	HRS	0		TSN 0					
WC#: 24.135	AFL	0		TSN 0					
PROC. REF: AMM 24-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245309	LEFT SQUAT NC009 MODULE							Component	ATA:24
PN:6718274-1	MOS/MSC	21-Dec-04	O/C						
SN:0774	HRS	0		TSN 0					
WC#: 24.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245309	RIGHT SQUAT NC010 MODULE							Component	ATA:24
PN:6718274-1	MOS/MSC	21-Dec-04	O/C						
SN:0775	HRS	0		TSN 0					
WC#: 24.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245311	LEFT SQUAT NK111 MODULE							Component	ATA:24
PN:6718274-1	MOS/MSC	21-Dec-04	O/C						
SN:0776	HRS	0		TSN 0					
WC#: 24.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245312	RIGHT SQUAT NK112 MODULE							Component	ATA:24
PN:6718274-1	MOS/MSC	21-Dec-04	O/C						
SN:0777	HRS	0		TSN 0					
WC#: 24.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245313	LEFT START CONTROL LOGIC NK105 MODULE							Component	ATA:24
PN:6718481-15	MOS/MSC	07-Dec-06	O/C						
SN:0233	HRS	1293		TSN 0					
WC#: 24.060	AFL								
PROC. REF: AMM 24-53-00									
245314	RIGHT START CONTROL LOGIC NK106 MODULE							Component	ATA:24
PN:6718481-19	MOS/MSC	18-Nov-08	O/C						
SN:0123	HRS	1787		TSN 0					
WC#: 24.060	AFL								
PROC. REF: AMM 24-53-00									
246000 ^U	COPILOT USB CHARGING PORT							Component	ATA:24
PN:106371-1	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:3830218	HRS	3402.2		TSN 0					
	AFL	1977		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246000 ^U	PILOT USB CHARGING PORT							Component	ATA:24
PN:106371-1	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:3820218	HRS	3402.2		TSN 0					
	AFL	1977		TSN 0					
24FO-01	BATTERY-LEAD ACID FACTORY OPTION							Component	ATA:24
PN:186M	MOS/MSC	21-Dec-04	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-00-2200 ^S	CREW SEAT DETAILED INSPECTION							Service	ATA:25
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 25-11-00									
25-11-00-2201 ^S	PASSENGER SEAT ASSEMBLY DETAILED INSPECTION							Service	ATA:25
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 25-11-00									
25-60-00-2200	EMERGENCY LOCATOR TRANSMITTER DETAILED INSPECTION							Service	ATA:25
PN:S1821502-02	MOS	26-Sep-24	12		30-Sep-25		316 d		
SN:N0373-0017	HRS	5702.1							
	AFL	3117							
	APH								
PROC. REF: AMM 25-60-00									
25-60-00-7100	EMERGENCY LOCATOR TRANSMITTER SYSTEM OPERATIONAL CHECK							Service	ATA:25
PN:S1821502-02	MOS	26-Sep-24	12		30-Sep-25		316 d		
SN:N0373-0017	HRS	5702.1							
	AFL	3117							
	APH								
PROC. REF: AMM 25-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60-00-9600	S1820516-99 SEXTANT/KANNAD OR 452-0133 ARTEX EMERGENCY LOCATOR TRANSMITTER BATTERY DISCARD							Service	ATA:25
PN:S1820506-01	MOS/MSC	21-Jul-22	DUE	TAC 0	01-Jan-29 (M)		1505 d	DISCARD	
SN:22090121	HRS	5441.8		TAC 0					
	AFL	2978		TAC 0					
PROC. REF: AMM 25-60-00									
25-65-00-2100 ^S	WATER BARRIER ASSEMBLY DETAILED INSPECTION							Service	ATA:25
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 25-65-00									
25-65-00-2200 ^S	FIRST AID KIT DETAILED INSPECTION							Service	ATA:25
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 25-65-00									
25-65-00-2201 ^S	LIFE RAFT DETAILED INSPECTION							Service	ATA:25
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 25-65-00									
25-65-00-2202 ^S	SMOKE GOGGLES DETAILED INSPECTION							Service	ATA:25
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 25-65-00									
25-65-00-2203 ^S	OVER WATER PASSENGER LIFE VEST DETAILED INSPECTION							Service	ATA:25
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 25-65-00									
250006	LAVATORY LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	31-Dec-20	120	TSN 1	30-Nov-30		2203 d		
SN:20110260014	HRS			TSN 0					
WC#: 25.160	AFL			TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
250006	NO. 1 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 2	31-Mar-29		1594 d		
SN:19031760135	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									
250006	NO. 10 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 12	31-May-28		1290 d		
SN:18046160439	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									
250006	NO. 2 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 2	31-Mar-29		1594 d		
SN:19031760137	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									
250006	NO. 3 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 16	31-Jan-28		1169 d		
SN:18011920023	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									
250006	NO. 4 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 16	31-Jan-28		1169 d		
SN:18011920024	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									
250006	NO. 5 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 12	31-May-28		1290 d		
SN:18046160440	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
250006	NO. 6 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 12	31-May-28		1290 d		
SN:18046160438	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									
250006	NO. 7 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 12	31-May-28		1290 d		
SN:18046160437	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									
250006	NO. 8 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 12	31-May-28		1290 d		
SN:18046160435	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									
250006	NO. 9 LIFE VEST							Component	ATA:25
PN:PO1074-207	MOS	10-May-19	120	TSN 12	31-May-28		1290 d		
SN:18046160436	HRS	3542.4							
WC#: 25.160	AFL	2106							
PROC. REF: GENERIC NO REF									
250012	DATA LOAD SWITCH BOX							Component	ATA:25
PN:9555008-2	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.015	AFL	0		TSN 0					
PROC. REF: AMM 31-43-00									
251701 ^U	ELT DONGLE							Component	ATA:25
PN:S1820514-01	MOS/MSC	26-Sep-24	O/C						
SN:M1207-0027	HRS	5702.1							
	AFL	3117							
256001	EMERGENCY LOCATOR TRANSMITTER ELT							Component	ATA:25
PN:S1821502-02	MOS/MSC	26-Apr-18	H/T						
SN:N0373-0017	HRS	3402.2							
WC#: 25.030	AFL	1977							
PROC. REF: AMM 25-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256002	ELT CONTROL PANEL							Component	ATA:25
PN:95230020-02	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.035	AFL	0		TSN 0					
PROC. REF: AMM 25-60-00									
256003	ELT ANTENNA							Component	ATA:25
PN:95210600-05	MOS/MSC	21-Dec-04	O/C						
SN:607	HRS	0		TSN 0					
WC#: 25.035	AFL	0		TSN 0					
PROC. REF: AMM 25-60-00									
256004	ELT LOCATOR BEACON BATTERY							Component	ATA:25
PN:S1820506-01	MOS/MSC	21-Jul-22	H/T	TSN 0	01-Jan-29 (M)		1505 d		
SN:22090121	HRS	5441.8		TSN 0					
WC#: 25.030	AFL	2978		TSN 0					
256005	CHIME CONTROLLER							Component	ATA:25
PN:MSM500-00	MOS/MSC	21-Dec-04	O/C						
SN:650604	HRS	0		TSN 0					
WC#: 25.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25ELTNOAA ^U	AIRCRAFT ELT NOAA REGISTRATION							Service	ATA:25
	MOS	26-Sep-24	24		30-Sep-26		681 d		
	HRS	5702.1							
	AFL	3117							
	APH								
ATA 26 - FIRE PROTECTION									
26-00-00-2100 ^S	LEFT ENGINE, RIGHT ENGINE, AND AUXILIARY POWER UNIT FIRE DETECTOR ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:26
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 26-00-00									
								PKG:114	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-14-00-2100 ^S	BAGGAGE COMPARTMENT SMOKE DETECTOR GENERAL VISUAL INSPECTION							Service	ATA:26
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 26-14-00								PKG:114
26-14-00-7100 ^S	BAGGAGE COMPARTMENT SMOKE DETECTION SYSTEM OPERATIONAL CHECK							Service	ATA:26
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 26-14-00								PKG:114
26-20-01-2100 ^S	ENGINE FIRE CONTAINMENT GENERAL VISUAL INSPECTION							Service	ATA:26
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 26-20-01								PKG:103
26-20-01-7100 ^S	FUEL SHUT-OFF VALVE OPERATIONAL CHECK							Service	ATA:26
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 26-20-01								PKG:101
26-20-01-7101 ^S	HYDRAULIC SHUTOFF VALVE OPERATIONAL CHECK							Service	ATA:26
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 26-20-01								PKG:101
26-20-01-7102 ^S	AUXILIARY POWER UNIT CONTROL MODULE OPERATIONAL CHECK							Service	ATA:26
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0	2000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 26-20-01								PKG:112
26-20-01-7200 ^S	ENGINE FIRE EXTINGUISHING SYSTEM FUNCTIONAL CHECK							Service	ATA:26
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 26-20-01								PKG:114

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20-01-7201	AFT ENGINE FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH FUNCTIONAL CHECK							Service	ATA:26
	MOS	EFF	60 (+1m/-1m)		31-May-29 *	30-Jun-29	1655 d (+30)		
	HRS								
	AFL								
	PROC. REF: AMM 26-20-01								
26-20-01-7201	FORWARD ENGINE FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH FUNCTIONAL CHECK							Service	ATA:26
	MOS	EFF	60 (+1m/-1m)		31-May-29 *	30-Jun-29	1655 d (+30)		
	HRS								
	AFL								
	PROC. REF: AMM 26-20-01								
26-20-01-7800	30700009-4 AFT ENGINE FIRE EXTINGUISHER BOTTLES (HYDROSTATIC) RESTORATION							Service	ATA:26
	MOS	EFF	60		30-Apr-26 * (M)		528 d	HYDROSTATIC TEST	
	HRS								
	AFL								
	PROC. REF: AMM 26-20-01								
26-20-01-7800	30700009-4 FORWARD ENGINE FIRE EXTINGUISHER BOTTLES (HYDROSTATIC) RESTORATION							Service	ATA:26
	MOS	EFF	60		31-Dec-27 * (M)		1138 d	HYDROSTATIC TEST	
	HRS								
	AFL								
	PROC. REF: AMM 26-20-01								
26-20-01-9600	30903824 LEFT NO. 1 FORWARD ENGINE FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)							Service	ATA:26
	MOS/MSC		N/A					SERVICE LIFE LIMIT	
	HRS								
	AFL								
	PROC. REF: AMM 26-20-01								
26-20-01-9600	30903824 LEFT NO. 2 AFT ENGINE FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)							Service	ATA:26
PN:30903824	MOS	27-Jun-20	72 (+1m/-1m)		30-Jun-26	31-Jul-26	589 d (+31)	SERVICE LIFE LIMIT	
SN:UNKNOWN	HRS	3684.8							
	AFL	2218							
	Installation Date: : 27-Jun-20		PROC. REF: AMM 26-20-01						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20-01-9600	30903824 RIGHT NO. 1 FORWARD ENGINE FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)							Service	ATA:26
	MOS/MSC		N/A					SERVICE LIFE LIMIT	
	HRS								
	AFL								
	PROC. REF: AMM 26-20-01								
26-20-01-9600	30903824 RIGHT NO. 2 AFT ENGINE FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)							Service	ATA:26
	MOS	24-May-21	72 (+1m/-1m)		31-May-27	30-Jun-27	924 d (+30)	SERVICE LIFE LIMIT	
	HRS								
	AFL								
	Installation Date: : 24-May-21 PROC. REF: AMM 26-20-01								
26-20-01-9600.1	30903824 LEFT NO. 1 FORWARD ENGINE FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)							Service	ATA:26
	MOS/MSC		N/A					LIFE LIMIT	
	HRS								
	AFL								
	PROC. REF: AMM 26-20-01								
26-20-01-9600.1	30903824 LEFT NO. 2 AFT ENGINE FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)							Service	ATA:26
	MOS	28-Nov-19	108 (+1m/-1m)		30-Nov-28	31-Dec-28	1473 d (+31)	LIFE LIMIT	
	HRS								
	AFL								
	Manufacture Date:: 28-Nov-19 PROC. REF: AMM 26-20-01								
26-20-01-9600.1	30903824 RIGHT NO. 1 FORWARD ENGINE FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)							Service	ATA:26
	MOS/MSC		N/A					LIFE LIMIT	
	HRS								
	AFL								
	PROC. REF: AMM 26-20-01								
26-20-01-9600.1	30903824 RIGHT NO. 2 AFT ENGINE FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)							Service	ATA:26
	MOS	24-May-21	108 (+1m/-1m)		31-May-30	30-Jun-30	2020 d (+30)	LIFE LIMIT	
	HRS								
	AFL								
	Manufacture Date:: 24-May-21 PROC. REF: AMM 26-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-01-9601	AE30903824 LEFT NO. 1 FORWARD ENGINE FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)							Service ATA:26
	MOS	30-Apr-22	96 (+1m/-1m)		30-Apr-30	31-May-30	1989 d (+31)	SERVICE LIFE LIMIT
	HRS							
	AFL							
		Installation Date: : 30-Apr-22		PROC. REF: AMM 26-20-01				
26-20-01-9601	AE30903824 LEFT NO. 2 AFT ENGINE FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)							Service ATA:26
	MOS/MSC		N/A					SERVICE LIFE LIMIT
	HRS							
	AFL							
				PROC. REF: AMM 26-20-01				
26-20-01-9601	AE30903824 RIGHT NO. 1 FORWARD ENGINE FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)							Service ATA:26
	MOS	30-Apr-22	96 (+1m/-1m)		30-Apr-30	31-May-30	1989 d (+31)	SERVICE LIFE LIMIT
	HRS							
	AFL							
		Installation Date: : 30-Apr-22		PROC. REF: AMM 26-20-01				
26-20-01-9601	AE30903824 RIGHT NO. 2 AFT ENGINE FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)							Service ATA:26
	MOS/MSC		N/A					SERVICE LIFE LIMIT
	HRS							
	AFL							
				PROC. REF: AMM 26-20-01				
26-20-01-9601.1	AE30903824 LEFT NO. 1 FORWARD ENGINE FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)							Service ATA:26
	MOS	30-Apr-22	120 (+1m/-1m)		30-Apr-32	31-May-32	2720 d (+31)	LIFE LIMIT
	HRS							
	AFL							
		Manufacture Date:: 30-Apr-22		PROC. REF: AMM 26-20-01				
26-20-01-9601.1	AE30903824 LEFT NO. 2 AFT ENGINE FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)							Service ATA:26
	MOS/MSC		N/A					LIFE LIMIT
	HRS							
	AFL							
				PROC. REF: AMM 26-20-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20-01-9601.1	AE30903824 RIGHT NO. 1 FORWARD ENGINE FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)							Service	ATA:26
	MOS	30-Apr-22	120 (+1m/-1m)		30-Apr-32	31-May-32	2720 d (+31)	LIFE LIMIT	
	HRS								
	AFL								
	Manufacture Date:: 30-Apr-22		PROC. REF: AMM 26-20-01						
26-20-01-9601.1	AE30903824 RIGHT NO. 2 AFT ENGINE FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)							Service	ATA:26
	MOS/MSC		N/A					LIFE LIMIT	
	HRS								
	AFL								
	PROC. REF: AMM 26-20-01								
26-21-00-7200	C352 AND A352GS COPILOT PORTABLE FIRE EXTINGUISHER (WEIGHT) FUNCTIONAL CHECK							Service	ATA:26
	MOS	EFF	12		31-Dec-24 * (M)		43 d	WEIGHT CHECK	
	HRS	EFF							
	AFL	EFF							
	PROC. REF: AMM 26-21-00								
26-21-00-7200	C352 AND A352GS FORWARD CLOSET PORTABLE FIRE EXTINGUISHER (WEIGHT) FUNCTIONAL CHECK							Service	ATA:26
	MOS	EFF	12		31-Dec-24 * (M)		43 d	WEIGHT CHECK	
	HRS	EFF							
	AFL	EFF							
	PROC. REF: AMM 26-21-00								
26-21-00-7800	C352 AND A352GS COPILOT PORTABLE FIRE EXTINGUISHER BOTTLE (HYDROSTATIC) RESTORATION							Service	ATA:26
	MOS	EFF	144		30-Sep-34 * (M)		3603 d	HYDROSTATIC TEST	
	HRS								
	AFL								
	PROC. REF: AMM 26-21-00								
26-21-00-7800	C352 AND A352GS FORWARD CLOSET PORTABLE FIRE EXTINGUISHER BOTTLE (HYDROSTATIC) RESTORATION							Service	ATA:26
	MOS	EFF	144		30-Sep-34 * (M)		3603 d	HYDROSTATIC TEST	
	HRS								
	AFL								
	PROC. REF: AMM 26-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-21-00-7801	C352 AND A352GS COPILOT PORTABLE FIRE EXTINGUISHER (INTERNAL INSPECTION) RESTORATION							Service	ATA:26
	MOS	EFF	72		31-Dec-28 * (M)		1504 d	RESTORE	
	HRS	EFF							
	AFL	EFF							
PROC. REF: AMM 26-21-00									
26-21-00-7801	C352 AND A352GS FORWARD CLOSET PORTABLE FIRE EXTINGUISHER (INTERNAL INSPECTION) RESTORATION							Service	ATA:26
	MOS	EFF	72		31-Dec-28 * (M)		1504 d	RESTORE	
	HRS	EFF							
	AFL	EFF							
PROC. REF: AMM 26-21-00									
26-22-00-2100 ^S	AUXILIARY POWER UNIT FIRE CONTAINMNET GENERAL VISUAL INSPECTION							Service	ATA:26
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 26-22-00									
26-22-00-7200 ^S	AUXILIARY POWER UNIT FIRE EXTINGUISHING SYSTEM FUNCTIONAL CHECK							Service	ATA:26
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 26-22-00									
26-22-00-7201	AUXILIARY POWER UNIT FIRE EXTINGUISHER BOTTLE LOW PRESSURE SWITCH FUNCTIONAL CHECK							Service	ATA:26
	MOS	EFF	60 (+1m/-1m)		31-May-29 *	30-Jun-29	1655 d (+30)		
	HRS								
	AFL								
PROC. REF: AMM 26-22-00									
26-22-00-7800	30100033-3 AUXILIARY POWER UNIT FIRE EXTINGUISHER BOTTLE (HYDROSTATIC) RESTORATION							Service	ATA:26
PN:30100033-3	MOS	23-May-24	60		31-May-29		1655 d	HYDROSTATIC TEST	
SN:35322A1	HRS								
	AFL								
HydroCheck Date: : 23-May-24 PROC. REF: AMM 26-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-22-00-9600		13083-5 AUXILIARY POWER UNIT FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)						Service	ATA:26
PN:13083-5	MOS	30-May-24	72 (+1m/-1m)		31-May-30	30-Jun-30	2020 d (+30)	SERVICE LIFE LIMIT	
SN:A4945	HRS								
	AFL								
		Installation Date: : 30-May-24 PROC. REF: AMM 26-22-00							
26-22-00-9600.1		13083-5 AUXILIARY POWER UNIT FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)						Service	ATA:26
PN:13083-5	MOS	31-Dec-23	108 (+1m/-1m)		31-Dec-32	31-Jan-33	2965 d (+31)	LIFE LIMIT	
SN:A4945	HRS								
	AFL								
		Manufacture Date:: 31-Dec-23 PROC. REF: AMM 26-22-00							
26-22-00-9601		AE13083-5 AUXILIARY POWER UNIT FIRE BOTTLE CARTRIDGE DISCARD (SERVICE LIFE)						Service	ATA:26
PN:13083-5	MOS/MSC		N/A					SERVICE LIFE LIMIT	
SN:A4945	HRS								
	AFL								
		PROC. REF: AMM 26-22-00							
26-22-00-9601.1		AE13083-5 AUXILIARY POWER UNIT FIRE BOTTLE CARTRIDGE DISCARD (TOTAL LIFE)						Service	ATA:26
PN:13083-5	MOS/MSC		N/A					LIFE LIMIT	
SN:A4945	HRS								
	AFL								
		PROC. REF: AMM 26-22-00							
261000		APU FIRE DETECTION CONTROL						Component	ATA:26
PN:3001-212-1004/4559	MOS/MSC	21-Dec-04	O/C						
SN:205447	HRS	0							
WC#: 26.010	AFL	0							
	APH	0			TSN 0				
	APS	0			TSN 0				
		PROC. REF: AMM 26-11-00							
261001		LEFT ENGINE FIRE DETECTION CONTROL						Component	ATA:26
PN:3101-21-1050/450-35	MOS/MSC	21-Dec-04	O/C						
SN:201243	HRS	0			TSN 0				
WC#: 26.015	AFL	0			TSN 0				
		PROC. REF: AMM 26-10-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261001	RIGHT ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:3101-21-1050/450-35	MOS/MSC		14-Dec-06	O/C					
SN:200681	HRS		1296		TSO 0				
WC#: 26.015	AFL								
PROC. REF: AMM 26-10-02									
261003	FIRE DETECTION CONTROL							Component	ATA:26
PN:4940	MOS/MSC		21-Dec-04	O/C					
SN:761	HRS		0		TSN 0				
WC#: 26.020	AFL		0		TSN 0				
PROC. REF: AMM 26-10-02									
261004	SMOKE DETECTOR							Component	ATA:26
PN:72-111211-102	MOS/MSC		21-Dec-04	O/C					
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 26.025	AFL		0		TSN 0				
PROC. REF: AMM 26-14-00									
262001	AFT ENGINE FIRE BOTTLE							Component	ATA:26
PN:30700009-4	MOS/MSC		07-Aug-21	H/T	TSO 4				
SN:65785D1	HRS		4715.7		TSO 0				
WC#: 26.040	AFL		2669						
PROC. REF: AMM 26-20-01									
262001	FORWARD ENGINE FIRE BOTTLE							Component	ATA:26
PN:30700009-4	MOS/MSC		20-Dec-22	H/T	TSO 0				
SN:57133D1	HRS		5443.3		TSO 0				
WC#: 26.030	AFL		2979						
PROC. REF: AMM 26-20-01									
262003	CABIN HALON FIRE EXTINGUISHER							Component	ATA:26
PN:C352CS	MOS/MSC		04-Dec-22	O/C	TSN 0				
SN:H-29168323	HRS		5441.8		TSN 0				
WC#: 26.035	AFL		2978		TSN 0				
PROC. REF: AMM 26-21-00									
262003	COCKPIT HALON FIRE EXTINGUISHER							Component	ATA:26
PN:C352CS	MOS/MSC		04-Dec-22	O/C	TSN 0				
SN:H-29168324	HRS		5441.8		TSN 0				
WC#: 26.035	AFL		2978		TSN 0				
PROC. REF: AMM 26-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262004	APU FIRE BOTTLE							Component	ATA:26
PN:30100033-3	MOS/MSC	30-May-24	H/T	TSO 0					
SN:35322A1	HRS	5637.2		TSO 0					
WC#: 26.045	AFL	3078							
PROC. REF: AMM 26-22-00									
262010	LEFT FIRE TRAY NK119 MODULE							Component	ATA:26
PN:9912-30	MOS/MSC	21-Dec-04	O/C						
SN:585	HRS	0		TSN 0					
WC#: 26.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
262010	RIGHT FIRE TRAY NK120 MODULE							Component	ATA:26
PN:9912-30	MOS/MSC	21-Dec-04	O/C						
SN:586	HRS	0		TSN 0					
WC#: 26.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
263004	APU FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:13083-5	MOS/MSC	30-May-24	H/T	TSN 0					
SN:A4945	HRS	5637.2							
WC#: 26.045	AFL	3078							
263006	LEFT NO. 1 FORWARD FIRE EXTINGUISHER CARTRIDGE (LIFE LIMIT)							Component	ATA:26
PN:M30903824-1	MOS/MSC	20-Dec-22	H/T	TSN 0					
SN:01788	HRS	5443.3							
WC#: 26.030	AFL	2979							
PROC. REF: GENERIC NO REF									
263008	LEFT NO. 2 AFT FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903824	MOS/MSC	27-Jun-20	H/T	TSN 0					
SN:UNKNOWN	HRS	3684.8							
WC#: 26.040	AFL	2218							
PROC. REF: GENERIC NO REF									
263010	RIGHT NO. 1 FORWARD FIRE EXTINGUISHER CARTRIDGE (LIFE LIMIT)							Component	ATA:26
PN:M30903824-1	MOS/MSC	20-Dec-22	H/T	TSN 0					
SN:01795	HRS	5443.3							
WC#: 26.030	AFL	2979							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
263012	RIGHT NO. 2 AFT FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:30903824-1	MOS/MSC	07-Aug-21	H/T	TSN 0					
SN:ESD21C312-001	HRS	4715.7							
WC#: 26.040	AFL	2669							
PROC. REF: GENERIC NO REF									
D262100	HYDROSTATIC TEST CABIN HALON FIRE EXTINGUISHER							Service	ATA:26
PN:C352CS	MOS	23-Sep-22	144		30-Sep-34		3603 d	AIRWORTHINESS	
SN:H-29168323	HRS								
WC#: 26.035	AFL								
	APH								
	APS								
HydroCheck Date: : 23-Sep-22 PROC. REF: GENERIC NO REF									
D262100	HYDROSTATIC TEST COCKPIT HALON FIRE EXTINGUISHER							Service	ATA:26
PN:C352CS	MOS	23-Sep-22	144		30-Sep-34		3603 d	AIRWORTHINESS	
SN:H-29168324	HRS								
WC#: 26.035	AFL								
	APH								
	APS								
HydroCheck Date: : 23-Sep-22 PROC. REF: GENERIC NO REF									
ATA 27 - FLIGHT CONTROLS									
27-10-00-2200 ^S	AILERON/SPOILER ROLL AND LEVATOR/PITCH DISCONNECT DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-10-00									
27-10-00-2201 ^S	AILERON CONTROL SYSTEM SUPPORT STRUCTURE DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-10-00									
27-10-00-7100 ^S	AILERON/SPOILER ROLL AND ELEVATOR/PITCH DISCONNECT OPERATIONAL CHECK							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10-00-7200 ^S	AILERON, SPOILER AND SPEED BRAKE CABLE SYSTEM (TENSION) FUNCTIONAL CHECK (AIRPLANES -0001 THRU -0149 NOT INCORPORATING SB750-27-44)							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-10-00								PKG:114
27-10-00-7201 ^S	AILERON, SPOILER AND SPEED BRAKE CABLE SYSTEM (TENSION) FUNCTIONAL CHECK (AIRPLANES -0150 AND ON AND AIRPLANES -0001 THRU -0149 AND INCORPORATING SB750-27-44)							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-10-00								PKG:114
27-11-01-2200 ^S	FUSELAGE/FAIRING AILERON CABLES DETAILED INSPECTION (AIRPLANES -0001 THRU -0149 NOT INCORPORATING SB750-27-44)							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-11-01								PKG:114
27-11-01-2201 ^S	FUSELAGE/FAIRING AILERON CABLES DETAILED INSPECTION (AIRPLANES -0150 AND ON AND AIRPLANES -0001 THRU -0149 INCORPORATING SB750-27-44)							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-11-01								PKG:114
27-11-03-2200 ^S	WING AILERON CABLES DETAILED INSPECTION (AIRPLANES -0001 THRU -0149 NOT INCORPORATING SB750-27-44)							Service	ATA:27
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0	2000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-11-03								PKG:112
27-11-03-2201 ^S	WING AILERON CABLES DETAILED INSPECTION (AIRPLANES -0150 AND ON AND AIRPLANES -0001 THRU -0149 INCORPORATING SB750-27-44)							Service	ATA:27
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0	2000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-11-03								PKG:112

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-11-05-2200 ^S	AILERON POWER CONTROL UNIT DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-11-05								PKG:114
27-11-05-7100 ^S	AILERON RATIO AND AILERON POWER CONTROL UNIT OPERATIONAL CHECK							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-11-05								PKG:114
27-12-03-2200 ^S	SPOILER CABLES AND SPEED BRAKE CONTROL DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-12-03								PKG:114
27-20-00-2200 ^S	VERTICAL STABILIZER RUDDER CONTROL SYSTEM INSTALLATION DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-20-00								PKG:114
27-20-00-2201 ^S	RUDDER CONTROL SYSTEM SUPPORT STRUCTURE DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-20-00								PKG:114
27-20-00-7200 ^S	RUDDER CABLE SYSTEM (TENSION) FUNCTIONAL CHECK							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-20-00								PKG:114
27-21-00-2200 ^S	RUDDER CONTROL CABLES DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-21-00								PKG:114

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-24-01-7200 ^S	UPPER RUDDER SYSTEM FUNCTIONAL CHECK							Service	ATA:27
	MOS	26-Feb-24	12						
	HRS	5618.4							
WC#: 27.495	AFL	3059							
PROC. REF: AMM 27-24-01								PKG:75	
27-24-01-9600	UPPER RUDDER ACTUATOR DISCARD (9914600-2 WITH SERIAL NUMBERS -040 THROUGH -055, WHICH DO NOT HAVE A SUFFIX A ON THE SERIAL NUMBER, ON NAME PLATE)							Service	ATA:27
PN:41011120-107	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
SN:0060A	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-24-01									
27-24-01-9601	UPPER RUDDER ACTUATOR DISCARD (9914600-2 SERIAL NUMBERS 43A, 56A, AND 58A THROUGH 65A ON NAME PLATE)							Service	ATA:27
	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-24-01									
27-30-00-2200 ^S	ELEVATOR CONTROL SYSTEM DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-30-00								PKG:114	
27-30-00-2201 ^S	ELEVATOR CONTROL SYSTEM SUPPORT STRUCTURE DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-30-00								PKG:114	
27-30-00-7200 ^S	ELEVATOR FEEL ACTUATOR ASSEMBLY LINEAR SERVO FUNCTIONAL CHECK							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-30-00								PKG:114	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30-00-7201 ^S	ELEVATOR CABLE SYSTEM (TENSION) FUNCTIONAL CHECK							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-30-00								PKG:114
27-34-00-2100 ^S	HORIZONTAL STABILIZER CONTROL TRIM SYSTEM GENERAL VISUAL INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-34-00								PKG:114
27-34-00-7100 ^S	ELEVATOR POWER CONTROL UNIT OPERATIONAL CHECK							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-34-00								PKG:114
27-40-00-7200 ^S	HORIZONTAL STABILIZER TRIM ACTUATOR NO-BACK BRAKE FUNCTIONAL CHECK							Service	ATA:27
	MOS	04-Dec-22	24						
	HRS	5441.8							
WC#: 27.520	AFL	2978							
	PROC. REF: AMM 27-40-00								PKG:76
27-40-00-7201 ^S	HORIZONTAL STABILIZER PITCH TRIM SWITCHES FUNCTIONAL CHECK							Service	ATA:27
	MOS	26-Feb-24	12						
	HRS	5618.4							
WC#: 27.530	AFL	3059							
	PROC. REF: AMM 27-40-00								PKG:75
27-40-00-9600	STABILIZER TRIM ACTUATOR DISCARD (9914509-7, -8, -9, -10)							Service	ATA:27
PN:0009-0073-20	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
SN:0330	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-40-00								
27-50-00-2100 ^S	FLAP ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:27
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0	1000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 27-50-00								PKG:109

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50-00-2200 ^S		FLAP SYSTEM DETAILED INSPECTION						Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-50-00								PKG:114	
27-50-00-7200 ^S		FLAP CONTROLLER FUNCTIONAL TEST						Service	ATA:27
	MOS	12-Jan-22							
	HRS	5128.1	800						
WC#: 27.555	AFL	2849							
PROC. REF: AMM 27-50-00								PKG:72	
27-60-00-9600		LEFT WING SPEED BRAKE CENTER HINGE FITTING BOLT DISCARD (NAS6206-18D)						Service	ATA:27
PN:PN	MOS	EFF		TAC 0				DISCARD	
SN:UNKNOWN	HRS	EFF	20000	TAC 0	20000 * (M)		14292		
	AFL	EFF		TAC 0					
PROC. REF: AMM 27-60-00									
27-60-00-9600		RIGHT WING SPEED BRAKE CENTER HINGE FITTING BOLT DISCARD (NAS6206-18D)						Service	ATA:27
PN:PN	MOS	EFF		TAC 0				DISCARD	
SN:UNKNOWN	HRS	EFF	20000	TAC 0	20000 * (M)		14292		
	AFL	EFF		TAC 0					
PROC. REF: AMM 27-60-00									
27-60-00-9601		LEFT INBOARD SPOILER CENTER HINGE FITTING BOLT DISCARD (S3461-50)						Service	ATA:27
PN:PN	MOS	EFF		TAC 0				DISCARD	
SN:UNKNOWN	HRS	EFF	20000	TAC 0	20000 * (M)		14292		
	AFL	EFF		TAC 0					
PROC. REF: AMM 27-60-00									
27-60-00-9601		LEFT OUTBOARD SPOILER CENTER HINGE FITTING BOLT DISCARD (S3461-50)						Service	ATA:27
PN:PN	MOS	EFF		TAC 0				DISCARD	
SN:UNKNOWN	HRS	EFF	20000	TAC 0	20000 * (M)		14292		
	AFL	EFF		TAC 0					
PROC. REF: AMM 27-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-60-00-9601	RIGHT INBOARD SPOILER CENTER HINGE FITTING BOLT DISCARD (S3461-50)							Service	ATA:27
PN:PN	MOS	EFF		TAC 0				DISCARD	
SN:UNKNOWN	HRS	EFF	20000	TAC 0	20000 * (M)		14292		
	AFL	EFF		TAC 0					
PROC. REF: AMM 27-60-00									
27-60-00-9601	RIGHT OUTBOARD SPOILER CENTER HINGE FITTING BOLT DISCARD (S3461-50)							Service	ATA:27
PN:PN	MOS	EFF		TAC 0				DISCARD	
SN:UNKNOWN	HRS	EFF	20000	TAC 0	20000 * (M)		14292		
	AFL	EFF		TAC 0					
PROC. REF: AMM 27-60-00									
27-60-00-9602	LEFT CENTER SPEED BRAKE PUSHROD BOLT DISCARD (NAS6206-C13D)							Service	ATA:27
PN:NAS6206C13D	MOS	EFF						DISCARD	
SN:NSN	HRS	EFF	5000	TAC 0	10002.8 * (M)		4294.8		
	AFL	EFF							
PROC. REF: AMM 27-60-00									
27-60-00-9602	LEFT INBOARD SPEED BRAKE PUSHROD BOLT DISCARD (NAS6206-C13D)							Service	ATA:27
PN:NAS6206C13D	MOS	01-Dec-21						DISCARD	
SN:NSN	HRS	5002.8	5000	TAC 0	10002.8 (M)		4294.8		
	AFL	2794							
PROC. REF: AMM 27-60-00									
27-60-00-9602	LEFT OUTBOARD SPEED BRAKE PUSHROD BOLT DISCARD (NAS6206-C13D)							Service	ATA:27
PN:NAS6206C13D	MOS	EFF						DISCARD	
SN:NSN	HRS	EFF	5000	TAC 0	10002.8 * (M)		4294.8		
	AFL	EFF							
PROC. REF: AMM 27-60-00									
27-60-00-9602	RIGHT CENTER SPEED BRAKE PUSHROD BOLT DISCARD (NAS6206-C13D)							Service	ATA:27
PN:NAS6206C13D	MOS	EFF						DISCARD	
SN:NSN	HRS	EFF	5000	TAC 0	10002.8 * (M)		4294.8		
	AFL	EFF							
PROC. REF: AMM 27-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-60-00-9602	RIGHT INBOARD SPEED BRAKE PUSHROD BOLT DISCARD (NAS6206-C13D)							Service	ATA:27
PN:NAS6206C13D	MOS	01-Dec-21						DISCARD	
SN:NSN	HRS	5002.8	5000	TAC 0	10002.8 (M)		4294.8		
	AFL	2794							
PROC. REF: AMM 27-60-00									
27-60-00-9602	RIGHT OUTBOARD SPEED BRAKE PUSHROD BOLT DISCARD (NAS6206-C13D)							Service	ATA:27
PN:NAS6206C13D	MOS	EFF						DISCARD	
SN:NSN	HRS	EFF	5000	TAC 0	10002.8 * (M)		4294.8		
	AFL	EFF							
PROC. REF: AMM 27-60-00									
27-80-00-2200 ^S	SLATS DETAILED INSPECTION							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-80-00									
27-80-00-7100 ^S	SLAT SYSTEM OPERATIONAL CHECK							Service	ATA:27
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 27-80-00									
271001	LEFT AILERON/FORWARD PCU							Component	ATA:27
PN:B94510-2	MOS/MSC	21-Dec-04	O/C						
SN:502	HRS	0		TSN 0					
WC#: 27.010	AFL	0		TSN 0					
PROC. REF: AMM 27-11-05									
271001	RIGHT AILERON/AFT PCU							Component	ATA:27
PN:B94510-2	MOS/MSC	21-Dec-04	O/C						
SN:503	HRS	0		TSN 0					
WC#: 27.010	AFL	0		TSN 0					
PROC. REF: AMM 27-11-05									
271003	AILERON TRIM ACTUATOR							Component	ATA:27
PN:EM4070-8	MOS/MSC	21-Dec-04	O/C						
SN:79	HRS	0		TSN 0					
WC#: 27.015	AFL	0		TSN 0					
PROC. REF: AMM 27-14-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
271103		AILERON BUNGEE					Component	ATA:27	
PN:6760149-9	MOS/MSC	21-Dec-04	O/C						
SN:251	HRS	0		TSN 0					
WC#: 27.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271105		HYDRAULIC LINK A ACTUATOR					Component	ATA:27	
PN:7508-2	MOS/MSC	21-Dec-04	O/C						
SN:347	HRS	0		TSN 0					
WC#: 27.045	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271106		HYDRAULIC LINK B ACTUATOR					Component	ATA:27	
PN:7508-2	MOS/MSC	21-Dec-04	O/C						
SN:348	HRS	0		TSN 0					
WC#: 27.045	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271201		LEFT INBOARD SPEED BRAKE PUSHROD BOLT					Component	ATA:27	
PN:NAS6206C13D	MOS	01-Dec-21						LIFE LIMIT	
SN:NSN	HRS	5002.8	5000	TSN 0	10002.8		4294.8		
WC#: 27.095	AFL	2794							
PROC. REF: GENERIC NO REF									
271201		RIGHT INBOARD SPEED BRAKE PUSHROD BOLT					Component	ATA:27	
PN:NAS6206C13D	MOS	01-Dec-21						LIFE LIMIT	
SN:NSN	HRS	5002.8	5000	TSN 0	10002.8		4294.8		
WC#: 27.095	AFL	2794							
PROC. REF: GENERIC NO REF									
271202		LEFT CENTER SPEED BRAKE PUSHROD BOLT					Component	ATA:27	
PN:NAS6206C13D	MOS	01-Dec-21						LIFE LIMIT	
SN:NSN	HRS	5002.8	5000	TSN 0	10002.8		4294.8		
WC#: 27.105	AFL	2794							
PROC. REF: AMM 27-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
271202		RIGHT CENTER SPEED BRAKE PUSHROD BOLT					Component	ATA:27	
PN:NAS6206C13D	MOS	01-Dec-21						DISCARD	
SN:NSN	HRS	5002.8	5000	TSN 0	10002.8		4294.8		
WC#: 27.105	AFL	2794							
PROC. REF: AMM 27-60-00									
271203		LEFT OUTBOARD SPEED BRAKE PUSHROD BOLT					Component	ATA:27	
PN:NAS6206C13D	MOS	01-Dec-21						LIFE LIMIT	
SN:NSN	HRS	5002.8	5000	TSN 0	10002.8		4294.8		
WC#: 27.025	AFL	2794							
PROC. REF: AMM 27-60-00									
271203		RIGHT OUTBOARD SPEED BRAKE PUSHROD BOLT					Component	ATA:27	
PN:NAS6206C13D	MOS	01-Dec-21						LIFE LIMIT	
SN:NSN	HRS	5002.8	5000	TSN 0	10002.8		4294.8		
WC#: 27.025	AFL	2794							
PROC. REF: AMM 27-60-00									
271204		LEFT SPOILER SL019 SWITCH					Component	ATA:27	
PN:8-405-04	MOS/MSC	20-Jan-23	O/C	TSN 0					
SN:B86487	HRS	5444.2		TSN 0					
WC#: 27.030	AFL	2980							
PROC. REF: AMM 27-12-04									
271204		RIGHT SPOILER SR020 SWITCH					Component	ATA:27	
PN:8-405-04	MOS/MSC	20-Jan-23	O/C	TSN 0					
SN:B86450	HRS	5444.2		TSN 0					
WC#: 27.030	AFL	2980							
PROC. REF: AMM 27-12-04									
271205		LEFT INBOARD SPOILER POWER CONTROL					Component	ATA:27	
PN:71432-12	MOS/MSC	21-Dec-04	O/C						
SN:2232	HRS	0		TSN 0					
WC#: 27.150	AFL	0		TSN 0					
PROC. REF: AMM 27-12-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
271205	LEFT OUTBOARD SPOILER POWER CONTROL							Component	ATA:27
PN:71432-10	MOS/MSC	21-Dec-04	O/C						
SN:2329	HRS	0		TSN 0					
WC#: 27.035	AFL	0		TSN 0					
PROC. REF: AMM 27-12-05									
271205	RIGHT INBOARD SPOILER POWER CONTROL							Component	ATA:27
PN:71432-12	MOS/MSC	21-Dec-04	O/C						
SN:2321	HRS	0		TSN 0					
WC#: 27.150	AFL	0		TSN 0					
PROC. REF: AMM 27-12-05									
271205	RIGHT OUTBOARD SPOILER POWER CONTROL							Component	ATA:27
PN:71432-10	MOS/MSC	21-Dec-04	O/C						
SN:2251	HRS	0		TSN 0					
WC#: 27.035	AFL	0		TSN 0					
PROC. REF: AMM 27-12-05									
271206	SPOILER MIXER BOX							Component	ATA:27
PN:6760260-3	MOS/MSC	21-Dec-04	O/C						
SN:205	HRS	0		TSN 0					
WC#: 27.040	AFL	0		TSN 0					
PROC. REF: AMM 27-12-02									
271207	LEFT WING SPEED BRAKE CENTER HINGE FITTING BOLT							Component	ATA:27
PN:PN	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		14292		
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271207	RIGHT WING SPEED BRAKE CENTER HINGE FITTING BOLT							Component	ATA:27
PN:PN	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		14292		
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
271209	LEFT INBOARD SPOILER CENTER HINGE FITTING BOLT							Component	ATA:27
PN:PN	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		14292		
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271209	LEFT OUTBOARD SPOILER CENTER HINGE FITTING BOLT							Component	ATA:27
PN:PN	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		14292		
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271209	RIGHT INBOARD SPOILER CENTER HINGE FITTING BOLT							Component	ATA:27
PN:PN	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		14292		
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
271209	RIGHT OUTBOARD SPOILER CENTER HINGE FITTING BOLT							Component	ATA:27
PN:PN	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		14292		
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
272001	ELEVATOR PITCH NK122 MODULE							Component	ATA:27
PN:6718476-11	MOS/MSC	21-Dec-04	O/C						
SN:0238	HRS	0		TSN 0					
WC#: 27.065	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
272002	RIGHT LOWER RUDDER LMT NK124 MODULE							Component	ATA:27
PN:6718464-5	MOS/MSC	21-Dec-04	O/C						
SN:0592	HRS	0		TSN 0					
WC#: 27.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
272002	UPPER RUDDER LMT NK123 MODULE							Component	ATA:27
PN:6718464-5	MOS/MSC	18-Nov-08	O/C						
SN:0737	HRS	1787		TSN 0					
WC#: 27.070	AFL								
PROC. REF: GENERIC NO REF									
272003	LOWER ACTUATOR ASSEMBLY - LINEAR SERVO							Component	ATA:27
PN:4137-1	MOS/MSC	13-May-08	O/C						
SN:196	HRS	1674		TSN 0					
WC#: 27.585	AFL								
PROC. REF: GENERIC NO REF									
272003	UPPER ACTUATOR ASSEMBLY - LINEAR SERVO							Component	ATA:27
PN:4137-1	MOS/MSC	13-May-08	O/C						
SN:200	HRS	1674		TSN 0					
WC#: 27.585	AFL								
PROC. REF: GENERIC NO REF									
272004	RUDDER TRIM ACTUATOR							Component	ATA:27
PN:EM4070-9	MOS/MSC	21-Dec-04	O/C						
SN:NSN	HRS	0		TSN 0					
WC#: 27.075	AFL	0		TSN 0					
PROC. REF: AMM 27-23-00									
272005	UPPER RUDDER ACTUATOR							Component	ATA:27
PN:41011120-107	MOS/MSC	07-Dec-06	O/C						
SN:0060A	HRS	1293		TSO 0					
WC#: 27.080	AFL								
PROC. REF: AMM 27-24-01									
272009	BOTTOM RUDDER PCU							Component	ATA:27
PN:B94516-3	MOS/MSC	13-Dec-17	O/C		TSO 0				
SN:0520	HRS	3400.5			TSO 0				
WC#: 27.090	AFL	1976			TSO 0				
PROC. REF: AMM 27-22-00									
272009	TOP RUDDER PCU							Component	ATA:27
PN:B94516-3	MOS/MSC	13-Dec-17	O/C		TSO 0				
SN:0438	HRS	3400.5			TSO 0				
WC#: 27.085	AFL	1976			TSO 0				
PROC. REF: AMM 27-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
272013	PCU MONITOR LOGIC NK121 MODULE							Component	ATA:27
PN:6718458-5	MOS/MSC	21-Dec-04	O/C						
SN:0148	HRS	0		TSN 0					
WC#: 27.115	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
272401	NO. 1 LINEAR ACTUATOR							Component	ATA:27
PN:7002800-901	MOS/MSC	21-Dec-04	O/C						
SN:03071922	HRS	0		TSN 0					
WC#: 27.125	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
272401	NO. 2 LINEAR ACTUATOR							Component	ATA:27
PN:7002800-901	MOS/MSC	21-Dec-04	O/C						
SN:03071916	HRS	0		TSN 0					
WC#: 27.125	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
272403	UPPER YAW DAMPER BOX							Component	ATA:27
PN:9519007-2	MOS/MSC	08-Jun-05	O/C						
SN:205	HRS	337		TSO 41					
WC#: 27.130	AFL								
PROC. REF: GENERIC NO REF									
272501	LEFT RUDDER POSITION SENSOR							Component	ATA:27
PN:H517A	MOS/MSC	21-Dec-04	O/C						
SN:0095	HRS	0		TSN 0					
WC#: 27.135	AFL	0		TSN 0					
PROC. REF: AMM 27-24-01									
272501	RIGHT RUDDER POSITION SENSOR							Component	ATA:27
PN:H517A	MOS/MSC	21-Dec-04	O/C						
SN:0092	HRS	0		TSN 0					
WC#: 27.135	AFL	0		TSN 0					
PROC. REF: AMM 27-24-01									
272601	RUDDER TRIM INDICATOR							Component	ATA:27
PN:96300000-03	MOS/MSC	21-Dec-04	O/C						
SN:0276B	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: AMM 27-26-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273003 LEFT CONTROL COLUMN SHAKER Component ATA:27								
PN:201	MOS/MSC	21-Dec-04	O/C					
SN:6235	HRS	0		TSN 0				
WC#: 27.145	AFL	0		TSN 0				
PROC. REF: AMM 27-36-00								
273003 RIGHT CONTROL COLUMN SHAKER Component ATA:27								
PN:201	MOS/MSC	21-Dec-04	O/C					
SN:6236	HRS	0		TSN 0				
WC#: 27.145	AFL	0		TSN 0				
PROC. REF: AMM 27-36-00								
273303 LEFT ELEVATOR ACTUATOR Component ATA:27								
PN:EM4070-4	MOS/MSC	21-Dec-04	O/C					
SN:92	HRS	0		TSN 0				
WC#: 27.155	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
273303 RIGHT ELEVATOR ACTUATOR Component ATA:27								
PN:EM4070-4	MOS/MSC	21-Dec-04	O/C					
SN:125	HRS	0		TSN 0				
WC#: 27.155	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
273403 LEFT ELEVATOR OUTBOARD PCU Component ATA:27								
PN:B94513-2	MOS/MSC	21-Dec-04	O/C					
SN:0970	HRS	0		TSN 0				
WC#: 27.160	AFL	0		TSN 0				
PROC. REF: AMM 27-34-00								
273403 RIGHT ELEVATOR OUTBOARD PCU Component ATA:27								
PN:B94513-2	MOS/MSC	21-Dec-04	O/C					
SN:0972	HRS	0		TSN 0				
WC#: 27.160	AFL	0		TSN 0				
PROC. REF: AMM 27-34-00								
273405 LEFT ELEVATOR INBOARD PCU Component ATA:27								
PN:B94513-2	MOS/MSC	21-Dec-04	O/C					
SN:0971	HRS	0		TSN 0				
WC#: 27.165	AFL	0		TSN 0				
PROC. REF: AMM 27-34-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273405	RIGHT ELEVATOR INBOARD PCU							Component	ATA:27
PN:B94513-2	MOS/MSC	21-Dec-04	O/C						
SN:0973	HRS	0		TSN 0					
WC#: 27.165	AFL	0		TSN 0					
				PROC. REF: AMM 27-34-00					
274001	HORIZONTAL STABILIZER TRIM ACTUATOR							Component	ATA:27
PN:0009-0073-20	MOS/MSC	21-Dec-04	O/C						
SN:0330	HRS	0		TSN 0					
WC#: 27.170	AFL	0		TSN 0					
				PROC. REF: AMM 27-40-00					
274002	HORIZONTAL STABILIZER SENSOR							Component	ATA:27
PN:3G5-212C	MOS/MSC	26-Mar-05	O/C						
SN:C0078	HRS	174		TSO 2777					
WC#: 27.175	AFL								
				PROC. REF: AMM 27-40-00					
274005	LEFT HORIZONTAL STABILIZER CLUTCH							Component	ATA:27
PN:4208-0004-2	MOS/MSC	21-Dec-04	O/C						
SN:517	HRS	0		TSN 0					
WC#: 27.185	AFL	0		TSN 0					
				PROC. REF: AMM 27-40-00					
274005	RIGHT HORIZONTAL STABILIZER CLUTCH							Component	ATA:27
PN:4208-0004-2	MOS/MSC	21-Dec-04	O/C						
SN:518	HRS	0		TSN 0					
WC#: 27.185	AFL	0		TSN 0					
				PROC. REF: AMM 27-40-00					
274007	LEFT HORIZONTAL STABILIZER BRAKE							Component	ATA:27
PN:4206-0008-3	MOS/MSC	21-Dec-04	O/C						
SN:466	HRS	0		TSN 0					
WC#: 27.190	AFL	0		TSN 0					
				PROC. REF: AMM 27-40-00					
274007	RIGHT HORIZONTAL STABILIZER BRAKE							Component	ATA:27
PN:4206-0008-3	MOS/MSC	21-Dec-04	O/C						
SN:467	HRS	0		TSN 0					
WC#: 27.190	AFL	0		TSN 0					
				PROC. REF: AMM 27-40-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274009	HORIZONTAL STABILIZER CONTROL MODULE							Component	ATA:27
PN:6738022-7	MOS/MSC	06-Dec-14	O/C	TSN 0					
SN:ICE-00310	HRS	2887.6		TSN 0					
WC#: 27.200	AFL	1785		TSN 0					
PROC. REF: AMM 27-40-00									
274010	HORIZONTAL STABILIZER ACTUATOR							Component	ATA:27
PN:4002-0026-2	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.210	AFL	0		TSN 0					
PROC. REF: AMM 27-40-00									
274011	TRIM NK104 MODULE							Component	ATA:27
PN:9906-30-2	MOS/MSC	21-Dec-04	O/C						
SN:400CG	HRS	0		TSN 0					
WC#: 27.215	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275001	NO. 1 FLAP POSITION SENSOR							Component	ATA:27
PN:3E5514A	MOS/MSC	21-Dec-04	O/C						
SN:A0208	HRS	0		TSN 0					
WC#: 27.245	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275001	NO. 2 FLAP POSITION SENSOR							Component	ATA:27
PN:3E5514A	MOS/MSC	21-Dec-04	O/C						
SN:A0207	HRS	0		TSN 0					
WC#: 27.245	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275002	FLAP HANDLE ASSY							Component	ATA:27
PN:6715100-26	MOS/MSC	08-Jul-13	O/C	TSO 0					
SN:0267	HRS	2582.7		TSO 0					
WC#: 27.705	AFL	1668							
PROC. REF: AMM 27-51-00									
275003	FLAP CONTROLLER							Component	ATA:27
PN:6718328-1	MOS/MSC	28-Oct-20	O/C						
SN:142	HRS	3966.8							
WC#: 27.240	AFL	2354							
PROC. REF: AMM 27-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275004	FLAP POWER DRIVE UNIT							Component	ATA:27
PN:MP50G4	MOS/MSC	27-Feb-23	O/C						
SN:665B	HRS	5475.1							
WC#: 27.250	AFL	2993							
PROC. REF: AMM 27-52-00									
275010	LEFT FLAP/SLAT SEQUENCER NC001 MODULE							Component	ATA:27
PN:6718150-15	MOS/MSC	04-Mar-21	O/C	TSN 0					
SN:0307	HRS	4268.6		TSN 0					
WC#: 27.255	AFL	2486		TSN 0					
PROC. REF: GENERIC NO REF									
275010	RIGHT FLAP/SLAT SEQUENCER NC004 MODULE							Component	ATA:27
PN:6718150-15	MOS/MSC	04-Mar-21	O/C	TSN 0					
SN:0306	HRS	4268.6		TSN 0					
WC#: 27.255	AFL	2486		TSN 0					
PROC. REF: GENERIC NO REF									
275011	FLAP MONITOR NC005 MODULE							Component	ATA:27
PN:9910-30-1	MOS/MSC	10-Feb-05	O/C						
SN:270	HRS	79		TSO 0					
WC#: 27.260	AFL								
PROC. REF: GENERIC NO REF									
275013	SOFT START MODULE							Component	ATA:27
PN:6238405-34	MOS/MSC	04-Feb-08	O/C						
SN:0209	HRS	1602		TSN 0					
WC#: 27.265	AFL								
PROC. REF: GENERIC NO REF									
275015	LEFT FLAP RESOLVER CONVERTER							Component	ATA:27
PN:6718323-4	MOS/MSC	21-Dec-04	O/C						
SN:261	HRS	0		TSN 0					
WC#: 27.270	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275015	RIGHT FLAP RESOLVER CONVERTER							Component	ATA:27
PN:6718323-4	MOS/MSC	21-Dec-04	O/C						
SN:260	HRS	0		TSN 0					
WC#: 27.270	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275201	LEFT FLAP #1 ACTUATOR							Component	ATA:27
PN:C143708-1	MOS/MSC	21-Dec-04	O/C						
SN:2424	HRS	0		TSN 0					
WC#: 27.280	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275201	RIGHT FLAP #1 ACTUATOR							Component	ATA:27
PN:C143708-1	MOS/MSC	21-Dec-04	O/C						
SN:2427	HRS	0		TSN 0					
WC#: 27.280	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275203	LEFT FLAP #2 ACTUATOR							Component	ATA:27
PN:C143708-1	MOS/MSC	21-Dec-04	O/C						
SN:2423	HRS	0		TSN 0					
WC#: 27.285	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275203	RIGHT FLAP #2 ACTUATOR							Component	ATA:27
PN:C143708-1	MOS/MSC	21-Dec-04	O/C						
SN:2426	HRS	0		TSN 0					
WC#: 27.285	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275205	LEFT FLAP #3 ACTUATOR							Component	ATA:27
PN:C143708-1	MOS/MSC	21-Dec-04	O/C						
SN:2428	HRS	0		TSN 0					
WC#: 27.290	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275205	RIGHT FLAP #3 ACTUATOR							Component	ATA:27
PN:C143708-1	MOS/MSC	21-Dec-04	O/C						
SN:2425	HRS	0		TSN 0					
WC#: 27.290	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275207	LEFT FLAP #4 ACTUATOR							Component	ATA:27
PN:C143709-1	MOS/MSC	21-Dec-04	O/C						
SN:1952	HRS	0		TSN 0					
WC#: 27.295	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275207	RIGHT FLAP #4 ACTUATOR							Component	ATA:27
PN:C143709-1	MOS/MSC	21-Dec-04	O/C						
SN:1949	HRS	0		TSN 0					
WC#: 27.295	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275209	LEFT FLAP #5 ACTUATOR							Component	ATA:27
PN:C143709-1	MOS/MSC	21-Dec-04	O/C						
SN:1950	HRS	0		TSN 0					
WC#: 27.300	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275209	RIGHT FLAP #5 ACTUATOR							Component	ATA:27
PN:C143709-1	MOS/MSC	21-Dec-04	O/C						
SN:1948	HRS	0		TSN 0					
WC#: 27.300	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275211	LEFT FLAP #6 ACTUATOR							Component	ATA:27
PN:C143707-1	MOS/MSC	21-Dec-04	O/C						
SN:1474	HRS	0		TSN 0					
WC#: 27.310	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275211	RIGHT FLAP #6 ACTUATOR							Component	ATA:27
PN:C143707-1	MOS/MSC	21-Dec-04	O/C						
SN:1475	HRS	0		TSN 0					
WC#: 27.310	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275213	LEFT NO. 1 FLAP GEARBOX							Component	ATA:27
PN:C144824-1	MOS/MSC	21-Dec-04	O/C						
SN:1952	HRS	0		TSN 0					
WC#: 27.315	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275213	LEFT NO. 2 FLAP GEARBOX							Component	ATA:27
PN:C144824-1	MOS/MSC	21-Dec-04	O/C						
SN:1953	HRS	0		TSN 0					
WC#: 27.320	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275213	RIGHT NO. 1 FLAP GEARBOX							Component	ATA:27
PN:C144824-1	MOS/MSC	21-Dec-04	O/C						
SN:1949	HRS	0		TSN 0					
WC#: 27.315	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275213	RIGHT NO. 2 FLAP GEARBOX							Component	ATA:27
PN:C144824-1	MOS/MSC	21-Dec-04	O/C						
SN:1016	HRS	0		TSN 0					
WC#: 27.320	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275217	LEFT NO. 1 FLEX SHAFT							Component	ATA:27
PN:140527-2700	MOS/MSC	21-Dec-04	O/C						
SN:186	HRS	0		TSN 0					
WC#: 27.325	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275217	LEFT NO. 2 FLEX SHAFT							Component	ATA:27
PN:140527-2200	MOS/MSC	21-Dec-04	O/C						
SN:360	HRS	0		TSN 0					
WC#: 27.330	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275217	LEFT NO. 3 FLEX SHAFT							Component	ATA:27
PN:140527-2300	MOS/MSC	21-Dec-04	O/C						
SN:374	HRS	0		TSN 0					
WC#: 27.335	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275217	LEFT NO. 4 FLEX SHAFT							Component	ATA:27
PN:140527-2400	MOS/MSC	21-Dec-04	O/C						
SN:387	HRS	0		TSN 0					
WC#: 27.340	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									
275217	LEFT NO. 5 FLEX SHAFT							Component	ATA:27
PN:140527-2600	MOS/MSC	21-Dec-04	O/C						
SN:398	HRS	0		TSN 0					
WC#: 27.345	AFL	0		TSN 0					
PROC. REF: AMM 27-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275217	LEFT NO. 6 FLEX SHAFT							Component	ATA:27
PN:140527-2500	MOS/MSC	21-Dec-04	O/C						
SN:NSN	HRS	0		TSN 0					
WC#: 27.405	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275318	RIGHT NO. 1 FLEX SHAFT							Component	ATA:27
PN:140527-2100	MOS/MSC	21-Dec-04	O/C						
SN:356	HRS	0		TSN 0					
WC#: 27.325	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275318	RIGHT NO. 2 FLEX SHAFT							Component	ATA:27
PN:140527-2200	MOS/MSC	21-Dec-04	O/C						
SN:367	HRS	0		TSN 0					
WC#: 27.330	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275318	RIGHT NO. 3 FLEX SHAFT							Component	ATA:27
PN:140527-2300	MOS/MSC	21-Dec-04	O/C						
SN:369	HRS	0		TSN 0					
WC#: 27.335	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275318	RIGHT NO. 4 FLEX SHAFT							Component	ATA:27
PN:140527-2400	MOS/MSC	21-Dec-04	O/C						
SN:385	HRS	0		TSN 0					
WC#: 27.340	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275318	RIGHT NO. 5 FLEX SHAFT							Component	ATA:27
PN:140527-2600	MOS/MSC	21-Dec-04	O/C						
SN:415	HRS	0		TSN 0					
WC#: 27.345	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					
275318	RIGHT NO. 6 FLEX SHAFT							Component	ATA:27
PN:140527-2500	MOS/MSC	21-Dec-04	O/C						
SN:N/A	HRS	0		TSN 0					
WC#: 27.405	AFL	0		TSN 0					
				PROC. REF: AMM 27-52-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276001	SPEED BRAKE NC008 MODULE							Component	ATA:27
PN:9903-30	MOS/MSC	21-Dec-04	O/C						
SN:357	HRS	0		TSN 0					
WC#: 27.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
276013	LEFT SPEEDBRAKE POSITION SENSOR							Component	ATA:27
PN:CU91093026	MOS/MSC	21-Dec-04	O/C						
SN:0728	HRS	0		TSN 0					
WC#: 27.360	AFL	0		TSN 0					
PROC. REF: AMM 27-63-00									
276013	RIGHT SPEEDBRAKE POSITION SENSOR							Component	ATA:27
PN:CU91093026	MOS/MSC	21-Dec-04	O/C						
SN:0730	HRS	0		TSN 0					
WC#: 27.360	AFL	0		TSN 0					
PROC. REF: AMM 27-63-00									
276200	LEFT CENTER SPEEDBRAKE POWER CONTROL							Component	ATA:27
PN:71432-11	MOS/MSC	21-Dec-04	O/C						
SN:2318	HRS	0		TSN 0					
WC#: 27.375	AFL	0		TSN 0					
PROC. REF: AMM 27-62-00									
276200	LEFT INBOARD SPEEDBRAKE POWER CONTROL							Component	ATA:27
PN:71432-12	MOS/MSC	21-Dec-04	O/C						
SN:2264	HRS	0		TSN 0					
WC#: 27.370	AFL	0		TSN 0					
PROC. REF: AMM 27-62-00									
276200	LEFT OUTBOARD SPEEDBRAKE POWER CONTROL							Component	ATA:27
PN:71432-10	MOS/MSC	21-Dec-04	O/C						
SN:2330	HRS	0		TSN 0					
WC#: 27.365	AFL	0		TSN 0					
PROC. REF: AMM 27-62-00									
276200	RIGHT CENTER SPEEDBRAKE POWER CONTROL							Component	ATA:27
PN:71432-11	MOS/MSC	21-Dec-04	O/C						
SN:2292	HRS	0		TSN 0					
WC#: 27.375	AFL	0		TSN 0					
PROC. REF: AMM 27-62-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276200	RIGHT INBOARD SPEEDBRAKE POWER CONTROL							Component	ATA:27
PN:71432-12	MOS/MSC	21-Dec-04	O/C						
SN:2323	HRS	0		TSN 0					
WC#: 27.370	AFL	0		TSN 0					
PROC. REF: AMM 27-62-00									
276200	RIGHT OUTBOARD SPEEDBRAKE POWER CONTROL							Component	ATA:27
PN:71432-10	MOS/MSC	21-Dec-04	O/C						
SN:2313	HRS	0		TSN 0					
WC#: 27.365	AFL	0		TSN 0					
PROC. REF: AMM 27-62-00									
278001	LEFT WING LEFT INBOARD SLAT ACTUATOR							Component	ATA:27
PN:6763505-5	MOS/MSC	21-Dec-04	O/C						
SN:1113	HRS	0		TSN 0					
WC#: 27.380	AFL	0		TSN 0					
PROC. REF: AMM 27-80-01									
278001	LEFT WING LEFT OUTBOARD SLAT ACTUATOR							Component	ATA:27
PN:6763505-5	MOS/MSC	21-Dec-04	O/C						
SN:1112	HRS	0		TSN 0					
WC#: 27.385	AFL	0		TSN 0					
PROC. REF: AMM 27-80-01									
278001	LEFT WING RIGHT INBOARD SLAT ACTUATOR							Component	ATA:27
PN:6763505-5	MOS/MSC	21-Dec-04	O/C						
SN:1117	HRS	0		TSN 0					
WC#: 27.390	AFL	0		TSN 0					
PROC. REF: AMM 27-80-01									
278001	LEFT WING RIGHT OUTBOARD SLAT ACTUATOR							Component	ATA:27
PN:6763505-5	MOS/MSC	21-Dec-04	O/C						
SN:1109	HRS	0		TSN 0					
WC#: 27.395	AFL	0		TSN 0					
PROC. REF: AMM 27-80-01									
278001	RIGHT WING LEFT INBOARD SLAT ACTUATOR							Component	ATA:27
PN:6763505-5	MOS/MSC	21-Dec-04	O/C						
SN:1110	HRS	0		TSN 0					
WC#: 27.380	AFL	0		TSN 0					
PROC. REF: AMM 27-80-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
278001	RIGHT WING LEFT OUTBOARD SLAT ACTUATOR							Component	ATA:27
PN:6763505-5	MOS/MSC	21-Dec-04	O/C						
SN:1116	HRS	0		TSN 0					
WC#: 27.385	AFL	0		TSN 0					
PROC. REF: AMM 27-80-01									
278001	RIGHT WING RIGHT INBOARD SLAT ACTUATOR							Component	ATA:27
PN:6763505-5	MOS/MSC	21-Dec-04	O/C						
SN:1115	HRS	0		TSN 0					
WC#: 27.390	AFL	0		TSN 0					
PROC. REF: AMM 27-80-01									
278001	RIGHT WING RIGHT OUTBOARD SLAT ACTUATOR							Component	ATA:27
PN:6763505-5	MOS/MSC	21-Dec-04	O/C						
SN:1118	HRS	0		TSN 0					
WC#: 27.395	AFL	0		TSN 0					
PROC. REF: AMM 27-80-01									
278013	LEFT ASSEMBLY SLAT							Component	ATA:27
PN:6725400-5	MOS/MSC	21-Dec-04	O/C						
SN:239	HRS	0		TSN 0					
WC#: 27.400	AFL	0		TSN 0					
PROC. REF: AMM 57-41-00									
278013	RIGHT ASSEMBLY SLAT							Component	ATA:27
PN:6725400-6	MOS/MSC	21-Dec-04	O/C						
SN:239	HRS	0		TSN 0					
WC#: 27.400	AFL	0		TSN 0					
PROC. REF: AMM 57-41-00									
278015	SLAT CONTROL VALVE							Component	ATA:27
PN:8206-2	MOS/MSC	21-Dec-04	O/C						
SN:117	HRS	0		TSN 0					
WC#: 27.410	AFL	0		TSN 0					
PROC. REF: AMM 27-80-03									
C274001 ^S	LUBRICATION HORIZONTAL STABILIZER TRIM ACTUATOR (CHAP. 4 ITEM)							Service	ATA:27
	MOS	26-Feb-24	12						
	HRS	5618.4							
WC#: 27.535	AFL	3059							

PKG:75

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-00-02-2200	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	EFF	A/R	TAC 0				DISCRETIONARY	
	HRS			TAC 0					
	AFL			TAC 0					
	PROC. REF: AMM 28-00-02								
28-00-02-2201	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS	24-Apr-24	12		30-Apr-25		163 d	DISCRETIONARY	
	HRS	5631.9							
	AFL	3071							
	PROC. REF: AMM 28-00-02								
28-10-01-2200 ^S	FUEL STORAGE SYSTEM DETAILED INSPECTION							Service	ATA:28
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 28-10-01								
	PKG:104								
28-42-00-2100 ^S	MAGNETIC FUEL LEVEL INDICATOR GENERAL VISUAL INSPECTION							Service	ATA:28
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 28-42-00								
	PKG:104								
28-43-00-7100 ^S	FUEL TANK OVERFULL OPERATIONAL CHECK							Service	ATA:28
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 28-43-00								
	PKG:104								
28-43-00-7200 ^S	LOW FUEL WARNING SYSTEM FUNCTIONAL CHECK							Service	ATA:28
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 28-43-00								
	PKG:104								
280002	C1 FUEL RELIEF VALVE							Component	ATA:28
PN:RV05-454	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.010	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280002	C2 FUEL RELIEF VALVE							Component	ATA:28
PN:RV05-454	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
280011	LEFT DEFUEL VALVE							Component	ATA:28
PN:125838AW	MOS/MSC	21-Dec-04	O/C						
SN:AA19106	HRS	0		TSN 0					
WC#: 28.015	AFL	0		TSN 0					
PROC. REF: AMM 28-22-00									
280011	RIGHT DEFUEL VALVE							Component	ATA:28
PN:125838AW	MOS/MSC	21-Dec-04	O/C						
SN:AA19108	HRS	0		TSN 0					
WC#: 28.015	AFL	0		TSN 0					
PROC. REF: AMM 28-22-00									
281004	LEFT INBOARD CENTER TANK VALVE							Component	ATA:28
PN:35C33	MOS/MSC	21-Dec-04	O/C						
SN:983	HRS	0		TSN 0					
WC#: 28.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
281004	LEFT OUTBOARD OUTER WING VALVE							Component	ATA:28
PN:2990006-102	MOS/MSC	21-Dec-04	O/C						
SN:435	HRS	0		TSN 0					
WC#: 28.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
281004	RIGHT INBOARD CENTER WING VALVE							Component	ATA:28
PN:35C33	MOS/MSC	21-Dec-04	O/C						
SN:981	HRS	0		TSN 0					
WC#: 28.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
281004	RIGHT OUTBOARD OUTER WING VALVE							Component	ATA:28
PN:2990006-102	MOS/MSC	21-Dec-04	O/C						
SN:646	HRS	0		TSN 0					
WC#: 28.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281005	CENTER AFT FUEL LEVEL INDICATOR							Component	ATA:28
PN:1140-0178-9	MOS/MSC	21-Dec-04	O/C						
SN:241	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-42-00									
281005	CENTER FORWARD FUEL LEVEL INDICATOR							Component	ATA:28
PN:1140-0178-5	MOS/MSC	21-Dec-04	O/C						
SN:229	HRS	0		TSN 0					
WC#: 28.035	AFL	0		TSN 0					
PROC. REF: AMM 28-42-00									
281005	LEFT WING FUEL LEVEL INDICATOR							Component	ATA:28
PN:1140-0178-7	MOS/MSC	21-Dec-04	O/C						
SN:485	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-42-00									
281005	RIGHT WING FUEL LEVEL INDICATOR							Component	ATA:28
PN:1140-0178-7	MOS/MSC	21-Dec-04	O/C						
SN:484	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-42-00									
281013	NO. 1 FUEL VENT VALVE							Component	ATA:28
PN:35C10D	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.045	AFL	0		TSN 0					
PROC. REF: AMM 28-10-04									
281013	NO. 2 FUEL VENT VALVE							Component	ATA:28
PN:PN	MOS/MSC	EFF	O/C		TSN 0				
SN:UNKNOWN	HRS	EFF			TSN 0				
	AFL	EFF			TSN 0				
PROC. REF: AMM 28-10-04									
282001	LEFT ELECTRIC FUEL BOOST PUMP							Component	ATA:28
PN:LR55370C	MOS/MSC	09-Mar-06	O/C						
SN:B525	HRS	827		TSO 0					
WC#: 28.050	AFL								
PROC. REF: AMM 28-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282001	RIGHT ELECTRIC FUEL BOOST PUMP							Component	ATA:28
PN:LR55370C	MOS/MSC	26-Nov-08	O/C						
SN:B425	HRS	1796		TSN 0					
WC#: 28.050	AFL								
PROC. REF: AMM 28-20-01									
282005	CENTER HIGH LEVEL FUEL VALVE							Component	ATA:28
PN:61087	MOS/MSC	21-Dec-04	O/C						
SN:3704	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282005	LEFT HIGH LEVEL FUEL VALVE							Component	ATA:28
PN:61087	MOS/MSC	21-Dec-04	O/C						
SN:3692	HRS	0		TSN 0					
WC#: 28.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282005	RIGHT HIGH LEVEL FUEL VALVE							Component	ATA:28
PN:61087	MOS/MSC	21-Dec-04	O/C						
SN:3705	HRS	0		TSN 0					
WC#: 28.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282006	RIGHT INBOARD LOW FUEL FLOAT SWITCH							Component	ATA:28
PN:GIF5400-43	MOS/MSC	21-Dec-04	O/C						
SN:1878	HRS	0		TSN 0					
WC#: 28.065	AFL	0		TSN 0					
PROC. REF: AMM 28-20-07									
282006	RIGHT OUTBOARD OVERFULL FLOAT SWITCH							Component	ATA:28
PN:GIF5400-43	MOS/MSC	01-Jun-07	O/C						
SN:2467	HRS	1441		TSN 0					
WC#: 28.070	AFL								
PROC. REF: AMM 28-20-07									
282007	LEFT INBOARD LOW FUEL FLOAT SWITCH							Component	ATA:28
PN:GIF5400-43	MOS/MSC	21-Dec-04	O/C						
SN:1658	HRS	0		TSN 0					
WC#: 28.065	AFL	0		TSN 0					
PROC. REF: AMM 28-20-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282007	LEFT OUTBOARD OVERFULL FLOAT SWITCH							Component	ATA:28
PN:GIF5400-43	MOS/MSC	21-Dec-04	O/C						
SN:1739	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-20-07									
282009	LEFT DEFUEL VALVE							Component	ATA:28
PN:61084-2	MOS/MSC	21-Dec-04	O/C						
SN:899	HRS	0		TSN 0					
WC#: 28.075	AFL	0		TSN 0					
PROC. REF: AMM 28-21-00									
282009	RIGHT DEFUEL VALVE							Component	ATA:28
PN:61084-2	MOS/MSC	21-Dec-04	O/C						
SN:930	HRS	0		TSN 0					
WC#: 28.075	AFL	0		TSN 0					
PROC. REF: AMM 28-21-00									
282011	CENTER DEFUEL VALVE							Component	ATA:28
PN:61084-2	MOS/MSC	21-Dec-04	O/C						
SN:923	HRS	0		TSN 0					
WC#: 28.075	AFL	0		TSN 0					
PROC. REF: AMM 28-21-00									
282012	FUEL SEQUENCING VALVE							Component	ATA:28
PN:61632	MOS/MSC	21-Dec-04	O/C						
SN:244	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-21-00									
282013	CENTER REFUEL VALVE							Component	ATA:28
PN:61086	MOS/MSC	21-Dec-04	O/C						
SN:2857	HRS	0		TSN 0					
WC#: 28.085	AFL	0		TSN 0					
PROC. REF: AMM 28-21-00									
282013	LEFT REFUEL VALVE							Component	ATA:28
PN:61086	MOS/MSC	21-Dec-04	O/C						
SN:2864	HRS	0		TSN 0					
WC#: 28.085	AFL	0		TSN 0					
PROC. REF: AMM 28-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282013	RIGHT REFUEL VALVE							Component	ATA:28
PN:61086	MOS/MSC	21-Dec-04	O/C						
SN:2888	HRS	0		TSN 0					
WC#: 28.085	AFL	0		TSN 0					
PROC. REF: AMM 28-21-00									
282020	REFUEL VALVE ASSEMBLY							Component	ATA:28
PN:AV24A4001-1	MOS/MSC	21-Dec-04	O/C						
SN:U43986	HRS	0		TSN 0					
WC#: 28.095	AFL	0		TSN 0					
PROC. REF: AMM 28-21-00									
282021	LEFT SCAVENGER FUEL PUMP							Component	ATA:28
PN:1020E101	MOS/MSC	21-Dec-04	O/C						
SN:465	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
282021	RIGHT SCAVENGER FUEL PUMP							Component	ATA:28
PN:1020E101	MOS/MSC	21-Dec-04	O/C						
SN:485	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
282023	LEFT TRANSFER FUEL PUMP							Component	ATA:28
PN:1020E102	MOS/MSC	21-Dec-04	O/C						
SN:0524	HRS	0		TSN 0					
WC#: 28.105	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
282023	RIGHT TRANSFER FUEL PUMP							Component	ATA:28
PN:1020E102	MOS/MSC	21-Dec-04	O/C						
SN:519	HRS	0		TSN 0					
WC#: 28.105	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
282025	LEFT INBOARD TRANSFER FLOAT VALVE							Component	ATA:28
PN:2970013-101	MOS/MSC	21-Dec-04	O/C						
SN:1005	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282025		LEFT OUTBOARD TRANSFER FLOAT VALVE						Component	ATA:28
PN:2970013-101	MOS/MSC	21-Dec-04	O/C						
SN:1004	HRS	0		TSN 0					
WC#: 28.115	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									
282026		RIGHT INBOARD TRANSFER FLOAT VALVE						Component	ATA:28
PN:2970013-101	MOS/MSC	21-Dec-04	O/C						
SN:1006	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									
282026		RIGHT OUTBOARD TRANSFER FLOAT VALVE						Component	ATA:28
PN:2970013-101	MOS/MSC	21-Dec-04	O/C						
SN:1009	HRS	0		TSN 0					
WC#: 28.115	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									
282027		LEFT PRIMARY EJECTOR FUEL PUMP						Component	ATA:28
PN:1024E1000	MOS/MSC	21-Dec-04	O/C						
SN:521	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
282027		RIGHT PRIMARY EJECTOR FUEL PUMP						Component	ATA:28
PN:1024E1000	MOS/MSC	18-Mar-14	O/C	TSN 0					
SN:0667	HRS	2721.9		TSN 0					
WC#: 28.125	AFL	1720							
PROC. REF: AMM 28-20-02									
282029		LEFT MOTIVE SHUTOFF VALVE						Component	ATA:28
PN:10SN1002	MOS/MSC	21-Dec-04	O/C						
SN:0023	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: AMM 28-20-03									
282029		RIGHT MOTIVE SHUTOFF VALVE						Component	ATA:28
PN:10SN1002	MOS/MSC	07-Mar-14	O/C						
SN:0158	HRS	2710.1							
WC#: 28.130	AFL	1715							
PROC. REF: AMM 28-20-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282037	LEFT NO. 1 FUEL SHUTOFF ACTUATOR							Component	ATA:28
PN:MA20A1029-1	MOS/MSC	21-Dec-04	O/C						
SN:AA14435	HRS	0		TSN 0					
WC#: 28.135	AFL	0		TSN 0					
PROC. REF: AMM 28-20-03									
282037	LEFT NO. 2 FUEL SHUTOFF ACTUATOR							Component	ATA:28
PN:MA20A1029-1	MOS/MSC	21-Dec-04	O/C						
SN:AA15911	HRS	0		TSN 0					
WC#: 28.135	AFL	0		TSN 0					
PROC. REF: AMM 28-20-03									
282037	LEFT NO. 3 FUEL SHUTOFF ACTUATOR							Component	ATA:28
PN:MA20A1029-1	MOS/MSC	21-Dec-04	O/C						
SN:AA14458	HRS	0		TSN 0					
WC#: 28.145	AFL	0		TSN 0					
PROC. REF: AMM 28-20-03									
282037	RIGHT NO. 1 FUEL SHUTOFF ACTUATOR							Component	ATA:28
PN:MA20A1029-1	MOS/MSC	08-Jun-05	O/C						
SN:AA14432	HRS	337		TSN 0					
WC#: 28.140	AFL								
PROC. REF: AMM 28-20-03									
282037	RIGHT NO. 2 FUEL SHUTOFF ACTUATOR							Component	ATA:28
PN:MA20A1029-1	MOS/MSC	21-Dec-04	O/C						
SN:AA17529	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: AMM 28-20-03									
282037	RIGHT NO. 3 FUEL SHUTOFF ACTUATOR							Component	ATA:28
PN:MA20A1029-1	MOS/MSC	21-Dec-04	O/C						
SN:AA16377	HRS	0		TSN 0					
WC#: 28.145	AFL	0		TSN 0					
PROC. REF: AMM 28-20-03									
282043	LOWER RIGHT CROSSFEED VALVE							Component	ATA:28
PN:125838AW	MOS/MSC	21-Dec-04	O/C						
SN:AA15994	HRS	0		TSN 0					
WC#: 28.160	AFL	0		TSN 0					
PROC. REF: AMM 28-20-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282043 UPPER LEFT FUEL FIREWALL VALVE Component ATA:28								
PN:125838AW	MOS/MSC	21-Dec-04	O/C					
SN:AA15996	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03								
282043 UPPER RIGHT FUEL FIREWALL VALVE Component ATA:28								
PN:125838AW	MOS/MSC	21-Dec-04	O/C					
SN:U45377	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03								
282044 CENTER LEFT FUEL TRANSFER VALVE Component ATA:28								
PN:125838AW	MOS/MSC	21-Dec-04	O/C					
SN:U45383	HRS	0		TSN 0				
WC#: 28.155	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03								
282044 CENTER RIGHT FUEL TRANSFER VALVE Component ATA:28								
PN:125838AW	MOS/MSC	21-Dec-04	O/C					
SN:AA15991	HRS	0		TSN 0				
WC#: 28.155	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03								
282044 LOWER LEFT CROSSFLOW VALVE Component ATA:28								
PN:125838AW	MOS/MSC	21-Dec-04	O/C					
SN:U45381	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-20-03								
282049 LEFT BOOST PUMP CARTRIDGE Component ATA:28								
PN:LR55385-3	MOS/MSC	18-Aug-09	O/C					
SN:B-226	HRS	1889		TSO 0				
WC#: 28.165	AFL							
PROC. REF: AMM 28-20-01								
282049 RIGHT BOOST PUMP CARTRIDGE Component ATA:28								
PN:LR55385-3	MOS/MSC	26-Nov-08	O/C					
SN:B214	HRS	1796		TSO 0				
WC#: 28.165	AFL							
PROC. REF: AMM 28-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282051	LEFT INBOARD WING FUEL VALVE							Component	ATA:28
PN:840203-105	MOS/MSC	21-Dec-04	O/C						
SN:3289XP	HRS	0		TSN 0					
WC#: 28.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282051	LEFT OUTBOARD WING FUEL VALVE							Component	ATA:28
PN:9912501-2	MOS/MSC	13-Dec-17	O/C		TSN 0				
SN:8113XP	HRS	3400.5		TSN 0					
WC#: 28.175	AFL	1976		TSN 0					
PROC. REF: GENERIC NO REF									
282052	RIGHT INBOARD WING FUEL VALVE							Component	ATA:28
PN:840203-105	MOS/MSC	21-Dec-04	O/C						
SN:3107XP	HRS	0		TSN 0					
WC#: 28.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282052	RIGHT OUTBOARD WING FUEL VALVE							Component	ATA:28
PN:9912501-2	MOS/MSC	01-Dec-16	O/C		TSO 5				
SN:8185XP	HRS	3355		TSO 0					
WC#: 28.175	AFL	1960							
PROC. REF: GENERIC NO REF									
282101	REFUEL/DEFUEL VALVE							Component	ATA:28
PN:9036-401-1	MOS/MSC	21-Dec-04	O/C						
SN:0304	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: AMM 28-21-00									
282105	LEFT FUEL CONTROL NK107 MODULE							Component	ATA:28
PN:9919-30-1	MOS/MSC	21-Dec-04	O/C						
SN:606	HRS	0		TSN 0					
WC#: 28.185	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282105	RIGHT FUEL CONTROL NK108 MODULE							Component	ATA:28
PN:9919-30-1	MOS/MSC	21-Dec-04	O/C						
SN:603	HRS	0		TSN 0					
WC#: 28.185	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284001	LEFT FUEL QUANTITY W1 PROBE							Component	ATA:28
PN:10478T11Y00	MOS/MSC	21-Dec-04	O/C						
SN:0953	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
				PROC. REF: AMM 28-41-01					
284001	RIGHT FUEL QUANTITY W1 PROBE							Component	ATA:28
PN:10478T11Y00	MOS/MSC	21-Dec-04	O/C						
SN:0952	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
				PROC. REF: AMM 28-41-01					
284003	LEFT FUEL QUANTITY W2 PROBE							Component	ATA:28
PN:10478T12Y00	MOS/MSC	21-Dec-04	O/C						
SN:0954	HRS	0		TSN 0					
WC#: 28.195	AFL	0		TSN 0					
				PROC. REF: AMM 28-41-01					
284003	RIGHT FUEL QUANTITY W2 PROBE							Component	ATA:28
PN:10478T12Y00	MOS/MSC	21-Dec-04	O/C						
SN:0955	HRS	0		TSN 0					
WC#: 28.195	AFL	0		TSN 0					
				PROC. REF: AMM 28-41-01					
284005	LEFT FUEL QUANTITY W3 PROBE							Component	ATA:28
PN:10478T13Y00	MOS/MSC	21-Dec-04	O/C						
SN:0949	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
				PROC. REF: AMM 28-41-01					
284005	RIGHT FUEL QUANTITY W3 PROBE							Component	ATA:28
PN:10478T13Y00	MOS/MSC	21-Dec-04	O/C						
SN:0950	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
				PROC. REF: AMM 28-41-01					
284007	LEFT FUEL QUANTITY W4 PROBE							Component	ATA:28
PN:10478T14Y00	MOS/MSC	21-Dec-04	O/C						
SN:0952	HRS	0		TSN 0					
WC#: 28.205	AFL	0		TSN 0					
				PROC. REF: AMM 28-41-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284007	RIGHT FUEL QUANTITY W4 PROBE							Component	ATA:28
PN:10478T14Y00	MOS/MSC	21-Dec-04	O/C						
SN:0953	HRS	0		TSN 0					
WC#: 28.205	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284009	LEFT FUEL QUANTITY W5 PROBE							Component	ATA:28
PN:10478T15Y00	MOS/MSC	21-Dec-04	O/C						
SN:0950	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284009	RIGHT FUEL QUANTITY W5 PROBE							Component	ATA:28
PN:10478T15Y00	MOS/MSC	21-Dec-04	O/C						
SN:0951	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284011	LEFT FUEL QUANTITY W6 PROBE							Component	ATA:28
PN:10478T16Y00	MOS/MSC	21-Dec-04	O/C						
SN:0953	HRS	0		TSN 0					
WC#: 28.215	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284011	RIGHT FUEL QUANTITY W6 PROBE							Component	ATA:28
PN:10478T16Y00	MOS/MSC	21-Dec-04	O/C						
SN:0952	HRS	0		TSN 0					
WC#: 28.215	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284013	LEFT FUEL QUANTITY W7 PROBE							Component	ATA:28
PN:10478T17Y00	MOS/MSC	21-Dec-04	O/C						
SN:0954	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284013	RIGHT FUEL QUANTITY W7 PROBE							Component	ATA:28
PN:10478T17Y00	MOS/MSC	21-Dec-04	O/C						
SN:0949	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284015		LEFT FUEL QUANTITY C1 PROBE					Component		ATA:28
PN:10478T18Y00	MOS/MSC	21-Dec-04	O/C						
SN:0729	HRS	0		TSN 0					
WC#: 28.225	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284016		LEFT FUEL QUANTITY C2 PROBE					Component		ATA:28
PN:10478T19Y00	MOS/MSC	21-Dec-04	O/C						
SN:0950	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284017		RIGHT FUEL QUANTITY C3 PROBE					Component		ATA:28
PN:10478T19Y00	MOS/MSC	21-Dec-04	O/C						
SN:0942	HRS	0		TSN 0					
WC#: 28.235	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284018		LEFT FUEL QUANTITY C4 PROBE					Component		ATA:28
PN:10478T20Y00	MOS/MSC	21-Dec-04	O/C						
SN:0731	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01									
284019		FUEL QUANTITY SIGNAL PROCESSER					Component		ATA:28
PN:10477B03Y03	MOS/MSC	21-Dec-04	O/C						
SN:0438	HRS	0		TSN 0					
WC#: 28.245	AFL	0		TSN 0					
PROC. REF: AMM 28-41-03									
284025		LEFT FUEL PRESSURE SWITCH					Component		ATA:28
PN:SPDG6435	MOS/MSC	21-Dec-04	O/C						
SN:0437668	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									
284025		RIGHT FUEL PRESSURE SWITCH					Component		ATA:28
PN:SPDG6435	MOS/MSC	18-Mar-14	O/C	TSN 0					
SN:1339814	HRS	2721.9		TSN 0					
WC#: 28.250	AFL	1720							
PROC. REF: AMM 28-20-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284027	LEFT MOTIVE FLOW PRESSURE SWITCH							Component	ATA:28
PN:GPP1250-47	MOS/MSC	31-Oct-07	O/C						
SN:0419641	HRS	1541		TSO 1541					
WC#: 28.255	AFL								
PROC. REF: AMM 28-20-05									
284027	RIGHT MOTIVE FLOW PRESSURE SWITCH							Component	ATA:28
PN:GPP1250-47	MOS/MSC	07-Mar-14	O/C	TSN 0					
SN:1321718	HRS	2710.1		TSN 0					
WC#: 28.255	AFL	1715							
PROC. REF: AMM 28-20-05									
ATA 29 - HYDRAULIC POWER									
29-10-01-7200 ^S	MAIN HYDRAULIC SYSTEM FUNCTIONAL CHECK							Service	ATA:29
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 29-10-01									
PKG:114									
29-10-04-9600	HYDRAULIC ACCUMULATOR DISCARD (9912644-6)							Service	ATA:29
PN:08-60187-001	MOS/MSC	EFF	N/A					DISCARD	
SN:601870244	HRS	EFF		TAC 0					
	AFL	EFF		TAC 0					
PROC. REF: AMM 29-10-04									
29-10-04-9600	LEFT HYDRAULIC ACCUMULATOR DISCARD (9912644-6)							Service	ATA:29
PN:57C57679A1	MOS/MSC	21-Dec-04	N/A	TAC 0					
SN:0047T	HRS	0		TAC 0					
WC#: 29.110	AFL	0		TAC 0					
PROC. REF: AMM 29-10-04									
29-10-04-9600	RIGHT HYDRAULIC ACCUMULATOR DISCARD (9912644-6)							Service	ATA:29
PN:57C57679A1	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
SN:0046T	HRS	0		TAC 0					
WC#: 29.110	AFL	0		TAC 0					
PROC. REF: AMM 29-10-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-10-08-2100 ^S	HYDRAULIC FILTER ASSEMBLY BYPASS INDICATOR GENERAL VISUAL INSPECTION							Service	ATA:29
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 29-10-08							PKG:101	
29-10-08-9600	9914465-3, -4, -8 HYDRAULIC FILTERS ELEMENT DISCARD							Service	ATA:29
PN:PN	MOS	EFF	36 (+1m/-1m)	TAC 0	31-Dec-25 * (M)		408 d		
SN:UNKNOWN	HRS	EFF	3000 (+25/-25)	TAC 0	8441.8 * (M)		2733.8		
	AFL	EFF		TAC 0					
	PROC. REF: AMM 29-10-08								
29-20-05-2200 ^S	RUDDER STANDBY SYSTEM DETAILED INSPECTION							Service	ATA:29
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 29-20-05							PKG:114	
29-20-05-7200 ^S	RUDDER STANDBY SYSTEM FUNCTIONAL CHECK							Service	ATA:29
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 29-20-05							PKG:101	
290013	MANIFOLD ASSEMBLY SENSOR							Component	ATA:29
PN:6717277-1	MOS/MSC	21-Dec-04	O/C						
SN:324	HRS	0		TSN 0					
WC#: 29.010	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
290014	HYDRAULIC MANIFOLD ASSEMBLY							Component	ATA:29
PN:6717277-3	MOS/MSC	21-Dec-04	O/C						
SN:309	HRS	0		TSN 0					
WC#: 29.020	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291000	HYDRAULIC FILTERS							Component	ATA:29
PN:PN	DAYS/MS	04-Dec-22	H/T	TSN 0					
SN:UNKNOWN	HRS	5441.8		TSN 0					
WC#: 29.245	AFL	2978		TSN 0					
	APUS			TSN 0					
	ENC			TSN 0					
291001	LEFT HYDRAULIC SHUTOFF VALVE							Component	ATA:29
PN:AV24B1397	MOS/MS	21-Dec-04	O/C						
SN:AA23371	HRS	0		TSN 0					
WC#: 29.030	AFL	0		TSN 0					
					PROC. REF: AMM 29-10-05				
291001	RIGHT HDRAULIC SHUTOFF VALVE							Component	ATA:29
PN:AV24B1397	MOS/MS	21-Dec-04	O/C						
SN:AA21073	HRS	0		TSN 0					
WC#: 29.030	AFL	0		TSN 0					
					PROC. REF: AMM 29-10-05				
291005	LEFT RESERVOIR BOOTSTRAP VALVE							Component	ATA:29
PN:1711084-003	MOS/MS	28-Sep-12	O/C	TSO 0					
SN:00571	HRS	2397.9		TSO 0					
WC#: 29.040	AFL	1591							
					PROC. REF: GENERIC NO REF				
291005	RIGHT RESERVOIR BOOTSTRAP VALVE							Component	ATA:29
PN:1711084-003	MOS/MS	10-Apr-14	O/C	TSO 0					
SN:00183	HRS	2724		TSO 0					
WC#: 29.040	AFL	1722							
					PROC. REF: GENERIC NO REF				
291008	RUDDER SHUTOFF VALVE							Component	ATA:29
PN:240605-3	MOS/MS	21-Dec-04	O/C						
SN:01476	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291009	LEFT FAIRING SHUTOFF VALVE							Component	ATA:29
PN:240605-3	MOS/MSC	21-Dec-04	O/C						
SN:1450	HRS	0		TSN 0					
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291009	RIGHT FAIRING SHUTOFF VALVE							Component	ATA:29
PN:240605-3	MOS/MSC	21-Dec-04	O/C						
SN:1454	HRS	0		TSN 0					
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291011	FAIRING RELIEF VALVE							Component	ATA:29
PN:4P186	MOS/MSC	21-Dec-04	O/C						
SN:258	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291012	HYDRAULIC POWER TRANSFER UNIT							Component	ATA:29
PN:441930	MOS/MSC	21-Dec-04	O/C						
SN:FAH00034	HRS	0		TSN 0					
WC#: 29.080	AFL	0		TSN 0					
PROC. REF: AMM 29-20-04									
291015	HYDRAULIC POWER CONTROLLER							Component	ATA:29
PN:8208	MOS/MSC	21-Dec-04	O/C						
SN:164	HRS	0		TSN 0					
WC#: 29.090	AFL	0		TSN 0					
PROC. REF: AMM 29-20-04									
291018	RIGHT AUX HYDRAULIC PUMP							Component	ATA:29
PN:HM76A-4	MOS/MSC	21-Dec-04	O/C						
SN:443	HRS	0		TSN 0					
WC#: 29.100	AFL	0		TSN 0					
PROC. REF: AMM 29-20-01									
291021	LEFT HYDRAULIC ACCUMULATOR							Component	ATA:29
PN:57C57679A1	MOS/MSC	21-Dec-04	O/C						
SN:0047T	HRS	0		TSN 0					
WC#: 29.110	AFL	0		TSN 0					
PROC. REF: AMM 29-10-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291021	RIGHT HYDRAULIC ACCUMULATOR							Component	ATA:29
PN:57C57679A1	MOS/MSC	21-Dec-04	O/C						
SN:0046T	HRS	0		TSN 0					
WC#: 29.110	AFL	0		TSN 0					
PROC. REF: AMM 29-10-04									
291023	LEFT HYDRAULIC "A" TRANSDUCER							Component	ATA:29
PN:APT-216A-1000-5000GMOS/MSC		21-Dec-04	O/C						
SN:68288184	HRS	0		TSN 0					
WC#: 29.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291023	RIGHT HYDRAULIC "B" TRANSDUCER							Component	ATA:29
PN:APT-216A-1000-5000GMOS/MSC		21-Dec-04	O/C						
SN:68268112	HRS	0		TSN 0					
WC#: 29.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291025	LEFT HYDRAULIC UNLOADING VALVE							Component	ATA:29
PN:8207	MOS/MSC	21-Dec-04	O/C						
SN:530	HRS	0		TSN 0					
WC#: 29.130	AFL	0		TSN 0					
PROC. REF: AMM 29-10-10									
291025	RIGHT HYDRAULIC UNLOADING VALVE							Component	ATA:29
PN:8207	MOS/MSC	21-Dec-04	O/C						
SN:529	HRS	0		TSN 0					
WC#: 29.130	AFL	0		TSN 0					
PROC. REF: AMM 29-10-10									
291027	LEFT HYDRAULIC SENSOR							Component	ATA:29
PN:42RT100-3	MOS/MSC	21-Dec-04	O/C						
SN:K0574	HRS	0		TSN 0					
WC#: 29.140	AFL	0		TSN 0					
PROC. REF: AMM 29-30-01									
291027	RIGHT HYDRAULIC SENSOR							Component	ATA:29
PN:42RT100-3	MOS/MSC	21-Dec-04	O/C						
SN:J9140	HRS	0		TSN 0					
WC#: 29.140	AFL	0		TSN 0					
PROC. REF: AMM 29-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291039 LEFT HYDRAULIC PRESSURE GAUGE Component ATA:29								
PN:19940927-1	MOS/MSC	21-Dec-04	O/C					
SN:014672	HRS	0		TSN 0				
WC#: 29.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
291039 RIGHT HYDRAULIC PRESSURE GAUGE Component ATA:29								
PN:19940927-1	MOS/MSC	21-Dec-04	O/C					
SN:014673	HRS	0		TSN 0				
WC#: 29.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
291050 RUDDER HYDRAULIC TRANSDUCER Component ATA:29								
PN:APT-216A-1000-5000GMOS/MSC		21-Dec-04	O/C					
SN:68268113	HRS	0		TSN 0				
WC#: 29.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
292001 LEFT ENGINE DRIVEN HYDRAULIC PUMP Component ATA:29								
PN:66166	MOS/MSC	21-Dec-04	O/C					
SN:AT663P	HRS	0		TSN 0				
WC#: 29.170	AFL	0		TSN 0				
PROC. REF: AMM 29-10-02								
292001 RIGHT ENGINE DRIVEN HYDRAULIC PUMP Component ATA:29								
PN:66166	MOS/MSC	21-Dec-04	O/C					
SN:AT664P	HRS	0		TSN 0				
WC#: 29.170	AFL	0		TSN 0				
PROC. REF: AMM 29-10-02								
292002 RUDDER STANDBY MANIFOLD Component ATA:29								
PN:6707005-7	MOS/MSC	21-Dec-04	O/C					
SN:346	HRS	0		TSN 0				
WC#: 29.180	AFL	0		TSN 0				
PROC. REF: AMM 29-20-05								
292005 RUDDER HYDRAULIC RESERVOIR Component ATA:29								
PN:6707004-10	MOS/MSC	21-Dec-04	O/C					
SN:239	HRS	0		TSN 0				
WC#: 29.190	AFL	0		TSN 0				
PROC. REF: AMM 29-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
292008	HYDRAULIC ACCUMULATOR							Component	ATA:29
PN:08-60187-001	MOS/MSC	21-Dec-04	O/C						
SN:601870244	HRS	0		TSN 0					
WC#: 29.200	AFL	0		TSN 0					
PROC. REF: AMM 29-10-04									
292009	RUDDER PUMP-MOTOR							Component	ATA:29
PN:4100-849053	MOS/MSC	20-Feb-09	O/C						
SN:321	HRS	1828		TSO 0					
WC#: 29.210	AFL								
PROC. REF: GENERIC NO REF									
293002	LEFT HYDRAULIC PRESSURE SWITCH							Component	ATA:29
PN:GPP1250-45	MOS/MSC	21-Dec-04	O/C						
SN:0316504	HRS	0		TSN 0					
WC#: 27.355	AFL	0		TSN 0					
PROC. REF: AMM 29-30-01									
293002	RIGHT HYDRAULIC PRESSURE SWITCH							Component	ATA:29
PN:GPP1250-45	MOS/MSC	21-Dec-04	O/C						
SN:0303492	HRS	0		TSN 0					
WC#: 27.355	AFL	0		TSN 0					
PROC. REF: AMM 29-30-01									
ATA 30 - ICE AND RAIN PROTECTION									
30-10-00-2100 ^S	OVERWING ANTI-ICE RESISTIVE TEMPERATURE DEVICE (TL019, TR020, TL021, TR022) GENERAL VISUAL INSPECTION							Service	ATA:30
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 30-10-00									
30-10-00-2200 ^S	WING ANTI-ICE CHECK VALVE DETAILED INSPECTION							Service	ATA:30
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 30-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-10-00-7100^S		AIRFOIL ANTI-ICE SYSTEM OPERATIONAL CHECK							Service ATA:30
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0	1000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 30-10-00				PKG:109	
30-12-00-2100^S		WING ANTI-ICE SYSTEM GENERAL VISUAL INSPECTION							Service ATA:30
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 30-12-00				PKG:114	
30-14-00-2200^S		HORIZONTAL STABILIZER ANTI-ICE SYSTEM DETAILED INSPECTION							Service ATA:30
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 30-14-00				PKG:114	
301001		LEFT PRESSURE REGULATOR VALVE							Component ATA:30
PN:C144872-50	MOS/MSC	21-Dec-04	O/C						
SN:1413	HRS	0		TSN 0					
WC#: 30.010	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
301001		RIGHT PRESSURE REGULATOR VALVE							Component ATA:30
PN:C144872-50	MOS/MSC	21-Dec-04	O/C						
SN:1416	HRS	0		TSN 0					
WC#: 30.010	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
301003		LEFT PRESSURE REGULATOR VALVE							Component ATA:30
PN:C144872-70	MOS/MSC	21-Dec-04	O/C						
SN:1407	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
301003		RIGHT PRESSURE REGULATOR VALVE							Component ATA:30
PN:C144872-70	MOS/MSC	21-Dec-04	O/C						
SN:1071	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301005	LEFT B/A SHUTOFF VALVE							Component	ATA:30
PN:C144872-60	MOS/MSC	18-Aug-09	O/C						
SN:1414	HRS	1889		TSO 0					
WC#: 30.030	AFL								
PROC. REF: AMM 30-20-00									
301005	RIGHT B/A SHUTOFF VALVE							Component	ATA:30
PN:C144872-60	MOS/MSC	21-Dec-04	O/C						
SN:1432	HRS	0		TSN 0					
WC#: 30.030	AFL	0		TSN 0					
PROC. REF: AMM 30-20-00									
301020	WINDSHIELD RAIN FAN							Component	ATA:30
PN:011598-501	MOS/MSC	27-Aug-20	O/C						
SN:C04120010	HRS	3786.7							
WC#: 30.040	AFL	2275							
PROC. REF: AMM 30-40-00									
301023	(VL005) CROSSOVER VALVE							Component	ATA:30
PN:4714-21	MOS/MSC	21-Dec-04	O/C						
SN:1573	HRS	0		TSN 0					
WC#: 30.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301101	LEFT WING ROOT FAIRING							Component	ATA:30
PN:5E2596-3	MOS/MSC	21-Dec-04	O/C						
SN:071904008	HRS	0		TSN 0					
WC#: 30.060	AFL	0		TSN 0					
PROC. REF: AMM 30-11-00									
301101	RIGHT WING ROOT FAIRING							Component	ATA:30
PN:5E2596-4	MOS/MSC	21-Dec-04	O/C						
SN:051304005	HRS	0		TSN 0					
WC#: 30.060	AFL	0		TSN 0					
PROC. REF: AMM 30-11-00									
301200	LEFT WING SHUTOFF VALVE							Component	ATA:30
PN:4714-20	MOS/MSC	21-Dec-04	O/C						
SN:1856	HRS	0		TSN 0					
WC#: 30.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301200 RIGHT WING SHUTOFF VALVE Component ATA:30								
PN:4714-20	MOS/MSC	21-Dec-04	O/C					
SN:1855	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302011 OUTBOARD SLAT TL031 SENSOR Component ATA:30								
PN:S102642PG	MOS/MSC	23-Jan-08	O/C					
SN:494	HRS	1597		TSN 0				
WC#: 30.080	AFL							
PROC. REF: AMM 30-13-00								
302012 OUTBOARD SLAT TR032 SENSOR Component ATA:30								
PN:S102642PG	MOS/MSC	01-Dec-16	O/C		TSN 0			
SN:1192	HRS	3355		TSN 0				
WC#: 30.080	AFL	1960						
PROC. REF: AMM 30-13-00								
302013 OUTBOARD WING LEADING EDGE TL007 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: AMM 30-12-00								
302014 OUTBOARD WING LEADING EDGE TR008 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: AMM 30-12-00								
302015 MID WING LEADING EDGE TL005 SENSOR Component ATA:30								
PN:S101813PG	MOS/MSC	26-Apr-18	O/C		TSN 0			
SN:2881	HRS	3402.2		TSN 0				
WC#: 30.100	AFL	1977						
PROC. REF: AMM 30-12-00								
302016 MID WING LEADING EDGE TR006 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302017 INBOARD WING LEADING EDGE TL003 SENSOR Component ATA:30								
PN:S101817PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: AMM 30-12-00								
302018 INBOARD WING LEADING EDGE TR004 SENSOR Component ATA:30								
PN:S101817PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: AMM 30-12-00								
302019 FORWARD OVERWING TL017 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302020 FORWARD OVERWING TR018 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302021 CENTER OVERWING TL019 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.125	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302022 CENTER OVERWING TR020 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.125	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302023 AFT OVERWING TL021 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302024 AFT OVERWING TR022 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302025 AFT PYLON SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302026 FORWARD PYLON SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302027 FORWARD PYLON TT021 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	11-Jun-24	O/C					
SN:3288	HRS	5637.2						
WC#: 30.150	AFL	3078						
PROC. REF: GENERIC NO REF								
302028 AFT PYLON TT020 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302030 FORWARD HORIZONTAL STABILIZER TH001 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-14-00								
302031 FORWARD HORIZONTAL STABILIZER TH002 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-14-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302032 AFT HORIZONTAL STABILIZER TH003 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 30-14-00								
302033 AFT HORIZONTAL STABILIZER TH004 SENSOR Component ATA:30								
PN:S101816PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 30-14-00								
302035 WING LEADING EDGE SLAT TL029 SENSOR Component ATA:30								
PN:S101813PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.180	AFL	0		TSN 0				
PROC. REF: AMM 30-12-00								
302036 WING LEADING EDGE SLAT TR030 SENSOR Component ATA:30								
PN:S101813PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.180	AFL	0		TSN 0				
PROC. REF: AMM 30-12-00								
302037 ENGINE INLET TD003 SENSOR Component ATA:30								
PN:S101813PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302038 ENGINE INLET TE002 SENSOR Component ATA:30								
PN:S101813PG	MOS/MSC	21-Dec-04	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302041 HORIZONTAL LEADING EDGE TH005 SENSOR Component ATA:30								
PN:S101813PG	MOS/MSC	20-Jan-23	O/C	TSN 0				
SN:1782	HRS	5444.2		TSN 0				
WC#: 30.200	AFL	2980						
PROC. REF: AMM 30-14-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
302042	HORIZONTAL LEADING EDGE TH006 SENSOR							Component	ATA:30
PN:S101813PG	MOS/MSC	20-Jan-23	O/C	TSN 0					
SN:3224	HRS	5444.2		TSN 0					
WC#: 30.200	AFL	2980							
PROC. REF: AMM 30-14-00									
304000	LEFT B/A PRESSURE SWITCH							Component	ATA:30
PN:1103P0912	MOS/MSC	21-Dec-04	O/C						
SN:0783	HRS	0		TSN 0					
WC#: 30.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
304000	RIGHT B/A PRESSURE SWITCH							Component	ATA:30
PN:1103P0912	MOS/MSC	13-Aug-09	O/C						
SN:1339	HRS	1878		TSN 0					
WC#: 30.210	AFL								
PROC. REF: GENERIC NO REF									
304001	LEFT WINDSHIELD TEMPERATURE CONTROLLER							Component	ATA:30
PN:856-1-1	MOS/MSC	21-Dec-04	O/C						
SN:204280015	HRS	0		TSN 0					
WC#: 30.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
304001	RIGHT WINDSHIELD TEMPERATURE CONTROLLER							Component	ATA:30
PN:856-1-1	MOS/MSC	01-Dec-05	O/C						
SN:0111089	HRS	654		TSO 1732					
WC#: 30.220	AFL								
PROC. REF: GENERIC NO REF									
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-31-00-7200 ^S	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON FUNCTIONAL CHECK							Service	ATA:31
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 31-31-00									
								PKG:105	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
313001	FLIGHT HOUR METER							Component	ATA:31
PN:C664503-0104	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.010	AFL	0		TSN 0					
PROC. REF: AMM 31-10-00									
313103	FDR ACCELEROMETER							Component	ATA:31
PN:3001-01-111	MOS/MSC	21-Dec-04	O/C						
SN:05046720	HRS	0		TSN 0					
WC#: 31.055	AFL	0		TSN 0					
PROC. REF: AMM 31-31-00									
313104	FDR GRAVITY SWITCH							Component	ATA:31
PN:6895D1-X-5-5	MOS/MSC	21-Dec-04	O/C						
SN:4896	HRS	0		TSN 0					
WC#: 31.055	AFL	0		TSN 0					
PROC. REF: AMM 31-31-00									
314101	LEFT EICAS DATA AQUISITION UNIT							Component	ATA:31
PN:7013348-943	MOS/MSC	13-Dec-23	O/C		TSR 0				
SN:04085723	HRS	5618.4			TSR 0				
WC#: 31.020	AFL	3059			TSR 0				
PROC. REF: AMM 31-41-00									
314101	RIGHT EICAS DATA AQUISITION UNIT							Component	ATA:31
PN:7013348-943	MOS/MSC	03-Mar-22	O/C						
SN:96070571	HRS	5186.6							
WC#: 31.020	AFL	2871							
PROC. REF: AMM 31-41-00									
314301	DATA BASE LOADER							Component	ATA:31
PN:G7228-01	MOS/MSC	11-Sep-21	O/C						
SN:152	HRS	4799.9							
WC#: 31.025	AFL	2708							
PROC. REF: AMM 31-43-00									
315001	NO. 3 EICAS DISPLAY							Component	ATA:31
PN:K9321060A13	MOS/MSC	17-Jan-20	O/C						
SN:1890388780	HRS	3642.5							
WC#: 31.030	AFL	2173							
PROC. REF: AMM 31-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
315005 LEFT CABIN ALT NC007 MODULE Component ATA:31								
PN:6718477-10	MOS/MSC	21-Dec-04	O/C					
SN:0156	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
315005 RIGHT CABIN ALT NC006 MODULE Component ATA:31								
PN:6718477-11	MOS/MSC	20-Aug-20	O/C					
SN:0850	HRS	3781.5						
WC#: 31.040	AFL	2271						
PROC. REF: GENERIC NO REF								
315010 EICAS CONTROLLER Component ATA:31								
PN:7016882-915	MOS/MSC	21-Dec-04	O/C					
SN:04070543	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 31-50-01								
316000^U FWD 10.6" HD BULKHEAD DISPLAY Component ATA:31								
PN:1060-001	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:18030071	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
316021 LEFT ENGINE VIBRATION MONITOR- Component ATA:31								
PN:9914582-1	MOS/MSC	02-Nov-18	O/C	TSN 0				
SN:101440	HRS	3475.2		TSN 0				
WC#: 31.060	AFL	2047						
PROC. REF: AMM 77-30-00								
316021 RIGHT ENGINE VIBRATION MONITOR- Component ATA:31								
PN:2787	MOS/MSC	22-Apr-21	O/C	TSR 17				
SN:030427	HRS	4438		TSN 3433, TSR 0				
WC#: 31.060	AFL	2554		TSN 1999, TSR 0				
PROC. REF: AMM 77-30-00								
ATA 32 - LANDING GEAR								
32-00-00-2101^S LANDING GEAR WHEEL WELLS ZONAL INTERNAL GENERAL VISUAL INSPECTION Service ATA:32								
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0				
	HRS	0		TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 32-00-00								

PKG:103

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-00-00-6400 ^S	LANDING GEAR SYSTEM LUBRICATION							Service	ATA:32
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-00-00							PKG:101	
32-00-01-7200 ^S	LANDING GEAR SYSTEM OPERATIONAL CHECK							Service	ATA:32
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-00-01							PKG:114	
32-10-00-2100 ^S	LEFT AND RIGHT MAIN LANDING GEAR ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:32
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-10-00							PKG:103	
32-10-00-2200 ^S	MAIN LANDING GEAR WEAR PLATES FUNCTIONAL CHECK							Service	ATA:32
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-10-00							PKG:114	
32-10-00-2201 ^S	MAIN LANDING GEAR ASSEMBLY STRUCTURAL AND CORROSION DETAILED INSPECTION							Service	ATA:32
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-10-00							PKG:101	
32-10-00-2202 ^S	MAIN LANDING GEAR DETAILED INSPECTION							Service	ATA:32
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-10-00							PKG:114	
32-10-00-2900 ^S	MAIN LANDING GEAR TRAILING LINK (BORESCOPE) SPECIAL DETAILED INSPECTION							Service	ATA:32
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-10-00							PKG:101	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10-00-9600	LEFT TRUNNION ASSEMBLY DISCARD (6741150-1, -2)							Service	ATA:32
PN:6741026-1	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
SN:51	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-10-00									
32-10-00-9600	RIGHT TRUNNION ASSEMBLY DISCARD (6741150-1, -2)							Service	ATA:32
PN:6741026-2	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
SN:36	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-10-00									
32-10-00-9601	LEFT TRAILING LINK/AXLE ASSEMBLY DISCARD (6741013-3, -5, -6, -7, -203, -204, -205, DDA04487-1, DDA01818-1, DDA05538-1)							Service	ATA:32
PN:6741013-6	MOS	EFF		TAC 0				DISCARD	
SN:23598841	HRS	EFF		TAC 0					
	AFL	EFF	44400	TAC 0	46088 * (M)		42967		
PROC. REF: AMM 32-10-00									
32-10-00-9601	RIGHT TRAILING LINK/AXLE ASSEMBLY DISCARD (6741013-3, -5, -6, -7, -203, -204, -205, DDA04487-1, DDA01818-1, DDA05538-1)							Service	ATA:32
PN:6741013-6	MOS	EFF		TAC 0				DISCARD	
SN:26844862	HRS	EFF		TAC 0					
	AFL	EFF	44400	TAC 0	46376 * (M)		43255		
PROC. REF: AMM 32-10-00									
32-10-00-9602	LEFT OLEO ASSEMBLY DISCARD (6741140-1, -5, -6, -8, -10, -12, -14, -15, 6741053-1, -15)							Service	ATA:32
PN:6741140-12	MOS							DISCARD	
SN:35	HRS			TAC 5443.3					
	AFL		33300	TAC 2979	33330 (M)		30209		
PROC. REF: AMM 32-10-00									
32-10-00-9602	RIGHT OLEO ASSEMBLY DISCARD (6741140-1, -5, -6, -8, -10, -12, -14, -15, 6741053-1, -15)							Service	ATA:32
PN:6741140-12	MOS							DISCARD	
SN:85	HRS								
	AFL		33300	TAC 1914	34365 (M)		31244		
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10-00-9603	LEFT MAIN GEAR OLEO ASSEMBLY RETAINER DISCARD (6741143-1, -2, 6741053-4)							Service	ATA:32
PN:6741143-1	MOS	EFF						DISCARD	
SN:UNKNOWN	HRS	EFF							
	AFL	EFF	15400	TAC 0	15400 * (M)		12279		
PROC. REF: AMM 32-10-00									
32-10-00-9603	RIGHT MAIN GEAR OLEO ASSEMBLY RETAINER DISCARD (6741143-1, -2, 6741053-4)							Service	ATA:32
PN:6741143-1	MOS	EFF						DISCARD	
SN:UNKNOWN	HRS	EFF							
	AFL	EFF	15400	TAC 0	15400 * (M)		12279		
PROC. REF: AMM 32-10-00									
32-10-00-9604	LEFT MAIN GEAR OLEO UPPER BARREL CAP ASSEMBLY DISCARD (PART NUMBER 6741041-5, -7, 6741053-13)							Service	ATA:32
PN:6741041-5	MOS	EFF						DISCARD	
SN:UNKNOWN	HRS	EFF							
	AFL	EFF	8000	TAC 0	8000 * (M)		4879		
PROC. REF: AMM 32-10-00									
32-10-00-9604	RIGHT MAIN GEAR OLEO UPPER BARREL CAP ASSEMBLY DISCARD (PART NUMBER 6741041-5, -7, 6741053-13)							Service	ATA:32
PN:6741041-5	MOS	EFF						DISCARD	
SN:UNKNOWN	HRS	EFF							
	AFL	EFF	8000	TAC 0	8000 * (M)		4879		
PROC. REF: AMM 32-10-00									
32-10-00-9605	LEFT MAIN GEAR SIDE BRACE ACTUATOR DISCARD (9914451-2, -3, -4)							Service	ATA:32
PN:2-7887-2	MOS	EFF						DISCARD	
SN:500	HRS	EFF							
	AFL	EFF	35100	TAC 0	35100 * (M)		31979		
PROC. REF: AMM 32-10-00									
32-10-00-9605	RIGHT MAIN GEAR SIDE BRACE ACTUATOR DISCARD (9914451-2, -3, -4)							Service	ATA:32
PN:2-7887-2	MOS	EFF						DISCARD	
SN:484	HRS	EFF							
	AFL	EFF	35100	TAC 0	35100 * (M)		31979		
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10-00-9606	LEFT MAIN GEAR LINK SPACER DISCARD (6741016-3)							Service	ATA:32
PN:6741016-9	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
SN:273	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-10-00									
32-10-00-9606	RIGHT MAIN GEAR LINK SPACER DISCARD (6741016-3)							Service	ATA:32
PN:6741016-6	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
SN:UNKNOWN	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-10-00									
32-10-00-9607	LEFT MAIN GEAR LINK PIVOT PIN DISCARD (6741017-2)							Service	ATA:32
PN:6741017-6	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
SN:378	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-10-00									
32-10-00-9607	RIGHT MAIN GEAR LINK PIVOT PIN DISCARD (6741017-2)							Service	ATA:32
PN:6741017-6	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
SN:27006738J	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-10-00									
32-10-00-9608	LEFT TRUNNION ASSEMBLY DISCARD (6741026-1, -2, -3, -4, -5, -6)							Service	ATA:32
PN:6741026-1	MOS	EFF						DISCARD	
SN:51	HRS	EFF							
	AFL	EFF	33300	TAC 0	33300 * (M)		30179		
PROC. REF: AMM 32-10-00									
32-10-00-9608	RIGHT TRUNNION ASSEMBLY DISCARD (6741026-1, -2, -3, -4, -5, -6)							Service	ATA:32
PN:6741026-2	MOS	EFF						DISCARD	
SN:36	HRS	EFF							
	AFL	EFF	33300	TAC 0	33300 * (M)		30179		
PROC. REF: AMM 32-10-00									
32-10-00-9609	LEFT TRAILING LINK/AXLE ASSEMBLY DISCARD (6794113-1, -2, -3, -4)							Service	ATA:32
	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10-00-9609	RIGHT TRAILING LINK/AXLE ASSEMBLY DISCARD (6794113-1, -2, -3, -4)							Service	ATA:32
	MOS/MSC	21-Dec-04	N/A	TAC 0				DISCARD	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-10-00								
32-10-00-9610	LEFT MAIN GEAR LINK SPACER DISCARD (6741016-6, -8, -9)							Service	ATA:32
	MOS	EFF						DISCARD	
	HRS	EFF							
	AFL	EFF	15700	TAC 0	17297 * (M)		14176		
	PROC. REF: AMM 32-10-00								
32-10-00-9610	RIGHT MAIN GEAR LINK SPACER DISCARD (6741016-6, -8, 9)							Service	ATA:32
	MOS	EFF						DISCARD	
	HRS	EFF		TAC 0					
	AFL	EFF	15700	TAC 0	15700 * (M)		12579		
	PROC. REF: AMM 32-10-00								
32-10-00-9611	LEFT MAIN GEAR LINK PIVOT PIN DISCARD (6741017-3, -5, -6)							Service	ATA:32
	MOS	EFF						DISCARD	
	HRS	EFF							
	AFL	EFF	26000	TAC 0	27597 * (M)		24476		
	PROC. REF: AMM 32-10-00								
32-10-00-9611	RIGHT MAIN GEAR LINK PIVOT PIN DISCARD (6741017-3, -5, -6)							Service	ATA:32
	MOS	EFF		TAC 0				DISCARD	
	HRS	EFF		TAC 0					
	AFL	EFF	26000	TAC 0	27976 * (M)		24855		
	PROC. REF: AMM 32-10-00								
32-20-00-2200 ^S	NOSE LANDING GEAR ASSEMBLY STRUCTURAL AND CORROSION DETAILED INSPECTION							Service	ATA:32
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-20-00								

PKG:101

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-20-00-2201 ^S	NOSE LANDING GEAR WHEEL AND TIRE ASSEMBLY STRUCTURAL AND CORROSION DETAILED INSPECTION							Service	ATA:32
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-20-00							PKG:101	
32-20-00-2202 ^S	NOSE LANDING GEAR DETAILED INSPECTION							Service	ATA:32
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-20-00							PKG:114	
32-20-00-9600	NOSE GEAR ASSEMBLY DISCARD (6742060-5, -7, -9, -10, 6794063-1, -2, -3, -4, 6742160-1, -2, -3, -5, -7, -8, -10, -11, -208, DDA02291-1, DDA05009-1, DDA05020-1, DDA05554-1, AND DDA05592-1, 6742560-3, -7, -8, -11)							Service	ATA:32
PN:6742160-7	MOS	EFF						DISCARD	
SN:17	HRS	EFF							
	AFL	EFF	33300	TAC 0	33300 * (M)		30179		
	PROC. REF: AMM 32-20-00								
32-30-03-9600	NOSE GEAR ACTUATOR DISCARD (9914452-2, -3)							Service	ATA:32
PN:2-7888-2	MOS	EFF						DISCARD	
SN:291	HRS	EFF							
	AFL	EFF	33300	TAC 0	33300 * (M)		30179		
	PROC. REF: AMM 32-30-03								
32-30-06-7800	40005338-4, 40005338-5 LANDING GEAR EMERGENCY PNEUMATIC STORAGE BOTTLE (HYDROSTATIC) RESTORATION							Service	ATA:32
	MOS	EFF	36		28-Feb-27 * (M)		832 d	HYDRO CHECK	
	HRS								
	AFL								
	PROC. REF: AMM 32-30-06								
32-30-06-9600	40005338-4, 40005338-5 LANDING GEAR EMERGENCY PNEUMATIC STORAGE BOTTLE DISCARD							Service	ATA:32
	MOS	EFF	288	TAC 41	30-Sep-44 * (M)		7256 d	DISCARD	
	HRS	EFF							
	AFL	EFF							
	PROC. REF: AMM 32-30-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-41-00-2100	LEFT INBOARD WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:32
	MOS/MSC	EFF	24 (+1m/-1m) / T/C	TAC 0	31-May-26 *	30-Jun-26	559 d (+30)		
	HRS			TAC 0					
	AFL			TAC 0					
	PROC. REF: AMM 32-41-00								
32-41-00-2100	LEFT NOSE WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:32
	MOS/MSC	EFF	24 (+1m/-1m) / T/C		31-May-26 * (M)		559 d		
	HRS								
	AFL								
	PROC. REF: AMM 32-41-00								
32-41-00-2100	LEFT OUTBOARD WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:32
	MOS/MSC	EFF	24 (+1m/-1m) / T/C	TAC 0	31-May-26 *	30-Jun-26	559 d (+30)		
	HRS			TAC 0					
	AFL			TAC 0					
	PROC. REF: AMM 32-41-00								
32-41-00-2100	RIGHT INBOARD WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:32
PN:3-1537-2	MOS/MSC	31-Jul-24	24 (+1m/-1m) / T/C		31-Jul-26	31-Aug-26	620 d (+31)		
SN:1108	HRS	5672.7							
	AFL	3097							
	PROC. REF: AMM 32-41-00								
32-41-00-2100	RIGHT NOSE WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:32
	MOS/MSC	EFF	24 (+1m/-1m) / T/C		31-May-26 * (M)		559 d		
	HRS								
	AFL								
	PROC. REF: AMM 32-41-00								
32-41-00-2100	RIGHT OUTBOARD WHEEL MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:32
PN:3-1537-2	MOS/MSC	28-Aug-24	24 (+1m/-1m) / T/C		31-Aug-26	30-Sep-26	651 d (+30)		
SN:1441	HRS	5689.6							
	AFL	3107							
	PROC. REF: AMM 32-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-41-00-2800	LEFT INBOARD WHEEL LANDING GEAR WHEELS (EDDY CURRENT AND PENETRANT) SPECIAL DETAILED INSPECTION							Service	ATA:32
	MOS/MSC	13-Dec-17	O/C	TAC 0					
	HRS	3400.5		TAC 0					
	AFL	1976		TAC 0					
	PROC. REF: AMM 32-41-00								
32-41-00-2800	LEFT NOSE WHEEL LANDING GEAR WHEELS (EDDY CURRENT AND PENETRANT) SPECIAL DETAILED INSPECTION							Service	ATA:32
	MOS/MSC	13-Dec-17	O/C	TAC 0					
	HRS	3400.5		TAC 0					
	AFL	1976		TAC 0					
	PROC. REF: AMM 32-41-00								
32-41-00-2800	LEFT OUTBOARD WHEEL LANDING GEAR WHEELS (EDDY CURRENT AND PENETRANT) SPECIAL DETAILED INSPECTION							Service	ATA:32
	MOS/MSC	13-Dec-17	O/C	TAC 0					
	HRS	3400.5		TAC 0					
	AFL	1976		TAC 0					
	PROC. REF: AMM 32-41-00								
32-41-00-2800	RIGHT INBOARD WHEEL LANDING GEAR WHEELS (EDDY CURRENT AND PENETRANT) SPECIAL DETAILED INSPECTION							Service	ATA:32
PN:3-1537-2	MOS/MSC	31-Jul-24	O/C						
SN:1108	HRS	5672.7							
	AFL	3097							
	PROC. REF: AMM 32-41-00								
32-41-00-2800	RIGHT NOSE WHEEL LANDING GEAR WHEELS (EDDY CURRENT AND PENETRANT) SPECIAL DETAILED INSPECTION							Service	ATA:32
PN:3-1538 1	MOS/MSC	05-Dec-22	O/C	TAC 0					
SN:1541	HRS	5443.3		TAC 0					
	AFL	2979		TAC 0					
	PROC. REF: AMM 32-41-00								
32-41-00-2800	RIGHT OUTBOARD WHEEL LANDING GEAR WHEELS (EDDY CURRENT AND PENETRANT) SPECIAL DETAILED INSPECTION							Service	ATA:32
PN:3-1537-2	MOS/MSC	28-Aug-24	O/C						
SN:1441	HRS	5689.6							
	AFL	3107							
	PROC. REF: AMM 32-41-00								
32-41-00-2901 ^S	MAIN LANDING GEAR WHEEL AND TIRE ASSEMBLY STRUCTURAL AND CORROSION DETAILED INSPECTION							Service	ATA:32
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-41-00								

PKG:101

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-43-00-7200 ^S	LANDING GEAR BRAKING SYSTEM FUNCTIONAL CHECK							Service	ATA:32
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-43-00							PKG:114	
32-43-00-7800	40005337-1, 40005355-1 AFT EMERGENCY BRAKE PNEUMATIC BOTTLE (HYDROSTATIC)RESTORATION							Service	ATA:32
	MOS	EFF	36		31-Oct-26 * (M)		712 d	HYDRO CHECK	
	HRS								
	AFL								
	PROC. REF: AMM 32-43-00								
32-50-00-2200 ^S	NOSE WHEEL STEERING CABLES DETAILED INSPECTION							Service	ATA:32
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-50-00							PKG:114	
32-50-00-7200 ^S	NOSE WHEEL STEERING SYSTEM FUNCTIONAL CHECK							Service	ATA:32
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-50-00							PKG:114	
32-50-00-7201 ^S	NOSE WHEEL STEERING ACCUMULATOR FUNCTIONAL CHECK							Service	ATA:32
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0	1000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 32-50-00							PKG:109	
32-50-00-9600	AS116-06K0166, AS116-04K0166 NOSE WHEEL POWER STEERING SYSTEM CENTERING HOSE DISCARD							Service	ATA:32
PN:AS166-06K0166	MOS	EFF		TAC 0				DISCARD	
SN:NSN	HRS	EFF	5000 (+25/-25)	TAC 0	10000 * (M)		4292		
	AFL	EFF		TAC 0					
	PROC. REF: AMM 32-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-50-00-9600	AS116-06K0166, AS116-04K0166 NOSE WHEEL POWER STEERING SYSTEM PRESSURE HOSE DISCARD							Service	ATA:32
PN:AS116-06K0166	MOS	EFF		TAC 0				DISCARD	
SN:NSN	HRS	EFF	5000 (+25/-25)	TAC 0	10000 * (M)		4292		
	AFL	EFF		TAC 0					
PROC. REF: AMM 32-50-00									
32-50-00-9600	AS116-06K0166, AS116-04K0166 NOSE WHEEL POWER STEERING SYSTEM RETRACT HOSE DISCARD							Service	ATA:32
PN:AS116-06K0171	MOS/MSC		N/A	TAC 0					
SN:NSN	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 32-50-00									
32-50-00-9600	AS116-06K0166, AS116-04K0166 NOSE WHEEL POWER STEERING SYSTEM RETURN HOSE DISCARD							Service	ATA:32
PN:AS116-04K0171	MOS/MSC		N/A	TAC 0					
SN:NSN	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 32-50-00									
32-50-00-9601	NOSE WHEEL STEERING ACCUMULATOR DISCARD (9912644-5)							Service	ATA:32
PN:57C57680A1	MOS/MSC	EFF	N/A						
SN:0027T	HRS	EFF		TAC 0					
	AFL	EFF		TAC 0					
PROC. REF: AMM 32-50-00									
321003	LEFT MAIN GEAR TRUNNION ASSEMBLY							Component	ATA:32
PN:6741026-1	MOS	21-Dec-04						LIFE LIMIT	
SN:51	HRS	0							
WC#: 32.030	AFL	0	33300	TSN 0	33300		30179		
PROC. REF: GENERIC NO REF									
321003	RIGHT MAIN GEAR TRUNNION ASSEMBLY							Component	ATA:32
PN:6741026-2	MOS	21-Dec-04						LIFE LIMIT	
SN:36	HRS	0							
WC#: 32.030	AFL	0	33300	TSN 0	33300		30179		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321003A	LEFT MAIN GEAR TRAILING LINK SPACER							Component	ATA:32
PN:6741016-9	MOS	26-Oct-12						LIFE LIMIT	
SN:273	HRS	2404.7							
WC#: 32.080	AFL	1597	15700	TSN 0	17297		14176		
PROC. REF: GENERIC NO REF									
321003A	RIGHT MAIN GEAR TRAILING LINK SPACER							Component	ATA:32
PN:6741016-6	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.080	AFL	0	15700	TSN 0	15700		12579		
PROC. REF: GENERIC NO REF									
321005	LEFT MAIN GEAR TRAILING LINK/ AXLE ASSEMBLY							Component	ATA:32
PN:6741013-6	MOS	23-Oct-13		TSN 0				LIFE LIMIT	
SN:23598841	HRS	2627.2		TSN 0					
WC#: 32.040	AFL	1688	44400	TSN 0	46088		42967		
PROC. REF: AMM 32-10-00									
321005	RIGHT MAIN GEAR TRAILING LINK/ AXLE ASSEMBLY							Component	ATA:32
PN:6741013-6	MOS	13-Dec-17		TSN 0				LIFE LIMIT	
SN:26844862	HRS	3400.5		TSN 0					
WC#: 32.040	AFL	1976	44400	TSN 0	46376		43255		
PROC. REF: AMM 32-10-00									
321005A	LEFT MAIN GEAR LINK/AXLE PIVOT PIN							Component	ATA:32
PN:6741017-6	MOS	26-Oct-12						LIFE LIMIT	
SN:378	HRS	2404.7							
WC#: 32.120	AFL	1597	26000	TSN 0	27597		24476		
PROC. REF: GENERIC NO REF									
321005A	RIGHT MAIN GEAR LINK/AXLE PIVOT PIN							Component	ATA:32
PN:6741017-6	MOS	13-Dec-17		TSN 0				LIFE LIMIT	
SN:27006738J	HRS	3400.5		TSN 0					
WC#: 32.120	AFL	1976	26000	TSN 0	27976		24855		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321009A	LEFT MAIN GEAR UPPER BARREL CAP							Component	ATA:32
PN:6741041-5	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.050	AFL	0	8000	TSN 0	8000		4879		
PROC. REF: GENERIC NO REF									
321009A	RIGHT MAIN GEAR UPPER BARREL CAP							Component	ATA:32
PN:6741041-5	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.050	AFL	0	8000	TSN 0	8000		4879		
PROC. REF: GENERIC NO REF									
321014	NOSE LANDING GEAR TRUNNION							Component	ATA:32
PN:6742020-5	MOS/MSC	21-Dec-04	O/C						
SN:77	HRS	0							
WC#: 32.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
321015	LEFT MAIN GEAR OLEO ASSEMBLY							Component	ATA:32
PN:6741140-12	MOS/MSC	EFF	H/T						
SN:35	HRS								
WC#: 32.060	AFL								
PROC. REF: AMM 32-10-00									
321015	RIGHT MAIN GEAR OLEO ASSEMBLY							Component	ATA:32
PN:6741140-12	MOS/MSC	EFF	H/T						
SN:85	HRS								
WC#: 32.060	AFL								
PROC. REF: AMM 32-10-00									
321015A	LEFT MAIN GEAR OLEO ASSEMBLY RETAINER NUT							Component	ATA:32
PN:6741143-1	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.070	AFL	0	15400	TSN 0	15400		12279		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321015A	RIGHT MAIN GEAR OLEO ASSEMBLY RETAINER NUT							Component	ATA:32
PN:6741143-1	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.070	AFL	0	15400	TSN 0	15400		12279		
PROC. REF: GENERIC NO REF									
322001	NOSE (INCLUDING TRUNNION, UPPER AND LOWER BARREL ASSEMBLIES, FITTINGS AND ATTACHING HARDWARE) LANDING GEAR							Component	ATA:32
PN:6742160-7	MOS	21-Dec-04						LIFE LIMIT	
SN:17	HRS	0							
WC#: 32.180	AFL	0	33300	TSN 0	33300		30179		
PROC. REF: AMM 32-20-00									
323001	NOSE GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:6727504-9	MOS/MSC	21-Dec-04	O/C						
SN:529	HRS	0							
WC#: 32.190	AFL	0		TSN 0					
PROC. REF: AMM 32-30-05									
323002	NOSE LANDING GEAR ACTUATOR							Component	ATA:32
PN:2-7888-2	MOS	21-Dec-04						LIFE LIMIT	
SN:291	HRS	0							
WC#: 32.480	AFL	0	33300	TSN 0	33300		30179		
PROC. REF: AMM 32-30-03									
323003	LANDING GEAR EMERGENCY PNEUMATIC EXTEND BOTTLE							Component	ATA:32
PN:40005338-5	MOS	26-Feb-24	288	TSO 41	30-Sep-44		7256 d	LIFE LIMIT	
SN:2068	HRS	5618.4							
WC#: 32.200	AFL	3059							
Manufacture Date:: 29-Sep-20 PROC. REF: AMM 32-30-06									
323009	LEFT MAIN GEAR SIDE BRACE ACTUATOR							Component	ATA:32
PN:2-7887-2	MOS	21-Dec-04						LIFE LIMIT	
SN:500	HRS	0							
WC#: 32.090	AFL	0	35100	TSN 0	35100		31979		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323009	RIGHT MAIN GEAR SIDE BRACE ACTUATOR							Component	ATA:32
PN:2-7887-2	MOS	21-Dec-04						LIFE LIMIT	
SN:484	HRS	0							
WC#: 32.090	AFL	0	35100	TSN 0	35100		31979		
PROC. REF: GENERIC NO REF									
323013	LEFT MAIN GEAR SHUTTLE VALVE							Component	ATA:32
PN:98120	MOS/MSC	21-Dec-04	O/C						
SN:2941	HRS	0		TSN 0					
WC#: 32.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
323013	RIGHT MAIN GEAR SHUTTLE VALVE							Component	ATA:32
PN:98120	MOS/MSC	21-Dec-04	O/C						
SN:2883	HRS	0		TSN 0					
WC#: 32.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
323015	NOSE GEAR SHUTTLE VALVE							Component	ATA:32
PN:98120	MOS/MSC	21-Dec-04	O/C						
SN:2758	HRS	0		TSN 0					
WC#: 32.215	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
323016	LEFT MAIN GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:6727504-9	MOS/MSC	21-Dec-04	O/C						
SN:W533	HRS	0							
WC#: 32.220	AFL	0		TSN 0					
PROC. REF: AMM 32-30-05									
323016	RIGHT MAIN GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:6727504-10	MOS/MSC	21-Dec-04	O/C						
SN:W251	HRS	0							
WC#: 32.220	AFL	0		TSN 0					
PROC. REF: AMM 32-30-05									
323031	MAIN GEAR CONTROL							Component	ATA:32
PN:049802-002	MOS/MSC	26-Apr-18	O/C						
SN:0249	HRS	3402.2							
WC#: 32.225	AFL	1977							
PROC. REF: AMM 32-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323050	LANDING GEAR CONTROL MANIFOLD							Component	ATA:32
PN:8218	MOS/MSC	21-Dec-04	O/C						
SN:0173	HRS	0		TSN 0					
WC#: 32.230	AFL	0		TSN 0					
PROC. REF: AMM 32-30-02									
323052	POWER STEERING SYSTEM CENTERING HOSE							Component	ATA:32
PN:AS166-06K0166	MOS/MSC	03-Dec-21	H/T	TSN 0					
SN:NSN	HRS	5004		TSN 0, Adj -4					
	AFL	2795		TSN 0					
PROC. REF: GENERIC NO REF									
323053	POWER STEERING SYSTEM RETRACT HOSE							Component	ATA:32
PN:AS116-06K0171	MOS/MSC	03-Dec-21	H/T	TSN 0					
SN:NSN	HRS	5004		TSN 0, Adj -4					
	AFL	2795		TSN 0					
PROC. REF: GENERIC NO REF									
323054	POWER STEERING SYSTEM PRESSURE HOSE							Component	ATA:32
PN:AS116-06K0166	MOS/MSC	03-Dec-21	H/T	TSN 0					
SN:NSN	HRS	5004		TSN 0, Adj -4					
	AFL	2795		TSN 0					
PROC. REF: GENERIC NO REF									
323100	LANDING GEAR NC002 MODULE							Component	ATA:32
PN:9908-30-1	MOS/MSC	21-Dec-04	O/C						
SN:354	HRS	0		TSN 0					
WC#: 32.235	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324001	LEFT NOSE WHEEL							Component	ATA:32
PN:3-1538-1	MOS/MSC	17-Feb-22	H/T	TSR 0					
SN:1275	HRS	5169.4		TSR 0					
WC#: 32.240	AFL	2864		TSR 0					
PROC. REF: AMM 32-41-01									
324001	RIGHT NOSE WHEEL							Component	ATA:32
PN:3-1538 1	MOS/MSC	17-Feb-22	H/T	TSR 0					
SN:1541	HRS	5169.4		TSR 0					
WC#: 32.250	AFL	2864		TSR 0					
PROC. REF: AMM 32-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324002	LEFT INBOARD HYDRAULIC FUSE							Component	ATA:32
PN:6376	MOS/MSC	01-Dec-16	O/C	TSO 2					
SN:575	HRS	3355		TSO 0					
WC#: 32.245	AFL	1960							
PROC. REF: GENERIC NO REF									
324002	LEFT OUTBOARD HYDRAULIC FUSE							Component	ATA:32
PN:6376	MOS/MSC	24-Jan-07	O/C						
SN:013	HRS	1322		TSO 0					
WC#: 32.255	AFL								
PROC. REF: GENERIC NO REF									
324002	RIGHT INBOARD HYDRAULIC FUSE							Component	ATA:32
PN:6376	MOS/MSC	21-Dec-04	O/C						
SN:993	HRS	0		TSN 0					
WC#: 32.245	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324002	RIGHT OUTBOARD HYDRAULIC FUSE							Component	ATA:32
PN:6376	MOS/MSC	21-Dec-04	O/C						
SN:990	HRS	0		TSN 0					
WC#: 32.255	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324003	LEFT NOSE GEAR TIRE							Component	ATA:32
PN:M15601	MOS/MSC	17-Feb-22	O/C	TSN 0					
SN:1076T170	HRS	5169.4		TSN 0					
WC#: 32.240	AFL	2864		TSN 0					
PROC. REF: AMM 32-41-01									
324003	RIGHT NOSE GEAR TIRE							Component	ATA:32
PN:M15601	MOS/MSC	17-Feb-22	O/C	TSN 0					
SN:1035T135	HRS	5169.4		TSN 0					
WC#: 32.250	AFL	2864		TSN 0					
PROC. REF: AMM 32-41-01									
324005	LEFT INBOARD WHEEL							Component	ATA:32
PN:3-1537-2	MOS/MSC	16-Apr-22	H/T						
SN:0518	HRS	5326.9							
WC#: 32.260	AFL	2935							
PROC. REF: AMM 32-41-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324005	LEFT OUTBOARD WHEEL							Component	ATA:32
PN:3-1537-2	MOS/MSC	21-Jul-22	H/T	TSO 17, TSR 1					
SN:0040	HRS	5441.8	TSO 1189.6, TSR 0						
WC#: 32.270	AFL	2978	TSO 498, TSR 0						
PROC. REF: AMM 32-41-02									
324005	RIGHT INBOARD WHEEL							Component	ATA:32
PN:3-1537-2	MOS/MSC	31-Jul-24	H/T	TSR 9					
SN:1108	HRS	5672.7	TSR 0						
WC#: 32.280	AFL	3097	TSR 0						
PROC. REF: AMM 32-41-02									
324005	RIGHT OUTBOARD WHEEL							Component	ATA:32
PN:3-1537-2	MOS/MSC	28-Aug-24	H/T	TSO 0					
SN:1441	HRS	5689.6	TSO 0						
WC#: 32.290	AFL	3107	TSO 0						
PROC. REF: AMM 32-41-02									
324009	LEFT INBOARD TIRE							Component	ATA:32
PN:M14401	MOS/MSC	16-Apr-22	O/C	TSN 0					
SN:1223K123	HRS	5326.9	TSN 0						
WC#: 32.260	AFL	2935	PROC. REF: GENERIC NO REF						
324009	LEFT OUTBOARD TIRE							Component	ATA:32
PN:M14401	MOS/MSC	21-Jul-22	O/C	TSN 0					
SN:2018K112	HRS	5441.8	TSN 0						
WC#: 32.270	AFL	2978	TSN 0						
PROC. REF: GENERIC NO REF									
324009	RIGHT INBOARD TIRE							Component	ATA:32
PN:M14401	MOS/MSC	31-Jul-24	O/C	TSN 0					
SN:3110K115	HRS	5672.7	TSN 0						
WC#: 32.280	AFL	3097	PROC. REF: GENERIC NO REF						
324009	RIGHT OUTBOARD TIRE							Component	ATA:32
PN:M14401	MOS/MSC	28-Aug-24	O/C	TSN 0					
SN:3184T167	HRS	5689.6	TSN 0						
WC#: 32.290	AFL	3107	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324010^U LEFT INBOARD SMART STEM SENSOR Component ATA:32								
PN:83-201-01	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:238854-1135	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
324010^U LEFT NOSE SMART STEM SENSOR Component ATA:32								
PN:83-201-01	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:238854-1136	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
324010^U LEFT OUTBOARD SMART STEM SENSOR Component ATA:32								
PN:83-201-01	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:238854-929	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
324010^U RIGHT INBOARD SMART STEM SENSOR Component ATA:32								
PN:83-201-01	MOS/MSC	17-Feb-22	O/C	TSN 0				
SN:238854-1443	HRS	5169.4		TSN 0				
	AFL	2864		TSN 0				
324010^U RIGHT NOSE SMART STEM SENSOR Component ATA:32								
PN:83-201-01	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:238854-1137	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
324010^U RIGHT OUTBOARD SMART STEM SENSOR Component ATA:32								
PN:83-201-01	MOS/MSC	17-Feb-22	O/C	TSN 0				
SN:238854-1442	HRS	5169.4		TSN 0				
	AFL	2864		TSN 0				
324013 LEFT INBOARD BRAKE Component ATA:32								
PN:2-1567-2	MOS/MSC	30-Dec-09	O/C					
SN:0664	HRS	1932						
WC#: 32.300	AFL	1255		TSO 0				
PROC. REF: AMM 32-42-01								
324013 LEFT OUTBOARD BRAKE Component ATA:32								
PN:2-1567-2	MOS/MSC	21-Jul-22	O/C	TSO 2				
SN:0337	HRS	5441.8		TSO 0				
WC#: 32.320	AFL	2978		TSO 0				
PROC. REF: AMM 32-42-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324013	RIGHT INBOARD BRAKE							Component	ATA:32
PN:2-1567-2	MOS/MSC	01-Dec-16	O/C	TSO 0					
SN:0871	HRS	3355		TSO 0					
WC#: 32.310	AFL	1960							
PROC. REF: AMM 32-42-01									
324013	RIGHT OUTBOARD BRAKE							Component	ATA:32
PN:2-1567-2	MOS/MSC	01-Dec-16	O/C	TSO 0					
SN:0977	HRS	3355		TSO 0					
WC#: 32.330	AFL	1960							
	APH								
	APS								
PROC. REF: AMM 32-42-01									
324021	LEFT ANTISKID CONTROL VALVE							Component	ATA:32
PN:39-783	MOS/MSC	21-Dec-04	O/C						
SN:499	HRS	0							
WC#: 32.340	AFL	0		TSN 0					
PROC. REF: AMM 32-42-04									
324021	RIGHT ANTISKID CONTROL VALVE							Component	ATA:32
PN:39-783	MOS/MSC	21-Dec-04	O/C						
SN:502	HRS	0							
WC#: 32.340	AFL	0		TSN 0					
PROC. REF: AMM 32-42-04									
324025	ANTISKID CONTROL BOX							Component	ATA:32
PN:42-913-1	MOS/MSC	21-Dec-04	O/C						
SN:351	HRS	0		TSN 0					
WC#: 32.345	AFL	0		TSN 0					
PROC. REF: AMM 32-42-05									
324026	BRAKE METERING VALVE							Component	ATA:32
PN:71504-4	MOS/MSC	01-Dec-16	O/C						
SN:0089A	HRS	3355							
WC#: 32.350	AFL	1960							
PROC. REF: AMM 32-42-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324028	EMERGENCY BRAKE VALVE							Component	ATA:32
PN:71501-1	MOS/MSC	21-Dec-04	O/C						
SN:0254	HRS	0							
WC#: 32.355	AFL	0		TSN 0					
				PROC. REF: AMM 32-43-00					
324029	PARKING BRAKE VALVE							Component	ATA:32
PN:95972-6	MOS/MSC	21-Dec-04	O/C						
SN:0241	HRS	0							
WC#: 32.360	AFL	0		TSN 0					
				PROC. REF: AMM 32-42-07					
324207	PARKING BRAKE SWITCH							Component	ATA:32
PN:GPP1250-42	MOS/MSC	21-Dec-04	O/C						
SN:0418272	HRS	0		TSN 0					
WC#: 32.365	AFL	0		TSN 0					
				PROC. REF: AMM 32-42-07					
324301	AFT EMERGENCY PNEUMATIC BRAKING BOTTLE							Component	ATA:32
PN:40005355-1	MOS	10-Oct-23	288	TSO 37	30-Sep-44		7256 d	LIFE LIMIT	
SN:10414	HRS	5588.9							
WC#: 32.370	AFL	3041							
		Manufacture Date:: 01-Sep-20		PROC. REF: AMM 32-43-00					
325001	AFT AUX POWER VG001 LF VALVE							Component	ATA:32
PN:67020-2	MOS/MSC	21-Dec-04	O/C						
SN:1280	HRS	0		TSN 0					
WC#: 32.380	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
325001	FORWARD AUX POWER VG002 RF VALVE							Component	ATA:32
PN:67020-2	MOS/MSC	21-Dec-04	O/C						
SN:1278	HRS	0		TSN 0					
WC#: 32.390	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
325001	NOSEWHEEL VY009 VALVE							Component	ATA:32
PN:67020-2	MOS/MSC	21-Dec-04	O/C						
SN:1285	HRS	0		TSN 0					
WC#: 32.375	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
325002	POWER STEERING UNIT							Component	ATA:32
PN:71487-9	MOS/MSC		14-Mar-12	O/C					
SN:0129CSW	HRS		2350						
WC#: 32.400	AFL		1559						
PROC. REF: AMM 32-50-00									
325003	NOSE WHEEL STEERING ACCUMULATOR							Component	ATA:32
PN:57C57680A1	MOS/MSC		21-Dec-04	O/C					
SN:0027T	HRS		0		TSN 0				
WC#: 32.410	AFL		0		TSN 0				
PROC. REF: AMM 32-50-00									
325004	NOSE GEAR STEERING GEARBOX							Component	ATA:32
PN:C81891-2	MOS/MSC		21-Dec-04	O/C					
SN:111	HRS		0		TSN 0				
WC#: 32.420	AFL		0		TSN 0				
PROC. REF: AMM 32-50-00									
325010	POWER STEERING GAUGE							Component	ATA:32
PN:19940929-1	MOS/MSC		21-Dec-04	O/C					
SN:014430	HRS		0		TSN 0				
WC#: 32.430	AFL		0		TSN 0				
PROC. REF: GENERIC NO REF									
325011	BRAKE PRESSURE GAUGE							Component	ATA:32
PN:19940929-1	MOS/MSC		21-Dec-04	O/C					
SN:014491	HRS		0		TSN 0				
WC#: 32.440	AFL		0		TSN 0				
PROC. REF: GENERIC NO REF									
325012	GEAR PRESSURE GAUGE							Component	ATA:32
PN:19940929-1	MOS/MSC		21-Dec-04	O/C					
SN:014488	HRS		0		TSN 0				
WC#: 32.450	AFL		0		TSN 0				
PROC. REF: GENERIC NO REF									
325013	POWER STEERING SYSTEM RETURN HOSE							Component	ATA:32
PN:AS116-04K0171	MOS/MSC		03-Dec-21	H/T	TSN 0				
SN:NSN	HRS		5004		TSN 0, Adj -4				
	AFL		2795		TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
326001	NOSE GEAR DOWNLOCK SWITCH							Component	ATA:32
PN:6-0275-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.460	AFL	0			TSN 0				
PROC. REF: AMM 32-30-03									
326002	LEFT MAIN GEAR DOWNLOCK SWITCH							Component	ATA:32
PN:6-0275-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.470	AFL	0			TSN 0				
PROC. REF: AMM 32-30-04									
326002	RIGHT MAIN GEAR DOWNLOCK SWITCH							Component	ATA:32
PN:6-0275-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.470	AFL	0			TSN 0				
PROC. REF: AMM 32-30-04									
D323000	HYDROSTATIC TEST LANDING GEAR EMERGENCY PNEUMATIC EXTEND BOTTLE EMERGENCY GEAR EXTENSION BOTTLE ASSY							Service	ATA:32
PN:40005338-5	MOS	06-Feb-24	36		28-Feb-27		832 d		
SN:2068	HRS								
WC#: 32.200	AFL								
HydroCheck Date: : 06-Feb-24									
D324000	HYDROSTATIC TEST AFT EMERGENCY PNEUMATIC BRAKING BOTTLE							Service	ATA:32
PN:40005355-1	MOS	05-Oct-23	36		31-Oct-26		712 d		
SN:10414	HRS								
WC#: 32.535	AFL								
HydroCheck Date: : 05-Oct-23									
ATA 33 - LIGHTS									
33-40-00-7200 ^S	01-0770805-00 LED TAIL LIGHT FUNCTIONAL CHECK (AIRPLANES -0226 THRU -0238 AND AIRPLANES -0001 THRU -0225 INCORPORATING SB750-33-20)							Service	ATA:33
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 33-40-00									
								PKG:131	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-40-00-9600	30-2900-3/-4 LEFT AFT LED NAVIGATION LIGHTS DISCARD (AIRPLANES -0239 THRU -0500 AND AIRPLANES -0001 THRU -0238 INCORPORATING SB750-33-21)							Service	ATA:33
PN:PN	MOS/MSC	EFF	N/A	TAC 0				DISCARD	
SN:UNKNOWN	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 33-40-00									
33-40-00-9600	30-2900-3/-4 LEFT FORWARD LED NAVIGATION LIGHTS DISCARD (AIRPLANES -0239 THRU -0500 AND AIRPLANES -0001 THRU -0238 INCORPORATING SB750-33-21)							Service	ATA:33
PN:PN	MOS/MSC	EFF	N/A	TAC 0				DISCARD	
SN:UNKNOWN	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 33-40-00									
33-40-00-9600	30-2900-3/-4 RIGHT AFT LED NAVIGATION LIGHTS DISCARD (AIRPLANES -0239 THRU -0500 AND AIRPLANES -0001 THRU -0238 INCORPORATING SB750-33-21)							Service	ATA:33
PN:PN	MOS/MSC	EFF	N/A	TAC 0				DISCARD	
SN:UNKNOWN	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 33-40-00									
33-40-00-9600	30-2900-3/-4 RIGHT FORWARD NAVIGATION LIGHTS DISCARD (AIRPLANES -0239 THRU -0500 AND AIRPLANES -0001 THRU -0238 INCORPORATING SB750-33-21)							Service	ATA:33
PN:PN	MOS/MSC	EFF	N/A	TAC 0				DISCARD	
SN:UNKNOWN	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 33-40-00									
33-40-00-9601	01-0770966-00 LED TAIL LIGHT DISCARD (AIRPLANES -0239 THRU -0500 AND AIRPLANES -0001 THRU -0225 INCORPORATING SB750-33-20)							Service	ATA:33
PN:01-0770966-00	MOS	EFF		TAC 0				DISCARD	
SN:3580	HRS	EFF	10000 (+25/-25)	TAC 0	15618.4 *	15643.4	9910.4 (+25)		
	AFL			TAC 0					
PROC. REF: AMM 33-40-00									
33-40-00-9602	01-790088-03/-04 LED GROUND RECOGNITION LIGHT DISCARD (AIRPLANES -0262 THRU -0500 AND AIRPLANES -0001 THRU -0261 INCORPORATING SB750-33-24 AND/OR SB750-33-25)							Service	ATA:33
PN:PN	MOS/MSC	EFF	N/A	TAC 0				DISCARD	
SN:UNKNOWN	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 33-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-50-00-7100 ^S	RECHARGEABLE LED FLASHLIGHT OPERATIONAL CHECK							Service	ATA:33
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 33-50-00							PKG:101	
33-50-00-7200 ^S	EMERGENCY LIGHTING BATTERY PACK(S) (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:33
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 33-50-00							PKG:101	
33-50-00-7201 ^S	EMERGENCY LIGHTING FUNCTIONAL CHECK							Service	ATA:33
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 33-50-00							PKG:102	
33-50-00-9600	D-CELL MAGLITE FLASHLIGHT BATTERIES DISCARD							Service	ATA:33
	MOS	EFF	12 (+1m/-1m)	TAC 0	31-May-25 *	30-Jun-25	194 d (+30)	DISCARD	
	HRS			TAC 0					
	AFL			TAC 0					
	PROC. REF: AMM 33-50-00								
33-50-00-9601	9913-1 NO. 1 FORWARD EMERGENCY LIGHTING BATTERY PACK(S) RESTORATION							Service	ATA:33
	MOS	EFF	48 (+1m/-1m)		31-Jul-26 * (M)		620 d	RESTORE	
	HRS	EFF							
	AFL	EFF							
	PROC. REF: AMM 33-50-00								
33-50-00-9601	9913-1 NO. 2 AFT EMERGENCY LIGHTING BATTERY PACK(S) RESTORATION							Service	ATA:33
	MOS	EFF	48 (+1m/-1m)		31-Jul-26 * (M)		620 d	RESTORE	
	HRS	EFF							
	AFL	EFF							
	PROC. REF: AMM 33-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-90-50-960	NO. 1 FORWARD EMERGENCY LIGHTING BATTERY PACK RESTORATION - (INSPECT/REPLACE)							Service	ATA:33
PN:9913-1	MOS	21-Jul-22	48 (+1m/-1m)		31-Jul-26	31-Aug-26	620 d (+31)		
SN:1969	HRS	5441.8							
	AFL	2978							
PROC. REF: AMM 33-50-00									
33-90-50-960	NO. 2 AFT EMERGENCY LIGHTING BATTERY PACK RESTORATION - (INSPECT/REPLACE)							Service	ATA:33
PN:9913-1	MOS	21-Jul-22	48 (+1m/-1m)		31-Jul-26	31-Aug-26	620 d (+31)		
SN:2538	HRS	5441.8							
	AFL	2978							
PROC. REF: AMM 33-50-00									
331000	EL PANEL INVERTER							Component	ATA:33
PN:EM2044-1	MOS/MSC	21-Dec-04	O/C						
SN:4663A	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
PROC. REF: AMM 33-10-01									
331001	CENTER LIGHT DIMMER							Component	ATA:33
PN:273-1	MOS/MSC	21-Dec-04	O/C						
SN:204240076	HRS	0		TSN 0					
WC#: 33.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
331001	LEFT LIGHT DIMMER							Component	ATA:33
PN:273-1	MOS/MSC	21-Dec-04	O/C						
SN:204240069	HRS	0		TSN 0					
WC#: 33.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
331001	RIGHT LIGHT DIMMER							Component	ATA:33
PN:273-1	MOS/MSC	21-Dec-04	O/C						
SN:204240070	HRS	0		TSN 0					
WC#: 33.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
331004	CB PANEL INVERTER							Component	ATA:33
PN:6900173-000	MOS/MSC	21-Feb-16	O/C	TSO 0					
SN:4419	HRS	3155.2		TSO 0					
WC#: 33.040	AFL	1885							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
332001	AFT LIGHT POWER SUPPLY							Component	ATA:33
PN:CLC500-01	MOS/MSC	21-Dec-04	O/C						
SN:500000512	HRS	0		TSN 0					
WC#: 33.030	AFL	0		TSN 0					
PROC. REF: AMM 33-10-01									
332001	CENTER LIGHT POWER SUPPLY							Component	ATA:33
PN:CLC500-01	MOS/MSC	18-Aug-06	O/C						
SN:500000444	HRS	1150		TSO 0					
WC#: 33.020	AFL								
PROC. REF: AMM 33-10-01									
332001	FORWARD LIGHT POWER SUPPLY							Component	ATA:33
PN:CLC500-01	MOS/MSC	30-Sep-05	O/C						
SN:500000494	HRS	542		TSO 0					
WC#: 33.020	AFL								
PROC. REF: AMM 33-10-01									
332030	PULSE LT CONTROLLER							Component	ATA:33
PN:2400-25-4-4-C2	MOS/MSC	21-Dec-04	O/C						
SN:00379	HRS	0		TSN 0					
WC#: 33.320	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
333001	FORWARD ENTRY CONTROLLER							Component	ATA:33
PN:104001-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
333010	EICAS LOGIC NK101 MODULE							Component	ATA:33
PN:6718474-1	MOS/MSC	21-Dec-04	O/C						
SN:0384	HRS	0		TSN 0					
WC#: 33.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
334000 : 1 ^U	1 WINGLET NAV LIGHT FLASHER							Component	ATA:33
PN:01-0771148-00	MOS/MSC	27-Jan-13	O/C						
SN:00161	HRS	2441.2							
	AFL	1619							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334000 : 2^U 2 WINGLET NAV LIGHT FLASHER Component ATA:33								
PN:01-0771148-00	MOS/MSC	03-Dec-21	O/C					
SN:00170	HRS	5004						
	AFL	2795						
334000 : L^U LEFT LED ANTI-COLLISION LIGHT-WINGLET Component ATA:33								
PN:01-0771184-00	MOS/MSC	27-Jan-13	O/C					
SN:00225	HRS	2441.2						
	AFL	1619						
334000 : LI^U LEFT INBOARD RED LED NAV LIGHT-WINGLET Component ATA:33								
PN:01-0771182-02	MOS/MSC	27-Jan-13	O/C					
SN:00306	HRS	2441.2						
	AFL	1619						
334000 : LO^U LEFT OUTBOARD RED LED NAV LIGHT-WINGLET Component ATA:33								
PN:01-0771182-02	MOS/MSC	27-Jan-13	O/C					
SN:00312	HRS	2441.2						
	AFL	1619						
334000 : R^U RIGHT LED ANTI-COLLISION LIGHT-WINGLET Component ATA:33								
PN:01-0771184-00	MOS/MSC	03-Dec-21	O/C					
SN:10172120009	HRS	5004						
	AFL	2795						
334000 : RI^U RIGHT INBOARD GREEN LED NAV LIGHT-WINGLET Component ATA:33								
PN:01-0771182-01	MOS/MSC	20-Mar-23	O/C	TSN 0				
SN:13795470004	HRS	5477.1		TSN 0				
	AFL	2994						
334000 : RO^U RIGHT OUTBOARD GREEN LED NAV LIGHT-WINGLET Component ATA:33								
PN:01-0771182-01	MOS/MSC	27-Jan-13	O/C					
SN:00285	HRS	2441.2						
	AFL	1619						
334001 UPPER STROBE LIGHT Component ATA:33								
PN:013100-3	MOS/MSC	10-Feb-05	O/C					
SN:AC3183	HRS	79		TSO 1115				
WC#: 33.190	AFL							
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
334002	BELLY STROBE LIGHT							Component	ATA:33
PN:013100-3	MOS/MSC	21-Dec-04	O/C						
SN:AE3250	HRS	0		TSN 0					
WC#: 33.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
334005	TAIL LIGHT ASSEMBLY							Component	ATA:33
PN:01-0770966-00	MOS/MSC	07-Oct-10	O/C		TSN 0				
SN:3580	HRS	2074.5		TSN 0					
WC#: 33.330	AFL	1373							
PROC. REF: AMM 33-40-01									
334006 ^U	LEFT WINGLET NAV LIGHT FLASHER							Component	ATA:33
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
334006 ^U	RIGHT WINGLET NAV LIGHT FLASHER							Component	ATA:33
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
334006 ^U	TAIL NAV LITE							Component	ATA:33
PN:PN	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
334006 ^U	TAIL TAIL NAV LIGHT FLASHER							Component	ATA:33
PN:01-0771148-01	MOS/MSC	27-Jan-13	O/C						
SN:00206	HRS	2441.2							
	AFL	1619							
334009	LEFT AFT LED WING NAV LIGHT ASSY							Component	ATA:33
PN:PN	MOS/MSC	21-Dec-04	H/T		TSN 0				
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.340	AFL	0		TSN 0					
PROC. REF: AMM 33-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334009 LEFT FORWARD LED WING NAV LIGHT ASSY Component ATA:33								
PN:PN	MOS/MSC	21-Dec-04	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.340	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01								
334010 RIGHT AFT LED WING NAV LIGHT ASSY Component ATA:33								
PN:PN	MOS/MSC	21-Dec-04	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.345	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01								
334010 RIGHT FORWARD LED WING NAV LIGHT ASSY Component ATA:33								
PN:PN	MOS/MSC	21-Dec-04	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.345	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01								
334020^U LEFT NOSE LOPRESTI BOOM BEAM LAMP ASSEMBLY Component ATA:33								
PN:LSM-500-390-3	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:60505	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
334020^U RIGHT NOSE LOPRESTI BOOM BEAM LAMP ASSEMBLY Component ATA:33								
PN:LSM-500-390-4	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:60504	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
334021^U LEFT NOSE BOOM BEAM TAXI LIGHT BALLAST Component ATA:33								
PN:LSM-SCD-019-5	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:60585	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
334021^U RIGHT NOSE BOOM BEAM TAXI LIGHT BALLAST Component ATA:33								
PN:LSM-SCD-019-5	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:60584	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334022^U LEFT INBOARD BOOM BEAM LANDING LIGHT Component ATA:33								
PN:LSM-500-415-61	MOS/MSC	20-Mar-23	O/C	TSN 0				
SN:71828	HRS	5477.1		TSN 0				
	AFL	2994						
334022^U LEFT OUTBOARD BOOM BEAM LANDING LIGHT Component ATA:33								
PN:LSM-SCD-009-1	MOS/MSC	21-Aug-21	O/C	TSN 0				
SN:68346	HRS	4737.2		TSN 0				
	AFL	2681		TSN 0				
334022^U RIGHT INBOARD BOOM BEAM LANDING LIGHT Component ATA:33								
PN:LSM-500-415-62	MOS/MSC	20-Mar-23	O/C	TSN 0				
SN:71631	HRS	5477.1		TSN 0				
	AFL	2994						
334022^U RIGHT OUTBOARD BOOM BEAM LANDING LIGHT Component ATA:33								
PN:LSM-500-415-62	MOS/MSC	20-Mar-23	O/C	TSN 0				
SN:71829	HRS	5477.1		TSN 0				
	AFL	2994						
334023^U LEFT AFT LANDING LIGHT BALLAST Component ATA:33								
PN:LSM-SCD-019-5	MOS/MSC	04-Mar-21	O/C	TSN 0				
SN:067768	HRS	4268.6		TSN 0				
	AFL	2486		TSN 0				
334023^U LEFT FORWARD LANDING LIGHT BALLAST Component ATA:33								
PN:LSM-SCD-019-5	MOS/MSC	23-Feb-20	O/C					
SN:66213	HRS	3648.4						
	AFL	2179						
334023^U RIGHT AFT LANDING LIGHT BALLAST Component ATA:33								
PN:LSM-SCD-019-5	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:54118	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
334023^U RIGHT FORWARD LANDING LIGHT BALLAST Component ATA:33								
PN:LSM-SCD-019-5	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:53042	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
335001	NO. 1 FORWARD EMERGENCY BATTERY PACK							Component	ATA:33
PN:9913-1	MOS/MSC	21-Jul-22	O/C	TSN 184, TSO 0					
SN:1969	HRS	5441.8		TSO 0					
WC#: 33.220	AFL	2978		TSO 0					
PROC. REF: GENERIC NO REF									
335001	NO. 2 AFT EMERGENCY BATTERY PACK							Component	ATA:33
PN:9913-1	MOS/MSC	21-Jul-22	O/C	TSN 132, TSO 0					
SN:2538	HRS	5441.8		TSO 0					
WC#: 33.230	AFL	2978		TSO 0					
PROC. REF: GENERIC NO REF									
336000^U	#1 LED STEP LIGHT							Component	ATA:33
PN:6900163-001	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:02572	HRS	3402.2		TSN 0					
	AFL	1977		TSN 0					
336000^U	#2 LED STEP LIGHT							Component	ATA:33
PN:6900163-001	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:02559	HRS	3402.2		TSN 0					
	AFL	1977		TSN 0					
336000^U	#3 LED STEP LIGHT							Component	ATA:33
PN:6900163-001	MOS/MSC	21-Aug-21	O/C	TSN 0					
SN:03409	HRS	4737.2		TSN 0					
	AFL	2681		TSN 0					
336000^U	#4 LED STEP LIGHT							Component	ATA:33
PN:6900163-001	MOS/MSC	21-Jul-22	O/C	TSN 0					
SN:04822	HRS	5441.8		TSN 0					
	AFL	2978		TSN 0					
336000^U	#5 LED STEP LIGHT							Component	ATA:33
PN:6900163-001	MOS/MSC	21-Jul-22	O/C	TSN 0					
SN:04852	HRS	5441.8		TSN 0					
	AFL	2978		TSN 0					
336000^U	#6 LED STEP LIGHT							Component	ATA:33
PN:6900163-001	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:02528	HRS	3402.2		TSN 0					
	AFL	1977		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
334025	LED GROUND RECOGNITION LIGHT							Component	ATA:34
PN:PN	MOS/MSC	EFF	H/T	TSN 0					
SN:UNKNOWN	HRS			TSN 0					
	AFL			TSN 0					
34-11-01-7200	PITOT/STATIC SYSTEM FUNCTIONAL CHECK							Service	ATA:34
	MOS	EFF	24		30-Apr-26 * (M)		528 d		
	HRS	EFF							
	AFL	EFF							
	PROC. REF: AMM 34-11-01								
34-22-01-7200	EMERGENCY POWER SUPPLY (CAPACITY CHECK) FUNCTIONAL CHECK							Service	ATA:34
PN:501-1228-03	MOS	26-Feb-24	12 (+1m/-1m)		31-Dec-24 (M)		43 d		
SN:6733	HRS	5618.4							
	AFL	3059							
	PROC. REF: AMM 34-22-01								
34-53-20-7200	TRANSPONDER SYSTEM FUNCTIONAL CHECK							Service	ATA:34
	MOS	EFF	24		30-Apr-26 * (M)		528 d		
	HRS	EFF							
	AFL	EFF							
	PROC. REF: AMM 34-53-20								
340107	NO. 1 FORWARD BOTTOM TRANSPONDER ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	21-Dec-04	O/C						
SN:91185	HRS	0		TSN 0					
WC#: 34.030	AFL	0		TSN 0					
	PROC. REF: AMM 34-53-11								
340107	NO. 2 AFT BOTTOM TRANSPONDER ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	21-Dec-04	O/C						
SN:100554	HRS	0		TSN 0					
WC#: 34.040	AFL	0		TSN 0					
	PROC. REF: AMM 34-53-11								
340113	LEFT ASCB DATA COUPLER							Component	ATA:34
PN:5008500-002	MOS/MSC	21-Dec-04	O/C						
SN:13898	HRS	0		TSN 0					
WC#: 34.060	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340113 RIGHT ASCB DATA COUPLER Component ATA:34								
PN:5008500-002	MOS/MSC	21-Dec-04	O/C					
SN:13900	HRS	0		TSN 0				
WC#: 34.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
340119 LEFT IRS MODE SELECT UNIT Component ATA:34								
PN:CG1042AB03	MOS/MSC	21-Dec-04	O/C					
SN:56005450	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 34-43-01								
340119 RIGHT IRS MODE SELECT UNIT Component ATA:34								
PN:CG1042AB03	MOS/MSC	21-Dec-04	O/C					
SN:100022781	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 34-43-01								
340130 EGPWS COMPUTER Component ATA:34								
PN:965-0976-040-219-219	MOS/MSC	04-May-06	O/C					
SN:19662	HRS	955		TSO 1155				
WC#: 34.080	AFL							
PROC. REF: AMM 34-42-01								
340132 AFIS DATA MANAGEMENT UNIT Component ATA:34								
PN:400-045500-0003	MOS/MSC	26-Apr-15	O/C					
SN:904	HRS	2993.9						
WC#: 34.090	AFL	1824						
PROC. REF: GENERIC NO REF								
341001 LEFT PITOT TUBE Component ATA:34								
PN:6708303-9	MOS/MSC	26-Apr-18	O/C		TSN 0			
SN:AS10165935	HRS	3402.2			TSN 0			
WC#: 34.100	AFL	1977						
PROC. REF: AMM 34-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341001	RIGHT PITOT TUBE							Component	ATA:34
PN:6708303-8	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:AS08163458	HRS	3402.2		TSN 0					
WC#: 34.100	AFL	1977							
PROC. REF: AMM 34-11-01									
341003	STANDBY PITOT TUBE							Component	ATA:34
PN:PH1100-1-RCJW	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:AS07151961	HRS	3402.2		TSN 0					
WC#: 34.110	AFL	1977							
PROC. REF: AMM 34-11-01									
341101	LEFT AIR DATA COMPUTER							Component	ATA:34
PN:7014700-607	MOS/MSC	26-Oct-12	O/C						
SN:00073924	HRS	2404.7							
WC#: 34.010	AFL	1597							
PROC. REF: AMM 34-11-07									
341101	RIGHT AIR DATA COMPUTER							Component	ATA:34
PN:7014700-607	MOS/MSC	31-Jul-14	O/C						
SN:00124467	HRS	2807.7							
WC#: 34.010	AFL	1749							
PROC. REF: AMM 34-11-07									
341103	STANDBY ALTIMETER/ AIRSPEED							Component	ATA:34
PN:WL102AMS6	MOS/MSC	07-Dec-06	O/C						
SN:AP541	HRS	1293		TSO 456					
WC#: 34.120	AFL								
PROC. REF: AMM 34-11-04									
341201	LEFT AOA TRANSMITTER							Component	ATA:34
PN:SLZ8071-2	MOS/MSC	27-Aug-20	O/C						
SN:MX0159	HRS	3786.7							
WC#: 34.130	AFL	2275							
PROC. REF: AMM 34-14-01									
341201	RIGHT AOA TRANSMITTER							Component	ATA:34
PN:SLZ7903	MOS/MSC	21-Dec-04	O/C						
SN:EN0499	HRS	0		TSN 0					
WC#: 34.130	AFL	0		TSN 0					
PROC. REF: AMM 34-14-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341203	LEFT AOA STALL COMPUTER							Component	ATA:34
PN:SLZ8071-2	MOS/MSC	27-Aug-20	O/C						
SN:MX0080	HRS	3786.7							
WC#: 34.140	AFL	2275							
PROC. REF: GENERIC NO REF									
341203	RIGHT AOA STALL COMPUTER							Component	ATA:34
PN:SLZ8071-2	MOS/MSC	27-Aug-20	O/C						
SN:MX0232	HRS	3786.7							
WC#: 34.140	AFL	2275							
PROC. REF: GENERIC NO REF									
341204	AOA INDEXER							Component	ATA:34
PN:SLZ9374N	MOS/MSC	21-Dec-04	O/C						
SN:654	HRS	0		TSN 0					
WC#: 34.095	AFL	0		TSN 0					
PROC. REF: AMM 34-14-01									
341205	AOA INDICATOR							Component	ATA:34
PN:SLZ8052	MOS/MSC	25-Jul-08	O/C						
SN:EU0028	HRS	1729		TSO 8200					
WC#: 34.150	AFL								
PROC. REF: AMM 34-14-01									
341207	LEFT RADIO ALTIMETER ANTENNA							Component	ATA:34
PN:S67-2002-4	MOS/MSC	21-Dec-04	O/C						
SN:12129	HRS	0		TSN 0					
WC#: 34.160	AFL	0		TSN 0					
PROC. REF: AMM 34-12-01									
341207	RIGHT RADIO ALTIMETER ANTENNA							Component	ATA:34
PN:S67-2002-4	MOS/MSC	21-Dec-04	O/C						
SN:12147	HRS	0		TSN 0					
WC#: 34.170	AFL	0		TSN 0					
PROC. REF: AMM 34-12-01									
341301	LEFT RAT PROBE							Component	ATA:34
PN:0102LC1AF	MOS/MSC	21-Dec-04	O/C						
SN:A52603	HRS	0		TSN 0					
WC#: 34.105	AFL	0		TSN 0					
PROC. REF: AMM 34-13-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341301 RIGHT RAT PROBE Component ATA:34								
PN:0102LC1AF	MOS/MSC	21-Dec-04	O/C					
SN:A52602	HRS	0		TSN 0				
WC#: 34.105	AFL	0		TSN 0				
PROC. REF: AMM 34-13-01								
341500 RADIO ALT Component ATA:34								
PN:7001840-936	MOS/MSC	10-Feb-05	O/C					
SN:00128856	HRS	79		TSO 0				
WC#: 34.180	AFL							
PROC. REF: AMM 34-12-01, AMM 34-12-04								
342201 STANDBY GYRO Component ATA:34								
PN:501-1568-28	MOS/MSC	15-Nov-14	O/C					
SN:8233	HRS	2870.3		TSO 0				
WC#: 34.190	AFL	1778						
PROC. REF: AMM 34-22-01								
342202 STANDBY GYRO CONVERTER Component ATA:34								
PN:501-1228-03	MOS/MSC	14-Oct-19	O/C					
SN:80062	HRS	3601.9						
WC#: 34.200	AFL	2145						
PROC. REF: AMM 34-22-01								
342204 NO. 1 JET GYRO EMERGENCY POWER SUPPLY Component ATA:34								
PN:501-1228-03	MOS/MSC	26-Feb-24	H/T	TSR 0				
SN:6733	HRS	5618.4		TSR 0				
WC#: 34.210	AFL	3059		TSR 0				
PROC. REF: AMM 34-22-01								
342301 STANDBY HSI INDICATOR Component ATA:34								
PN:520-3151-003	MOS/MSC	21-Dec-04	O/C					
SN:22825	HRS	0		TSN 0				
WC#: 34.220	AFL	0		TSN 0				
PROC. REF: AMM 34-23-01								
342503 LEFT DISPLAY CONTROLLER Component ATA:34								
PN:7016683-911	MOS/MSC	21-Dec-04	O/C					
SN:04071527	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342503 RIGHT DISPLAY CONTROLLER Component ATA:34								
PN:7016683-911	MOS/MSC	21-Dec-04	O/C					
SN:04071528	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								
342505 LEFT SOURCE CONTROLLER Component ATA:34								
PN:7016709-905	MOS/MSC	21-Dec-04	O/C					
SN:04070647	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								
342505 RIGHT SOURCE CONTROLLER Component ATA:34								
PN:7016709-905	MOS/MSC	21-Dec-04	O/C					
SN:04070646	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								
342507 LEFT REVERSIONARY CONTROLLER Component ATA:34								
PN:7016880-917	MOS/MSC	21-Dec-04	O/C					
SN:04070659	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								
342507 RIGHT REVERSIONARY CONTROLLER Component ATA:34								
PN:7016880-917	MOS/MSC	21-Dec-04	O/C					
SN:04070658	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								
342509 LEFT REMOTE INST CONTROLLER Component ATA:34								
PN:7016609-905	MOS/MSC	21-Dec-04	O/C					
SN:04070652	HRS	0		TSN 0				
WC#: 34.260	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								
342509 RIGHT REMOTE INST CONTROLLER Component ATA:34								
PN:7016609-915	MOS/MSC	21-Dec-04	O/C					
SN:04070650	HRS	0		TSN 0				
WC#: 34.260	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342512	1 PRIMARY FLIGHT DISPLAY							Component	ATA:34
PN:K9321060A13	MOS/MSC	17-Jan-20	O/C	TSN 21					
SN:1890388781	HRS	3642.5		TSN 240.3					
WC#: 34.270	AFL	2173							
					PROC. REF: AMM 31-50-01				
342512	5 PRIMARY FLIGHT DISPLAY							Component	ATA:34
PN:K9321060A13	MOS/MSC	17-Jan-20	O/C	TSN 21					
SN:2890001868	HRS	3642.5		TSN 240.3					
WC#: 34.275	AFL	2173							
					PROC. REF: AMM 31-50-01				
342514	NO. 2 MULTIFUNCTION DISPLAY							Component	ATA:34
PN:K9321060A13	MOS/MSC	17-Jan-20	O/C	TSN 21					
SN:1890388782	HRS	3642.5		TSN 240.3					
WC#: 34.280	AFL	2173							
					PROC. REF: AMM 31-50-01				
342514	NO. 4 MULTIFUNCTION DISPLAY							Component	ATA:34
PN:K9321060A13	MOS/MSC	17-Jan-20	O/C	TSN 21					
SN:1890388779	HRS	3642.5		TSN 240.3					
WC#: 34.285	AFL	2173							
					PROC. REF: AMM 31-50-01				
343000	MARKER BEACON ANTENNA							Component	ATA:34
PN:C1165	MOS/MSC	21-Dec-04	O/C						
SN:4031326	HRS	0		TSN 0					
WC#: 34.290	AFL	0		TSN 0					
					PROC. REF: AMM 34-31-01				
343002	GLIDESLOPE ANTENNA							Component	ATA:34
PN:RGS10-48	MOS/MSC	21-Dec-04	O/C						
SN:2040326	HRS	0		TSN 0					
WC#: 34.300	AFL	0		TSN 0					
					PROC. REF: AMM 34-31-01				
344100	WEATHER RADAR CONTROL							Component	ATA:34
PN:7008471-417	MOS/MSC	21-Dec-04	O/C						
SN:04067752	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
					PROC. REF: AMM 34-41-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344101	RADAR TRANSCEIVER							Component	ATA:34
PN:7021450-801	MOS/MSC	19-Jul-12	O/C						
SN:99121882	HRS	2384.6							
WC#: 34.320	AFL	1581							
PROC. REF: AMM 34-41-02									
344301	LEFT INERTIAL REFERENCE SYSTEM							Component	ATA:34
PN:HG2001GD03	MOS/MSC	13-Apr-21	O/C						
SN:99051672	HRS	4400.7							
WC#: 34.330	AFL	2541							
PROC. REF: AMM 34-43-01									
344301	RIGHT INERTIAL REFERENCE SYSTEM							Component	ATA:34
PN:HG2001GD03	MOS/MSC	25-Mar-16	O/C						
SN:00124430	HRS	3183.7							
WC#: 34.330	AFL	1900							
PROC. REF: AMM 34-43-01									
344401	BOTTOM TCAS ANTENNA							Component	ATA:34
PN:071-01548-0100	MOS/MSC	11-Sep-21	O/C		TSN 0				
SN:583-16199	HRS	4799.9			TSN 0				
WC#: 34.340	AFL	2708			TSN 0				
PROC. REF: AMM 34-44-01									
344401	TOP TCAS ANTENNA							Component	ATA:34
PN:7514081-910	MOS/MSC	21-Dec-04	O/C						
SN:13317	HRS	0			TSN 0				
WC#: 34.345	AFL	0			TSN 0				
PROC. REF: AMM 34-44-01									
344402	TCAS PROCESSOR							Component	ATA:34
PN:066-01146-2221	MOS/MSC	26-Apr-18	O/C						
SN:42005	HRS	3402.2							
WC#: 34.355	AFL	1977							
PROC. REF: GENERIC NO REF									
344403	TCAS II CONFIGURATION MODULE							Component	ATA:34
PN:071-00097-0100	MOS/MSC	21-Dec-04	O/C						
SN:13317	HRS	0			TSN 0				
WC#: 34.350	AFL	0			TSN 0				
PROC. REF: AMM 34-44-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345101	NO. 1 ADF ANTENNA							Component	ATA:34
PN:7510300-901	MOS/MSC	21-Dec-04	O/C						
SN:04068371	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01									
345101	NO. 2 ADF ANTENNA							Component	ATA:34
PN:7510300-901	MOS/MSC	21-Dec-04	O/C						
SN:04088600	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01									
345301	AFT TOP TRANSPONDER ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	21-Dec-04	O/C						
SN:90525	HRS	0		TSN 0					
WC#: 34.365	AFL	0		TSN 0					
PROC. REF: AMM 34-53-11									
345301	FORWARD TOP TRANSPONDER ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	21-Dec-04	O/C						
SN:90523	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-53-11									
345303	NO. 1 FORWARD DME ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	21-Dec-04	O/C						
SN:91088	HRS	0		TSN 0					
WC#: 34.375	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-04									
345303	NO. 2 AFT DME ANTENNA							Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	21-Dec-04	O/C						
SN:91182	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-04									
345501	NO. 1 GPS ANTENNA							Component	ATA:34
PN:S67-1575-137	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:773-2953	HRS	3402.2		TSN 0					
WC#: 34.400	AFL	1977							
PROC. REF: AMM 34-54-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345501	NO. 2 GPS ANTENNA							Component	ATA:34
PN:567-1575-137	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:773-2952	HRS	3402.2		TSN 0					
WC#: 34.410	AFL	1977							
PROC. REF: AMM 34-54-01									
345507	NO. 1 GPS SENSOR							Component	ATA:34
PN:HG2021GD04	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:4420	HRS	3402.2		TSN 0					
WC#: 34.420	AFL	1977		TSN 0					
PROC. REF: AMM 34-54-01									
345507	NO. 2 GPS SENSOR							Component	ATA:34
PN:HG2021GD04	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:4422	HRS	3402.2		TSN 0					
WC#: 34.430	AFL	1977		TSN 0					
PROC. REF: AMM 34-54-01									
346001	NO. 1 LEFT DISPLAY BEZEL							Component	ATA:34
PN:7014331-915	MOS/MSC	21-Dec-04	O/C						
SN:04075611	HRS	0		TSN 0					
WC#: 34.440	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
346001	NO. 2 LEFT DISPLAY BEZEL							Component	ATA:34
PN:7014332-811	MOS/MSC	21-Dec-04	O/C						
SN:04067237	HRS	0		TSN 0					
WC#: 34.460	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
346001	NO. 3 CENTER DISPLAY BEZEL							Component	ATA:34
PN:7014332-811	MOS/MSC	21-Dec-04	O/C						
SN:04077249	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
346001	NO. 4 RIGHT DISPLAY BEZEL							Component	ATA:34
PN:7014332-811	MOS/MSC	21-Dec-04	O/C						
SN:04077250	HRS	0		TSN 0					
WC#: 34.480	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
346001	NO. 5 RIGHT DISPLAY BEZEL							Component	ATA:34
PN:7014331-915	MOS/MSC	21-Dec-04	O/C						
SN:04075612	HRS	0		TSN 0					
WC#: 34.450	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01									
346015	NO. 1 AVIONICS COMPUTER							Component	ATA:34
PN:7017300-31574	MOS/MSC	28-Aug-20	O/C						
SN:95080462	HRS	3787.7							
WC#: 34.500	AFL	2276							
PROC. REF: AMM 34-25-01									
346015	NO. 2 AVIONICS COMPUTER							Component	ATA:34
PN:7017300-31574	MOS/MSC	16-Jul-24	O/C	TSR 1					
SN:07013568	HRS	5658.3		TSR 0					
WC#: 34.510	AFL	3091		TSR 0					
PROC. REF: AMM 34-25-01									
346016	NO. 1 INTERNAL COMPUTER BATTERY							Component	ATA:34
PN:7014664-902	MOS/MSC	10-Apr-08	O/C	TSN 0					
SN:UNKNOWN	HRS	1637							
WC#: 34.610	AFL								
PROC. REF: AMM 34-25-01									
346016	NO. 2 INTERNAL COMPUTER BATTERY							Component	ATA:34
PN:7014664-902	MOS/MSC	10-Apr-08	O/C	TSN 0					
SN:UNKNOWN	HRS	1637							
WC#: 34.610	AFL								
PROC. REF: AMM 34-25-01									
346017	LEFT FMS CONTROL UNIT							Component	ATA:34
PN:2888-01-1	MOS/MSC	25-Jun-21	O/C	TSR 1					
SN:323	HRS	4568.9		TSR 0					
WC#: 34.520	AFL	2608		TSR 0					
PROC. REF: AMM 34-60-01									
346017	RIGHT FMS CONTROL UNIT							Component	ATA:34
PN:2888-01-1	MOS/MSC	18-Nov-08	O/C						
SN:281	HRS	1787		TSO 671					
WC#: 34.520	AFL								
PROC. REF: AMM 34-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
349000^U XM DATA RECEIVER Component ATA:34								
PN:4092743-901	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:35603996	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349001^U LEFT TERRESTRIAL MODEM ANTENNA Component ATA:34								
PN:P18350-001	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:1835001869	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349001^U RIGHT TERRESTRIAL MODEM ANTENNA Component ATA:34								
PN:P18350-001	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:1835001877	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349002^U #1 WIFI REMOTE ANTENNA Component ATA:34								
PN:P16917-001	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:1691700102027	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349002^U #2 WIFI REMOTE ANTENNA Component ATA:34								
PN:P16917-001	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:1691700104128	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349002^U #3 WIFI REMOTE ANTENNA Component ATA:34								
PN:P16917-001	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:1691700104866	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349002^U #4 WIFI REMOTE ANTENNA Component ATA:34								
PN:P16917-001	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:1691700104143	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349002^U #5 WIFI REMOTE ANTENNA Component ATA:34								
PN:P16917-001	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:1691700104871	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
349002^U #6 WIFI REMOTE ANTENNA Component ATA:34								
PN:P16917-001	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:1691700104869	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349003^U AFT DUAL DIRECTION ANTENNA Component ATA:34								
PN:P35500	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:3550000639	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349003^U FWD DUAL DIRECTION ANTENNA Component ATA:34								
PN:P35500	MOS/MSC	26-Apr-18	O/C	TSN 0				
SN:3550000640	HRS	3402.2		TSN 0				
	AFL	1977		TSN 0				
349910^U GOGO BUSINESS AVIATION AVANCE L5I Component ATA:34								
PN:P34110-002	MOS/MSC	07-Sep-23	O/C					
SN:341100023906E	HRS	5579.9						
	AFL	3035						
34FO-02 ADF2-HONEYWELL RNZ850 FACTORY OPTION Component ATA:34								
PN:658Z	MOS/MSC	21-Dec-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
34FO-07 HF 2-W/PRIMUS II FACTORY OPTION Component ATA:34								
PN:631H	MOS/MSC	21-Dec-04	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
ATA 35 - OXYGEN								
35-01-01-7800 176202-77, 89520077, 176231-50, 176231-77, 804882-23, 804882-14, 176202-50, 8952050 49 CU FT OXYGEN BOTTLE ASSEMBLY (HYDROSTATIC) RESTORATION Service ATA:35								
PN:804882-23	MOS	30-May-24	60		31-May-29		1655 d	HYDROSTATIC TEST
SN:ALT279-31114	HRS	5637.2						
	AFL	3078						
HydroCheck Date: : 30-May-24 PROC. REF: AMM 35-01-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-01-01-7800	176202-77, 89520077, 176231-50, 176231-77, 804882-23, 804882-14, 176202-50, 8952050 76 CU FT OXYGEN BOTTLE ASSEMBLY (HYDROSTATIC) RESTORATION							Service	ATA:35
	MOS	EFF	60		31-May-27 * (M)		924 d	HYDROSTATIC TEST	
	HRS								
	AFL								
PROC. REF: AMM 35-01-01									
35-01-01-9600	176202-77, 89520077, 176231-50, 176231-77, 804882-23, 804882-14, 176202-50, 8952050 49 CU FT OXYGEN BOTTLE ASSEMBLY DISCARD							Service	ATA:35
PN:804882-23	MOS	EFF	180	TAC 0	30-Nov-33 * (M)		3299 d	DISCARD	
SN:ALT279-31114	HRS	EFF							
	AFL	EFF							
PROC. REF: AMM 35-01-01									
35-01-01-9600	176202-77, 89520077, 176231-50, 176231-77, 804882-23, 804882-14, 176202-50, 8952050 76 CU FT OXYGEN BOTTLE ASSEMBLY DISCARD							Service	ATA:35
	MOS	EFF	180	TAC 0	30-Sep-31 * (M)		2507 d	DISCARD	
	HRS	EFF		TAC 0					
	AFL	EFF		TAC 0					
PROC. REF: AMM 35-01-01									
35-01-03-9600	804882-14 EXTENDED RANGE OXYGEN CYLINDER DISCARD							Service	ATA:35
PN:PN	MOS	EFF	180	TAC 0	31-May-39 *		5307 d	DISCARD	
SN:UNKNOWN	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 35-01-03									
35-10-00-2100 ^S	CREW OXYGEN MASKS AND STOWAGE BOXES DETAILED INSPECTION							Service	ATA:35
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 35-10-00									
35-10-00-7100 ^S	CREW OXYGEN MASK OPERATIONAL CHECK							Service	ATA:35
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 35-10-00									

PKG:114

PKG:101

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-10-00-9600	MC10-16-100, MC10-16-150, MLD20-505 COPILOT CREW OXYGEN MASK (REPLACE ELASTOMER PARTS AND TESTING OF REGULATOR) RESTORATION							Service	ATA:35
PN:MC10-16-100	MOS	27-Sep-24	72 (+1m/-1m)		30-Sep-30	31-Oct-30	2142 d (+31)	RESTORE	
SN:110046	HRS	5702.1							
	AFL	3117							
PROC. REF: AMM 35-10-00									
35-10-00-9600	MC10-16-100, MC10-16-150, MLD20-505 PILOT CREW OXYGEN MASK (REPLACE ELASTOMER PARTS AND TESTING OF REGULATOR) RESTORATION							Service	ATA:35
PN:MC10-16-100	MOS	EFF	72 (+1m/-1m)	TAC 0	01-Jun-25 * (M)		195 d	RESTORE	
SN:95376	HRS	EFF		TAC 0					
	AFL	EFF		TAC 0					
PROC. REF: AMM 35-10-00									
35-20-02-2200 ^S	PASSENGER OXYGEN MASKS AND DROPOUT BOXES DETAILED INSPECTION							Service	ATA:35
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 35-20-02									
35-20-03-2100 ^S	SUPPLEMENTAL/THERAPEUTIC OXYGEN CYLINDER GENERAL VISUAL INSPECTION							Service	ATA:35
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 35-20-03									
35-20-03-7100 ^S	SUPPLEMENTAL/THERAPEUTIC OXYGEN SYSTEM OPERATIONAL CHECK							Service	ATA:35
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 35-20-03									
35-20-03-7200 ^S	PASSENGER OXYGEN SYSTEM FUNCTIONAL CHECK							Service	ATA:35
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 35-20-03									

PKG:114

PKG:105

PKG:114

PKG:114

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-30-00-2200 ^S	PROTECTIVE BREATHING EQUIPMENT DETAILED INSPECTION							Service	ATA:35
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 35-30-00				PKG:101	
35-30-00-2201 ^S	WALK AROUND OXYGEN BOTTLE (W/EROS) DETAILED INSPECTION							Service	ATA:35
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 35-30-00				PKG:101	
350101 ^U	CHARGING VALVE - OXYGEN BOTTLE							Component	ATA:35
PN:P21010	MOS/MSC	23-Oct-13	O/C						
SN:7060	HRS	2627.2							
	AFL	1688							
350102	NO. 2 OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:C668512-0201	MOS/MSC	21-Dec-04	O/C						
SN:H0410114	HRS	0		TSN 0					
WC#: 35.130	AFL	0		TSN 0					
				PROC. REF: AMM 35-01-02					
350102	NO. 3 OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:C668512-0101	MOS/MSC	21-Dec-04	O/C						
SN:G0411313	HRS	0		TSN 0					
WC#: 35.130	AFL	0		TSN 0					
				PROC. REF: AMM 35-01-02					
350102	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:C668512-0101	MOS/MSC	14-Oct-19	O/C						
SN:K16-11102	HRS	3601.9							
WC#: 35.010	AFL	2145							
				PROC. REF: AMM 35-01-02					
351001	49 CU FT OXYGEN CYLINDER							Component	ATA:35
PN:804882-23	MOS/MSC	30-May-24	H/T	TSO 0					
SN:ALT279-31114	HRS	5637.2							
WC#: 35.140	AFL	3078							
		Manufacture Date:: 30-Nov-18		PROC. REF: AMM 35-01-03					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351001	76 CU FT OXYGEN CYLINDER							Component	ATA:35
PN:804882-14	MOS/MSC	21-Jul-22	H/T	TSO 0					
SN:ALT281-36314	HRS	5441.8		TSO 0					
WC#: 35.020	AFL	2978		TSO 0					
		Manufacture Date:: 01-Sep-16	PROC. REF: AMM 35-01-03						
351002	NO. 1 OXYGEN CYLINDER REGULATOR							Component	ATA:35
PN:804881-01	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
WC#: 35.180	AFL	0		TSN 0					
			PROC. REF: AMM 35-01-01						
351002	NO. 2 OXYGEN CYLINDER REGULATOR							Component	ATA:35
PN:804881-01	MOS/MSC	21-Jul-22	O/C	TSO 2					
SN:977	HRS	5441.8		TSO 0					
WC#: 35.180	AFL	2978		TSO 0					
			PROC. REF: AMM 35-01-01						
351003	OXYGEN PRESSURE VALVE							Component	ATA:35
PN:P21006	MOS/MSC	21-Dec-04	O/C						
SN:1987	HRS	0		TSN 0					
WC#: 35.030	AFL	0		TSN 0					
			PROC. REF: AMM 35-20-01						
351005	COPILOT CREW OXYGEN MASK							Component	ATA:35
PN:MC10-16-100	MOS	27-Sep-24	72	TSO 1	31-Aug-30		2112 d	OVERHAUL	
SN:110046	HRS	5702.1							
WC#: 35.040	AFL	3117							
			PROC. REF: GENERIC NO REF						
351005	PILOT CREW OXYGEN MASK							Component	ATA:35
PN:MC10-16-100	MOS	07-Aug-19	72	TSO 0	01-Jun-25 (M)		195 d	OVERHAUL	
SN:95376	HRS	3570		TSO 0					
WC#: 35.040	AFL	2129		TSO 0					
			PROC. REF: GENERIC NO REF						
351007	OXYGEN SEQUENCE REGULATOR							Component	ATA:35
PN:P21087-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.050	AFL	0		TSN 0					
			PROC. REF: AMM 35-20-01						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351010	PILOT OXYGEN MASK STOWAGE BOX ASSEMBLY							Component	ATA:35
PN: MXP326-1	MOS/MSC	26-Apr-18	O/C						
SN: 21123	HRS	3402.2							
WC#: 35.135	AFL	1977							
PROC. REF: GENERIC NO REF									
353001	PORTABLE OXYGEN BOTTLE							Component	ATA:35
PN: 5500M6W-FF23AN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN: 189885	HRS	0							
WC#: 35.070	AFL	0		TSN 0					
PROC. REF: AMM 35-01-03									
D350101	HYDROSTATIC TEST PORTABLE OXYGEN BOTTLE PORTABLE BOTTLE (DOT 3AA) (MSG-3 INTERVAL 10C/5C)							Service	ATA:35
PN: 5500M6W-FF23AN	MOS	14-Dec-22	60		14-Dec-27		1121 d		
SN: 189885	HRS								
WC#: 35.150	AFL								
HydroCheck Date: : 14-Dec-22									
ATA 36 - PNEUMATIC									
36-12-00-2200 ^S	AUXILIARY POWER UNIT BLEED AIR CHECK VALVE DETAILED INSPECTION							Service	ATA:36
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 36-12-00									
36-15-00-1600 ^S	PARTICULATE TRAP (CLEANING) RESTORATION							Service	ATA:36
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 36-15-00									
36-15-00-1601 ^S	SERVICE AIR WATER SEPARATORS (CLEANING) RESTORATION							Service	ATA:36
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 36-15-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-15-00-1602^S SERVICE AIR IN-LINE FILTERS (CLEANING) RESTORATION (AIRPLANES -0001 THRU -0309 NOT INCORPORATING SL750-36-03) Service ATA:36								
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0				
	HRS	0	3000 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 36-15-00								PKG:114
36-15-00-900 VACUUM EJECTOR PARTICULATE TRAP RESTORATION - (REPLACE/CLEAN) Service ATA:36								
PN:6614051-29	MOS	17-Feb-22	36	TAC 0	28-Feb-25 (M)		102 d	REPLACE
SN:UNKNOWN	HRS	5169.4	3000	TAC 0	8169.4 (M)		2461.4	
	AFL	2864		TAC 0				
PROC. REF: GENERIC NO REF								
36-15-00-9600 6714399-200 CABIN DOOR SEAL MOISTURE DRAIN FILTER DISCARD Service ATA:36								
PN:A914DX-F001	MOS/MSC	27-Jan-10	N/A	TAC 0				
SN:-	HRS	1947		TAC 1337				
	AFL							
PROC. REF: AMM 36-15-00								
361001 LEFT HIGH PRESSURE SENSOR Component ATA:36								
PN:1173T181-2	MOS/MSC	21-Dec-04	O/C					
SN:4238	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
361001 RIGHT HIGH PRESSURE SENSOR Component ATA:36								
PN:1173T181-2	MOS/MSC	21-Dec-04	O/C					
SN:4244	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
361003 LEFT PRESSURE REGULATOR VALVE Component ATA:36								
PN:38E109-25B	MOS/MSC	21-Dec-04	O/C					
SN:3698	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
361004 RIGHT PRESSURE REGULATOR VALVE Component ATA:36								
PN:38E109-25B	MOS/MSC	21-Dec-04	O/C					
SN:3950	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361005	PRESSURE REGULATOR VALVE							Component	ATA:36
PN:38E109-25B	MOS/MSC	21-Dec-04	O/C						
SN:B745	HRS	0		TSN 0					
WC#: 36.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361011	LEFT ENGINE BLEED VALVE							Component	ATA:36
PN:2602-33	MOS/MSC	21-Dec-04	O/C						
SN:1453	HRS	0		TSN 0					
WC#: 36.030	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361011	RIGHT ENGINE BLEED VALVE							Component	ATA:36
PN:2602-33	MOS/MSC	21-Dec-04	O/C						
SN:1452	HRS	0		TSN 0					
WC#: 36.030	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361013	LEFT PRESS HEAT EXCHANGER							Component	ATA:36
PN:8198-1	MOS/MSC	21-Dec-04	O/C						
SN:S4883T486	HRS	0		TSN 0					
WC#: 36.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361013	RIGHT PRESS HEAT EXCHANGER							Component	ATA:36
PN:8198-1	MOS/MSC	21-Dec-04	O/C						
SN:S4883T487	HRS	0		TSN 0					
WC#: 36.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361014	LOW PRESSURE B/A VALVE							Component	ATA:36
PN:5119-00-1	MOS/MSC	21-Dec-04	O/C						
SN:248	HRS	0		TSN 0					
WC#: 36.045	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361015	LEFT HIGH PRESSURE VALVE							Component	ATA:36
PN:C144873-2	MOS/MSC	19-Sep-23	O/C	TSO 4					
SN:2230	HRS	5579.9		TSO 0					
WC#: 36.050	AFL	3035		TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361015	RIGHT HIGH PRESSURE VALVE							Component	ATA:36
PN:C144873-2	MOS/MSC	21-Dec-04	O/C						
SN:1632	HRS	0		TSN 0					
WC#: 36.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361017	LEFT HIGH/LOW VT029 VALVE							Component	ATA:36
PN:4714-21	MOS/MSC	21-Dec-04	O/C						
SN:1815	HRS	0		TSN 0					
WC#: 36.060	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361017	RIGHT HIGH/LOW VT028 VALVE							Component	ATA:36
PN:4714-21	MOS/MSC	20-Apr-06	O/C						
SN:0153	HRS	923		TSO 0					
WC#: 36.060	AFL								
PROC. REF: AMM 36-10-00									
361019	LEFT LOW PRESSURE VALVE							Component	ATA:36
PN:C144873-1	MOS/MSC	21-Dec-04	O/C						
SN:1386	HRS	0		TSN 0					
WC#: 36.070	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361019	RIGHT LOW PRESSURE VALVE							Component	ATA:36
PN:C144873-1	MOS/MSC	21-Dec-04	O/C						
SN:1290	HRS	0		TSN 0					
WC#: 36.070	AFL	0		TSN 0					
PROC. REF: AMM 36-10-00									
361021	ENGINE SOLENOID VALVE							Component	ATA:36
PN:5035-00-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361100	LEFT HIGH PRESSURE VALVE							Component	ATA:36
PN:4714-20	MOS/MSC	21-Dec-04	O/C						
SN:1859	HRS	0		TSN 0					
WC#: 36.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361100	RIGHT HIGH PRESSURE VALVE							Component	ATA:36
PN:4714-20	MOS/MSC	21-Dec-04	O/C						
SN:1868	HRS	0		TSN 0					
WC#: 36.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361101	LEFT HIGH PRESSURE SENSOR							Component	ATA:36
PN:1E51-1	MOS/MSC	21-Dec-04	O/C						
SN:3AY85	HRS	0		TSN 0					
WC#: 36.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361101	RIGHT HIGH PRESSURE SENSOR							Component	ATA:36
PN:1E51-1	MOS/MSC	21-Dec-04	O/C						
SN:3AY69	HRS	0		TSN 0					
WC#: 36.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361103	LEFT INLET DOOR ACTUATOR							Component	ATA:36
PN:1E50-2	MOS/MSC	21-Dec-04	O/C						
SN:4AY56	HRS	0		TSN 0					
WC#: 36.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361103	RIGHT INLET DOOR ACTUATOR							Component	ATA:36
PN:1E50-2	MOS/MSC	21-Dec-04	O/C						
SN:5AY65	HRS	0		TSN 0					
WC#: 36.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361500	LEFT ENGINE SERVICE AIR CHECK VALVE							Component	ATA:36
PN:9914171-1	MOS/MSC	14-Oct-19	O/C		TSN 0				
SN:6941	HRS	3601.5			TSN 0				
WC#: 36.240	AFL	2145			TSN 0				
PROC. REF: GENERIC NO REF									
361500	SOLENOID BAGGAGE HEAT VALVE							Component	ATA:36
PN:5060-00-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.225	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361505	VACUUM EJECTOR PARTICULATE TRAP							Component	ATA:36
PN:6614051-29	DAYS/MS	17-Feb-22	H/T	TSN 0					
SN:UNKNOWN	HRS	5169.4		TSN 0					
WC#: 36.230	AFL	2864		TSN 0					
	APUS			TSN 0					
	ENC			TSN 0					
PROC. REF: AMM 37-10-00									
ATA 37 - VACUUM									
371001	VACUUM CHECK VALVE							Component	ATA:37
PN:130158-1	MOS/MS	21-Dec-04	O/C						
SN:544031	HRS	0		TSN 0					
WC#: 37.010	AFL	0		TSN 0					
PROC. REF: AMM 37-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
38-30-01-2100 ^S	TOILET SYSTEM GENERAL VISUAL INSPECTION							Service	ATA:38
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 38-30-01							PKG:114	
38-30-01-7100 ^S	TOILET OPERATIONAL CHECK							Service	ATA:38
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 38-30-01							PKG:114	
381001	TOILET PUMP MOTOR							Component	ATA:38
PN:MP50G-4	MOS/MSC	13-May-08	O/C	TSO 0					
SN:010	HRS	1674		TSO 0					
WC#: 38.010	AFL	1074		TSO 0					
	PROC. REF: GENERIC NO REF								
382001	LAVATORY WATER TANK							Component	ATA:38
PN:12614-1	MOS/MSC	19-Oct-07	O/C						
SN:484	HRS	1529		TSO 0					
WC#: 38.040	AFL								
	PROC. REF: GENERIC NO REF								
382005	LAV SINK WATER PUMP ASSEMBLY							Component	ATA:38
PN:L21995	MOS/MSC	14-Oct-19	O/C	TSN 0					
SN:1047317003	HRS	3601.5		TSN 0					
WC#: 38.050	AFL	2145		TSN 0					
	PROC. REF: GENERIC NO REF								
ATA 49 - AIRBORNE AUXILIARY POWER									
49-10-00-2100 ^S	APU DRAINS GENERAL VISUAL INSPECTION							Service	ATA:49
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 49-10-00							PKG:105	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
49-10-00-2200	APU - APU MAGNETIC CHIP COLLECTOR DETAILED INSPECTION							Service	ATA:49
	MOS	30-May-24	12 (+1m)	Adj -19d	31-May-25	30-Jun-25	194 d (+30)		
	HRS	3564	500 (+45)		4064	4109	421 (+45)		
	APUS	0							
PROC. REF: MM 49-90-46									
49-10-00-9600	APU - 3822101-1 AUXILIARY POWER UNIT COMPRESSOR ROTOR DISCARD							Component	ATA:49
PN:3822101-1	MOS	21-Dec-04						LIFE LIMIT	
SN:041365101540	HRS	0	100000	TSN 0	100000		96357		
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
49-40-00-2200	APU - APU IGNITER PLUG DETAILED INSPECTION							Service	ATA:49
PN:3888000-2	MOS	22-Apr-23	24 (+1m)		30-Apr-25	31-May-25	163 d (+31)		
SN:UNKNOWN	HRS	3413	1000 (+45)		4413	4458	770 (+45)		
	APUS	4523							
PROC. REF: MM 49-40-33									
49-80-00-2200 ^S	APU EXHAUST SYSTEM DETAILED INSPECTION							Service	ATA:49
	MOS	21-Dec-04		TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	APH		1000						
PROC. REF: AMM 49-80-00									
490002	APU - HOURMETER							Component	ATA:49
PN:3888126-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: MM 49-70-41									
490003	APU - SHUTOFF VALVE							Component	ATA:49
PN:109812-12	MOS/MSC	19-Aug-14	O/C	TSO 0					
SN:3896	HRS	1988		TSO 0					
	APUS	2593							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
490005	APU - AUXILIARY POWER DC AMMETER							Component	ATA:49
PN:MD139-11	MOS/MSC	21-Dec-04	O/C						
SN:B0410660	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
490006	APU - SURGE SHUTOFF VALVE							Component	ATA:49
PN:3884538-3	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
490010	APU - APU OIL TEMPERATURE SENSOR							Component	ATA:49
PN:102-00002	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
491001	APU - APU (NK102) CONTROL MODULE							Component	ATA:49
PN:6718463-6	MOS/MSC	24-Sep-24	O/C						
SN:34499190-1	HRS	3643		TSN 0					
	APUS			TSN 0					
PROC. REF: GENERIC NO REF									
492001	APU - APU TURBINE ROTOR							Component	ATA:49
PN:3615880-1	MOS	21-Dec-04						LIFE LIMIT	
SN:040134505533	HRS	0	10000	TSN 0	10000		6357		
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
493001	APU - APU FUEL SHUT-OFF SOLENOID VALVE							Component	ATA:49
PN:3888134-5	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
493002	APU - FUEL CONTROL							Component	ATA:49
PN:3882730-8	MOS/MSC	21-Dec-04	O/C						
SN:28424	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: MM 49-30-52									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
494003	APU - IGNITION EXCITER							Component	ATA:49
PN:3888000-2	MOS/MSC	29-Apr-23	O/C	TSN 0					
SN:J22380146	HRS	3417		TSN 0					
	APUS	4523							
PROC. REF: MM 49-40-32									
494004	APU - IGNITION LEAD							Component	ATA:49
PN:3888302-6	MOS/MSC	29-Apr-23	O/C	TSN 0					
SN:NSN	HRS	3417		TSN 0					
	APUS	4523							
PROC. REF: MM 49-40-33									
494005	APU - APU IGNITOR PLUG							Component	ATA:49
PN:3888000-2	MOS/MSC	22-Apr-23	O/C	TSN 0					
SN:UNKNOWN	HRS	3413		TSN 0					
	APUS	4523							
PROC. REF: MM 49-40-33									
494006	APU - APU CONTROL BOX							Component	ATA:49
PN:2118864-3	MOS/MSC	23-Sep-11	O/C						
SN:71-B0107	HRS	1670							
	APUS	2161							
PROC. REF: GENERIC NO REF									
494008	APU - APU STARTER MOTOR							Component	ATA:49
PN:519892-6-2	MOS/MSC	10-Oct-23	O/C						
SN:11-4646	HRS	3496							
	APUS	4523							
PROC. REF: MM 49-40-35									
497001	APU - MONOPOLE SPEED SENSOR							Component	ATA:49
PN:3876104-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
497002	APU - LOW OIL SWITCH							Component	ATA:49
PN:3876001-8	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
497003	APU - APU EGT THERMOCOUPLE							Component	ATA:49
PN:3876003-3	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
497004	APU - OIL PRESSURE REGULATOR							Component	ATA:49
PN:3880021-17	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: MM 49-90-52									
497006	APU - MAX RPM INDICATOR							Component	ATA:49
PN:M453	MOS/MSC	21-Dec-04	O/C						
SN:23882	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
497301	APU - APU FUEL SHUTOFF VALVE							Component	ATA:49
PN:PN	MOS/MSC	21-Dec-04	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: GENERIC NO REF, MM 49-30-54									
499001	APU - OIL TEMPERATURE SWITCH							Component	ATA:49
PN:361157-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: GENERIC NO REF									
499002	APU - OIL ROTARY PUMP ASSEMBLY							Component	ATA:49
PN:3880225-2	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: MM 49-90-51									
499005	APU - CHANGE OIL APU							Service	ATA:49
	MOS	30-May-24	24 (+1m)	Adj -48d	30-Apr-26	31-May-26	528 d (+31)		
	HRS	3564	1000 (+45)		4564	4609	921 (+45)		
	APUS	0							
PROC. REF: MM 49-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49APU1	APU							Component ATA:49
PN:3800576-1	MOS/MSC	26-Jul-18	E/C					
SN:P-359	HRS	3443.5		TSN 2011				
WC#: 49.APU1	AFL	2012						
PROC. REF: AMM 49-10-00								
80-11-00-2200	APU - AUXILIARY POWER UNIT STARTER DETAILED INSPECTION							Service ATA:49
PN:519892-6-2	MOS	10-Oct-23		TAC 0				
SN:11-4646	HRS	3496	2500 (+45)	TAC 0	5996	6041	2353 (+45)	
	APUS	0		TAC 0				
PROC. REF: AMM 80-13-00, MM 49-40-35								
ATA 52 - DOORS								
52-10-00-2100 ^S	CABIN DOOR GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	21-Dec-04		TAC 0				
	HRS	0	15000	TAC 0				
WC#: 52.190	AFL	0		TAC 0				
PROC. REF: AMM 52-10-00								
52-10-00-2200 ^S	CABIN DOOR DETAILED INSPECTION							Service ATA:52
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0				
	HRS	0		TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 52-10-00								
52-10-00-2201 ^S	PASSENGER AND CREW ENTRY DOOR INTERNAL DETAILED INSPECTION							Service ATA:52
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0				
	HRS	0		TAC 0				
	AFL	0		TAC 0				
PROC. REF: AMM 52-10-00								
52-20-00-2100 ^S	EMERGENCY EXIT DOOR GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	21-Dec-04	48	TAC 0				
	HRS	0	15000	TAC 0				
WC#: 52.200	AFL	0		TAC 0				
PROC. REF: AMM 52-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-00-7100 ^S	EMERGENCY EXIT DOOR OPERATIONAL CHECK							Service	ATA:52
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 52-20-00							PKG:101	
52-30-04-2200 ^S	BAGGAGE DOOR SEAL DETAILED INSPECTION							Service	ATA:52
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 52-30-04							PKG:104	
52-80-00-2100 ^S	LANDING GEAR DOORS ZONAL GENERAL VISUAL INSPECTION							Service	ATA:52
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 52-80-00							PKG:103	
521001	DOOR INFLATABLE SEAL							Component	ATA:52
PN:S-20051	MOS/MSC	11-Mar-22	O/C	TSN 0					
SN:0284	HRS	5211.7		TSN 0					
WC#: 52.010	AFL	2881							
	PROC. REF: AMM 52-10-04								
521002	DOOR SECONDARY SEAL							Component	ATA:52
PN:8434-1	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 52.020	AFL	0		TSN 0					
	PROC. REF: AMM 52-10-04								
521003	TAILCONE DOOR SEAL							Component	ATA:52
PN:S20022	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 52.030	AFL	0		TSN 0					
	PROC. REF: AMM 52-30-04								
521005	ACOUSTIC UPPER SEAL							Component	ATA:52
PN:9522-11	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
	PROC. REF: AMM 52-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
521006	ACOUSTIC FORWARD LOWER SEAL							Component	ATA:52
PN:9522-17	MOS/MSC	13-Dec-17	O/C	TSN 0					
SN:UNKNOWN	HRS	3400.5		TSN 0					
WC#: 52.050	AFL	1976		TSN 0					
PROC. REF: AMM 52-10-04									
521007	ACOUSTIC AFT LOWER SEAL							Component	ATA:52
PN:9522-13	MOS/MSC	13-Dec-17	O/C	TSN 0					
SN:UNKNOWN	HRS	3400.5		TSN 0					
WC#: 52.060	AFL	1976		TSN 0					
PROC. REF: AMM 52-10-04									
522001	BAGGAGE DOOR SEAL SWITCH							Component	ATA:52
PN:P18M30	MOS/MSC	14-Mar-19	O/C	TSN 0					
SN:6183	HRS	3519.8		TSN 0					
WC#: 52.180	AFL	2082		TSN 0					
PROC. REF: AMM 52-10-04									
527001	CABIN DOOR NC003 MODULE							Component	ATA:52
PN:6718151-11	MOS/MSC	21-Dec-04	O/C						
SN:0316	HRS	0		TSN 0					
WC#: 52.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
527010	MAIN CABIN DOOR (SC024) PROXIMITY SWITCH							Component	ATA:52
PN:8-405-04	MOS/MSC	21-Dec-04	O/C						
SN:B55720	HRS	0		TSN 0					
WC#: 52.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 53 - FUSELAGE									
53-00-00-2102 ^S	FAIRING ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	108 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-00-00									
								PKG:128	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-2103 ^S	FUSELAGE	ZONAL EXTERNAL GENERAL VISUAL INSPECTION						Service ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0				
	HRS	0		TAC 0				
	AFL	0		TAC 0				
				PROC. REF: AMM 53-00-00				PKG:105
53-00-00-2200 ^S	NOSE WHEEL WELL EXTERNAL DETAILED INSPECTION							Service ATA:53
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0				
	HRS	0		TAC 0				
	AFL	0		TAC 0				
				PROC. REF: AMM 53-00-00				PKG:101
53-00-00-2500 ^S	FUSELAGE SKIN SPLICES (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service ATA:53
	MOS	21-Dec-04		TAC 0				
	HRS	0	7200 (+25/-25)	TAC 0				
	AFL	0		TAC 0				
				PROC. REF: AMM 53-00-00				PKG:125
53-00-00-9600	NOSE LANDING GEAR LEFT TRUNNION ATTACH SUPPORT ASSEMBLIES DISCARD (6713052-10, -13)							Service ATA:53
PN:6713052-13	MOS	EFF		TAC 0				
SN:UNKNOWN	HRS	EFF		TAC 0				
	AFL	EFF	33300	TAC 0	33300 * (M)		30179	
				PROC. REF: AMM 53-00-00				
53-00-00-9600	NOSE LANDING GEAR RIGHT TRUNNION ATTACH SUPPORT ASSEMBLIES DISCARD (6713052-10, -13)							Service ATA:53
PN:6713052-13	MOS	EFF		TAC 0				
SN:UNKNOWN	HRS	EFF		TAC 0				
	AFL	EFF	33300	TAC 0	33300 * (M)		30179	
				PROC. REF: AMM 53-00-00				
53-00-00-9601	NOSE LANDING GEAR ACTUATOR ATTACH FITTING ASSEMBLY DISCARD (6711060-30, -39, -49)							Service ATA:53
PN:6711060-38	MOS	EFF		TAC 0				
SN:UNKNOWN	HRS	EFF		TAC 0				
	AFL	EFF	33300	TAC 0	33300 * (M)		30179	
				PROC. REF: AMM 53-00-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00-40-2101 ^S	TAIL SECTION SKIN ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-00-40							PKG:105	
53-00-40-2102 ^S	TAIL SECTION STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	108 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-00-40							PKG:128	
53-10-00-2101 ^S	NOSE SECTION ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-10-00							PKG:105	
53-10-00-2102 ^S	AFT PRESSURE BULKHEAD GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04		TAC 0					
	HRS	0	15000	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-10-00							PKG:88	
53-10-00-2500 ^S	FORWARD PRESSURE BULKHEAD (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:53
	MOS	21-Dec-04		TAC 0					
	HRS	0	15000	TAC 0					
WC#: 53.220	AFL	0		TAC 0					
	PROC. REF: AMM 53-10-00							PKG:88	
53-10-00-2501 ^S	MID-PRESSURE BULKHEAD (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:53
	MOS	21-Dec-04		TAC 0					
	HRS	0	15000	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-10-00							PKG:88	
53-10-10-2100 ^S	RADOME ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-10-10							PKG:105	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-2100 ^S	COCKPIT BELLY SKIN ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-20-00				PKG:105	
53-20-00-2102 ^S	COCKPIT BELOW FLOOR ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-20-00				PKG:105	
53-20-00-2103 ^S	COCKPIT ABOVE FLOOR ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	120 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-20-00				PKG:107	
53-20-00-2104 ^S	CABIN ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	120 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-20-00				PKG:107	
53-20-00-2105 ^S	COCKPIT BELOW FLOOR STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-20-00				PKG:105	
53-20-00-2107 ^S	CABIN SKIN ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-20-00				PKG:105	
53-30-00-2100 ^S	UPPER SKIN FROM RIGHT STRINGER 13 TO LEFT STRINGER 13 GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:13500	TAC 0, Adj 7000					
WC#: 53.230	AFL	0		TAC 0					
				PROC. REF: AMM 53-30-00				PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-2101 ^S	ESCAPE HATCH FRAME AND SUPPORT GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-30-00							PKG:104	
53-30-00-2102 ^S	AFT CABIN WING ATTACH FRAMES AND FITTINGS GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	120 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-30-00							PKG:107	
53-30-00-2103 ^S	BAGGAGE SECTION STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	108 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-30-00							PKG:128	
53-30-00-2104 ^S	LOWER SKIN FROM RIGHT STRINGER 13 TO LEFT STRINGER 13 GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 53.250	AFL	0		TAC 0					
	PROC. REF: AMM 53-30-00							PKG:99	
53-30-00-2500 ^S	UPPER SKIN SPLICE AT BL 0 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:53
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 53.240	AFL	0		TAC 0					
	PROC. REF: AMM 53-30-00							PKG:97	
53-30-00-2501 ^S	UPPER STRINGER SPLICE AT MID-PRESSURE BULKHEAD (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:53
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 53.240	AFL	0		TAC 0					
	PROC. REF: AMM 53-30-00							PKG:95	
53-30-00-2502 ^S	LOWER SKIN SPLICES AT STRINGER 13 (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:53
	MOS	21-Dec-04		TAC 0					
	HRS	0	15000	TAC 0					
WC#: 53.230	AFL	0		TAC 0					
	PROC. REF: AMM 53-30-00							PKG:88	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-40-10-2100 ^S	TAILCONE STINGER ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-40-10				PKG:105	
53-40-30-2100 ^S	FORWARD TAILCONE ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	108 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-40-30				PKG:128	
53-40-30-2101 ^S	AFT TAILCONE ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	108 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-40-30				PKG:128	
53-40-30-2102 ^S	TAILCONE DOORS ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-40-30				PKG:105	
53-50-00-2102 ^S	CANTED FRAME AND BULKHEAD - EMPENNAGE ATTACH GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	108 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-50-00				PKG:128	
53-50-00-2104 ^S	CABIN SECTION FAIRING STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	108 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-50-00				PKG:128	
53-50-00-2105 ^S	TAIL SECTION FAIRING STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:53
	MOS	21-Dec-04	108 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-50-00				PKG:128	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
531001	LEFT TRUNNION ATTACH SUPPORT ASSEMBLY							Component	ATA:53
PN:6713052-13	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.120	AFL	0	33300	TSN 0	33300		30179		
PROC. REF: GENERIC NO REF									
531001	RIGHT TRUNNION ATTACH SUPPORT ASSEMBLY							Component	ATA:53
PN:6713052-13	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.120	AFL	0	33300	TSN 0	33300		30179		
PROC. REF: GENERIC NO REF									
532001	ACTUATOR ATTACH FITTING ASSEMBLY							Component	ATA:53
PN:6711060-38	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.130	AFL	0	33300	TSN 0	33300		30179		
PROC. REF: GENERIC NO REF									
ATA 54 - NACELLES/PYLONS									
54-00-00-2100 ^S	PYLON ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:54
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 54-00-00								PKG:105	
54-00-00-2101 ^S	PYLON ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:54
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 54-00-00								PKG:103	
54-00-00-2201 ^S	PYLONS STANDALONE EZAP DETAILED INSPECTION							Service	ATA:54
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 54-00-00								PKG:103	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-00-2100 ^S	LEFT AND RIGHT AFT ENGINE SUPPORT INSTALLATION GENERAL VISUAL INSPECTION							Service	ATA:54
	MOS	21-Dec-04	96 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 54-50-00							PKG:127	
54-50-00-2200 ^S	LEFT AND RIGHT FORWARD ENGINE SUPPORT INSTALLATION DETAILED INSPECTION							Service	ATA:54
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 54-50-00							PKG:104	
54-50-00-2500 ^S	FORWARD ENGINE BEAM, UPPER AFT CAP AND UPPER STRAP, INBOARD REGION (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:54
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:8800	TAC 0					
WC#: 54.020	AFL	0		TAC 0					
	PROC. REF: AMM 54-50-00							PKG:83	
54-50-00-2501 ^S	FORWARD ENGINE BEAM, UPPER AFT CAP, MIDDLE REGION (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:54
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 54.010	AFL	0		TAC 0					
	PROC. REF: AMM 54-50-00							PKG:89	
54-50-00-2502 ^S	FORWARD ENGINE BEAM, UPPER FORWARD CAP, OUTBOARD REGION (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:54
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 54.030	AFL	0		TAC 0					
	PROC. REF: AMM 54-50-00							PKG:96	
ATA 55 - STABILIZERS									
55-10-00-2100 ^S	TAIL SECTION HORIZONTAL STABILIZER ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:55
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-10-00							PKG:105	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-00-2200 ^S	HORIZONTAL STABILIZER REAR SPAR STRUCTURAL AND CORROSION DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-10-00							PKG:101	
55-10-00-2900 ^S	HORIZONTAL STABILIZER ASSEMBLY STRUCTURE (BORESCOPE) INTERNAL SPECIAL DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	144 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-10-00							PKG:126	
55-20-00-2201 ^S	LEFT AND RIGHT ELEVATOR ASSEMBLY DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-20-00							PKG:105	
55-20-00-2202 ^S	ELEVATOR METAL PARTS STRUCTURAL AND CORROSION DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-20-00							PKG:105	
55-20-00-2800 ^S	ELEVATOR SURFACES (COIN TAP) SPECIAL DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-20-00							PKG:105	
55-30-00-2100 ^S	TAIL SECTION VERTICAL STABILIZER EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:55
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-30-00							PKG:105	
55-30-00-2502 ^S	PIVOT SIDEPLATE LUG (EDDY CURRENT OR ULTRASONIC) SPECIAL DETAILED INSPECTION (AIRPLANES -0086 AND ON)							Service	ATA:55
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:12500	TAC 0					
WC#: 55.100	AFL	0		TAC 0					
	PROC. REF: AMM 55-30-00							PKG:86	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-00-2504 ^S	PIVOT SIDE PLATE (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -0001 THRU -0085 INCORPORATING SB750-78-02)							Service	ATA:55
	MOS	21-Dec-04		TAC 0					
	HRS	0	5000	TAC 0					
WC#: 55.080	AFL	0		TAC 0					
	PROC. REF: AMM 55-30-00							PKG:79	
55-30-00-2505 ^S	PIVOT SIDE PLATE (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES -0086 AND ON)							Service	ATA:55
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 55.120	AFL	0		TAC 0					
	PROC. REF: AMM 55-30-00							PKG:94	
55-30-00-2506 ^S	REAR SPAR PIVOT (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES - 0001 THRU - 0085 NOT INCORPORATING SB750-78-02)							Service	ATA:55
	MOS	21-Dec-04		TAC 0					
	HRS	0	15000	TAC 0					
WC#: 55.100	AFL	0		TAC 0					
	PROC. REF: AMM 55-30-00							PKG:88	
55-30-00-2507 ^S	REAR SPAR PIVOT (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES - 0001 THRU - 0085 NOT INCORPORATING SB750-78-02)							Service	ATA:55
	MOS	21-Dec-04		TAC 0					
	HRS	0	15000	TAC 0					
WC#: 55.110	AFL	0		TAC 0					
	PROC. REF: AMM 55-30-00							PKG:88	
55-30-00-2508 ^S	AFT CENTER FITTING (EDDY CURRENT) SPECIAL DETAILED INSPECTION (AIRPLANES-0001 THRU -0085 NOT INCORPORATING SB750-78-02)							Service	ATA:55
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 55.110	AFL	0		TAC 0					
	PROC. REF: AMM 55-30-00							PKG:90	
55-30-00-2800 ^S	VERTICAL STABILIZER REAR SPAR AND TRAILING EDGE STRUCTURAL AND CORROSION EXTERNAL DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-30-00							PKG:101	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-00-2900 ^S	VERTICAL STABILIZER (BORESCOPE) INTERNAL SPECIAL DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-30-00								PKG:114
55-40-00-2100 ^S	UPPER AND LOWER RUDDER ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:55
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-40-00								PKG:114
55-40-00-2201 ^S	LOWER RUDDER METAL PARTS STRUCTURAL AND CORROSION EXTERNAL DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-40-00								PKG:101
55-40-00-2202 ^S	UPPER RUDDER HINGES AND METAL PARTS STRUCTURAL AND CORROSION EXTERNAL DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-40-00								PKG:105
55-40-00-2800 ^S	UPPER AND LOWER RUDDER SKIN (COIN TAP) EXTERNAL SPECIAL DETAILED INSPECTION							Service	ATA:55
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 55-40-00								PKG:114
552000	LEFT HINGE EHS BRACKET ASSY							Component	ATA:55
PN:6734021-11	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 55.030	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
552000	RIGHT HINGE EHS BRACKET ASSY							Component	ATA:55
PN:6734021-12	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 55.030	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
553001	HORIZONTAL STABILIZER							Component	ATA:55
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 55-10-00									
553002	VERTICAL STABILIZER							Component	ATA:55
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
553019 ^U	SECONDARY HORIZONTAL STAB TRIM ACTUATOR CONTROLLER							Component	ATA:55
PN:6738022-7	MOS/MSC	06-Dec-14	O/C						
SN:ICE-00463	HRS	2887.6							
	AFL	1785							
553020 ^U	HORIZONTAL STAB TRIM ACTUATOR FILTER							Component	ATA:55
PN:6738021-9	MOS/MSC	06-Dec-14	O/C						
SN:ICE-00302	HRS	2887.6							
	AFL	1785							
554001	LOWER RUDDER ASSEMBLY							Component	ATA:55
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 55-40-00, AMM 55-40-00									
554001	UPPER RUDDER ASSEMBLY							Component	ATA:55
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 55-40-00, AMM 55-40-00									
ATA 56 - WINDOWS									
56-11-00-2100 ^S	COCKPIT WINDSHIELDS GENERAL VISUAL INSPECTION							Service	ATA:56
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 56-11-00									

PKG:102

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11-00-2200 ^S	ELECTRIC HEATED WINDSHIELD AND ELECTRIC HEATED GLASS FORWARD SIDE WINDOW DELAMINATION DETAILED INSPECTION							Service	ATA:56
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0	2000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 56-11-00								PKG:112
56-11-00-2201 ^S	COCKPIT WINDSHIELDS (HUMP SEAL) DETAILED INSPECTION							Service	ATA:56
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0	500 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 56-11-00								PKG:108
56-11-00-2202 ^S	WINDSHIELD ATTACH SCREWS DETAILED INSPECTION							Service	ATA:56
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0	2000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 56-11-00								PKG:112
56-11-00-7200 ^S	WINDSHIELD SURFACE SEAL (MIST SPRAY) FUNCTIONAL CHECK							Service	ATA:56
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0	500 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 56-11-00								PKG:108
561001	LEFT WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:NP139731-1	MOS/MSC	10-Mar-08	O/C						
SN:08032H2261	HRS	1612		TSN 0					
WC#: 56.010	AFL								
	PROC. REF: AMM 56-11-00								
561001	RIGHT WINDSHIELD ASSY, (RH)							Component	ATA:56
PN:9914380-14	MOS/MSC	26-Apr-18	O/C	TSN 0					
SN:17306H0857	HRS	3402.2		TSN 0					
WC#: 56.010	AFL	1977							
	PROC. REF: AMM 56-11-00								
561201	LEFT FORWARD SIDE WINDOW							Component	ATA:56
PN:NP139722-7	MOS/MSC	21-Dec-04	O/C						
SN:04175H8258	HRS	0		TSN 0					
WC#: 56.020	AFL	0		TSN 0					
	PROC. REF: AMM 56-13-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561201	RIGHT FORWARD SIDE WINDOW							Component	ATA:56
PN:NP139722-8	MOS/MSC	21-Dec-04	O/C						
SN:04161H6922	HRS	0		TSN 0					
WC#: 56.020	AFL	0		TSN 0					
PROC. REF: AMM 56-13-00									
561301	LEFT AFT SIDE WINDOW							Component	ATA:56
PN:93102-35	MOS/MSC	21-Dec-04	O/C						
SN:01910504	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 56-13-00									
561301	RIGHT AFT SIDE WINDOW							Component	ATA:56
PN:93102-36	MOS/MSC	21-Dec-04	O/C						
SN:01720104	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 56-13-00									
562001	LEFT NO. 1 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
562001	LEFT NO. 2 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
562001	LEFT NO. 3 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
562001	LEFT NO. 4 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	LEFT NO. 5 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 56.080	AFL	0			TSN 0				
PROC. REF: AMM 56-20-00									
562001	LEFT NO. 6 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 56.090	AFL	0			TSN 0				
PROC. REF: AMM 56-20-00									
562011	RIGHT NO. 1 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 56.040	AFL	0			TSN 0				
PROC. REF: AMM 56-20-00									
562011	RIGHT NO. 2 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 56.050	AFL	0			TSN 0				
PROC. REF: AMM 56-20-00									
562011	RIGHT NO. 3 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 56.060	AFL	0			TSN 0				
PROC. REF: AMM 56-20-00									
562011	RIGHT NO. 4 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 56.070	AFL	0			TSN 0				
PROC. REF: AMM 56-20-00									
562011	RIGHT NO. 5 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 56.080	AFL	0			TSN 0				
PROC. REF: AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562011	RIGHT NO. 6 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.090	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
562011	RIGHT NO. 7 CABIN WINDOW							Component	ATA:56
PN:167400-03	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.100	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
ATA 57 - WINGS									
57-00-00-2100 ^S	WING ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:57
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
57-00-00-2102 ^S	WING ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:57
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
57-00-00-2103 ^S	WING FAIRING ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:57
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
57-00-00-2105 ^S	WING STANDALONE EZAP INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:57
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00-00-2200 ^S	INBOARD WING REAR SPAR AND TRAILING EDGE STRUCTURAL AN DCORROSION DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	12 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00							PKG:101	
57-00-00-2201 ^S	FUSELAGE AND WING ATTACH STRUCTURE DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	108 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00							PKG:128	
57-10-00-2200 ^S	CENTER WING STRUCTURE ASSEMBLY INTERNAL DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 57-10-00							PKG:104	
57-10-00-2201 ^S	MAIN LANDING GEAR TRUNNION SUPPORTS DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 57-10-00							PKG:114	
57-10-00-2500 ^S	MAIN SPAR (LOCATION CANTED WING STATION 185) (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 57.020	AFL	0		TAC 0					
	PROC. REF: AMM 57-10-00							PKG:90	
57-10-00-9600	LEFT FORWARD TRUNNION ATTACH FITTING ASSEMBLIES DISCARD (6722324-1, -2, -5, -6)							Service	ATA:57
PN:6722324-5	MOS	EFF							
SN:UNKNOWN	HRS	EFF		TAC 0					
	AFL	EFF	18800	TAC 0	18800 * (M)		15679		
	PROC. REF: AMM 57-10-00								
57-10-00-9600	RIGHT FORWARD TRUNNION ATTACH FITTING ASSEMBLIES DISCARD (6722324-1, -2, -5, -6)							Service	ATA:57
PN:6722324-6	MOS	EFF							
SN:UNKNOWN	HRS	EFF		TAC 0					
	AFL	EFF	18800	TAC 0	18800 * (M)		15679		
	PROC. REF: AMM 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-9601	LEFT SIDE BRACE ACTUATOR FITTING ASSEMBLY DISCARD (6721323-1, -2, -5, -6)							Service	ATA:57
PN:6721323-1	MOS	EFF						LIFE LIMIT	
SN:UNKNOWN	HRS	EFF		TAC 0					
	AFL	EFF	18800	TAC 0	18800 * (M)		15679		
PROC. REF: AMM 57-10-00									
57-10-00-9601	RIGHT SIDE BRACE ACTUATOR FITTING ASSEMBLY DISCARD (6721323-1, -2, -5, -6)							Service	ATA:57
PN:6721323-2	MOS	EFF						LIFE LIMIT	
SN:UNKNOWN	HRS	EFF		TAC 0					
	AFL	EFF	18800	TAC 0	18800 * (M)		15679		
PROC. REF: AMM 57-10-00									
57-20-01-2200 ^S	LEFT AND RIGHT WING STRUCTURE ASSEMBLY INTERNAL DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	48 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-20-01									
57-20-01-2500 ^S	FUEL ACCESS PANEL AND ACCESS DOOR LAND AREAS ON THE BOTTOM SKIN OF THE WING (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	24 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-20-01									
57-51-00-2200 ^S	LEFT AND RIGHT INBOARD, CENTER, OUTBOARD FLAPS DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-51-00									
57-51-00-2202 ^S	FLAP TRACKS DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	72 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-00-2800 ^S	UPPER AND LOWER FLAP SURFACE (COIN TAP) SPECIAL DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 57-51-00								PKG:114
57-70-00-2200 ^S	SPOILERS AND SPEED BRAKE INSTALLATION DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 57-70-00								PKG:103
57-70-00-2800 ^S	SPOILERS AND SPEED BRAKE (COIN TAP) SPECIAL DETAILED INSPECTION							Service	ATA:57
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 57-70-00								PKG:114
572001	LEFT FORWARD TRUNNION ATTACH FITTING ASSEMBLY							Component	ATA:57
PN:6722324-5	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.130	AFL	0	18800	TSN 0	18800		15679		
	PROC. REF: GENERIC NO REF								
572001	RIGHT FORWARD TRUNNION ATTACH FITTING ASSEMBLY							Component	ATA:57
PN:6722324-6	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.130	AFL	0	18800	TSN 0	18800		15679		
	PROC. REF: GENERIC NO REF								
572003	LEFT SIDE BRACE ACTUATOR FITTING ASSEMBLY							Component	ATA:57
PN:6721323-1	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.140	AFL	0	18800	TSN 0	18800		15679		
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
572003	RIGHT SIDE BRACE ACTUATOR FITTING ASSEMBLY							Component	ATA:57
PN:6721323-2	MOS	21-Dec-04						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.140	AFL	0	18800	TSN 0	18800		15679		
PROC. REF: GENERIC NO REF									
573000 : L^U	LEFT WINGLET ASSEMBLY							Component	ATA:57
PN:10-2100-1	MOS/MSC	27-Jan-13	O/C						
SN:066	HRS	2441.2							
	AFL	1619							
573000 : R^U	RIGHT WINGLET ASSEMBLY							Component	ATA:57
PN:10-2100-2	MOS/MSC	27-Jan-13	O/C						
SN:066	HRS	2441.2							
	AFL	1619							
573001	LEFT HAND AILERON ASSEMBLY							Component	ATA:57
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-60-00									
573001	RIGHT HAND AILERON ASSEMBLY							Component	ATA:57
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-60-00									
575001	LEFT HAND INBOARD FLAP ASSEMBLY							Component	ATA:57
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
575001	RIGHT HAND INBOARD FLAP ASSEMBLY							Component	ATA:57
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
575002	LEFT HAND CENTER FLAP ASSEMBLY							Component	ATA:57
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
575002	RIGHT HAND CENTER FLAP ASSEMBLY							Component	ATA:57
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
575003	LEFT HAND OUTBOARD FLAP ASSEMBLY							Component	ATA:57
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
575003	RIGHT HAND OUTBOARD FLAP ASSEMBLY							Component	ATA:57
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 71 - POWER PLANT									
71-00-00-2200 ^S	ENGINE FIRE DETECTION AND SUPPRESSION SYSTEM EZAP DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 71-00-00								PKG:103	
71-11-00-2100 ^S	ENGINE PYLON AND COWLING ZONAL INTERNAL GENERAL VISUAL INSPECTION							Service	ATA:71
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 71-11-00								PKG:103	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-11-00-2101 ^S	ENGINE PYLON AND COWLING ZONAL EXTERNAL GENERAL VISUAL INSPECTION							Service	ATA:71
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 71-11-00							PKG:103	
71-20-00-2500 ^S	AFT MOUNT FITTING UPPER LUG (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:13000	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:77	
71-20-00-2501 ^S	AFT MOUNT FITTING LOWER LUG (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:9000	TAC 0					
WC#: 71.200	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:78	
71-20-00-2502 ^S	FORWARD MOUNT AFT, LOWER BANANA MOUNT OUTBOARD FLANGE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:12500	TAC 0					
WC#: 71.220	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:85	
71-20-00-2503 ^S	FORWARD MOUNT AFT, UPPER BANANA MOUNT INBOARD FLANGE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 71.220	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:91	
71-20-00-2504 ^S	FORWARD MOUNT AFT, UPPER BANANA MOUNT TO BEAM INTERFACE, INBOARD OF BANANA (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 71.240	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:92	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-20-00-2505 ^S	FORWARD MOUNT FORWARD, UPPER BANANA MOUNT TO BEAM INTERFACE, INBOARD OF BANANA (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 71.230	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:92	
71-20-00-2506 ^S	FORWARD MOUNT, FORWARD AND AFT, UPPER BANANA MOUNT TO BEAM INTERFACE, WITHIN BANANA (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 71.250	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:98	
71-20-00-2508 ^S	FORWARD ENGINE BEAM, FORWARD MOUNT, LOWER INBOARD COVER PLATE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
WC#: 71.240	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:98	
71-20-00-2509 ^S	AFT ENGINE MOUNT FITTING, UPPER, INBOARD FLANGE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:9500	TAC 0					
WC#: 71.210	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:84	
71-20-00-2510 ^S	INSPECT FORWARD MOUNT AFT, UPPER BANANA MOUNT INBOARD FLANGE (EDDY CURRENT) SPECIAL DETAILED INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	T:15000	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 71-20-00							PKG:91	
71-70-00-2100 ^S	ENGINE DRAINS GENERAL VISUAL INSPECTION							Service	ATA:71
	MOS	21-Dec-04		TAC 0					
	HRS	0	2000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 71-70-00							PKG:111	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710002		LEFT ENGINE UPPER FORWARD ISOLATOR						Component	ATA:71
PN:LM221SA33	MOS/MSC	21-Dec-04	O/C						
SN:LK0094	HRS	0		TSN 0					
WC#: 71.010	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
710002		RIGHT ENGINE UPPER FOWARD ISOLATOR						Component	ATA:71
PN:LM221SA33	MOS/MSC	21-Dec-04	O/C						
SN:LK0088	HRS	0		TSN 0					
WC#: 71.010	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
710003		LEFT ENGINE LOWER FORWARD ISOLATOR						Component	ATA:71
PN:LM221SA33	MOS/MSC	21-Dec-04	O/C						
SN:LK0121	HRS	0		TSN 0					
WC#: 71.020	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
710003		RIGHT ENGINE LOWER FORWARD ISOLATOR						Component	ATA:71
PN:LM221SA33	MOS/MSC	21-Dec-04	O/C						
SN:LK0112	HRS	0		TSN 0					
WC#: 71.020	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
710005		LEFT ENGINE UPPER AFT ISOLATOR						Component	ATA:71
PN:LM221SA23	MOS/MSC	21-Dec-04	O/C						
SN:LK1052	HRS	0		TSN 0					
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
710005		RIGHT ENGINE UPPER AFT ISOLATOR						Component	ATA:71
PN:LM221SA23	MOS/MSC	21-Dec-04	O/C						
SN:LK1067	HRS	0		TSN 0					
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
710007		LEFT ENGINE LOWER AFT ISOLATOR						Component	ATA:71
PN:LM221SA23	MOS/MSC	21-Dec-04	O/C						
SN:LK1050	HRS	0		TSN 0					
WC#: 71.040	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710007	RIGHT ENGINE LOWER AFT ISOLATOR							Component	ATA:71
PN:LM221SA23	MOS/MSC	21-Dec-04	O/C						
SN:LK1045	HRS	0		TSN 0					
WC#: 71.040	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:23074408	MOS/MSC	11-Aug-21	E/C						
SN:CAE330493	HRS	4727.5		TSN 4546					
WC#: 71.EN1	AFL	2676							
PROC. REF: AMM 71-00-03									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:23074408	MOS/MSC	25-Aug-20	E/C						
SN:CAE330496	HRS	3786.3		TSN 3663.8					
WC#: 71.EN2	AFL	2274							
PROC. REF: AMM 71-00-03									
ATA 72 - ENGINE									
72-00-00-200-801-01	NO. 1 ENGINE - LEFT IGNITION EXCITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									
72-00-00-200-801-01	NO. 1 ENGINE - RIGHT IGNITION EXCITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									
72-00-00-200-801-01	NO. 2 ENGINE - LEFT IGNITION EXCITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-01	NO. 2 ENGINE - RIGHT IGNITION EXCITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
	PROC. REF: MM 72-00-00								
72-00-00-200-801-02	NO. 1 ENGINE - LEFT ENGINE IGNITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
	PROC. REF: MM 72-00-00								
72-00-00-200-801-02	NO. 1 ENGINE - RIGHT ENGINE IGNITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
	PROC. REF: MM 72-00-00								
72-00-00-200-801-02	NO. 2 ENGINE - LEFT ENGINE IGNITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
	PROC. REF: MM 72-00-00								
72-00-00-200-801-02	NO. 2 ENGINE - RIGHT ENGINE IGNITER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
	PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-03	NO. 1 ENGINE - LEFT IGNITER A LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24							
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									
72-00-00-200-801-03	NO. 1 ENGINE - RIGHT IGNITER A LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24							
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									
72-00-00-200-801-03	NO. 2 ENGINE - LEFT IGNITER A LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24							
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									
72-00-00-200-801-03	NO. 2 ENGINE - RIGHT IGNITER A LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24							
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									
72-00-00-200-801-04	NO. 1 ENGINE - STATOR PERMANENT MAGNET ALTERNATOR GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-04	NO. 2 ENGINE - STATOR PERMANENT MAGNET ALTERNATOR GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									
72-00-00-200-801-05	NO. 1 ENGINE - LEFT IGNITER B LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									
72-00-00-200-801-05	NO. 1 ENGINE - RIGHT IGNITER B LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									
72-00-00-200-801-05	NO. 2 ENGINE - LEFT IGNITER B LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									
72-00-00-200-801-05	NO. 2 ENGINE - RIGHT IGNITER B LEAD ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-06	NO. 1 ENGINE - LEFT HARNESS THERMOCOUPLE WIRING GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									
72-00-00-200-801-06	NO. 1 ENGINE - RIGHT HARNESS THERMOCOUPLE WIRING GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									
72-00-00-200-801-06	NO. 2 ENGINE - LEFT HARNESS THERMOCOUPLE WIRING GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									
72-00-00-200-801-06	NO. 2 ENGINE - RIGHT HARNESS THERMOCOUPLE WIRING GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									
72-00-00-200-801-07	NO. 1 ENGINE - FORCED CORE TO BYPASS MIXER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-07	NO. 2 ENGINE - FORCED CORE TO BYPASS MIXER GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
	PROC. REF: MM 72-00-00								
72-00-00-200-801-08	NO. 1 ENGINE - EXHAUST CONE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
	PROC. REF: MM 72-00-00								
72-00-00-200-801-08	NO. 2 ENGINE - EXHAUST CONE ASSEMBLY GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
	PROC. REF: MM 72-00-00								
72-00-00-200-801-09	NO. 1 ENGINE - ENGINE OIL SYSTEM GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
	PROC. REF: MM 72-00-00								
72-00-00-200-801-09	NO. 2 ENGINE - ENGINE OIL SYSTEM GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
	PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-10	NO. 1 ENGINE - ENGINE OIL FILTER BY-PASS GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									
72-00-00-200-801-10	NO. 2 ENGINE - ENGINE OIL FILTER BY-PASS GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									
72-00-00-200-801-11	NO. 1 ENGINE - ENGINE AIR INLET SECTION GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	12-Apr-22	36 (+1m)		12-Apr-25	12-May-25	145 d (+30)		
	HRS	5133	600 (+50)		(5733) 5914.5	5783	206.5 (+50)		
	ENC	2849							
PROC. REF: MM 72-00-00									
72-00-00-200-801-11	NO. 2 ENGINE - ENGINE AIR INLET SECTION GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	36 (+1m)		30-May-27	30-Jun-27	923 d (+31)		
	HRS	5604.6	600 (+50)		(6204.6) 6237.2	6254.6	529.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									
72-00-00-200-801-12	NO. 1 ENGINE - FUEL NOZZLES GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5455.7	1000 (+50)		(6455.7) 6637.2	6505.7	929.2 (+50)		
	ENC	2997							
PROC. REF: MM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-801-12	NO. 2 ENGINE - FUEL NOZZLES GENERAL VISUAL INSPECTION							Service	ATA:72
	MOS	30-May-24	60 (+1m)		30-May-29	30-Jun-29	1654 d (+31)		
	HRS	5604.6	1000 (+50)		(6604.6) 6637.2	6654.6	929.2 (+50)		
	ENC	3006							
PROC. REF: MM 72-00-00									
72-00-00-200-806	NO. 1 ENGINE - ENGINE (ENGINE REFURBISHMENT) SPECIAL DETAILED INSPECTION							Service	ATA:72
	MOS	23-Jul-21							
	HRS	4546	4500 (+50)		(9046) 9227.5	9096	3519.5 (+50)		
	ENC	2595							
PROC. REF: EM 72-00-00-200-806, MM 05-21-00-800-801									
72-00-00-200-806	NO. 2 ENGINE - ENGINE (ENGINE REFURBISHMENT) SPECIAL DETAILED INSPECTION							Service	ATA:72
	MOS	29-Jul-20							
	HRS	3663.8	4500 (+50)		(8163.8) 8998.9	8213.8	2488.4 (+50)		
	ENC	2204							
PROC. REF: EM 72-00-00-200-806, MM 05-21-00-800-801									
720039	NO. 1 ENGINE - GEARBOX ACCESS DRIVE ASSEMBLY							Component	ATA:72
PN:23086770	MOS/MSC	26-Jul-21	O/C						
SN:2429	HRS	4546							
	ENC	2595							
PROC. REF: MM 72-63-10, MM 72-63-10									
720039	NO. 2 ENGINE - GEARBOX ACCESS DRIVE ASSEMBLY							Component	ATA:72
PN:23079389	MOS/MSC	07-Dec-06	O/C						
SN:2462	HRS	0							
	ENC	0							
PROC. REF: MM 72-63-10, MM 72-63-10									
721000	NO. 1 ENGINE - FAN ROTOR ASSEMBLY							Component	ATA:72
PN:23058869	MOS/MSC	21-Dec-04	O/C						
SN:FR106631	HRS	0							
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721000	NO. 2 ENGINE - FAN ROTOR ASSEMBLY							Component	ATA:72
PN:23058869	MOS/MSC	21-Dec-04	O/C						
SN:FR106676	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
721001	NO. 1 ENGINE - FAN ROTOR WHEEL							Component	ATA:72
PN:23058865	MOS	21-Dec-04						LIFE LIMIT	
SN:FR106631	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: MM 72-21-10, MM 72-21-10, BULLETINS									
721001	NO. 2 ENGINE - FAN ROTOR WHEEL							Component	ATA:72
PN:23058865	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:FR106676	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: MM 72-21-10, MM 72-21-10, BULLETINS									
721007	NO. 1 ENGINE - FAN ROTOR FORWARD FAN BLADE RETAINER							Component	ATA:72
PN:23062491	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:HK119884	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: MM 72-21-30, MM 72-21-30									
721007	NO. 2 ENGINE - FAN ROTOR FORWARD FAN BLADE RETAINER							Component	ATA:72
PN:23062491	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:HK119943	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: MM 72-21-30, MM 72-21-30									
721011	NO. 1 ENGINE - FAN ROTOR FAN DRIVE SHAFT							Component	ATA:72
PN:23074382	MOS	21-Dec-04		TSN 0				LIFE LIMIT	
SN:GV245642	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: MM 72-25-40, MM 72-25-40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721011	NO. 2 ENGINE - FAN ROTOR FAN DRIVE SHAFT							Component	ATA:72
PN:23074382	MOS	21-Dec-04						LIFE LIMIT	
SN:GV245736	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: MM 72-25-40, MM 72-25-40									
722005	NO. 1 ENGINE - FAN SPINNER ASSEMBLY							Component	ATA:72
PN:23087826	MOS/MSC	26-Jul-21	O/C						
SN:FF349827	HRS	4546							
	ENC	2595							
PROC. REF: MM 72-21-20, MM 72-21-20									
722005	NO. 2 ENGINE - FAN SPINNER ASSEMBLY							Component	ATA:72
PN:23078783	MOS/MSC	05-Apr-10	O/C						
SN:UNKNOWN	HRS	1974		TSN 0					
	ENC								
PROC. REF: MM 72-21-20, MM 72-21-20									
723000	NO. 1 ENGINE - COMPRESSOR ROTOR ASSEMBLY							Component	ATA:72
PN:23074221	MOS/MSC	21-Dec-04	O/C						
SN:A21007	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723000	NO. 2 ENGINE - COMPRESSOR ROTOR ASSEMBLY							Component	ATA:72
PN:23075618	MOS/MSC	21-Dec-04	O/C						
SN:A21094	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723001	NO. 1 ENGINE - COMPRESSOR ROTOR 1ST STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23065041	MOS	21-Dec-04						LIFE LIMIT	
SN:L285622	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723001	NO. 2 ENGINE - COMPRESSOR ROTOR 1ST STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23065041	MOS	21-Dec-04						LIFE LIMIT	
SN:L290923	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723002	NO. 1 ENGINE - COMPRESSOR ROTOR 2ND STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23050752	MOS	21-Dec-04						LIFE LIMIT	
SN:L291474	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723002	NO. 2 ENGINE - COMPRESSOR ROTOR 2ND STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23050752	MOS	21-Dec-04						LIFE LIMIT	
SN:L291578	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723003	NO. 1 ENGINE - COMPRESSOR ROTOR 3RD STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23065303	MOS	21-Dec-04						LIFE LIMIT	
SN:L284316	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723003	NO. 2 ENGINE - COMPRESSOR ROTOR 3RD STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23065303	MOS	21-Dec-04						LIFE LIMIT	
SN:L284419	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723004	NO. 1 ENGINE - COMPRESSOR ROTOR 4TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23071259	MOS	21-Dec-04						LIFE LIMIT	
SN:L282250	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723004	NO. 2 ENGINE - COMPRESSOR ROTOR 4TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23071259	MOS	21-Dec-04						LIFE LIMIT	
SN:L282369	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723005	NO. 1 ENGINE - COMPRESSOR ROTOR 5TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23071260	MOS	21-Dec-04						LIFE LIMIT	
SN:L276950	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723005	NO. 2 ENGINE - COMPRESSOR ROTOR 5TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23071260	MOS	21-Dec-04						LIFE LIMIT	
SN:L277055	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723006	NO. 1 ENGINE - COMPRESSOR ROTOR 6TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074717	MOS	21-Dec-04						LIFE LIMIT	
SN:L270375	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723006	NO. 2 ENGINE - COMPRESSOR ROTOR 6TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074717	MOS	21-Dec-04						LIFE LIMIT	
SN:L270487	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723007	NO. 1 ENGINE - COMPRESSOR ROTOR 7TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074217	MOS	21-Dec-04						LIFE LIMIT	
SN:L283983	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723007	NO. 2 ENGINE - COMPRESSOR ROTOR 7TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074217	MOS	21-Dec-04						LIFE LIMIT	
SN:L284055	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723008	NO. 1 ENGINE - COMPRESSOR ROTOR 8TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074721	MOS	21-Dec-04						LIFE LIMIT	
SN:L292549	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723008	NO. 2 ENGINE - COMPRESSOR ROTOR 8TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074721	MOS	21-Dec-04						LIFE LIMIT	
SN:L292657	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723009	NO. 1 ENGINE - COMPRESSOR ROTOR 9TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074722	MOS	21-Dec-04						LIFE LIMIT	
SN:L282688	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723009	NO. 2 ENGINE - COMPRESSOR ROTOR 9TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074722	MOS	21-Dec-04						LIFE LIMIT	
SN:L282774	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723010	NO. 1 ENGINE - COMPRESSOR ROTOR 10TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074723	MOS	21-Dec-04						LIFE LIMIT	
SN:L283031	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - COMPRESSOR ROTOR 10TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074723	MOS	21-Dec-04						LIFE LIMIT	
SN:L283129	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723011	NO. 1 ENGINE - COMPRESSOR ROTOR 11TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074724	MOS	21-Dec-04						LIFE LIMIT	
SN:L283399	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723011	NO. 2 ENGINE - COMPRESSOR ROTOR 11TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074724	MOS	21-Dec-04						LIFE LIMIT	
SN:L293098	HRS	0							
	ENC	0	20000	TSN 0, Adj 14	(20014) 20086		16965		
PROC. REF: GENERIC NO REF									
723012	NO. 1 ENGINE - COMPRESSOR ROTOR 12TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074725	MOS	21-Dec-04						LIFE LIMIT	
SN:L285092	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723012	NO. 2 ENGINE - COMPRESSOR ROTOR 12TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074725	MOS	21-Dec-04						LIFE LIMIT	
SN:L293641	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723013	NO. 1 ENGINE - COMPRESSOR ROTOR 13TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074213	MOS	21-Dec-04						LIFE LIMIT	
SN:FJ264601	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723013	NO. 2 ENGINE - COMPRESSOR ROTOR 13TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074213	MOS	21-Dec-04						LIFE LIMIT	
SN:L283847	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723014	NO. 1 ENGINE - COMPRESSOR ROTOR 14TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074214	MOS	21-Dec-04						LIFE LIMIT	
SN:L283607	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723014	NO. 2 ENGINE - COMPRESSOR ROTOR 14TH STAGE COMPRESSOR WHEEL							Component	ATA:72
PN:23074214	MOS	21-Dec-04						LIFE LIMIT	
SN:L283674	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723015	NO. 1 ENGINE - COMPRESSOR SHAFT CONE ASSEMBLY							Component	ATA:72
PN:23076016	MOS	21-Dec-04						LIFE LIMIT	
SN:L289417	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
723015	NO. 2 ENGINE - COMPRESSOR SHAFT CONE ASSEMBLY							Component	ATA:72
PN:23076016	MOS	21-Dec-04						LIFE LIMIT	
SN:L289556	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
723017	NO. 1 ENGINE - COMP/TURBINE SHAFT							Component	ATA:72
PN:23073165	MOS/MSC	21-Dec-04	O/C						
SN:L290005	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723017	NO. 2 ENGINE - COMP/TURBINE SHAFT							Component	ATA:72
PN:23073165	MOS/MSC	21-Dec-04	O/C						
SN:L290165	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723018	NO. 1 ENGINE - STUB COMP SHAFT							Component	ATA:72
PN:23087970	MOS/MSC	28-Jul-21	O/C	TSN 1					
SN:UNKNOWN	HRS	4546		TSN 0					
	ENC	2595		TSN 0					
PROC. REF: GENERIC NO REF									
723018	NO. 2 ENGINE - STUB COMP SHAFT							Component	ATA:72
PN:23077677	MOS/MSC	21-Dec-04	O/C						
SN:GV249270	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723019	NO. 1 ENGINE - COMPRESSOR TIE BOLT							Component	ATA:72
PN:23076018	MOS/MSC	21-Dec-04	O/C						
SN:L281960	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723019	NO. 2 ENGINE - COMPRESSOR TIE BOLT							Component	ATA:72
PN:23076018	MOS/MSC	21-Dec-04	O/C						
SN:L294270	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723020	NO. 1 ENGINE - COMPRESSOR 8TH CASE							Component	ATA:72
PN:23073028	MOS/MSC	21-Dec-04	O/C						
SN:JB226496	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723020	NO. 2 ENGINE - COMPRESSOR 8TH CASE							Component	ATA:72
PN:23077727	MOS/MSC	21-Dec-04	O/C						
SN:JB226504	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723703	NO. 1 ENGINE - CVG TORQUE TUBE							Component	ATA:72
PN:23071270	MOS/MSC	26-Jul-21	O/C						
SN:N/A	HRS	4546							
	ENC	2595							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723703	NO. 2 ENGINE - CVG TORQUE TUBE							Component	ATA:72
PN:23071370	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0							
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
723705	NO. 1 ENGINE - COMPRESSOR DIFFUSER							Component	ATA:72
PN:23065047	MOS/MSC	21-Dec-04	O/C						
SN:NY213113	HRS	0							
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
723705	NO. 2 ENGINE - COMPRESSOR DIFFUSER							Component	ATA:72
PN:23065047	MOS/MSC	21-Dec-04	O/C						
SN:NY213114	HRS	0							
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
723707	NO. 1 ENGINE - SPLIT BALL BEARING							Component	ATA:72
PN:23080325	MOS/MSC	26-Jul-21	O/C		TSN 1				
SN:NWF21-0287	HRS	4546			TSN 0				
	ENC	2595			TSN 0				
	PROC. REF: GENERIC NO REF								
723707	NO. 2 ENGINE - SPLIT BALL BEARING							Component	ATA:72
PN:23071692	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
725000	NO. 1 ENGINE - HPT ROTOR ASSEMBLY							Component	ATA:72
PN:23062609	MOS/MSC	21-Dec-04	O/C						
SN:A72361	HRS	0							
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
725000	NO. 2 ENGINE - HPT ROTOR ASSEMBLY							Component	ATA:72
PN:23062609	MOS/MSC	21-Dec-04	O/C						
SN:A72422	HRS	0							
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725001	NO. 1 ENGINE - 1ST STAGE GAS GENERATOR TURBINE OR HP TURBINE WHEEL							Component	ATA:72
PN:23069591	MOS		21-Dec-04					LIFE LIMIT	
SN:MM504550	HRS		0						
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
725001	NO. 2 ENGINE - 1ST STAGE GAS GENERATOR TURBINE OR HP TURBINE WHEEL							Component	ATA:72
PN:23069591	MOS		21-Dec-04					LIFE LIMIT	
SN:MM506665	HRS		0						
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
725002	NO. 1 ENGINE - 2ND STAGE GAS GENERATOR TURBINE OR HP TURBINE WHEEL							Component	ATA:72
PN:23069592	MOS		21-Dec-04					LIFE LIMIT	
SN:MM504038	HRS		0						
	ENC	0	11000	TSN 0	(11000) 11081		7960		
PROC. REF: GENERIC NO REF									
725002	NO. 2 ENGINE - 2ND STAGE GAS GENERATOR TURBINE OR HP TURBINE WHEEL							Component	ATA:72
PN:23069592	MOS		21-Dec-04					LIFE LIMIT	
SN:MM505237	HRS		0						
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
725003	NO. 1 ENGINE - GAS GENERATOR TURBINE OR HP TURBINE ROTOR 1ST TO 2ND STAGE TURBINE SPACER							Component	ATA:72
PN:23071242	MOS		21-Dec-04					LIFE LIMIT	
SN:TW510818	HRS		0						
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725003	NO. 2 ENGINE - GAS GENERATOR TURBINE OR HP TURBINE ROTOR 1ST TO 2ND STAGE TURBINE SPACER							Component	ATA:72
PN:23071242	MOS	21-Dec-04						LIFE LIMIT	
SN:TW510372	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - ROTOR ASSY-LPT ROTOR ASSEMBLY							Component	ATA:72
PN:23070097	MOS/MSC	21-Dec-04	O/C						
SN:A82343	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - ROTOR ASSY-LPT ROTOR ASSEMBLY							Component	ATA:72
PN:23070097	MOS/MSC	21-Dec-04	O/C						
SN:A82402	HRS	0							
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725011	NO. 1 ENGINE - LP TURBINE ROTOR 1ST STAGE LOW PRESSURE TURBINE WHEEL							Component	ATA:72
PN:23073957	MOS	21-Dec-04						LIFE LIMIT	
SN:MW42679	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
725011	NO. 2 ENGINE - LP TURBINE ROTOR 1ST STAGE LOW PRESSURE TURBINE WHEEL							Component	ATA:72
PN:23073957	MOS	21-Dec-04						LIFE LIMIT	
SN:MW42739	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
725012	NO. 1 ENGINE - LP TURBINE ROTOR 2ND STAGE LOW PRESSURE TURBINE WHEEL							Component	ATA:72
PN:23070356	MOS	21-Dec-04						LIFE LIMIT	
SN:MW44721	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725012	NO. 2 ENGINE - LP TURBINE ROTOR 2ND STAGE LOW PRESSURE TURBINE WHEEL							Component	ATA:72
PN:23070356	MOS	21-Dec-04						LIFE LIMIT	
SN:MW44794	HRS	0							
	ENC	0	20000	TSN 0, Adj 14	(20014) 20086		16965		
PROC. REF: GENERIC NO REF									
725013	NO. 1 ENGINE - LP TURBINE ROTOR 3RD STAGE LOW PRESSURE TURBINE WHEEL							Component	ATA:72
PN:23070357	MOS	21-Dec-04						LIFE LIMIT	
SN:MW43721	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
725013	NO. 2 ENGINE - LP TURBINE ROTOR 3RD STAGE LOW PRESSURE TURBINE WHEEL							Component	ATA:72
PN:23070357	MOS	21-Dec-04						LIFE LIMIT	
SN:MW43764	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
725014	NO. 1 ENGINE - LP TURBINE ROTOR LOW PRESSURE TURBINE INTERSTAGE 1 & 2 SPACER							Component	ATA:72
PN:23054049	MOS	21-Dec-04						LIFE LIMIT	
SN:TW510537	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
725014	NO. 2 ENGINE - LP TURBINE ROTOR LOW PRESSURE TURBINE INTERSTAGE 1 & 2 SPACER							Component	ATA:72
PN:23054049	MOS	21-Dec-04						LIFE LIMIT	
SN:TW513019	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725015	NO. 1 ENGINE - LP TURBINE ROTOR LOW PRESSURE TURBINE FORWARD SHAFT							Component	ATA:72
PN:23074538	MOS	21-Dec-04						LIFE LIMIT	
SN:GV246841	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
725015	NO. 2 ENGINE - LP TURBINE ROTOR LOW PRESSURE TURBINE FORWARD SHAFT							Component	ATA:72
PN:23074538	MOS	21-Dec-04						LIFE LIMIT	
SN:GV249805	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
725016	NO. 1 ENGINE - LP TURBINE ROTOR LOW PRESSURE TURBINE INTERSTAGE 2 & 3 SPACER							Component	ATA:72
PN:23054049	MOS	21-Dec-04						LIFE LIMIT	
SN:TW510533	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20081		16960		
PROC. REF: GENERIC NO REF									
725016	NO. 2 ENGINE - LP TURBINE ROTOR LOW PRESSURE TURBINE INTERSTAGE 2 & 3 SPACER							Component	ATA:72
PN:23054049	MOS	21-Dec-04						LIFE LIMIT	
SN:TW512950	HRS	0							
	ENC	0	20000	TSN 0	(20000) 20072		16951		
PROC. REF: GENERIC NO REF									
74-21-10-000-801	NO. 1 ENGINE - 23062672 LEFT ENGINE IGNITERS DISCARD							Service	ATA:72
	MOS	23-Jul-21							
	HRS	4546	4500 (+50)		(9046) 9227.5	9096	3519.5 (+50)		
	ENC	2595							
PROC. REF: MM 74-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
74-21-10-000-801	NO. 2 ENGINE - 23062672 LEFT ENGINE IGNITERS DISCARD							Service	ATA:72
	MOS	29-Jul-20							
	HRS	3663.8	4500 (+50)		(8163.8) 8196.4	8213.8	2488.4 (+50)		
	ENC	2204							
PROC. REF: MM 74-21-10									
ATA 73 - ENGINE FUEL AND CONTROL									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 1 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:10S05022	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 10 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1XR04334	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 11 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1RS05121	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 12 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1NR06745	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 13 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1PR08075	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 14 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1YR11035	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 15 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1NS07884	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 16 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1PR11885	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 2 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1XR08710	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 3 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1XR09312	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 4 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1SR07003	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 5 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:VN1ZT02579	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 6 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1XR06504	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 7 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1PS13471	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 8 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:VN1VS14319	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-11-10-400-801-01	NO. 2 ENGINE - NO. 9 FUEL NOZZLES (CLEANING AND FLOW CHECK) RESTORATION							Service	ATA:73
PN:23073452	MOS	16-Mar-20						RESTORE	
SN:1PR03990	HRS	3655.7	2500 (+50)		(6155.7) 6188.3	6205.7	480.3 (+50)		
	ENC	2190							
PROC. REF: MM 73-11-10									
73-25-10-200-801	NO. 1 ENGINE - FADEC OPERATIONAL CHECK							Service	ATA:73
	MOS	13-May-22						MANDATORY	
	HRS	5222.9	500 (+25)		(5722.9) 5904.4	5747.9	196.4 (+25)		
	ENC	2882							
PROC. REF: MM 73-25-10									
73-25-10-200-801	NO. 2 ENGINE - FADEC OPERATIONAL CHECK							Service	ATA:73
	MOS	13-May-22						MANDATORY	
	HRS	5371.8	500 (+25)		(5871.8) 5904.4	5896.8	196.4 (+25)		
	ENC	2891							
PROC. REF: MM 73-25-10									
73-30-00-200-801	NO. 1 ENGINE - FUEL FILTER BYPASS INDICATORS VISUAL INSPECTION							Service	ATA:73
	MOS	12-Apr-22	36 (+1m)		12-Apr-25	12-May-25	145 d (+30)		
	HRS	5133	600 (+50)		(5733) 5914.5	5783	206.5 (+50)		
	ENC	2849							
PROC. REF: MM 73-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-30-00-200-801	NO. 2 ENGINE - FUEL FILTER BYPASS INDICATORS VISUAL INSPECTION							Service	ATA:73
	MOS	30-May-24	36 (+1m)		30-May-27	30-Jun-27	923 d (+31)		
	HRS	5604.6	600 (+50)		(6204.6) 6237.2	6254.6	529.2 (+50)		
	ENC	3006							
PROC. REF: MM 73-30-00									
730001	NO. 2 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 3					
SN:10S05022	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:1XR04334	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:1RS05121	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 12 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:1NR06745	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 13 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:1PR08075	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
730001	NO. 2 ENGINE - NO. 14 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 3					
SN:1YR11035	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 15 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 6					
SN:1NS07884	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 16 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 3					
SN:1PR11885	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:1XR08710	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:1XR09312	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 3					
SN:1SR07003	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:VN1ZT02579	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
730001	NO. 2 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:1XR06504	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:1PS13471	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:VN1VS14319	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:23073452	MOS/MSC	16-Mar-20	O/C	TSO 2					
SN:1PR03990	HRS	3655.7		TSO 0					
	ENC	2190		TSO 0					
PROC. REF: GENERIC NO REF									
731001	NO. 1 ENGINE - MOTIVE FLOW FUEL PUMP							Component	ATA:73
PN:972716	MOS/MSC	21-Dec-04	O/C						
SN:MX668784A	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731001	NO. 2 ENGINE - MOTIVE FLOW FUEL PUMP							Component	ATA:73
PN:972716	MOS/MSC	18-Mar-14	O/C	TSN 0					
SN:MX767580H	HRS	2721.9		TSN 0					
	ENC	1720							
PROC. REF: GENERIC NO REF									
731002	NO. 1 ENGINE - MOTIVE FLOW RELIEF VALVE							Component	ATA:73
PN:848512	MOS/MSC	02-Sep-08	O/C						
SN:NSN	HRS	1742		TSN 0					
	ENC								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731002	NO. 2 ENGINE - MOTIVE FLOW RELIEF VALVE							Component	ATA:73
PN:848512	MOS/MSC	02-Sep-08	O/C						
SN:NSN	HRS	1742		TSN 0					
	ENC								
				PROC. REF: GENERIC NO REF					
732101	NO. 1 ENGINE - FUEL PUMP METERING UNIT							Component	ATA:73
PN:23076368	MOS/MSC	21-Dec-04	O/C						
SN:BAE13090	HRS	0		TSN 0					
	ENC	0		TSN 0					
				PROC. REF: MM 73-21-10, MM 73-21-10					
732101	NO. 2 ENGINE - FUEL PUMP METERING UNIT							Component	ATA:73
PN:23076368	MOS/MSC	16-Mar-20	O/C						
SN:BAE-10969	HRS	3655.7							
	ENC	2190							
				PROC. REF: MM 73-21-10, MM 73-21-10					
732110	NO. 1 ENGINE - REPLACE FUEL FILTER							Service	ATA:73
	MOS/MSC	26-Jun-24	O/C						
	HRS	5463.8							
	ENC	3004							
				PROC. REF: MM 73-21-10, MM 73-21-10					
732110	NO. 2 ENGINE - REPLACE FUEL FILTER							Service	ATA:73
	MOS/MSC	30-May-24	O/C						
	HRS	5604.6							
	ENC	3006							
				PROC. REF: MM 73-21-10, MM 73-21-10					
732501	NO. 1 ENGINE - POSITION A FADEC							Component	ATA:73
PN:23092715	MOS/MSC	13-Dec-17	O/C						
SN:BX170331	HRS	3400.5							
	ENC	1976							
				PROC. REF: MM 73-25-10, MM 73-25-10					
732501	NO. 2 ENGINE - POSITION A FADEC							Component	ATA:73
PN:23092715	MOS/MSC	13-Dec-17	O/C						
SN:BX170329	HRS	3400.5							
	ENC	1976							
				PROC. REF: MM 73-25-10, MM 73-25-10					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732503	NO. 1 ENGINE - POSITION B FADEC							Component	ATA:73
PN:23092715	MOS/MSC		13-Dec-17	O/C					
SN:BX170306	HRS		3400.5						
	ENC		1976						
PROC. REF: MM 73-25-10, MM 73-25-10									
732503	NO. 2 ENGINE - POSITION B FADEC							Component	ATA:73
PN:23092715	MOS/MSC		13-Dec-17	O/C					
SN:BX170304	HRS		3400.5						
	ENC		1976						
PROC. REF: MM 73-25-10, MM 73-25-10									
732505	NO. 1 ENGINE - ACT BYPASS INDICATOR							Component	ATA:73
PN:77878759	MOS/MSC		21-Dec-04	O/C					
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: MM 73-37-10, MM 73-37-10									
732505	NO. 2 ENGINE - ACT BYPASS INDICATOR							Component	ATA:73
PN:77878759	MOS/MSC		21-Dec-04	O/C					
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: MM 73-37-10, MM 73-37-10									
732506	NO. 1 ENGINE - IMP BYPASS INDICATOR							Component	ATA:73
PN:77878902	MOS/MSC		21-Dec-04	O/C					
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: MM 73-37-10, MM 73-37-10									
732506	NO. 2 ENGINE - IMP BYPASS INDICATOR							Component	ATA:73
PN:77878902	MOS/MSC		21-Dec-04	O/C					
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: MM 73-37-10, MM 73-37-10									
733001	NO. 1 ENGINE - FUEL FLOW TRANSMITTER							Component	ATA:73
PN:HFD9-127-72	MOS/MSC		21-Dec-04	O/C					
SN:U9097	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733001	NO. 2 ENGINE - FUEL FLOW TRANSMITTER							Component	ATA:73
PN:HFD9-127-72	MOS/MSC	21-Dec-04	O/C						
SN:U9103	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 74 - IGNITION									
74-21-10-000-801	NO. 1 ENGINE - 23062672 RIGHT ENGINE IGNITERS DISCARD							Service	ATA:74
	MOS	23-Jul-21							
	HRS	4546	4500 (+50)		(9046) 9227.5	9096	3519.5 (+50)		
	ENC	2595							
PROC. REF: MM 74-21-10									
74-21-10-000-801	NO. 2 ENGINE - 23062672 RIGHT ENGINE IGNITERS DISCARD							Service	ATA:74
	MOS	29-Jul-20							
	HRS	3663.8	4500 (+50)		(8163.8) 8196.4	8213.8	2488.4 (+50)		
	ENC	2204							
PROC. REF: MM 74-21-10									
741103	NO. 1 ENGINE - ALTERNATOR STATOR							Component	ATA:74
PN:23075489	MOS/MSC	21-Dec-04	O/C						
SN:UN8782	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-11-15, MM 74-11-15									
741103	NO. 2 ENGINE - ALTERNATOR STATOR							Component	ATA:74
PN:23075489	MOS/MSC	21-Dec-04	O/C						
SN:UN8575	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-11-15, MM 74-11-15									
741301	NO. 1 ENGINE - LEFT EXCITOR IGNITION							Component	ATA:74
PN:23065922	MOS/MSC	26-Jul-21	O/C						
SN:UY04227105	HRS	4546							
	ENC	2595							
PROC. REF: MM 74-13-10, MM 74-13-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741301	NO. 2 ENGINE - LEFT EXCITOR IGNITION							Component	ATA:74
PN:23065922	MOS/MSC	21-Dec-04	O/C						
SN:UY04297350	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-13-10, MM 74-13-10									
741303	NO. 1 ENGINE - RIGHT EXCITOR IGNITION							Component	ATA:74
PN:23065922	MOS/MSC	26-Jul-21	O/C						
SN:UY04227104	HRS	4546							
	ENC	2595							
PROC. REF: MM 74-13-10, MM 74-13-10									
741303	NO. 2 ENGINE - RIGHT EXCITOR IGNITION							Component	ATA:74
PN:23065922	MOS/MSC	21-Dec-04	O/C						
SN:UY04327403	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-13-10, MM 74-13-10									
742101	NO. 1 ENGINE - TOP IGNITER							Component	ATA:74
PN:PN-UNKNOWN	MOS/MSC	23-Jul-21	O/C		TSN 0				
SN:UNKNOWN	HRS	4546			TSN 0				
	ENC	2595			TSN 0				
PROC. REF: MM 74-21-10, MM 74-21-10									
742101	NO. 2 ENGINE - TOP IGNITER							Component	ATA:74
PN:23062672	MOS/MSC	16-Mar-20	O/C		TSN 0				
SN:JH1802524	HRS	3655.7			TSN 0				
	ENC	2190			TSN 0				
PROC. REF: MM 74-21-10, MM 74-21-10									
742103	NO. 1 ENGINE - BOTTOM IGNITER							Component	ATA:74
PN:PN-UNKNOWN	MOS/MSC	23-Jul-21	O/C		TSN 0				
SN:UNKNOWN	HRS	4546			TSN 0				
	ENC	2595			TSN 0				
PROC. REF: MM 74-21-10, MM 74-21-10									
742103	NO. 2 ENGINE - BOTTOM IGNITER							Component	ATA:74
PN:23062672	MOS/MSC	16-Mar-20	O/C		TSN 0				
SN:JH1802565	HRS	3655.7			TSN 0				
	ENC	2190			TSN 0				
PROC. REF: MM 74-21-10, MM 74-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742105A	NO. 1 ENGINE - OUTBOARD IGNITER LEAD							Component	ATA:74
PN:23054367	MOS/MSC	28-Jul-21	O/C						
SN:UM04165998	HRS	4546							
	ENC	2595							
PROC. REF: MM 74-21-15, MM 74-21-15, MM 74-21-20									
742105A	NO. 2 ENGINE - OUTBOARD IGNITER LEAD							Component	ATA:74
PN:23054367	MOS/MSC	21-Dec-04	O/C						
SN:UM04267630	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-21-15, MM 74-21-15, MM 74-21-20									
742107B	NO. 1 ENGINE - INBOARD IGNITER LEAD							Component	ATA:74
PN:23054368	MOS/MSC	28-Jul-21	O/C						
SN:UNKNOWN	HRS	4546							
	ENC	2595							
PROC. REF: MM 74-21-20									
742107B	NO. 2 ENGINE - INBOARD IGNITER LEAD							Component	ATA:74
PN:23054368	MOS/MSC	21-Dec-04	O/C						
SN:UM04267630	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-21-20									
ATA 75 - AIR									
753101	NO. 1 ENGINE - TOP BLEED AIR VALVE							Component	ATA:75
PN:6809125	MOS/MSC	26-Jul-21	O/C						
SN:FF292937	HRS	4546							
	ENC	2595							
PROC. REF: MM 75-31-10, MM 75-31-10									
753101	NO. 2 ENGINE - TOP BLEED AIR VALVE							Component	ATA:75
PN:6809125	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-31-10, MM 75-31-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
753101A	NO. 1 ENGINE - BOTTOM BLEED AIR VALVE							Component	ATA:75
PN:6809125	MOS/MSC	26-Jul-21	O/C	TSN 122					
SN:FF328995	HRS	4546		TSN 2347					
	ENC	2595							
	PROC. REF: MM 75-31-10, MM 75-31-10								
753101A	NO. 2 ENGINE - BOTTOM BLEED AIR VALVE							Component	ATA:75
PN:6809125	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: MM 75-31-10, MM 75-31-10								
754305	NO. 1 ENGINE - NO. 1 P2.5 SENSOR							Component	ATA:75
PN:23085153	MOS/MSC	04-Jul-18	O/C	TSN 0					
SN:QWKU0026053	HRS	3433.5		TSN 0					
	ENC	1999		TSN 0					
	PROC. REF: MM 75-43-10, MM 75-43-10								
754305	NO. 2 ENGINE - NO. 1 P2.5 SENSOR							Component	ATA:75
PN:23075351	MOS/MSC	04-Jul-18	O/C						
SN:QW01305K	HRS	3433.5							
	ENC	1999							
	PROC. REF: MM 75-43-10, MM 75-43-10								
754306	NO. 1 ENGINE - NO. 2 P2.5 SENSOR							Component	ATA:75
PN:23075351	MOS/MSC	04-Jul-18	O/C						
SN:QW702345K	HRS	3433.5							
	ENC	1999							
	PROC. REF: MM 75-43-10, MM 75-43-10								
754306	NO. 2 ENGINE - NO. 2 P2.5 SENSOR							Component	ATA:75
PN:23075351	MOS/MSC	05-Mar-07	O/C						
SN:QW702338K	HRS	1364		TSN 0					
	ENC								
	PROC. REF: MM 75-43-10, MM 75-43-10								
759910 ^U	NO. 1 ENGINE - HEALTH TREND MONITORING DOWNLOAD							Service	ATA:75
	MOS	27-Sep-24	1		31-Oct-24		OVD		
	HRS	5520.6							
	ENC	3036							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
759910 ^U	NO. 2 ENGINE - HEALTH TREND MONITORING DOWNLOAD							Service	ATA:75
	MOS	27-Sep-24	1		31-Oct-24		OVD		
	HRS	5669.5							
	ENC	3045							
ATA 76 - ENGINE CONTROLS									
76-12-00-7100	OPERATIONAL CHECK TIME LIMITED DISPATCH							Service	ATA:76
	MOS	13-May-22							
	HRS	5404.4	525		5929.4		221.4		
	AFL	2963							
PROC. REF: AMM 76-12-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
770003	STANDBY ENGINE INDICATOR							Component	ATA:77
PN:10485N03M03	MOS/MSC	07-Dec-06	O/C						
SN:0751A	HRS	1293		TSO 0					
WC#: 77.010	AFL								
PROC. REF: AMM 77-41-00									
770101	NO. 1 ENGINE - ITT TRIM PLUG							Component	ATA:77
PN:23058854-16	MOS/MSC	26-Jul-21	O/C	TSN 2					
SN:UM05402059	HRS	4546		TSN 0					
	ENC	2595		TSN 0					
PROC. REF: MM 77-21-25, MM 77-21-25									
770101	NO. 2 ENGINE - ITT TRIM PLUG							Component	ATA:77
PN:PN	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 77-21-25, MM 77-21-25									
772105	NO. 1 ENGINE - ITT THERMOCOUPLE "A" HARNESS							Component	ATA:77
PN:23066759	MOS/MSC	26-Jul-21	O/C						
SN:UM04145694	HRS	4546							
	ENC	2595							
PROC. REF: GENERIC NO REF									
772110	NO. 1 ENGINE - ITT THERMOCOUPLE "B" HARNESS							Component	ATA:77
PN:23065329	MOS/MSC	26-Jul-21	O/C						
SN:UM04196605	HRS	4546							
	ENC	2595							
PROC. REF: GENERIC NO REF									
ATA 78 - EXHAUST									
78-11-00-6400 ^S	THRUST REVERSER LATCH BOX ASSEMBLY LUBRICATION							Service	ATA:78
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 78-11-00									
								PKG:114	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-30-01-2200 ^S	THRUST REVERSER ASSEMBLY DETAILED INSPECTION							Service	ATA:78
	MOS	21-Dec-04	36 (+1m/-1m)	TAC 0					
	HRS	0	3000 (+25/-25)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 78-30-01								PKG:114
781101	LEFT ENGINE THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:CX7830500-17	MOS/MSC	21-Dec-04	O/C						
SN:MOREG0241	HRS	0		TSN 0					
WC#: 78.010	AFL	0		TSN 0					
	PROC. REF: AMM 78-11-00								
781101	RIGHT ENGINE THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:CX7830500-18	MOS/MSC	21-Dec-04	O/C						
SN:MOREG0241	HRS	0		TSN 0					
WC#: 78.020	AFL	0		TSN 0					
	PROC. REF: AMM 78-11-00								
781103	LEFT ENGINE THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:CX7835006-1	MOS/MSC	21-Dec-04	O/C						
SN:A30040351	HRS	0		TSN 0					
WC#: 78.030	AFL	0		TSN 0					
	PROC. REF: AMM 78-12-00								
781103	RIGHT ENGINE THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:CX7835006-1	MOS/MSC	14-Mar-19	O/C						
SN:A30040429	HRS	3519.8							
WC#: 78.040	AFL	2082							
	PROC. REF: AMM 78-12-00								
783007	LEFT INBOARD T/R PRIMARY ACTUATOR							Component	ATA:78
PN:CX7833001-7	MOS/MSC	21-Dec-04	O/C						
SN:MOREG1232	HRS	0		TSN 0					
WC#: 78.050	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
783007	LEFT OUTBOARD T/R PRIMARY ACTUATOR							Component	ATA:78
PN:CX7833001-7	MOS/MSC	21-Dec-04	O/C						
SN:MOREG1233	HRS	0		TSN 0					
WC#: 78.050	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783007	RIGHT INBOARD T/R PRIMARY ACTUATOR							Component	ATA:78
PN:CX7833001-7	MOS/MSC	13-Jun-18	O/C	TSN 0					
SN:MOR2000	HRS	3421		TSN 0					
WC#: 78.060	AFL	1992							
PROC. REF: GENERIC NO REF									
783007	RIGHT OUTBOARD T/R PRIMARY ACTUATOR							Component	ATA:78
PN:CX7833001-7	MOS/MSC	21-Dec-04	O/C						
SN:MOREG1235	HRS	0		TSN 0					
WC#: 78.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783011	LEFT INBOARD T/R LATCH ACTUATOR							Component	ATA:78
PN:DS260-5	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783011	LEFT OUTBOARD T/R LATCH ACTUATOR							Component	ATA:78
PN:DS260-5	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783011	RIGHT INBOARD T/R LATCH ACTUATOR							Component	ATA:78
PN:DS260-5	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783011	RIGHT OUTBOARD T/R LATCH ACTUATOR							Component	ATA:78
PN:DS260-5	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783015	LEFT T/R NK117 MODULE							Component	ATA:78
PN:CX7836005-1	MOS/MSC	01-Dec-16	O/C	TSN 0					
SN:00957	HRS	3355		TSN 0					
WC#: 78.090	AFL	1960							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783015	RIGHT T/R NK118 MODULE							Component	ATA:78
PN:CX7836005-1	MOS/MSC	07-Jun-16	O/C						
SN:00639	HRS	3253.9							
WC#: 78.090	AFL	1920							
PROC. REF: GENERIC NO REF									
ATA 79 - OIL									
791101	NO. 1 ENGINE - OIL TANK ASSEMBLY							Component	ATA:79
PN:23070328	MOS/MSC	21-Dec-04	O/C						
SN:RJ14697	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-11-10, MM 79-11-10									
791101	NO. 2 ENGINE - OIL TANK ASSEMBLY							Component	ATA:79
PN:23070328	MOS/MSC	21-Dec-04	O/C						
SN:RJ14761	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-11-10, MM 79-11-10									
791103	LEFT ENGINE OIL TRANSMITTER							Component	ATA:79
PN:APT/T-3-1000-100G	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
791103	RIGHT ENGINE OIL TRANSMITTER							Component	ATA:79
PN:APT/T-3-1000-100G	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
792101	NO. 1 ENGINE - LUBE/SCAVENGE PUMP							Component	ATA:79
PN:23073239	MOS/MSC	21-Dec-04	O/C						
SN:NL2522	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-21-10, MM 79-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792101	NO. 2 ENGINE - LUBE/SCAVENGE PUMP							Component	ATA:79
PN:23073239	MOS/MSC	21-Dec-04	O/C						
SN:NL2563	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-21-10, MM 79-21-10									
792103	NO. 1 ENGINE - PRESS/TEMP SENSOR							Component	ATA:79
PN:23088772	MOS/MSC	26-Jul-21	O/C	TSN 1					
SN:QWKU0034924	HRS	4546		TSN 0					
	ENC	2595		TSN 0					
PROC. REF: MM 79-31-10, MM 79-31-10									
792103	NO. 2 ENGINE - PRESS/TEMP SENSOR							Component	ATA:79
PN:23073715	MOS/MSC	26-Jul-18	O/C	TSN 0					
SN:0780V	HRS	3443.5		TSN 0					
	ENC	2012							
PROC. REF: MM 79-31-10, MM 79-31-10									
792301	NO. 1 ENGINE - OIL FILTER ASSEMBLY							Component	ATA:79
PN:23064830	MOS/MSC	26-Jul-21	O/C						
SN:P2057	HRS	4546							
	ENC	2595							
PROC. REF: MM 79-23-10, MM 79-23-10, MM 79-23-10, MM 79-23-10									
792301	NO. 2 ENGINE - OIL FILTER ASSEMBLY							Component	ATA:79
PN:23069424	MOS/MSC	13-Jan-16	O/C	TSN 0					
SN:UNKNOWN	HRS	3134.8		TSN 0					
	ENC	1875							
PROC. REF: MM 79-23-10, MM 79-23-10, MM 79-23-10, MM 79-23-10									
792501	NO. 1 ENGINE - OIL AIR COOLED COOLER							Component	ATA:79
PN:23075194	MOS/MSC	21-Dec-04	O/C						
SN:UE2468	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-25-10, MM 79-25-10									
792501	NO. 2 ENGINE - OIL AIR COOLED COOLER							Component	ATA:79
PN:23075194	MOS/MSC	21-Dec-04	O/C						
SN:UE2582	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-25-10, MM 79-25-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792503	NO. 1 ENGINE - OIL FUEL COOLED COOLER							Component	ATA:79
PN:23077047	MOS/MSC	26-Aug-24	O/C	TSN 236					
SN:UE2701	HRS	5508.1	TSN 5657						
	ENC	3026	TSN 3035						
PROC. REF: MM 79-25-15, MM 79-25-15									
792503	NO. 2 ENGINE - OIL FUEL COOLED COOLER							Component	ATA:79
PN:23077047	MOS/MSC	26-Aug-24	O/C	TSO 236					
SN:UE2611	HRS	5657	TSO 5508.1						
	ENC	3035	TSO 3026						
PROC. REF: MM 79-25-15, MM 79-25-15									
792509	NO. 1 ENGINE - RTD TOTAL TEMP SENSOR							Component	ATA:79
PN:23059750	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
792509	NO. 2 ENGINE - RTD TOTAL TEMP SENSOR							Component	ATA:79
PN:23059750	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
793301	NO. 1 ENGINE - LOW OIL PRESSURE SENSOR							Component	ATA:79
PN:23074876	MOS/MSC	26-Jul-21	O/C	TSN 0					
SN:UE0107	HRS	4546	TSN 0						
	ENC	2595	TSN 0						
PROC. REF: MM 79-33-10, MM 79-33-10									
793301	NO. 2 ENGINE - LOW OIL PRESSURE SENSOR							Component	ATA:79
PN:23067667	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: MM 79-33-10, MM 79-33-10									
793303	NO. 1 ENGINE - LOW OIL LEVEL SENSOR							Component	ATA:79
PN:23063236	MOS/MSC	21-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: MM 79-35-20, MM 79-35-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CITATION X (MSG) Serial: 750-0236 RegNo: N818EZ HRS: 5708 AFL: 3121 As Of: 04-Nov-2024

18-Nov-2024 02:28 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793303	NO. 2 ENGINE - LOW OIL LEVEL SENSOR							Component	ATA:79
PN:23063236	MOS/MSC	21-Dec-04	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-35-20, MM 79-35-20									
ATA 80 - STARTING									
801001	LEFT AIR TURBINE STARTER							Component	ATA:80
PN:3505972-4	MOS/MSC	21-Dec-04	O/C						
SN:586	HRS	0		TSN 0					
WC#: 80.010	AFL	0		TSN 0					
PROC. REF: AMM 80-10-00									
801001	RIGHT AIR TURBINE STARTER							Component	ATA:80
PN:3505972-4	MOS/MSC	21-Dec-04	O/C						
SN:584	HRS	0		TSN 0					
WC#: 80.010	AFL	0		TSN 0					
PROC. REF: AMM 80-10-00									
801003	LEFT AIR TURBINE START VALVE							Component	ATA:80
PN:3215434-1	MOS/MSC	02-Nov-23	O/C						
SN:639	HRS	5599.7							
WC#: 80.020	AFL	3046							
PROC. REF: AMM 80-10-00									
801003	RIGHT AIR TURBINE START VALVE							Component	ATA:80
PN:3215434-1	MOS/MSC	02-Nov-23	O/C	TSO 213					
SN:368	HRS	5599.7		TSO 47967					
WC#: 80.020	AFL	3046							
PROC. REF: AMM 80-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task