

NG51ED
Book #3



The Standard

ENGINE LOG

ASA-SE-1

MAKE: LYCOMING
MODEL: IO-540-K1G5
S/N: L-20748-48A
DATE: 08/28/2023



W/O#: 1862
TACH: 3428.7 *pl*
TSMOH: *2353.7*
TT: 5884.7

- 100-hour inspection completed on this date in accordance with Wilco Aviation checklist.
- Serviced engine with, 11 qt. Phillips X/C 20W 50 oil, AA48103-2 filter and a pt. of Camguard, took oil sample for routine analysis, inspected and cleaned oil screen, cut oil filter for inspection, filter checked satisfactory.
- Compressions checked at #1) 77/80, #2) 75/80, #3) 76/80, #4) 74/80, #5) 76/80, #6) 78/80
- Installed overhauled magneto P/N: 6350R, S/N: K-07119 and new magneto harness P/N: KA16001, installed using new drive cushions P/N: 66H22624 and new associated gaskets, tested, inspected, and installed all new Champion spark plugs REM 38E on all cylinders, degreased engine, ground-run operational/leak check satisfactory.
- Checked all AD's, C/W AD# 15-19-07 by inspection of fuel injector lines and clamps, recurring at 3528.7 Tach or when maintenance is performed on fuel injector lines or clamps., AD# 99-04-04 C/W on 03/17/2023 at 3411.1 Tach by install of EIS at LH position, recurring inspection N/A, AD# 22-09-09 N/A by make of magneto, AD# 23-09-09 N/A, no turbo installed, no new or recurring AD's due at this time, see complete AD list for details.

I certify that I have inspected this engine in accordance with a 100-hour inspection and found it to be in airworthy condition for return to service.

Scott Clark AEP# 3918801

MAKE: LYCOMING
MODEL: IO-540-K1G5
S/N: L-20748-48A
DATE: 07/26/2022



W/O#: 1693
TACH: 3400.5
TSMOH: 2325.5
TT: 5856.5

- 100-hour inspection completed on this date in accordance with Wilco Aviation checklist.
- Serviced engine with, 11 qt. Phillips X/C 20W 50 oil, CH48103-1 filter and a pt. of Camguard, took oil sample for routine analysis, inspected and cleaned oil screen, cut oil filter for inspection, filter checked satisfactory.
- Compressions checked at #1) 74/80, #2) 76/80, #3) 78/80, #4) 75/80, #5) 73/80, #6) 74/80
- Cleaned, gapped, tested and inspected spark plugs, mags to engine timing checked satisfactory.
- Degreased engine, ground run-up leak/operational check was satisfactory.
- Checked all AD's, C/W AD# 15-19-07 by inspection of fuel injector lines and clamps, recurring at 3500.5 Tach or when maintenance is performed on fuel injector lines or clamps., AD# 99-04-04 P/C/W on 12/2018 at 3272.0 Tach by install of rebuilt LH mag, inspection recurring at 3530.2 Tach, impulse coupling replacement due at 5280.2 Tach, no new or recurring AD's due at this time, see complete AD list for details.

I certify that I have inspected this engine in accordance with a 100-hour inspection and found it to be in airworthy condition for return to service.

Edith Clark ATP# 3418801

MAKE: LYCOMING
MODEL: IO-540-K1G5
S/N: L-20748-48A
DATE: 03/17/2023



W/O#: 1801
TACH: 3411.1

Removed Slick magneto model: 6351 S/N: 12101728 and installed new Surefly electronic ignition system Model: SIM6L S/N: 6L-4022019 at LH position, installed all new Lycoming mag drive cushions P/N 68H22624 and all new gaskets on both magnetos and timed both mags to engine, installed new Champion spark plug P/N: REM40E at bottom #3 position. Changed oil and oil filter on this date, cleaned and inspected oil screen and cut oil filter for inspection, both checked satisfactory. Serviced engine with 11 qt. Phillips X/C 20W 50 oil and Tempest oil filter P/N: AA48103-2, ground-run operational/leak check satisfactory.

Edith Clark ATP# 3418801

YEAR: _____ DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
------------------------	---------------------------	-------------------	-----------------------------	--


Jewell Aviation Inc.

418 Airport Rd.
P.O. Box 623
Kennett, MO 63857
573-888-5846
www.jewellaviation.com

Make: Lycoming
Model: TIO-540
Date: 07/23/2021
Tach Time: _____

This date received one cylinder for repair. Inspected cylinder and found it to be in serviceable condition. Replaced exhaust guide, and installed serviceable exhaust valve. Ground seats and honed cylinder barrel. Leak checked cylinder after assembly, no leaks found. This cylinder has been made ready for reinstallation on engine.

AP 901348



MAKE: LYCOMING
MODEL: IO-540-K1G5
S/N: L-20748-48A
DATE: 07/27/2021



W/O#: 1530
TACH: 3367.5
TSMOH: 2292.5
TT: 5823.5

- 100-hour inspection completed on this date in accordance with Wilco Aviation checklist.
- Serviced engine with, 11 qt. Aeroshell 100 mineral oil and CH48103-1 filter, inspected and cleaned oil screen, cut oil filter for inspection, filter checked satisfactory.
- Removed cylinder #3 for outside repair by vendor and reinstalled using new piston rings and gaskets, see vendor log entry dated 07/23/2021 attached.
- Compressions checked at #1) 73/80, #2) 78/80, #3) 75/80, #4) 77/80, #5) 78/80, #6) 78/80
- Cleaned, gapped, tested and inspected spark plugs, installed two new Champion spark plugs P/N: REM40E on #3 cylinder,
- Installed all new engine baffle gap seal using P/N: T-8071-3.
- Degreased engine, ground run-up leak/operational check was satisfactory.
- Checked all AD's, C/W AD# 15-19-07 by inspection of fuel injector lines and clamps, recurring at 3467.5 Tach or when maintenance is performed on fuel injector lines or clamps., C/W AD# 99-04-04 on ~~12/2018~~ ^{01/2019} at 3272.0 Tach by install of new LH mag, inspection recurring at 3530.0 Tach, replacement due at 5280.0 Tach, no new or recurring AD's due at this time, see complete AD list for details. ^{DC}

I certify that I have inspected this engine in accordance with a 100-hour inspection and found it to be in airworthy condition for return to service.

Handwritten signature and text: AP 3418801

YEAR: 2018 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
7-18-18	3256			Drained engine oil. Removed/Replaced filter w/ Tempest BA 48103-1 Serviced engine with 9 quarts Phillips XC20/50 Post change run up normal. No leaks. Sample to Blackstone Bentley P/N #3800691

MAKE: LYCOMING
MODEL: IO-540-K1G5
S/N: L-20748-48A
DATE: 01/14/2019



W/O: #1138
TACH: 3280.2
TSMOH: 2205.6
TT: 5736.2

Removed Slick magneto model: 6351 S/N: 03050844, installed new rebuilt Slick magneto model: 6351 S/N: 12101728, with two new Lycoming mag drive cushions P/N 08-03713 at Left position, timed both mags to engine, ground-run operational/leak check satisfactory.

Quinten Chubb A&P # 3418801

MAKE: LYCOMING
MODEL: IO-540-K1G5
S/N: L-20748-48A
DATE: 02/13/2019



W/O: #1153
TACH: 3280.6
TSMOH: 2206.0
TT: 5736.6

- 100-hour inspection completed on this date in accordance with Wilco Aviation checklist.
- Engine serviced with 9 qt. Phillips X/C and Tempest oil filter CH48103-1 prior to annual at 3256.0 Tach, oil sample was taken for routine analysis and filter cut for inspection, analysis and filter checked satisfactory.
- Installed new gasket set P/N: SL12034-SC on #6 cylinder
- Compressions checked at #1) 76/80, #2) 76/80, #3) 76/80, #4) 78/80, #5) 74/80, #6) 78/80
- Cleaned, gapped, tested and inspected spark plugs, mags to engine timing checked good, cleaned and inspected all fuel injector nozzles.
- Degreased engine, ground run-up leak/operational check was satisfactory.
- Checked all AD's, C/W AD# 15-19-07 by inspection of fuel injector lines and clamps, recurring at 3380.6 Tach or when maintenance is performed on fuel injector lines or clamps. AD# 17-16-11 N/A by engine S/N, C/W AD# 99-04-04 on 01/2019 at 3280.2 Tach by install of new LH mag, impulse coupling inspection recurring at 3530.2 Tach, impulse coupling replacement due at 5280.2 Tach, no new or recurring AD's due at this time. See complete AD list for details.

I certify that I have inspected this engine in accordance with a 100-hour inspection and found it to be in airworthy condition for return to service.

Quinten Chubb A&P # 3418801

YEAR: 2016 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
4 Jan	3101.6		2026	Drained engine oil. Removed & Replaced Oil Filter with Tempest AA48103-1. Serviced Engine with 12 quarts Phillips X/C 20W-50. Oil Sample to Blackstone Labs. Ran Engine no leaks noted. Best Collect PP# 3800691 Also Added 16 oz Camguard to time of oil change
7/5/16	3125.6		2051	Drained engine oil. Removed & Replaced oil filter with Tempest AA48103-1. Serviced engine with 12 quarts Phillips X/C 20W/50. Oil to Blackstone. Ran engine no leaks noted. 16 16 oz Camguard Best Collect PP# 3800691

YEAR: DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Date 10-1-2016 N Number N-651ED TACK 3150.0 SMOH 2077.8 Make - LYCOMING MODEL - IO-540-K1G5 S/N -L-20478-48A
				INSPECTED IN ACCORDANCE WITH THE LYCOMING SERVICE MANUAL. DRAINED OIL AND REFILLED WITH 12 QTS OF AERO SHELL 100W. INSTALLED NEW CH48103 OIL FILTER. REPLACED ALL OIL LINES PART # 111F417-8D0284, #111F417-8D0210 & #111F417-8D0260, PER AD 95-26-13. CLEANED AIR FILTER CLEANED AND GAPPED SPARK PLUGS AND CHECK MAG TIMING. LEAK CHECK COMPLETED, NO LEAKS NOTED. SERVICED ALL ENGINES CONTROLS, CLEANED FUEL STRAINER. COMPRESSION #1-78, #2-79, #3-79, #4-79, #5-79, #6-79.
				I CERTIFY THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION.
				<i>Scott Harmon</i> 3423957-TA

JACKSON AVIATION

TACH: 3062.8

N651ED

TTEN: 1990.6

JULY 15, 2014

SMOH: 1990.6

INSPECTED ENGINE IAW AN ANNUAL INSPECTION PER PIPER PA32-31 SERVICE MANUAL. COMPRESSION RESULTS AS FOLLOWS: #1: 71, #2: 72, #3: 68, #4: 68, #5: 71, #6: 71. DRAINED ENGINE OIL. REMOVED AND INSPECTED OIL FILTER, NO DEFECTS NOTED. INSTALLED NEW CH48-103 OIL FILTER AND SAFETIED AS REQUIRED. SERVICED ENGINE WITH 12 QTS AEROSHELL W100 OIL. WASHED AND RAN ENGINE, ALL OPERATIONS NORMAL. ALL ADS CURRENTLY COMPLIED WITH TO DATE, SEE AIRCRAFT RECORDS FOR LISTINGS.

I CERTIFY THIS ENGINE HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION AND IS FOUND TO BE IN AIRWORTHY CONDITION AT THIS TIME.

RUSSELL W. JACKSON AP429395769IA

YEAR:	RECORDING	TODAY'S	TOTAL	Description of Inspections, Tests, Repairs and Alterations	Number of Technician or Repair
-------	-----------	---------	-------	--	--------------------------------

DATE

FLYING CAVIATION

501-230-4460

AVIATION SERVICES

501-207-3427

1 Aug 2015

L-20478-48A

Tach: 3076.8

TT: 2004.6

SMOH: 2004.6

Completed an Annual inspection this date. Drained oil, removed and cut oil filter, no metal noted. Installed new oil filter AA48103-1, serviced with 12 qts of Aeroshell 100W oil. Cleaned and gapped spark plugs and reinstalled. Checked mag timing, check good. Cleaned fuel strainer. Compressions: #1 71 #2 73 #3 70 #4 73 #5 72 #6 72. Checked and lubed all engine controls. All Ads checked through this date Ground run, leak checked, no leaks noted at this time. I certify this engine has been inspected IAW an Annual inspection and found to be airworthy at this time.

Return to service.



-----Stephen Choules A&P 2810711 IA-----

[illegible]

YEAR: 2012 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
22 Aug	2999.8		1927.6	DRAINED Eng oil - Removed and Replaced oil filter with new CH48103-1 FILTER - SERVICED Engine with 129TS ^{ERS} Shell 100W oil - Removed, cleaned, and Reinstalled all SPARKPLUGS Bretthorn AIP 3500310
7 NOV 12	3035.0			Complied with Champion Aerospace SB1-12 Removed RT Magneto - Replaced points with Points Kit # M3081 - Replaced CAPACITOR with # K3984 - Reinstalled MAGNETO - TIMED AT 25° BTC - RAN Engine - OPS ✓ NORMAL Bretthorn AIP 3500310

JACKSON AVIATION

N651ED


JULY 8, 2013

TACH: 3061.5


TTEN: 1989.3

SMOH: 1989.3

INSPECTED ENGINE IAW AN ANNUAL INSPECTION PER PIPER PA32-31 SERVICE MANUAL. COMPRESSION RESULTS AS FOLLOWS: #1: 72, #2: 72, #3: 68, #4: 69, #5: 71, #6: 70. DRAINED ENGINE OIL. REMOVED AND INSPECTED OIL FILTER, NO DEFECTS NOTED. INSTALLED NEW CH48-103 OIL FILTER AND SAFETIED AS REQUIRED. SERVICED ENGINE WITH 12 QTS AEROSHELL W100 OIL. WASHED AND RAN ENGINE, ALL OPERATIONS NORMAL. ALL ADS CURRENTLY COMPLIED WITH TO DATE, SEE AIRCRAFT RECORDS FOR LISTINGS.

I CERTIFY THIS ENGINE HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION AND IS FOUND TO BE IN AIRWORTHY CONDITION AT THIS TIME. 

RUSSELL W. JACKSON AP4293957691A



YEAR: 2012 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
JAN 5	2832.7		1760.7	DRAINED ENGINE OIL - Removed AND REPLACED OIL FILTER WITH CH-48103 FILTER - SERVICE ENGINE WITH 12 qts of AEROSHELL 100W OIL - REMOVED, CLEANED AND REINSTALLED SPARK PLUGS <i>Scott Lund</i> A+P 3500310
APR 20	2892.0		1820.0	REMOVED RT MAGNETO SER # 03012312 REPLACED RT MAGNETO WITH ^{new} SLICK MAGNETO PART # 6350 SERIAL # 12030227 RAN ENGINE - OPS check Good <i>Scott Lund</i> A+P 3500310

JACKSON AVIATION
TACH: 2894.8

N651ED
TTEN: 1822.6

MAY 3, 2012
SMOH: 1822.6

INSPECTED ENGINE IAW AN ANNUAL INSPECTION PER PIPER PA32-301 SERVICE MANUAL. COMPRESSION RESULTS AS FOLLOWS: #1: 71, #2: 71, #3: 70, #4: 71, #5: 70, #6: 70. DRAINED ENGINE OIL. REMOVED AND INSPECTED OIL FILTER, NO DEFECTS NOTED. INSTALLED NEW CH48-103 OIL FILTER AND SAFETIED AS REQUIRED. SERVICED ENGINE WITH 12 QTS AEROSHELL W100 OIL. WASHED AND RAN ENGINE, ALL OPERATIONS NORMAL. ALL ADS CURRENTLY COMPLIED WITH TO DATE, SEE AIRCRAFT RECORDS FOR LISTINGS.

I CERTIFY THIS ENGINE HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION AND IS FOUND TO BE IN AIRWORTHY CONDITION AT THIS TIME. *Russell W. Jackson*


RUSSELL W. JACKSON AP429395769IA

29 JUN 12	2946.4		1874.2	DRAINED Eng oil - Removed AND REPLACED oil Filter with CH-48103 Filter - SERVICED Engine with 12 qts Aeroshell 100W REMOVED, cleaned, and REINSTALLED SPARK PLUGS - WASHED AIRCRAFT. <i>Scott Lund</i> A+P 3500310
-----------	--------	--	--------	--

YEAR: 2011 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
7 Aug 11	2675.0		1602.8	DRAINED Engine oil - Removed and Replaced oil filter with CH48-103 SERVICED with 129TS Aeroshell 100 oil <i>Scott Lund</i> A&P 3500310
7 Sept	2710.5		1638.5	DRAINED Engine oil - Removed and Replaced oil filter with CH-48103 - Serviced Eng with 129TS Aeroshell 100 oil - Removed cleaned and Reinstalled SPARK plugs. <i>Scott Lund</i> A&P 3500310

YEAR: 2011 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
29 Sept	2743.2		1671.2	DRAINED ENG oil - Remove & Replaced oil filter with CH-48103 - Serviced Eng with 129TS Aeroshell 100W oil. - WASHED ENGINE <i>Scott Lund</i> A&P 3500310
8 NOV 11	2781.3		1709.3	DRAINED Eng OIL - Removed & Replaced oil filter with CH-48103 - Serviced Eng with 129TS Aeroshell 100W oil - Removed, cleaned, Reinstalled spark plugs <i>Scott Lund</i> A&P 3500310

ENGINE LOG
BOOK II



Blue Diamond Engines, Inc.

JACKSON AVIATION

TACH: 2615.4

N651ED

TTEN: 1543.2

APR 7, 2011

SMOH: 1543.2

INSPECTED ENGINE IAW AN ANNUAL INSPECTION PER PIPER PA32-301 SERVICE MANUAL. COMPRESSION RESULTS AS FOLLOWS: #1: 71, #2: 72, #3: 72, #4: 73, #5: 72, #6: 71. DRAINED ENGINE OIL. REMOVED AND INSPECTED OIL FILTER, NO DEFECTS NOTED. INSTALLED NEW CH48-103 OIL FILTER AND SAFETIED AS REQUIRED. SERVICED ENGINE WITH 12 QTS AEROSHELL W100 OIL. WASHED AND RAN ENGINE, ALL OPERATIONS NORMAL. ALL ADS CURRENTLY COMPLIED WITH TO DATE, SEE AIRCRAFT RECORDS FOR LISTINGS.

I CERTIFY THIS ENGINE HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION AND IS FOUND TO BE IN AIRWORTHY CONDITION AT THIS TIME.

RUSSELL W. JACKSON AP4293957691A

TACH TIME	2647.8	21 JUNE 2011
TTEN	1575.6	DRAINED ENGINE OIL - REMOVED ^{CH48-103} AND REPLACED OIL
SMOH	1575.6	FILTER - SERVICED WITH 12 QTS AEROSHELL 100 OIL
		REMOVED DEFECTIVE VACUUM PUMP - INSTALLED NEW
		RAPCO RAP15CC VACUUM PUMP - RAN ENGINE -
		LEAK CHECK AND OPS CHECK GOOD
		<i>Russell W. Jackson</i>
		A+P 3500310

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

AIRWORTHINESS DIRECTIVE / COMPLIANCE RECORD

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
JULY 30, 2009			DRAINED ENGINE OIL. REMOVED AND INSPECTED OIL FILTER, NO
TACH: 2583.9			DEFECTS NOTED. INSTALLED NEW CH48103-1 OIL FILTER AND SECURED
ITEN: 1511.7			AS REQUIRED. SERVICED ENGINE W/ 12 QTS AEROSHELL W100 OIL.
SMOH: 1511.7			CLEARED / GRAPED ALL SPARK PLUGS, CLEANED ALL FUEL INJECTORS,
			SET MAG TIMING @ 25° BTC. RAN ENGINE ALL OPERATIONS
			NORMAL.
			Russell W. Jackson AP429395769

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

JACKSON AVIATION
TACH: 2605.4

N651ED

JAN 7, 2010

TACH: 1533.2

SMOH: 1533.2

INSPECTED ENGINE IAW AN ANNUAL INSPECTION PER PIPER PA32-301 SERVICE MANUAL. INSTALLED 12 NEW REM40E SPARK PLUGS. COMPRESSION RESULTS AS FOLLOWS: #1: 72, #2: 72, #3: 73, #4: 72, #5: 72, #6: 72. DRAINED ENGINE OIL. REMOVED AND INSPECTED OIL FILTER, NO DEFECTS NOTED. INSTALLED NEW CH48-103 OIL FILTER AND SAFETIED AS REQUIRED. SERVICED ENGINE WITH 12 QTS AEROSHELL W100 OIL. REINSTALLED FUEL INJECTION SERVO, INJECTORS, LINES, FLOW DIVIDER, AND FUEL PUMP AFTER OVERHAUL BY AIRCRAFT CARB AND INJECTION SERVICES; SEE TAGS HIS DATE. INSTALLED NEW SKYTEC 149-NL SN: FN-410964 STARTER. REPLACED ALL INTAKE GASKETS WITH NEW. WASHED AND RAN ENGINE, ALL OPERATIONS NORMAL. ALL ADS CURRENTLY COMPLIED WITH TO DATE, SEE AIRCRAFT RECORDS FOR LISTINGS. I CERTIFY THIS ENGINE HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION AND IS FOUND TO BE IN AIRWORTHY CONDITION AT THIS TIME.

RUSSELL W. JACKSON AP429395769IA

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

AIRWORTHINESS DIRECTIVE / COMPLIANCE RECORD

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
DEC 28, 2007			INSPECTED ENGINE IAW AN ANNUAL INSPECTION PER REPER PA 32-301 SERVICE
TACH: 2287.8			MANUAL COMPRESSION RESULTS: #1 $\frac{72}{80}$ #2 $\frac{72}{80}$ #3 $\frac{74}{80}$ #4 $\frac{72}{80}$ #5 $\frac{75}{80}$ #6 $\frac{75}{80}$, DRAINED
TEMP: 1255.6			ENGINE OIL REMOVED AND INSPECTED OIL FILTER, NO DEFECTS NOTED. INSTALLED NEW CH48103
SMCH: 1255.6			OIL FILTER, SETTED AS REQUIRED. SERVICED ENGINE W/ 12 QTS AEROSHELL 1000 OIL
			CLEANED AND GAPPED ALL SPARK PLUGS. CLEANED FUEL INJECTORS. WASHED AND RAN ENGINE.
			ALL OPERATIONS NORMAL. AIRPLANE CURRENTLY COMPLIED W/ TO DATE, SEE AIRCRAFT RECORDS
			FOR LISTINGS.
			I CERTIFY THIS ENGINE HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION
			AND IS FOUND TO BE IN AIRWORTHY CONDITION AT THIS TIME
			 APR179395769JA

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

AIRWORTHINESS DIRECTIVE / COMPLIANCE RECORD

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
JAN 4, 2009			INSPECTED ENGINE IAW AN ANNUAL INSPECTION PER REPER PA 32-301
TACH: 2379.0			SERVICE MANUAL. COMPRESSION RESULTS: #1: $\frac{72}{80}$ #2: $\frac{72}{80}$ #3: $\frac{72}{80}$ #4: $\frac{72}{80}$
TEMP: 1306.8			#5: $\frac{74}{80}$ #6: $\frac{72}{80}$. DRAINED ENGINE OIL REMOVED AND INSPECTED OIL
SMCH: 1306.8			FILTER, NO DEFECTS NOTED. INSTALLED NEW CH48102 OIL FILTER AND
			SAFETIED AS REQUIRED. SERVICED ENGINE W/ 12 QTS AEROSHELL 1000 OIL
			CLEANED AND GAPPED ALL SPARK PLUGS. CLEANED FUEL INJECTORS, MAG TIMING
			@ 25° BTDC. WASHED, RAN ENGINE, ALL OPERATIONS NORMAL. ALL ADS
			CURRENTLY COMPLIED W/ TO DATE, SEE AIRCRAFT RECORDS FOR LISTINGS.
			- I CERTIFY THIS ENGINE HAS BEEN INSPECTED IAW AN ANNUAL
			INSPECTION AND IS FOUND TO BE IN AIRWORTHY CONDITION AT
			THIS TIME.
			RUSSELL W. JACKSON  APR179395769JA

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 2006 10	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.			
	Hours	10ths				
1. Approving National Aviation Authority/Country: FAA/UNITED STATES			2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: AV06-01951
4. Organization Name and Address: FAA CRS #CM2R747K			5. AUTOPILOTS CENTRAL, INC. HANGAR 23, TULSA INTL AIRPORT • TULSA, OKLAHOMA 74115			5. Work Order/Contract/Invoice Number: Same #3
6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch No.:	12. Status/Work:
1	MODE PROGRAMMER	10771		1	552	REPAIR
13. Remarks: Reference attached service shop report for work performed.						
14. Certifies the items identified above were manufactured in conformity to: ☐ Approved design data and are in condition for safe operation. ☐ Non-approved design data specified in Block 13.			19. ☒ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
15. Authorized Signature:		16. Approval/Authorization No.:		20. Authorized Signature: <i>Hilbert Duerling</i>		21. Approval/Certificate No.: CM2R747K
17. Name (Typed or Printed):		18. Date:		22. Name (Typed or Printed): HILBERT DUEHLING		23. Date (m/d/y): 4-21-06
User/Installer Responsibilities						

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

AIRWORTHINESS DIRECTIVE / COMPLIANCE RECORD

DATE 2006 10	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
5/18	2080	5	Oil Change Aero Shell 15-50W by Budon McKinley 1701870
7-17	2107		Replace # 2 & 4 Rocker Shafts check for oil leaks. See m. Case AUB1484
8/8	2111	4	Oil Change & Filter Aero Shell 15-50W by P. McKinley 1701870
11/28	2144	1	Oil Chang & Filter Aero Shell 15-50W. by A. McKinley 1701870

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 2006 1-27	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	

Date: 1/27/2006, Aircraft: 651ED, Type: PA32 Removed wheelpant and removed wheel assy. Removed lower torque link bolt and removed inner strut tube. Cleaned tube and installed new quadring P/N 484-769. Reinstalled lower strut tube and serviced with H-5606 fluid and nitrogen. Reinstalled wheel assy. and saftied. Reinstalled wheelpant.

Above listed maintenance and/or inspections completed by Monarch Air repair station under below referenced work order(s).

Date: 1/27/06 Work Order: 05892 TACH: 55.4 HOBB: 4504.5

I certify that the above repairs are airworthy and that the aircraft is approved for return to service.

Signed 
CRS MNGR501G Monarch Air (972) 931-0345

Feb 16-06 2063.3 TAC Change Oil + Filter 15-50w
Aero shell by Arden McKinley # 1701870

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

November 12, 1986
WO#86-0070

IO-540-K103
S/N L-20748-48A

AIRWORTHINESS DIRECTIVE / COMPLIANCE RECORD

DATE 11-12 1986	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
"	Tach: 536.0	63-14-03	Oil Pump. NA By Engine Serial.
"	"	64-16-05	Fuel Pump. NA By Engine Model.
"	"	66-20-04	Oil Filter Adapter. CW. Correct Gskt. Installed.
"	"	67-22-06	Fuel Injector Servo. NA By Engine Model.
"	"	69-08-09	Crankshaft. NA By Engine Model.
"	"	73-23-01	Piston Pins. NA By Engine Model.
"	"	75-08-09	Oil Pump. NA By engine Serial.
"	"	75-09-15	Fuel Flow Divider. CW. Correct Gskt. Installed.
"	"	78-23-08	Fuel Leakage. NA By Engine Model.
"	"	78-23-10	Fuel Injector Servo. CW. Correct Bellows & Bshg. Installed.
"	"	79-04-05	Fuel Injector Servo. NA by Servo Part Number.
"	"	81-03-05	Fuel Leakage. NA By Engine Model.
"	"	81-18-04R2	Oil Pump. CW. Correct Impellers & Shaft Installed.
"	"	83-22-04	Fuel Injector Servo. CW. Correct Diaphragm Installed.

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

Master
202-170

State
C.A.S.

ENGINE MAINTENANCE LOG

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
Nov-15-05	2036.7		Change oil & Filter 15W40W shell by Arden McKinley 170 1870
Nov-29-05			INSPECTED ENGINE DRIVEN Pump PER P. PER SB 565-548-548A & EMERGENCY BULLETIN & CHECKED MAINTENANCE RECORDS & FOUND NO NEW Pump installed & VERIFIED BY SERIAL & DATE CODE 154722101 Long McLean AXP 2148841

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

AIRWORTHINESS DIRECTIVE / COMPLIANCE RECORD

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
Sept 7-2006	TAC 2123.2	SMOH 1091	Change O.C Filter only, check MAG timing, Clean + gap SPARK PLUGS COMPRESSION 123/80 272/80 375/80 474/80 575/80 675/80 REPLACE 4 Rocker Cover gaskets, REPLACE Air Filter ELEMENT, CLEAN Fuel Nozzles check hoses + Controls for security.
DATE 9-7-06	TAC TIME 21232 TT	1091	1-31-07 TAC 2150
I CERTIFY THIS ENGINE HAS			INSTALLED 3 OVERHAULED MUFFLERS
BEEN INSPECTED IN ACCORDANCE WITH			REPAIRED HEAT MUFF REPAIRED Bolts
A/AN 100W	INSPECTION AND WAS		IN MUFF CHECKED FUEL LINES PER
DETERMINED TO BE IN AIRWORTHY CONDITION			AD 02-26-01, REPAIRED ENGINE
AUTHORIZED SIGNATURE	LICENSE #		BAFFLE #1 cyl, REPLACED OIL PRESS
			Light switch. Long McLean

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE AXP 2148841

ENGINE MAINTENANCE LOG

DATE 2005 49	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
11-12-05	1920.3		Change oil & Filter add 10 qts 15W50 Shell By AMC July 1701870 ATP
2-2-05	1954		TAC Change oil & Filter install 10 qts 15W50 Shell by Michael 1A214841
5-30-05	1999.8		Change oil & Filter installed 10 qts 15W50 Shell By AMC July 1701870 ATP

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
AUG-5-05			TAC 20184 986 SMOH CHANGE OIL & Filter install 10 qts 100W, Compression 179/80 2 75/80 3 72/80 4 79/80 5 75/80 6 75/80 CLEAN & GAP Spark PLUGS check MAG timing REPAIR BAFFLE #5 CYL, Tighten All Rocker Box GASKETS Lyc SB 506 DOES NOT APPLY DUE TO NO CRANK SHAFT REPLACEMENT AFTER DEC 1999, REPLACE oil Cooler hoses per AD 95-26-13.

DATE AUG 5 2005 TIME 2018 TT 986
I CERTIFY THIS ENGINE HAS
BEEN INSPECTED IN ACCORDANCE WITH
A/A 100H/A 100H INSPECTION AND WAS
DETERMINED TO BE IN AIRWORTHY CONDITION
By Michael 1A214841
AUTHORIZED SIGNATURE LICENSE #

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
11-14-03			TAC 1853. CHANGE OIL & F. lter INSTAL 10 Ots 15W50 SHELL, REPAIR Copper OIL PRESSURE LINE TO GAUGE INSTALL NEW RAPCO VACUUM Pump Model Z RA215CC SN# A11223 + check VAC PRESS + Pump, NO OIL LEAKS Jay McCormick A+P 2148841
4-27-04			TAC 1879 CHANGE OIL & F. lter INSTAL 11 Ots Shell 15W50, check F. lter Fur metal NONE FOUND, BEAK CK. OK Jay Mc Guff A+P 2148841

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
7-14-04			TAC 1888.4 SMOH 856 CLEAN & GAP SPARK PLUGS, check MAG timing COMPRESSION 1 78/80 2 68/80 3 72/80 4 78/80 5 78/80 6 76/80 LUBE AN CONTROLS, REPLACE Air F. lter CLEAN FUEL NOZZLES, REMOVE ALL ACCESSORIES & OIL SUMP TO Comply with AD2004-2504C INSTALLED NEW CRANK GEAR BOCT PN # STD 2209 REPIKED AN SEALS & GASKETS RUN ENG & LEAK CHECKED.

DATE 7-14-04 TAC TIME 1888.4 TT 856
 CERTIFY THIS ENGINE
 WAS INSPECTED IN ACCORDANCE WITH
 ANNUAL
 INSPECTION AND WAS
 FOUND TO BE IN AIRWORTHY CONDITION
 Jay Mc Guff A+P 2148841
 LICENSE #

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

NEW MAG Model
6350
6351

ENGINE MAINTENANCE LOG

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
6-5-03	TAC	1747	REMOVED BENIX 1200 SERIES MAGS REPLACED with SLICK KIT # K6518. INCLUDING NEW HARNESS + Auto Lite SPARK PLUGS 4REM38E, MAG SN# LEFT 03050844 Right SN# 03012312, INSTALLED NEW Air Filter, REPAIRED BAFFLING TIED UP ALT AIR DOOR CABLE, REPLACED VAC pump hose TO FIREWALL, CHANGED OIL & Filter installed 120TS 15W50 SHELL, CLEANED FUEL NOZZLES
CWAD	95-26-13	By inspection of FUEL ^{OIL} LINES for proper Clamps	
CWAD	2002-20-01	By insp FUEL INJECTOR LINES for Clamps. LUBE ALL Controls, WASH DOWN ENGINE, COMPRESSION	
175780	274180	375780	474180
572180	6-75780	CLEAN FUEL NOZZLES, REPAIRED ENGINE BAFFLE. SEE NEXT PAGE	

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
DATE 6-5-03	TAC TIME	1747	TT 715
I CERTIFY THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH			
FAA ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION			
AUTHORIZED SIGNATURE			LICENSE # 12148841
8-13-03	TAC	1795	
CHANGE OIL & Filter install SHELL 100W INSTALLED OVERHAULED ALT 8421R SN# D032694			
Soy M. L. A # 5148841			

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
12/4/02			Tact 1676.0 SMOH 644.0 ETT 4096.2 Compression Check #1 $\frac{78}{80}$ #2 $\frac{76}{80}$ #3 $\frac{76}{80}$ #4 $\frac{77}{80}$ #5 $\frac{78}{80}$ #6 $\frac{77}{80}$, Checked Magneto To Engine Timing Changed oil using Aero Shell 15W50 & CH48103 filter. Cleaned & gapped Sparkplugs. Repaired Muffler Shroud, as needed. Checked Engine Controls. I Certify This Engine has been inspected IAW AN ANNUAL Inspection & was determined To be Airworthy Charles W. [Signature] A-11972156 I A

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
			N651ED ENGINE Thunder AVIATION DATE: 1/29/03 HOBBS: 4153.6 Spirit of St. Louis Airport • 639 North Bell Avenue • Chesterfield, Missouri 63005 • 636.532.5600 - OIL SAMPLE TAKEN. - DRAINED ENGINE OIL AND REMOVED OIL FILTER. REPLACED OIL FILTER WITH CH48103 AND SERVICED ENGINE WITH 12 QTS AS15W50. - REMOVED SPARK PLUGS. REPLACED 7 SPARK PLUGS WITH REM40E. TORQUED PLUGS. - REPLACED #2, #4, AND #6 PUSH ROD SEALS WITH PN LW-18661 AND VALVE COVER GASKETS WITH PN 67193. ROCKER ARM PIN GASKETS 4 EACH WITH PN 66732. - REPLACED OIL BREATHER HOSE WITH PN MIL-H-1. - PERFORMED ENGINE RUN-UP, LEAK CHECK AND OPERATIONAL CHECK. SATISFACTORY. I certify that this aircraft engine is airworthy with respect to the work performed and is approved for return to service. See pertinent details on file Work Order Number: <u>R1310</u> Signed: <u>[Signature]</u> CRS T0DR3761

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
2/3/62			TACT 1545.6 Changed oil using Aero-Shell 15W50 & CH48103 Oil filter installed overhauled starter VAN ENGINE No oil leaks noted A&L Systems checked OK. Charles W. Tate A&P1972156
3/19/62			TACT 1576.0 Changed oil using Aero-Shell 15W50 & CH48103 filter washed & VAN ENGINE No leaks noted Charles W. Tate A&P1972156

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
8/2	1625.0		Changed oil using Aero-Shell 15W50 & CH48103 filter, washed engine & released for flight. Charles W. Tate A&P1972156
	1654.2		Changed oil using Aero-Shell 15W50 & CH48103 filter, washed engine & test run No leaks noted & released for flight Charles W. Tate A&P1972156

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE



CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
JAN 4-2001			Performed inspection + Maint. Compression
T.T.A.F. 3765.9			clean ① $\frac{74}{80}$ ② $\frac{70}{80}$ ③ $\frac{72}{80}$ ④ $\frac{74}{80}$ ⑤ $\frac{75}{80}$ ⑥ $\frac{76}{80}$ Cleaned gaped
TACH 1345.7			9 checked all spark plugs. cleaned fuel
TSMOH. 313.7			injectors. Drained oil, changed filter
E.T.T. 3766.7			Serviced engine with W80 Aeroshell.
			C/W AD 93-02-05 fuel injector line inspection.
			C/W AD 96-12-07 impulse coupling inspection.
			Due @ 4265. T.T.A.F
			I CERTIFY THAT THIS AIRFRAME PROP ENGINE HAS BEEN INSPECTED IN
			ACCORDANCE WITH ANNUAL 50HR / 50HR INSPECTION PER THE SCOPE AND
			DETAIL OF FAR 43 APP D AND WAS FOUND TO BE IN AN AIRWORTHY
			CONDITION.
			AUTHORIZED SIGNATURE <u>[Signature]</u> AP 5233352A.
			THUNDER AVIATION N.A. INC.
			18359 EDISON AVE.

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE
CHESTERFIELD, MO 63005
(314) 534-6600

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
April 4, 2001			① changed oil + filter
T.T.A.F. 3819.0			② Installed 12 qts W80 Aeroshell
TACH 1398.8			③ Installed new filter CH 48103
TSMOH 366.8			④ Ran Engine + checked for leaks
ETT 3819.8			<u>[Signature]</u> AP 500942144
May 18, 2001			Replaced gaskets between R+ mag. + adapter plate P/W LW12681,
Tach 1410.0			+ between adapter plate + Eng case P/W 62224. Timed
T.T.A.F. 3830.2			magneto to engine. <u>[Signature]</u> AP 500942144
TSMOH 378.0			
ETT 3831.0			

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
8-14-2000			Run engine, drained oil, changed filter, serviced engine with W80 Aeroshell. J30th A9P494523335BA
TACH 1220.8			
ACTT 3641.8			
10-3-00			Change oil + filter. Cut open f. lter/no mch!! Installed 12 sts Aeroshell 80wt + CH48103 filter. Comp test #1) 72/80 #2) 70/80 #3) 74/80 #4) 75/80 #5) 73/80 #6) 76/80. Cleaned, gapped, tested, rotated spark plugs timed magneto to engine. C/w AD 43-02-05 fuel injection line inspection. C/w 99-04-04 Magneto impulse coupling insp. Time magneto to engine.
ACTT 3683.7			
I CERTIFY THAT THIS AIRFRAME PROP ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH ANNUAL REQUIREMENTS FOR THE SCOPE AND DETAIL OF FAR 43 APP D AND WAS FOUND TO BE IN AN AIRWORTHY CONDITION.			
AUTHORIZED SIGNATURE: [Signature] A9P487748245			

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
11-1-00			Removed starter + pump. Replaced crank seal + starter drive assembly. Engine runs w/ few leak checks all ops checked good. J30th A9P494523335BA
TACH 1298.4			
ACTT 3719.4			
BSMOH 262.4			
ETI 3719.4			
11-6-00			Run engine, drained oil, changed filter, engine serviced with W80 Aeroshell, return to service. J30th A9P494523335BA
TACH 1311.2			

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19__			

N651ED
ENGINE

Thunder
AVIATION

DATE: 6/10/1999
TACH: 1134

Spirit of St. Louis Airport • 639 North Bell Avenue • Chesterfield, Missouri 63005 • 314.532.5600

1. PERFORMED 50 INSPECTION AND PREVENTATIVE MAINTENANCE.
2. DRAINED ENGINE OIL AND REMOVED OIL FILTER. REPLACED OIL FILTER WITH CH48103 AND SERVICED ENGINE WITH 12 QTS AEROSHELL 15W50.
3. WASHED ENGINE. PERFORMED ENGIN RUN-UP AND LEAK CHECK. FOUND SATISFACTORY.

I certify that this aircraft is airworthy with respect to the work performed and is approved for return to service.

Work Order Number: 97936

Signed: *[Signature]* A/P 496820592

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1999			
12-3			PERFORMED ANNUAL INSPECTION + PREVENTATIVE MAINTENANCE.
ACTT 3583			
TACH 1162			CHANGED OIL + FILTER SERVICED
ETT 3583			WITH AEROSHELL 15/50.
TSMOH 130			C/W AD 93-02-05 FUEL INJECTOR LINE INSPECTION
			I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED I.A.W. AN ANNUAL INSPECTION + WAS FOUND TO BE IN AIRWORTHY CONDITION.
			<i>[Signature]</i> A/P 352502262 JA

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

PHOENIX AVIATION, INC.

CRSDEXR163D

Performed annual inspection and preventive maint.

TACH 1032 ACTT 3452 ENG T.T. L 3452 R
ENG TSMOH L 0 R PROP TT L 3452 R
PROP TSOH L 1653 R

PHOENIX AVIATION • 18600 EDISON • CHESTERFIELD, MO 63005

I CERTIFY THAT THIS ~~AIRCRAFT ENGINE PROPELLED~~ ENGINE PROPELLED HAS BEEN INSPECTED IN
ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN
AIRWORTHY CONDITION.

WORKORDER NO. 2637 DATE 9-19-97 DEXR163D

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

N651ED
ENGINE
ENGTT: 3517.5

Thunder
AVIATION

DATE: 09/29/98
TACH: 1096.9
HOBBS: 3522.4

Spirit of St. Louis Airport • 18600 Edison Avenue • Chesterfield, Missouri 63005 • 314.532.9200

W/O#: 97547

TSMOH: 64.9

1. PERFORMED AN ANNUAL INSPECTION AND PREVENTIVE MAINTENANCE.
2. REPAIRED HEAT MUFF PER AC 43.13-1A.
3. INSULATED EGT PROBE WIRES.
4. C/W AD 93-02-05 BY INSPECTION OF FUEL INJECTOR LINES AND CLAMPS.
5. DRAINED OIL AND REMOVED FILTER. INSTALLED 12 QTS. AEROSHELL 15W/50 AND CH48103 FILTER.
6. PERFORMED ENGINE RUN-UP AND LEAK CHECKED. FOUND SATISFACTORY.

I certify that this engine has been inspected in accordance with an annual inspection per the scope and detail of FAR 43 APP D and was found to be in an airworthy condition.

Authorized signature:

ALP352502262 DA

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

PHOENIX AVIATION, INC.

CRSDEXR163D

DATE

19 9/19/97
Tach 1032.0
ENGTT 3452.0
TSMOH 0.0

Removed engine due to crack in left crankcase. Disassembled engine for major overhaul. Ferrous parts were sent to ECI for inspection and machining as necessary. (see maint. releases for details.) Phase 1 type crankcase was rejected and replaced with a serviceable type III case from Divco. Cylinder assemblies installed at tach 813.0 were disassembled and inspected and all components found to be within new limits. Cylinder walls were deglazed and new rings fitted. Engine reassembled per Lycoming direct drive O/H manual and applicable service instructions. Lt. magneto impulse coupling inspected per AD 96-12-07 Accessories were visually inspected and reinstalled. C/W AD 93-02-05 fuel injection lines.

Continued...

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

PHOENIX AVIATION, INC.

CRSDEXR163D

DATE

9

C/W AD 95-26-13 oil cooler hose inspection. Engine reinstalled and serviced with Aeroshell 100 non-detergent oil. Ground run satisfactory. Flight tested 1.3 hours. Parts used in overhaul listed below;

1ea	05K19423S	Oil pump kit
12ea	LW-12186	Nut
12ea	75060	Con-Rod bolt
1ea	73185-1	Gasket set
1ea	PhaseIII	Crankcase assembly
2ea	LW-13885-M06	Bearing
6ea	LW-13683-M06	Bearing
12ea	LW-74309-M06	Bearing
6ea	SL5401-SC	Ring set
4ea	76220-P10	Thru-Stud
1ea	76148	Camshaft

See work order for the rest of the parts.

Continued...

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

PHOENIX AVIATION, INC.

CRSDEXR163D

AC: N651ED
A/C TYPE: PA31-301
A/C S/N:

ENGINE TT: 3406.9
ENGINE TSOH: 1562.

TACH: 986.3
TOTAL TIME: 3406.9
DATE: 97/01/06
HOBBS: 3410.5 ENGINE
PERF. ANNUAL & PREV. MAINT. REPLACED OIL COOLER HOSES. SEE AD LIST.
ADDED 4 QTS OIL. R&R #1 & #5 EXH. GASKETS. R&R #3 ROCKER BOX GASKET.
AD 96-12-07 DUE 3729.4 ACTT. SEE AD LIST. RAN ENGINE PERFORMED LEAK
CHECK, NONE FOUND.

PHOENIX AVIATION • 18600 EDISON • CHESTERFIELD, MO 63005
I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE
WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION
WORK ORDER NO. 94662 DATE 1-6-97 DEXR 163D Dennis Coffey

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19__	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1-21-97 TACH 986			① Removed & Replaced ALL FOUR ENGINE LORD MOUNTS WITH KIT J-9613-12 upper, & KIT J-9613-19 lower. TORQUED MOUNT NUTS TO PROPER TORQUE I/A/W Piper m/m. I CERTIFY THAT THIS AIRCRAFT IS AIRWORTHY WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE. WORK ORDER NO. <u>9876</u> SIGNED <u>Dennis Coffey</u> DEXR163D
10-18-97 TACH 1000.2			① changed oil & filter. Serviced with 12 QTS Aeroshell 15W50 oil & ① CH48103 oil filter. Run-up & leak check OK. I CERTIFY THAT THIS AIRCRAFT IS AIRWORTHY WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE. WORK ORDER NO. <u>2585</u> SIGNED <u>Julie Ralston</u> DEXR163D

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE



ENGINE MAINTENANCE LOG

[illegible]

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE



ENGINE MAINTENANCE LOG

[illegible]

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19 95			
01-09			1) Completed Annual inspection & preventative maintenance
TACH 813.9			2) C/W A.D. 93-02-05 Fuel inj. lines - no defects found
ETSM 1389.9			3) #2 cyl. exb stack removed for weld repair - reinstalled
ETT 3229.4			4) Removed all cyl. & sent out for O.H. (see attached release tags) - reinstalled cyl.
ACTT 3229.4			5) Replaced induction filter (BA-3)
			6) A.D. 94-01-03 R1 Tcm magnetos - O/N/A by S/A of mag
			7) C/W A.D. 78-09-07 R3 Impulse Coupling - coupling failed - replaced with snap-ring type P/n: 10-400320
			8) Re-gapped pts of both magnetos to .012" ± .004"
			9) Changed oil & filter; serviced with Aeroshell 15 (mudcat oil)
CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE (continued next page →)			

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19 95			
01-09			(continued from 01-09-95 Entry)
TACH 813.9			10) Ran - up & checked for leaks - no defects found.
			PHOENIX AVIATION • 18600 EDISON • CHESTERFIELD, MO 63005 I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH Annual INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION WORKORDER NO. 8753 DATE 01-09-95 Steve M. Kessler
			DEXR163D
05-24-95			Changed oil & filter - 15W50 Aeroshell Ran engine - no leaks noted
Tach 862.5			I CERTIFY THAT THIS AIRCRAFT IS AIRWORTHY WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE. WORK ORDER NO. 9912 DEXR163D
CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE			

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19 <u>93</u>			
12-80			① Performed annual inspection & preventative maint ② Replaced all sparkplugs ③ Changed oil & filter - 15W50 Aeroshell ④ Tightened & refilled dipstick tube ⑤ Torqued lower case main bolts to spec ⑥ Replaced induction air filter ⑦ Replaced #1, 3 cyl gaskets ⑧ Tightened oil return hose clamp
			TACH <u>1310.9</u> ACHT <u>3237.1</u> ENG T.T. <u>3237.9</u> H ENG TSMOH <u>1307.9</u> PROP TT L <u>1325.9</u> R ① <u>1325.9</u> R 12800 EDISON • CHESTERFIELD AIRCRAFT ENGINE PROPELLER Annual INSPECTED ORDER NO. <u>12008156</u> DATE <u>12-20-93</u> DATED <u>Chris Art</u>

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19 <u>94</u>			
11-29			TACH <u>779.3</u> changed oil + filter, serviced with 15W50 Aeroshell run & checked for leaks none noted H. L. APPROVED 11-25-94 TACH: 0811.9 1.) REPLACED VACUUM Pump WITH NEW UNIT S/N 11AK005586 2.) ops Run System
			I certify this aircraft is airworthy with respect to the work performed and is approved for return to service. SIGNATURE <u>Eugene D. DeLoe</u> A & P 458398019

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1992			
6-25	563.0		Changed oil & filter - serviced w/ 12 qts
EngIT	3069		15-50w Cessna - ran engine & checked
TSMOH	1139		for leaks - none noted
ACTT	3069		
			I CERTIFY THAT THIS AIRCRAFT IS AIRWORTHY
			WITH RESPECT TO THE WORK PERFORMED
			AND IS APPROVED FOR RETURN TO SERVICE.
			WORK ORDER NO. 7151
			SIGNED <u>Christy R. Gitt</u>
			DEXR163D

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1992			
12-3-92			CHANGED OIL & FILTER
TACH	598		COMPLETED ANNUAL INSP & PREV. MAINT.
TSMOH	1174		
ETT	3104		
			PHOENIX AVIATION • 18216 EDISON • CHESTERFIELD, MO 63017
			I CERTIFY THAT THIS ENGINE ENGINE HAS BEEN INSPECTED IN ACCORDANCE
			WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION
			WORK ORDER NO. 7548 DATE 12-3-92 DEXR163D <u>C. M.</u>
10-12-93			① Changed oil & filter - 15-50w Cessna
			② ran engine - no leaks noted
Tach	680		I CERTIFY THAT THIS AIRCRAFT IS AIRWORTHY
			WITH RESPECT TO THE WORK PERFORMED AND
			IS APPROVED FOR RETURN TO SERVICE
			WORK ORDER NO. 8076
			SIGNED <u>Ch. Gitt</u>
			DEXR163D

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19__			
— CONT —			
PHOENIX AVIATION • 18218 EDISON • CHESTERFIELD, MO 63017			
I CERTIFY THAT THIS <u>ENGINE</u> HAS BEEN INSPECTED IN ACCORDANCE WITH THE			
INSTRUCTIONS AND PROCEDURES FOR A <u>ANNUAL</u> INSPECTION IN COMPLIANCE WITH THE			
INSPECTION PROGRAM REQUIREMENTS OF FAR 91 () ().			
WORK ORDER NO. <u>5702</u> DATE <u>12-5-90</u> DEXR163D <u>Eugene M. Dutoch</u>			

— END —

9-11-91
TACH: 496.0
ETT: 3002.0
TSMOH: 1072.0
ACTH: 3002.0

1) CHANGED OIL AND FILTER SUC'D WITH
AEROSHELL 15W-50
2) WASHED ENGINE
3) OPS RUN AIRCRAFT AND CHECKED FOR
LEAKS

Aircraft Airworthy with respect to work
performed. ⇒ WO# 6461 DEXR163D Eugene M. Dutoch

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19 <u>91</u>			
12-10			1) PHOENIX AVIATION • 18218 EDISON • CHESTERFIELD, MO 63017
TACH: 510.3			I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE
ACTH: 3016.3			WITH <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION
ETTSMOH: 1086.3			WORK ORDER NO. <u>6687</u> DATE <u>12-10-91</u> DEXR163D <u>Eugene M. Dutoch</u>
ETT: 3016.3			REPAIRS PERFORMED
			1) REAR MUFFLER CRACKED
			2) MUFFLER HEAT SHROUD
			3) CHANGED OIL AND FILTER SUC'D WITH 15W-50 AEROSHELL
			4) CLEANED ENGINE, OPS RUN A/C CHECKED FOR LEAKS.
I CERTIFY THIS A/C IS			Eugene M. Dutoch A&P 958378019
AIRWORTHY WITH RESPECT			
TO WORK PERFORMED			

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19 <u>90</u>	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
5-31	TACH 360.8		① OIL change SVCD WITH 12qts 15W-50 Aeroshell
	Eng TT 2966.8		② CHANGED OIL FILTER
	TSMOH 936.8		③ Run up for LEAK CHECK
			I CERTIFY THAT THIS AIRCRAFT IS AIRWORTHY WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.
			SIGNED <u>Eugene McIntosh 458398019</u> FOR DEXA163D

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE 19 <u>90</u>	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
12-5	TACH: 443.2		1.) REPLACED EXHAUST GASKETS ON CYL 1,2,3,4,5,6
	Eng TT: 2949.2		2.) RETORQUED #6 CYL BASE NUTS
	TSMOH: 1019.2		3.) RESEALED BOTTOM CASE (RTV) - OIL LEAK.
			4.) REPLACED INTAKE SCAT TUBE.
			5.) REPLACED CYL # 2, 3, RE TOP SPARK PLUGS.
			6.) CLEANED IGNITION LEADS. (SPRINGS)
			7.) REPAIRED LEFT Baffle By Cyl #6
			8.) REPLACED CYL #1 & 3 EXHAUST STUDS
			9.) REPLACED CRANKSHAFT SEAL
			10.) REPAIRED HEAT MUFF NUT PLATES.
			11.) Adjusted ACT AIR TO CLOSE PROPERLY.
			12.) CHANGED OIL & Filter - SERVICED WITH 12qts 15W-50 AEROSHELL OIL.
			— (CONT) —

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
9-11-89	Tach 200		Completed annual inspection and preventive maint changed oil & filter, serviced with 12 qts 15-50w Aeroshell oil. sealed lower fuel thru stud Ran engine & checked for leaks, none noted
	Eng T 2706		
	TSMPT 7760		
			PHOENIX AVIATION • 18216 EDISON • CHESTERFIELD, MO 63017 I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. <i>[Signature]</i> CRS-362-66

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
12-28-89	TACH 302.0		Completed annual check and preventive maint. Replaced 9 spark plugs C/W AD 74-0907 Bendix Impulse coupling mag by installing a new impulse coupling. C/W AD 86-24-02 Induction air filter by installing new air filter changed oil and filter serviced with aeroshell 15W50 oil Ran eng. and checked for leaks no leaks noted
	ength 2308.0		
	TSMPT 878.0		
			PHOENIX AVIATION • 18216 EDISON • CHESTERFIELD, MO 63017 I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. <i>[Signature]</i> <i>Phillips T. Phillips</i> <i>check for</i> CRS-362-66 ASP487629151

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19			
TACH 1130			1. INSTALLED NEW TACH SHOWING "0000.0"
12-15-88			2. INSTALLED NEW FWD MUFFLER
Eng TT 2596			3. INSTALLED NEW CNTR MUFFLER
TSMOH 576.0			4. INSTALLED NEW #1 + #3 EXHAUST STARK
			5. INSTALLED NEW MANIFOLD PRESSURE GUAGE
			6. INSTALLED ALL NEW EXHAUST GASKETS
			7. INSTALLED NEW #3 + #5 ROCKER BOX GASKETS
			Changed full-flow oil filter & oil oil, serviced with 15W-50 AEROSHELL.
			PHOENIX AVIATION • 18216 EDISON • CHESTERFIELD, MO 63017
			I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION
			<u>Don Emerick</u> 191200660 ATP CRS-362-66

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1989			
4-14	TACH 100		completed annual insp and preventive maint. Welded crack in on one muffler
	ENG TT 2606		changed oil and filter serviced with aeroshell 15W50 oil. Ran engine and looks checked no leaks noted.
	ENG TSMOH 676.0		
			PHOENIX AVIATION • 18216 EDISON • CHESTERFIELD, MO 63017
			I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH <u>Annual</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION
			<u>Philip J. Hall</u> 198418762915 shop for CRS-362-66

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1988			
TACH	927.0		changed oil and filter serviced with 12 qt of 15/50 shell oil, compression 1 78/180 #2 76/180 #4 78/180 #6 76/180
HOLD	2178.4		
TSMOH	373.0		
	5-25-88		
			PHOENIX AVIATION • 18216 EDISON • CHESTERFIELD, MO 63017 I CERTIFY THAT THIS ENGINE <u>ENGINE</u> HAS BEEN INSPECTED IN ACCORDANCE WITH FAA <u>FAA</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.
PHOENIX AVIATION, INC.			<i>Shg Reed</i> CRS-362-66
P.O. BOX 519			
CHESTERFIELD, MISSOURI 63017			

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG


DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1988			
7/27			① CHANGED OIL & FILTER (A/S 15W50) ② INSTALLED 12 EA NEW SPARK PLUGS ③ REMOVED LEFT MAGNETO & REINSTALLED (SEE AFLOG) ④ REPLACED AIR FILTER
TACH	1030.1		
TSMOH	476.1		
ACTT	2406.1		
ENETT	2406.1		
			PHOENIX AVIATION • 18216 EDISON • CHESTERFIELD, MO 63017 I CERTIFY THAT THIS ENGINE <u>ENGINE</u> HAS BEEN INSPECTED IN ACCORDANCE WITH FAA <u>FAA</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.
			<i>C. M. L.</i> CRS-362-66
8-76			① INSTALLED OVERHAULED ALT SIN A-56215 ② INSTALLED NEW DIODE IN ALT TAIL LIGHT ASSY.
TACH	1083.2		
TSMOH	529.1		
			I CERTIFY THAT THIS ENGINE <u>ENGINE</u> IS AIRWORTHY WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.
SIGNED <i>Philip J. [Signature]</i>			CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE FOR CRS 362-66 MCP 497659151



ENGINE MAINTENANCE LOG

[illegible]

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE




ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul
	Hours	10ths	
987			Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
11-23	815.4	toch	Performed 100 hr insp and Preventive maintenance. Compression check as follows 1 79/80 2 79/80 3 74/80 4 74/80 5 74/80 6 76/80. Installed new gasket on no 1 riser changed oil serviced with 15W50 amsoil. changed filter checked ADs for compliance all AD current at this time. Ran engine and checked for leaks no leaks noted PHOENIX, ARIZONA • CHESTERFIELD, MO 63017 I CERTIFY THAT THE ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH 100hr INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. Philip T. Du Vall ATP NO 487629151


CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
2-19-87			Completed 15 hr inspection as per, Blue Diamond
Tach 954.7			engines. IAC, changed oil and filter serviced with
			12 qt of non-detergent 40/60 shell oil.
 PHOENIX AVIATION, INC.			 APL99616899
P.O. BOX 519			
CHESTERFIELD, MISSOURI 63017			

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1987			
5/7	615	6	TACH CHANGED OIL + FILTER
	1991	0	TAF SERVICED WITH AEROSHELL 100 w oil
	61	0	TSMOH REPLACED #2 CYLINDER EXHAUST GASKETS.
PHOENIX AVIATION • 18216 EDISON • CHESTERFIELD, MO 63017 I CERTIFY THAT THIS AIRPORT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH 100 HR INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.			 A+P352502262

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
19__			
			BLUE DIAMOND ENGINES, INC.
			P. O. Drawer 8128
			Cherokee County Airport
			Jacksonville, Texas 75766
			Tel 800-643-8628 US 800-643-4547 214-586-0863
			This engine was rebuilt to new limits in accordance with manufacturer's recommendations and overhaul manual and is
			ready for return for service. Work order number <u>86-70</u>
			pertains to this overhaul.
			Signature <u>Steve Martinez</u>
			Certificate # <u>C.R.S. 202-170</u>

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
12-2-86			Installed this engine on 651ED, Replaced
TACH 536.9			three oil cooler hoses, alternator belt, engine
rotls 1773.1			mounts. This engine was test run and
			found to be in an airworthy condition for
			Return to service.
			Signature <u>Steve Martinez</u> App 499646899
			PHOENIX AVIATION, INC.
			P.O. BOX 519
			CHESTERFIELD, MISSOURI 63017

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE



MANUFACTURER Lycoming MODEL IO-540-K1G5

SERIAL NUMBER L-20748-48A DATE OF MANUFACTURE _____

RATED BHP _____ RPM _____ MANIFOLD PRESSURE _____

FUEL REQUIRED OCTANE / PERFORMANCE _____

REGISTERED OWNER Phoenix Aviation

STREET & NO. P. O. Box 519

CITY, STATE, ZIP Chesterfield, Missouri 63017

REGISTERED OWNER _____

STREET & NO. _____

CITY, STATE, ZIP _____

November 12, 1986
WO#86-0070
Tach: 536.0

IO-540-K1G5
L-20748-48A

ENGINE MAINTENANCE LOG Hobbs: 1773.0

[illegible]

#1
ENGINE LOG

NOT CURRENT



ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
Date	4-7-86			# 75/80 # 75/80 # 75/80 # 75/80 # 74/80 # 75/80
I certify that this Engine/Aircraft has been inspected in accordance with a 100 Hr/Annual inspection and determined to be in an airworthy condition. Pertinent information is on file under WO# <u>2183</u> .				
	Recording Time	431.05 Hrs.		Installed New Air Filter
	Total Time	1807 Hrs.		Replaced Plug REM38E
	Signed	Steve Morrey for		Complied with AD 22-09-07
	Kansas City Aviation Center Inc.			on Impulse Insp
	Olathe, Kansas			
	CRS 3361			
Total To Carry Forward				

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
10/22/85	Tach	218-		Changed oil -
11/4/85	Tach	226		INSTALLED NEW PUMP. 5/17 08 AA
Total To Carry Forward				

and Remarks	Signature	Certificate No.
11 quarts Exxon EE-	James J. Underhill	
	A2P 426801546	
	CL Air Center	
Airbum 21122 VACUUM		
004684. SYSTEM CHECK & CH		
	P. G. Air Center	
	2000 V1115 MISS.	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
7/12/85	Brought Forward →		77.0	1 on 110 1711. COMPLETE
				#3=70 #4=72 #5=74
				AND CHANGED OIL
				AND RECHARGED BATTERY
				AND BATTERY FULL
				TOILET TIMING ADJUSTED
				AIR FILTER REPLACED
				ATTACHED CH.
Total To Carry Forward				

and Remarks	Signature	Certificate No.
712 J. DIFF. COMP. CHH H1= 74 H2= 74		
H6= 76 OVRH 80. OIL FILTER 1750.		
CHAMBER. LIAKING PUSH ROD SEALS		
S. R12 PLACED. SPARK PLUGS CLEANED		
IMJECTOR NOZZLES CLEANED. MAG		
B7/HAVT 5457 PM 1750. CH 1216 COMPANY HUNT		
AT MISCELLANEOUS. BOMBING OPERATIONALLY		
 AIR CENTER, INC. P. O. BOX 51, GREENVILLE, MISSISSIPPI	I certify that this aircraft has been inspected in accordance with a <u>1246</u> <u>✓</u> inspection and was determined to be in airworthy condition. <u>[Signature]</u> <u>7/12/85</u> A & P No. <u>1453</u>	
	Date of Inspection	Total

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
12/10	1351.60 H			Changed oil with AERO
1/30/85	1376.2			checked 1276.17 H. Con oil
				100112 - 711170 H - oil 50000
				THUD. REACHED 701 H
				MANIX 101112. REACHED
				CASHUTS. And missing EXH.
Total To Carry Forward				

and Remarks	Signature	Certificate No.
SHELL 4000 & Replaced filter		
LEAKS. FOUND AIR PLECKEN BOX DRAIN LINES		
AT MACHINE SPIT SPARK WITH CANNON		
SPARK PLOC. REMOVED STATION, REPLACED		
AIR FILTER. REPLACED AIR FILTER		
STUDS AT NECESSARY		
NOTE - 8000 AIR FAN 100.		
00:00 TACH INST THIS DATE.		

41757019

AIR CENTER, INC.

210 BOX 21, GREENVILLE, MISSISSIPPI

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
6-19-84	TACH 1293.50	Changed oil filter added Shell oil	Compression 1.74 2.75 3.66 4.76 5.79 6.76	Replaced exhaust
			80 80 80 80 80 80	
				gaskets on cylinder 1, 3 and 5. Ran up engine
				all systems operational check normal
				I certify this Aircraft Engine has been
				inspected in accordance with a
				100% annual inspection and is determined
				to be in airworthy condition.
				Date 6-19-84 Tach. 1293.50
				Larry Crabtree
				A&P 448-56-2780 I.A.
Total To				
Carry Forward				

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
I certify this Engine ^{Brought Forward →} Engine has been inspected in accordance with a 100hr./annual inspection and is determined to be in airworthy condition.				
Date	1-8-84	Tach. 1045.8		
Larry Crabtree <i>Larry Crabtree</i> A&P 448-56-2780 I.A.				
1-23-84 TACH 1103.2 Complied with AD 78-09-07 Berdine impulse coupling. Run again at 1603.2 Hrs. Larry Crabtree A&P 448-56-2780 I.A.				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
2-16-84 Tach 1148.21 Changed oil + filter. Serviced with Aerostell 50W. Completed 50 hours inspection		
<i>Greg Brown</i> A&P 467966090		
3-22-84 TACH 1193.39 Changed oil + filter added Shell 50W oil, Ran and checked for leaks, checked AD notes thru 84-06		
Compression 170 212 362 476 574 675		
80 80 90 80 80 80		
I certify this Engine Engine has been inspected in accordance with a 100hr./annual inspection and is determined to be in airworthy condition.		
Date	3-22-84	Tach. 1193.39
Larry Crabtree <i>Larry Crabtree</i> A&P 448-56-2780 I.A.		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
10-19-83	Brought Forward →	Tach Time	995.0	Completed 100 Hr Inspection, Drained oil & Serviced with SAE 50 Aeroshell, Replaced oil Filter with CH 48119, Cleaned Gapped & Tested Spark plugs, Checked Magneto Press Compression check. #1 cyl 75/80, #2-75/80, #3-78/80, #4-75/80, #5-80/80, #6 80/80. Timing performed. I certify That This Aircraft Has been inspected I.A.W. and was determined to Be Airworthy. A 100 Hr. Inspection.
12-8-84	TACH	1069.50	Installed new starter, ops check normal	
1-8-84	TACH	1095.0	Changed oil, changed oil	
Compression test	1 70/80	2 65/80	3 72/80	4 78/80 5 76/80 6 72/80
Total To Carry Forward				Checked mag timing, flushed engine

and Remarks	Signature	Certificate No.
Drained oil & Serviced with SAE 50 Aeroshell, Replaced oil Filter with CH 48119, Cleaned Gapped & Tested Spark plugs, Checked Magneto Press Compression check. #1 cyl 75/80, #2-75/80, #3-78/80, #4-75/80, #5-80/80, #6 80/80. Timing performed. I certify That This Aircraft Has been inspected I.A.W. and was determined to Be Airworthy.	William R. Carter	
Signature: [Signature] AEP 46426 0560		
Filter labeled Shell 50W oil		
Cleaned gapped & tested spark plugs, AD 78-09-07 R2 due at 1104.0 #3		
and test run, Operational checks all normal over		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
8-18-83	Brought Forward →	TT 892.58		COMPLETED ANNUAL
				FILTER, REDUCED WITH 12 QTS
				NEW REM 386 PLUGS REPLACED
				DIFF. COMP. CHECK #1 75/80 #2
I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE AIR WORTHY DATE 8-18-83 TT 892.58 HRS. JAMES P. TURNER JR. A1450085058				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
INSPECTION AND SERVICING CHANGED OIL AND AEROSHELL 100W/50WT. REPLACED SPARK PLUGS WITH INDUCTION 1 FILTER. CHECKED MAG TIMING.		
76/80 #3 72/80 #4 75/80 #5 70/80 #6 72/80		
8-15-83 Tac. 892.58. Change oil & F. Filter. Compression Check #1 75/80 #2 76/80 #3 72/80 #4 75/80 #5 70/80 #6 72/80 Replace inj. air filter. I certify this engine has been inspected as per a 100 hr inspection and is airworthy. Replace spark plugs with new REM 386 plugs.		
	James P. Turner Jr.	ADP 514915

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance	and Remarks	Signature	Certificate No.
	This Date	Since Major					
06-07-83	Brought Forward →	Act Time	788.52	Completed 100hr Inspected SAE 50/Grade 100 Aero Oil Filter with OF51A Tested Spark Plugs, Per #1 cyl-75/80, #2-75/80 #3-75/80, #4-80/80, #5-80/80, #6 75/80 I certify That This Air Craft Engine was Inspected IAW was Determined To Be Airworthy. William R Potter A# P464260560			
					Drained oil & Serviced with 12 qts oil. Checked Magneto Timing, Replaced AC Filter, Cleaned, Gapped & Performed Diff. Press. Compression Check		
					75/80 #4-80/80, #5-80/80, #6 75/80		
					craft Engine was Inspected IAW		
					was Determined To Be Airworthy.		
					William R Potter A# P464260560		
					Installed Remanufactured Alternator SN 3060240		
					Mount Lug Holes See Attached Maint Release		
					William R Potter A# P464260560		
Total To Carry Forward			788.52	Due to Elongated			

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
4-12-83	Brought Forward →	Tech Time	687.73	Completed 100 Hr Inspection Gr. 100 Aeroshell, Cleaned Completed Diff. Press. Comp #5-79/80 #6-75/80, Rep/80
Total To Carry Forward				

[illegible]

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
1-6-83	Brought Forward →	604.53	C/W AD.	78-09.07 IMPROVE COUPLING.
CHANGED OIL SERVICE WITH 12OTS AEROSHELL 80 W. CLEANED AND GAPPED ALL PLUGS. RESET MAG TIMING L+R. DIFF COMP CK #1 75/80 #2 73/80 #3 74/80 #4 76/80 #5 78/80 #6 74/80				
I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A 100 HR INSPECTION AND WAS DETERMINED TO BE AIR WORTHY DATE 1-6-83 TI 604.53 HRS. <i>James P. Turner Jr.</i> JAMES P. TURNER JR. AI450085058				
03-25-83	Tach Time	687.53	Replaced Alternator with Rem	
Total To Carry Forward			See Attach Maint Release	

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
7-14-82	Brought Forward →		410.2	Completed 100 HR Green Distributor Black engine has been 100 hr inspection airworthy
9-28-82	TACH 508.26			BENDIX AD. 82-20-01 N/A DUE TO TIME IN SERVICE.
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Inspection AD. 82-13-01 NA Not Installed. I certify this inspected in accordance to and was found to be		
Paul J. Dutton P. 465153768		
I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE AIR WORTHY DATE 9-28-82 TT 508.26 HRS.		
JAMES P. TURNER JR. A1450085058		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
7/6/82	Brought Forward →		364.6	Drained oil, $\frac{1}{2}$ Serviced Installed New CH48
7-8-82	Tach Time	4001		Changed oil Serviced oil Filter Cleaned & #1 cyl- 75/80, #2- 75/80
Total To				

and Remarks	Signature	Certificate No.
with 12 qts SAE 50 Aeroshell 110 oil Filter	William R. Gatter	464260560
with 12 qts Aeroshell SAE 50. Installed New CH48110 Capped Plugs, Performed Diff. Press. Compression C.K. #3 - 75/80, #4 - 80/80, #5 - 75/80, #6 - 70/80	William R. Gatter	464260560

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
12-1-81	Brought Forward →		298.	90 80 25-07 R1 N/A
Oil changed, brand <u>ARCO Shell</u> weight <u>65W</u>				81-12-06 BENDIX MAG N/A
Det. <u>✓</u> Non-Det. _____				by TYPE
Filter replaced, screens cleaned. Differential compression taken #1 cyl. <u>74</u> /80 #2 cyl. <u>78</u> /80 #3 cyl. <u>77</u> /80 #4 cyl. <u>78</u> /80 #5 cyl. <u>77</u> /80 #6 cyl. <u>76</u> /80				81-17-01 BENDIX VIBRATOR N/A
Engine operation preflight completed.				NOT INSTALLED
I CERTIFY THAT THIS ENGINE/AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN AIR-WORTHY CONDITION.				81-18-04 LVC. oil impeller
<u>BPHunter</u> A4P 1643757IA				N/A THIS TIME, DUE 2000 ^{hr}
				78-09-07 R2 BENDIX impulse
				DUE AT 500 ^{hr}
Total To				

[illegible]

ENGINE LOG					
Date	Engine Time		Recorder Reading	Maintenance	
	This Date	Since Major			
6-4-81	Brought Forward → <i>tack</i> <i>100.0</i>	Oil changed, brand <i>ReroShell</i> weight <i>50</i>			
		Det. _____ Non-Det. _____			
		Filter replaced, screens _____ Differential compress-			
		sion taken #1 cyl <i>77</i> / <i>80</i> 2dyl <i>77</i> / <i>80</i> 3 cyl. <i>78</i> / <i>80</i>			
		#4 cyl. <i>78</i> / <i>80</i> 5.cyl <i>78</i> / <i>80</i> 6 <i>80</i> / <i>80</i>			
		Engine operation _____			
		I hereby certify the <i>Aircraft</i> has been inspected			
		In accordance to a <i>100 hr.</i> inspection			
		and was determined to be in Airworthy condition.			
		LEO F. TALBOT			
		<i>Leo F. Talbot</i>			
Total To Carry Forward					

and Remarks	Signature	Certificate No.
8-14-81 1700 198. Oil changed, brand <u>Aeco Shell</u> weight <u>50</u> Det. <u>X</u> Non-Det. _____ Filter replaced, screens cleaned. Differential compression taken #1 cyl. 76180 #2 cyl. 77180 #3 cyl. 78180 #4 cyl. 78180 #5 cyl. 78180 #6 cyl. 75180 Engine operation preflight completed. AD 81-16-05 SLICK MAGS N/A by ENGINE BENDIX MAGS INSTALLED 1200 SERIES TYPE I CERTIFY THAT THIS ENGINE/AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH <u>100 hr</u> INSPECTION AND WAS DETERMINED TO BE IN AIR-WORTHY CONDITION. <u>ZBP Gordon ACP 1643757 IA</u>		

ENGINE DESCRIPTION

Manufacturer: LYCOMING - WILLIAMSPORT, PENNA.

Serial No. L-20748-43A

Horsepower: 300

Model: IO-540-K1G5

FAA T. C. No. 1E4

Engine Accessories

Serial No.

Weight