

REPLACEMENT OF ACCESSORIES AND MAJOR COMPONENTS

FAA CRS G1FR100Y / Appleton, WI

Page 1 of 1

MODEL: G150
 SERIAL NO.: 261
 REGISTRATION NO.: N375AB
 WORK ORDER NO.: SC25927

ACTT: 5003.5
 ACTL: 3221
 DATE STARTED: 03 AUG 2021
 DATE COMPLETED: 03 AUG 2021

PART NAME	ACTION	PART NUMBER	SERIAL NUMBER	D. O. M.	HYDRO		HOURS	CYCLE	STATUS
ISI (INTEGTD STDBY INSTRUMENT)	Remove	C16221UA01	C16221021465	-	-	-	-	-	
	Install	C16221UA01	C16221009052	-	-	-	0	0	Repaired
	Remove			-	-	-	-	-	
	Install			-	-	-	-	-	
	Remove			-	-	-	-	-	
	Install			-	-	-	-	-	
	Remove			-	-	-	-	-	
	Install			-	-	-	-	-	
	Remove			-	-	-	-	-	
	Install			-	-	-	-	-	
	Remove			-	-	-	-	-	
	Install			-	-	-	-	-	
	Remove			-	-	-	-	-	
	Install			-	-	-	-	-	
	Remove			-	-	-	-	-	
	Install			-	-	-	-	-	

AUTHORIZED SIGNATURE:



Geff C Galbari
 FAA CRS G1FR100Y

GULFSTREAM

REPLACEMENT OF ACCESSORIES AND MAJOR COMPONENTS

A/C MODEL	A/C SERIAL NUMBER	REGISTRATION NO.	JOB NO.						
G150	261	N261GA <i>10E-GUF</i>	FP11427						
DESCRIPTION	ACTION	PART NUMBER	SERIAL NUMBER	MOD	H/W MOD	S/W MOD	UNIT HOURS	UNIT LDGS/CYC	
Data Concentration Unit	REMOVE	822-1538-003	2RKXT	---	---	---			Reason: <u>FAILURE</u> Certificate No. <u>NAAD R560K</u>
	INSTALL	822-1538-003	2TDKF	---	---	---			Tommy F Watson <u>21</u> 10/8/2008 Signature: <u>INSPI</u>
Copilots Oxygen Mask	REMOVE	MC-10-13-150	123726	---	---	---			Reason: <u>FAILURE</u> Certificate No. <u>NAAD R560K</u>
	INSTALL	MC-10-13-150	120688	---	---	---			Tommy F Watson <u>21</u> 10/8/2008 Signature: <u>INSPI</u>
<i>Brake Assy #1</i>	REMOVE	<i>5006575-1</i>	<i>JAN08-1118</i>	---	---	---	<i>014</i>	<i>014</i>	Reason: <u>AAL 0236</u> Certificate No. <u>M Ploeg FOCA-303919</u>
	INSTALL	<i>5006575-1</i>	<i>JUL06-884</i>	---	---	---	<i>014</i>	<i>014</i>	Signature: <i>J. Coey</i>
<i>Brake Assy #2</i>	REMOVE	<i>5006575-1</i>	<i>JAN08-1121</i>	---	---	---	<i>014</i>	<i>014</i>	Reason: <u>AAL 0236</u> Certificate No. <u>M Ploeg FOCA-303919</u>
	INSTALL	<i>5006575-1</i>	<i>NOV07-1098</i>	---	---	---	<i>014</i>	<i>014</i>	Signature: <i>J. Coey</i>
<i>Brake Assy #3</i>	REMOVE	<i>5006575-1</i>	<i>JAN08-1119</i>	---	---	---	<i>014</i>	<i>014</i>	Reason: <u>AAL 0236</u> Certificate No. <u>M Ploeg FOCA-303919</u>
	INSTALL	<i>5006575-1</i>	<i>AUG05-821</i>	---	---	---	<i>014</i>	<i>014</i>	Signature: <i>J. Coey</i>
<i>Brake Assy #4</i>	REMOVE	<i>5006575-1</i>	<i>JAN08-1124</i>	---	---	---	<i>014</i>	<i>014</i>	Reason: <u>AAL 0236</u> Certificate No. <u>M Ploeg FOCA-303919</u>
	INSTALL	<i>5006575-1</i>	<i>NOV07-1090</i>	---	---	---	<i>014</i>	<i>014</i>	Signature: <i>J. Coey</i>
<i>4/4 AILERON ACTUATOR</i>	REMOVE	<i>1159-0000-000</i>	<i>IL067</i>	---	---	---	-	-	Reason: <u>AAL 0236</u> Certificate No. <u>M Ploeg FOCA-303919</u>
	INSTALL	<i>1159-0000-000</i>	<i>IL085</i>	---	---	---	<i>NEW</i>	<i>NEW</i>	Signature: <i>J. Coey</i>
<i>R/H AILERON ACTUATOR</i>	REMOVE	<i>1160-0000-000</i>	<i>IL066</i>	---	---	---	-	-	Reason: <u>AAL 0236</u> Certificate No. <u>M Ploeg FOCA-303919</u>
	INSTALL	<i>1160-0000-000</i>	<i>IL060</i>	---	---	---	<i>NEW</i>	<i>NEW</i>	Signature: <i>J. Coey</i>
<i>4/4 STARTER/GEN</i>	REMOVE	<i>23065-020</i>	<i>P1216</i>	---	---	---	<i>507.35</i>	<i>428</i>	Reason: <u>AAL 0236</u> Certificate No. <u>M Ploeg FOCA-303919</u>
	INSTALL	<i>23065-020</i>	<i>P1216</i>	---	---	---	<i>014</i> <i>0=150</i>	<i>014</i> <i>0=CS0</i>	Signature: <i>J. Coey</i>







GULFSTREAM

REPLACEMENT OF ACCESSORIES AND MAJOR COMPONENTS

A/C MODEL	A/C SERIAL NUMBER	REGISTRATION NO.	JOB NO.					
G150	261	N261GA	FP11427					
DESCRIPTION	ACTION	PART NUMBER	SERIAL NUMBER	MOD	H/W MOD	S/W MOD	UNIT HOURS	UNIT LDGS/CYC
Audio Control Panel # 1	REMOVE	822-1950-010	2V8XC	---	---	---		
	INSTALL	822-1950-020	2V8XC	---	---	---		
								Reason: MOD Certificate No. VJ1R560K
								Peter C. Hyatt Signature: PCH 536610 9/6/2008 GACD
Audio Control Panel # 2	REMOVE	822-1950-010	2VB7R	---	---	---		
	INSTALL	822-1950-020	2VB7R	---	---	---		
								Reason: MOD Certificate No. VJ1R560K
								Peter C. Hyatt Signature: PCH 536610 9/6/2008 GACD
Nacelle Anti-ice Valve Right	REMOVE	327945-2	0706	---	---	---		
	INSTALL	327945-2	0714	---	---	---		
								Reason: FAILURE Certificate No. VJ1R560K
								Peter C. Hyatt Signature: PCH 536610 9/6/2008 GACD
Data Concentration Unit	REMOVE	822-1538-002	2TCHB	---	---	---		
	INSTALL	822-1538-002	2TDJD	---	---	---		
								Reason: FAILURE Certificate No. VJ1R560K
								Peter C. Hyatt Signature: PCH 536610 9/6/2008 GACD
Radar Antenna R/T	REMOVE	622-8440-004	33JVJ	---	---	---		
	INSTALL	622-8440-004	2NO4L	---	---	---		
								Reason: FAILURE Certificate No. VJ1R560K
								Peter C. Hyatt Signature: PCH 536610 9/6/2008 GACD
MFD Left	REMOVE	822-1577-104	2NL3L	---	---	---		
	INSTALL	822-1917-104	2NL3L	---	---	---		
								Reason: MOD Certificate No. VJ1R560K
								Peter C. Hyatt Signature: PCH 536610 9/6/2008 GACD
MFD Right	REMOVE	822-1577-104	2NL6V	---	---	---		
	INSTALL	822-1917-104	2NL6V	---	---	---		
								Reason: MOD Certificate No. VJ1R560K
								Peter C. Hyatt Signature: PCH 536610 9/6/2008 GACD
Shock Absorber Right MLG	REMOVE	2505-0100-000	IL-121	---	---	---		
	INSTALL	2505-0100-000	IL-154	---	---	---		
								Reason: FAILURE Certificate No. VJ1R560K
								Peter C. Hyatt Signature: PCH 536610 9/6/2008 GACD
Anti-skid Control Valve Right	REMOVE	225W714005-501 6003090-1	OCT07-0441	---	---	---		
	INSTALL	225W714005-501 6003090-1	SEP07-0432	---	---	---		
								Reason: FAILURE Certificate No. VJ1R560K
								Peter C. Hyatt Signature: PCH 536610 9/6/2008 GACD

GULFSTREAM

REPLACEMENT OF ACCESSORIES AND MAJOR COMPONENTS

A/C MODEL		A/C SERIAL NUMBER		REGISTRATION NO.		JOB NO.			
G150		261		N261GA		FP11427			
DESCRIPTION	ACTION	PART NUMBER	SERIAL NUMBER	MOD	H/W MOD	S/W MOD	UNIT HOURS	UNIT LDGS/CYC	
Air Data Computer # 1	REMOVE	822-2083-001	2VBNV	---	---	----			Reason: FAILURE Certificate No. VJ1R560K
	INSTALL	822-2083-001	2VC2L	---	---	----			Peter C. Hyatt Signature:  9/6/2008
Door Seal Regulator / Relief Valve MED	REMOVE	20026299	0405	---	---	----			Reason: FAILURE Certificate No. VJ1R560K
	INSTALL	20026299	0403	---	---	----			Peter C. Hyatt Signature:  9/6/2008
NAV 4000 #2	REMOVE	822-1579-001	2MM8N	---	---	----			Reason: MOD Certificate No. VJ1R560K
	INSTALL	822-1465-001	2MM8N	---	---	----			Peter C. Hyatt Signature:  9/6/2008
Data Concentration Unit	REMOVE	822-1538-002	2TDJD	---	---	----			Reason: MOD Certificate No. VJ1R560K
	INSTALL	822-1538-003	2RKXT	---	---	----			Peter C. Hyatt Signature:  9/11/2008
APU	REMOVE	3800785-1	P-401	---	---	----			Reason: FAILURE Certificate No. FOCA 304328
APU LOANER	INSTALL	3800785-1	P-174	---	---	----			Signature:  AAL 0236 Kurtz Markus FOCA 304328
APU LOANER	REMOVE	3800785-1	P-174	---	---	----			Reason: REPAIRED Certificate No. FOCA 304328
APU	INSTALL	3800785-1	P-401	---	---	----			Signature:  AAL 0236 Kurtz Markus FOCA 304328
	REMOVE			---	---	----			Reason: Certificate No.
	INSTALL			---	---	----			Signature:
	REMOVE			---	---	----			Reason: Certificate No.
	INSTALL			---	---	----			Signature:

Gulfstream

REPLACEMENT OF ACCESSORIES AND MAJOR COMPONENTS

MODEL: G150
SERIAL NO.: 261
TAIL NO.: OE-GLF
GULFSTREAM AEROSPACE LIMITED, LONDON LUTON AIRPORT
WORK ORDER: FL015656

ACTT: 1494:56
ACTL: 1139
DATE BEGUN: 29 SEPTEMBER 2011
DATE COMPLETED: 10 OCTOBER 2010
 Page No: 1 of 1

PART NAME	ACTION	PART NUMBER	SERIAL NUMBER	BATCH NUMBER.	ATA	UNIT HOURS	UNIT LDGS/CYC	REASON
No.1. MAIN BATTERY	Remove	276CH7	T00474		24	OVERHAULED: 5 OCTOBER 2011		FUNCTIONAL CHECK / CAPACITY TEST
Tag: Yes	Install	276CH7	T00474	LJJ046				
No.2. MAIN BATTERY	Remove	276CH7	T00920		24	OVERHAULED: 5 OCTOBER 2011		FUNCTIONAL CHECK / CAPACITY TEST
Tag: Yes	Install	276CH7	T00920	LJJ047				
FIRST AID KIT	Remove	AFAK	082208014		25	REFURBISHED: 4 OCTOBER 2011-10-25 EXPIRY: 10/2012		DISCARD / DETAILED INSPECTION
Tag: Yes	Install	AFAK	082208014	LJJ048				
LIFE RAFT No.1.	Remove	812FASA-6K2-1-102	8UL-00590		25	O/H: 5 OCTOBER 2011 MFG: 08/2008 NEXT O/H DUE: 10/2014		RESTORE
Tag: Yes	Install	812FASA-6K2-1-102	8UL-00590	LJJ073				
LIFE RAFT No.2.	Remove	812FASA-6K2-1-102	8UL-00591		25	O/H: 5 OCTOBER 2011 MFG: 08/2008 NEXT O/H DUE: 10/2014		RESTORE
Tag: Yes	Install	812FASA-6K2-1-102	8UL-00591	LJJ072				
EMERGENCY POWER SUPPLY	Remove	501-1228-04	82291		34	TESTED: 4 OCTOBER 2011		CAPACITY CHECK
Tag: Yes	Install	501-1228-04	82291	LJJ045				
APU STARTER GENERATOR	Remove	23065-020	P-1230		49	OVERHAULED: 15 SEPTEMBER 2011		RESTORE
Tag: Yes	Install	23065-020	3805	LJI432E				

EASA PART 145 APPROVAL: UK.145.00883

SIGNATURE: L.J.BARKER.



LJB arker



Gulfstream™

REPLACEMENT OF ACCESSORIES AND MAJOR COMPONENTS

A/C Model: Gulfstream G150 A/C Serial No.: 261 A/C Registration No.: N28BQ Work Order No.: FA29189
Date: 29 April 2023 A/C Total Hours: 5260.2 A/C Total Cycles: 3432 Page 1 of 1

PART NAME	ACTION	PART NUMBER	SERIAL NUMBER				HOURS	CYCLE	STATUS
Right Front Copilot Windshield	Remove	NP192301-4	08015H0001	-	-	-	UNK	UNK	New
	Install	NP192301-8	23048H6956	-	-	-	0	0	

AUTHORIZED SIGNATURE: _____


Peter Zuehls
FAA CRS G1FR100Y

LIFE LIMITED PARTS LIST

AIRCRAFT MODEL - GULFSTREAM G150

REGISTRATION NO. N261GA

A/C NO. 261

PART NAME	PART NO.	PERIOD TO NEAREST MAINTENANCE ACTIVITY	INSPECTION	LIFE LIMIT	SERIAL NUMBER	CURRENT PERIOD START	CURRENT PERIOD FINISH
FIRE EXTINGUISHER LH	25G6321010-501	SEE AMM 05-20-00	X		27278C1	JAN 30, 2008	
FIRE EXT CARTRIDGE LH, LH ENG	30903823	SEE AMM 05-20-00		X	261LH	MAY 15, 2008	
FIRE EXT CARTRIDGE LH, RH ENG	30903824	SEE AMM 05-20-00		X	261LH	MAY 15, 2008	
FIRE EXTINGUISHER RH	25G6321020-501	SEE AMM 05-20-00	X		27550C1	MAR 30, 2008	
FIRE EXT CARTRIDGE RH, LH ENG	30903823	SEE AMM 05-20-00		X	261RH	MAY 15, 2008	
FIRE EXT CARTRIDGE RH, RH ENG	30903824	SEE AMM 05-20-00		X	261RH	MAY 15, 2008	
FIRE EXT CARTRIDGE RH, APU	30903920	SEE AMM 05-20-00		X	261RH	MAY 15, 2008	
EMRG. EXT. PRESS VESSEL	V25W716004-503	SEE AMM 05-20-00	X		02009	MAY 06, 2008	
OXYGEN CYLINDER ASSY	4AS7510708-011	SEE AMM 05-20-00	X		C08030515	JAN 30, 2008	
OXYGEN CYL REGULATOR	806370-09	SEE AMM 05-20-00	X		C08010113	JAN 30, 2008	
PASS OXYGEN CONTROLLER	25G7510730-003	SEE AMM 05-20-00	X		0158	MAY 15, 2008	
OXYGEN MASK	4AS7510712-001	SEE AMM 05-20-00	X		123729	JAN 30, 2008	
OXYGEN MASK	4AS7510712-001	SEE AMM 05-20-00	X		123726	JAN 30, 2008	
ELT - BATTERY PACK	453 5060	SEE AMM 05-20-00		X			MAR 30, 2013

NOTES: 1) FOR COMBINED "HRS/MONTHS" OR "HRS/YEARS" FREQUENCY THE EXPIRATION BECOMES EFFECTIVE ON ANY LIMITATION REACHED,-- WHICHEVER COMES FIRST.
2) "EXPIRATION" TERM (CONDITION), NOTED BY(*) - IS TEMPORARY LIMITATION.