

Location: Tulare, CA



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY

RECORD ENGINE CYCLES

0001

Hobbs
QUARTZ
00010-16
HOURS

NO SMOKING



SYSTEM POWER

TURN OFF

TURN OFF

TURN OFF

TURN OFF

SULFUR DUSTING IS PROHIBITED UNLESS SPECIAL FIRE PREVENTION MEASURES HAVE BEEN INCORPORATED IN AIRCRAFT

THIS AIRPLANE MUST BE OPERATED IN RESTRICTED CATEGORY IN ACCORDANCE WITH PLACARDS AND MARKINGS DISPLAYED IN THE COCKPIT. NO ACROBATIC MANEUVERS, INCLUDING SPINS, DESIGN MANEUVERING SPEED: 120 MPH. MAX. FLAP-DOWN SPEED: 120 MPH. MAX. CROSSWIND VELOCITY, LANDING: 15 MPH. USEABLE TANK CAP 5 GALS. EACH

THE OPERATION OF THIS AIRPLANE IS LIMITED TO DAY AND NIGHT VFR FLIGHT CONDITIONS. FLIGHT IN VISIBLE MOISTURE BELOW 5°C (40°F) OAT IS PROHIBITED.

PARK BRAKE ON: DEPRESS PEDALS AND PULL LEVER OFF: DEPRESS PEDALS

PUSH STICK FORWARD TO LOCK WHEEL

UNDERWRITERS
SALVAGE COMPANY





UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY




James P. [illegible]



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY

STON AIRCRAFT SERVICE INC.
SERVICE-PARTS FAA REPAIR STATION



UNDERWRITERS
SALVAGE COMPANY



UNDERWRITERS
SALVAGE COMPANY



N447AT

UNDERWRITERS
SALVAGE COMPANY





N447AT

UNDERWRITERS
SALVAGE COMPANY





UNDERWRITERS
SALVAGE COMPANY



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**